

# Xinbing Zhao

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4178334/xinbing-zhao-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

6,790  
citations

38  
h-index

74  
g-index

74  
ext. papers

8,029  
ext. citations

12.7  
avg, IF

6.18  
L-index

#	Paper	IF	Citations
74	Enhancing the room temperature thermoelectric performance of n-type Bismuth-telluride-based polycrystalline materials by low-angle grain boundaries. <i>Materials Today Physics</i> , <b>2022</b> , 22, 100573	8	8
73	Low-cost and long-life Zn/Prussian blue battery using a water-in-ethanol electrolyte with a normal salt concentration. <i>Energy Storage Materials</i> , <b>2022</b> , 48, 192-204	19.4	3
72	Electrochemical Compatibility of Solid-State Electrolytes with Cathodes and Anodes for All-Solid-State Lithium Batteries: A Review. <i>Advanced Energy and Sustainability Research</i> , <b>2021</b> , 2, 2000101	1.6	4
71	Half-Heusler thermoelectric materials. <i>Applied Physics Letters</i> , <b>2021</b> , 118, 140503	3.4	13
70	Two-dimensional lithiophilic YF <sub>3</sub> -enabled lithium dendrite removal for quasi-solid-state lithium batteries. <i>Journal of Materiomics</i> , <b>2021</b> , 7, 355-365	6.7	3
69	Long-life Na-rich nickel hexacyanoferrate capable of working under stringent conditions. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 21228-21240	13	4
68	Demonstration of valley anisotropy utilized to enhance the thermoelectric power factor. <i>Nature Communications</i> , <b>2021</b> , 12, 5408	17.4	17
67	Stable cycling of Prussian blue/Zn battery in a nonflammable aqueous/organic hybrid electrolyte.. <i>RSC Advances</i> , <b>2021</b> , 11, 30383-30391	3.7	2
66	Half-Heusler Thermoelectric Module with High Conversion Efficiency and High Power Density. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2000888	21.8	40
65	Tiny amounts of fluorinated carbon nanotubes remove sodium dendrites for high-performance sodium-oxygen batteries. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 4108-4116	5.8	2
64	Scattering Mechanisms and Compositional Optimization of High-Performance Elemental Te as a Thermoelectric Material. <i>Advanced Electronic Materials</i> , <b>2020</b> , 6, 2000038	6.4	10
63	Stable cycling of a Prussian blue-based Na/Zn hybrid battery in aqueous electrolyte with a wide electrochemical window. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 4639-4646	3.6	14
62	Enhancing the average thermoelectric figure of merit of elemental Te by suppressing grain boundary scattering. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 8455-8461	13	15
61	High-Performance MgSb Bi Thermoelectrics: Progress and Perspective. <i>Research</i> , <b>2020</b> , 2020, 1934848	7.8	30
60	Revealing the Intrinsic Electronic Structure of 3D Half-Heusler Thermoelectric Materials by Angle-Resolved Photoemission Spectroscopy. <i>Advanced Science</i> , <b>2020</b> , 7, 1902409	13.6	31
59	Trace fluorinated-carbon-nanotube-induced lithium dendrite elimination for high-performance lithium-oxygen cells. <i>Nanoscale</i> , <b>2020</b> , 12, 3424-3434	7.7	6
58	Thermoelectric properties of n-type half-Heusler NbCoSn with heavy-element Pt substitution. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 14822-14828	13	24

57	Lithiated carbon cloth as a dendrite-free anode for high-performance lithium batteries. <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 5773-5782	5.8	2
56	Grain Boundary Scattering of Charge Transport in n-Type (Hf,Zr)CoSb Half-Heusler Thermoelectric Materials. <i>Advanced Energy Materials</i> , <b>2019</b> , 9, 1803447	21.8	51
55	Short-range order in defective half-Heusler thermoelectric crystals. <i>Energy and Environmental Science</i> , <b>2019</b> , 12, 1568-1574	35.4	51
54	Realizing discrete growth of thin Li <sub>2</sub> O <sub>2</sub> sheets on black phosphorus quantum dots-decorated EMnO <sub>2</sub> catalyst for long-life lithium-oxygen cells. <i>Energy Storage Materials</i> , <b>2019</b> , 23, 684-692	19.4	17
53	Potassium manganese hexacyanoferrate/graphene as a high-performance cathode for potassium-ion batteries. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 11618-11625	3.6	29
52	Liquid-Phase Hot Deformation to Enhance Thermoelectric Performance of n-type Bismuth-Telluride-Based Solid Solutions. <i>Advanced Science</i> , <b>2019</b> , 6, 1901702	13.6	39
51	Nonflammable quasi-solid-state electrolyte for stable lithium-metal batteries.. <i>RSC Advances</i> , <b>2019</b> , 9, 42183-42193	3.7	3
50	High performance p-type half-Heusler thermoelectric materials. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 113001	3	44
49	Enhanced Thermoelectric Performance in 18-Electron Nb <sub>0.8</sub> CoSb Half-Heusler Compound with Intrinsic Nb Vacancies. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1705845	15.6	79
48	Unique Role of Refractory Ta Alloying in Enhancing the Figure of Merit of NbFeSb Thermoelectric Materials. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1701313	21.8	128
47	Ionic liquid/ether-plasticized quasi-solid-state electrolytes for long-life lithium-oxygen cells. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 19521-19527	3.6	1
46	Manganese hexacyanoferrate/graphene cathodes for sodium-ion batteries with superior rate capability and ultralong cycle life. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 2914-2920	6.8	12
45	Na-Rich Prussian White Cathodes for Long-Life Sodium-Ion Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 16121-16129	8.3	31
44	NiCo <sub>2</sub> O <sub>4</sub> /MnO <sub>2</sub> core/shell arrays as a binder-free catalytic cathode for high-performance lithium-oxygen cells. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 1707-1713	6.8	16
43	Defect modulation on CaZn <sub>1-x</sub> Ag <sub>x</sub> Sb (0 < x < 1). <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 11773-11782	13	16
42	Tunable Optimum Temperature Range of High-Performance Zone Melted Bismuth-Telluride-Based Solid Solutions. <i>Crystal Growth and Design</i> , <b>2018</b> , 18, 4646-4652	3.5	17
41	Lanthanide Contraction as a Design Factor for High-Performance Half-Heusler Thermoelectric Materials. <i>Advanced Materials</i> , <b>2018</b> , 30, e1800881	24	66
40	Mg vacancy and dislocation strains as strong phonon scatterers in Mg <sub>2</sub> Si <sub>1-x</sub> Sb <sub>x</sub> thermoelectric materials. <i>Nano Energy</i> , <b>2017</b> , 34, 428-436	17.1	85

39	Graphene-like $\text{MnO}_2$ decorated with ultrafine $\text{CeO}_2$ as a highly efficient catalyst for long-life lithium-oxygen batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 6747-6755	13	38
38	Compromise and Synergy in High-Efficiency Thermoelectric Materials. <i>Advanced Materials</i> , <b>2017</b> , 29, 16052-16058	18.4	742
37	Defect control in $\text{Ca}_{1-x}\text{Te}_x\text{Ag}_{1-2x}\text{Sb}$ ( $0 < x < 0.15$ ) through Nb doping. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 1113-1119	6.8	2
36	Enhancing room temperature thermoelectric performance of n-type polycrystalline bismuth-telluride-based alloys via Ag doping and hot deformation. <i>Materials Today Physics</i> , <b>2017</b> , 2, 62-68	8	51
35	AMgBi (A = Ca, Sr, Eu): Magnesium Bismuth Based Zintl Phases as Potential Thermoelectric Materials. <i>Inorganic Chemistry</i> , <b>2017</b> , 56, 10576-10583	5.1	23
34	Two-dimensional $\text{IrO}_2/\text{MnO}_2$ enabling conformal growth of amorphous $\text{Li}_2\text{O}_2$ for high-performance $\text{LiO}_2$ batteries. <i>Energy Storage Materials</i> , <b>2017</b> , 9, 206-213	19.4	20
33	Highly-efficient $\text{MnO}_2$ /carbon array-type catalytic cathode enabling confined $\text{Li}_2\text{O}_2$ growth for long-life $\text{LiO}_2$ batteries. <i>Energy Storage Materials</i> , <b>2017</b> , 6, 164-170	19.4	23
32	Hierarchical Chemical Bonds Contributing to the Intrinsically Low Thermal Conductivity in $\text{MgAgSb}$ Thermoelectric Materials. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 16041-16045	15.6	154
31	$\text{Ni}_3\text{S}_2$ nanosheet-anchored carbon submicron tube arrays as high-performance binder-free anodes for Na-ion batteries. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 131-138	6.8	17
30	Attaining high mid-temperature performance in $(\text{Bi,Sb})_2\text{Te}_3$ thermoelectric materials via synergistic optimization. <i>NPG Asia Materials</i> , <b>2016</b> , 8, e302-e302	10.3	96
29	The effect of texture degree on the anisotropic thermoelectric properties of $(\text{Bi,Sb})_2(\text{Te,Se})_3$ based solid solutions. <i>RSC Advances</i> , <b>2016</b> , 6, 98646-98651	3.7	15
28	High-Performance Li-O Batteries with Controlled $\text{LiO}$ Growth in Graphene/Au-Nanoparticles/Au-Nanosheets Sandwich. <i>Advanced Science</i> , <b>2016</b> , 3, 1500339	13.6	34
27	Enhancing the Figure of Merit of Heavy-Band Thermoelectric Materials Through Hierarchical Phonon Scattering. <i>Advanced Science</i> , <b>2016</b> , 3, 1600035	13.6	106
26	New Insights into Intrinsic Point Defects in $\text{VVI}$ Thermoelectric Materials. <i>Advanced Science</i> , <b>2016</b> , 3, 1600004	9.4	218
25	Demonstration of a phonon-glass electron-crystal strategy in $(\text{Hf,Zr})\text{NiSn}$ half-Heusler thermoelectric materials by alloying. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 22716-22722	13	101
24	Understanding Moisture and Carbon Dioxide Involved Interfacial Reactions on Electrochemical Performance of Lithium-Air Batteries Catalyzed by Gold/Manganese-Dioxide. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 23876-84	9.5	37
23	High performance n-type bismuth telluride based alloys for mid-temperature power generation. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 10597-10603	7.1	48
22	Realizing high figure of merit in heavy-band p-type half-Heusler thermoelectric materials. <i>Nature Communications</i> , <b>2015</b> , 6, 8144	17.4	658

21	Nanostructured porous RuO <sub>2</sub> /MnO <sub>2</sub> as a highly efficient catalyst for high-rate Li-O <sub>2</sub> batteries. <i>Nanoscale</i> , <b>2015</b> , 7, 20614-24	7.7	34
20	Tips-Bundled Pt/Co <sub>3</sub> O <sub>4</sub> Nanowires with Directed Peripheral Growth of Li <sub>2</sub> O <sub>2</sub> as Efficient Binder/Carbon-Free Catalytic Cathode for Lithium-Oxygen Battery. <i>ACS Catalysis</i> , <b>2015</b> , 5, 241-245	13.1	63
19	Band engineering of high performance p-type FeNbSb based half-Heusler thermoelectric materials for figure of merit zT > 1. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 216-220	35.4	368
18	High Efficiency Half-Heusler Thermoelectric Materials for Energy Harvesting. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500588	21.8	279
17	Tuning Multiscale Microstructures to Enhance Thermoelectric Performance of n-Type Bismuth-Telluride-Based Solid Solutions. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1500411	21.8	287
16	Mushroom-like Au/NiCo <sub>2</sub> O <sub>4</sub> nanohybrids as high-performance binder-free catalytic cathodes for lithium-oxygen batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 5714-5721	13	47
15	High Performance BiMgAgSb Thermoelectric Materials for Low Temperature Power Generation. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 909-913	9.6	98
14	The intrinsic disorder related alloy scattering in ZrNiSn half-Heusler thermoelectric materials. <i>Scientific Reports</i> , <b>2014</b> , 4, 6888	4.9	161
13	Direct Growth of Flower-Like BiMnO <sub>2</sub> on Three-Dimensional Graphene for High-Performance Rechargeable Li-O <sub>2</sub> Batteries. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1301960	21.8	139
12	Shifting up the optimum figure of merit of p-type bismuth telluride-based thermoelectric materials for power generation by suppressing intrinsic conduction. <i>NPG Asia Materials</i> , <b>2014</b> , 6, e88-e88	10.3	234
11	High Band Degeneracy Contributes to High Thermoelectric Performance in p-Type Half-Heusler Compounds. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1400600	21.8	198
10	Point Defect Engineering of High-Performance Bismuth-Telluride-Based Thermoelectric Materials. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 5211-5218	15.6	469
9	Recent Advances in Inorganic Solid Electrolytes for Lithium Batteries. <i>Frontiers in Energy Research</i> , <b>2014</b> , 2,	3.8	205
8	Hot deformation induced bulk nanostructuring of unidirectionally grown p-type (Bi,Sb) <sub>2</sub> Te <sub>3</sub> thermoelectric materials. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 11589	13	86
7	Low Electron Scattering Potentials in High Performance Mg <sub>2</sub> Si <sub>0.45</sub> Sn <sub>0.55</sub> Based Thermoelectric Solid Solutions with Band Convergence. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 1238-1244	21.8	186
6	Beneficial Contribution of Alloy Disorder to Electron and Phonon Transport in Half-Heusler Thermoelectric Materials. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 5123-5130	15.6	290
5	Electron and phonon transport in Co-doped FeV <sub>0.6</sub> Nb <sub>0.4</sub> Sb half-Heusler thermoelectric materials. <i>Journal of Applied Physics</i> , <b>2013</b> , 114, 134905	2.5	42
4	Enhancement in thermoelectric performance of bismuth telluride based alloys by multi-scale microstructural effects. <i>Journal of Materials Chemistry</i> , <b>2012</b> , 22, 16484		97

3	Recrystallization induced in situ nanostructures in bulk bismuth antimony tellurides: a simple top down route and improved thermoelectric properties. <i>Energy and Environmental Science</i> , <b>2010</b> , 3, 1519	35.4	153
2	Reduced Grain Size and Improved Thermoelectric Properties of Melt Spun (Hf,Zr)NiSn Half-Heusler Alloys. <i>Journal of Electronic Materials</i> , <b>2010</b> , 39, 2008-2012	1.9	48
1	Carrier Grain Boundary Scattering in Thermoelectric Materials. <i>Energy and Environmental Science</i> ,	35.4	10