
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4178964/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validity and reliability of the Edmonton Frail Scale. Age and Ageing, 2006, 35, 526-529.	0.7	1,039
2	Comparison of Candesartan, Enalapril, and Their Combination in Congestive Heart Failure. Circulation, 1999, 100, 1056-1064.	1.6	842
3	Effect of calcium-based versus non-calcium-based phosphate binders on mortality in patients with chronic kidney disease: an updated systematic review and meta-analysis. Lancet, The, 2013, 382, 1268-1277.	6.3	388
4	Canadian Cardiovascular Society consensus conference recommendations on heart failure 2006: Diagnosis and management. Canadian Journal of Cardiology, 2006, 22, 23-45.	0.8	378
5	Improved Clinical Outcomes Associated With Metformin in Patients With Diabetes and Heart Failure. Diabetes Care, 2005, 28, 2345-2351.	4.3	363
6	Comparative Safety and Effectiveness of Metformin in Patients With Diabetes Mellitus and Heart Failure. Circulation: Heart Failure, 2013, 6, 395-402.	1.6	282
7	Glucose and insulin abnormalities relate to functional capacity in patients with congestive heart failure. European Heart Journal, 2000, 21, 1368-1375.	1.0	224
8	Blood-pressure reduction and cardiovascular risk in HOPE study. Lancet, The, 2001, 358, 2130-2131.	6.3	220
9	Long-Term Association Between Frailty and Health-Related Quality of Life Among Survivors of Critical Illness. Critical Care Medicine, 2015, 43, 973-982.	0.4	189
10	Collaboration between pharmacists, physicians and nurse practitioners: A qualitative investigation of working relationships in the inpatient medical setting. Journal of Interprofessional Care, 2009, 23, 169-184.	0.8	160
11	Randomized Trial of the Effect of Pharmacist Prescribing on Improving Blood Pressure in the Community. Circulation, 2015, 132, 93-100.	1.6	152
12	Does Performance-Based Remuneration for Individual Health Care Practitioners Affect Patient Care?. Annals of Internal Medicine, 2012, 157, 889.	2.0	132
13	Canadian Cardiovascular Society Consensus Conference recommendations on heart failure update 2007: Prevention, management during intercurrent illness or acute decompensation, and use of biomarkers. Canadian Journal of Cardiology, 2007, 23, 21-45.	0.8	131
14	Rationale, design, implementation, and baseline characteristics of patients in the dig trial: A large, simple, long-term trial to evaluate the effect of digitalis on mortality in heart failure. Contemporary Clinical Trials, 1996, 17, 77-97.	2.0	127
15	A multicenter disease management program for hospitalized patients with heart failure. Journal of Cardiac Failure, 2004, 10, 473-480.	0.7	127
16	Type 2 Diabetes Mellitus Management in Canada: Is It Improving?. Canadian Journal of Diabetes, 2013, 37, 82-89.	0.4	127
17	Capturing Outcomes of Clinical Activities Performed by a Rounding Pharmacist Practicing in a Team Environment. Medical Care, 2009, 47, 642-650.	1.1	108
18	Patient and informal caregivers' knowledge of heart failure: necessary but insufficient for effective selfâ€care. European Journal of Heart Failure, 2009, 11, 617-621.	2.9	101

#	Article	IF	CITATIONS
19	Effect of Adding Pharmacists to Primary Care Teams on Blood Pressure Control in Patients With Type 2 Diabetes. Diabetes Care, 2011, 34, 20-26.	4.3	94
20	Canadian Cardiovascular Society Consensus Conference guidelines on heart failure – 2008 update: Best practices for the transition of care of heart failure patients, and the recognition, investigation and treatment of cardiomyopathies. Canadian Journal of Cardiology, 2008, 24, 21-40.	0.8	93
21	Canadian Cardiovascular Society Consensus Conference guidelines on heart failure, update 2009: Diagnosis and management of right-sided heart failure, myocarditis, device therapy and recent important clinical trials. Canadian Journal of Cardiology, 2009, 25, 85-105.	0.8	79
22	What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. Journal of Cardiac Failure, 2016, 22, 861-871.	0.7	78
23	The effects of calcium-based versus non-calcium-based phosphate binders on mortality among patients with chronic kidney disease: a meta-analysis. Nephrology Dialysis Transplantation, 2009, 24, 3168-3174.	0.4	77
24	Pharmacist intervention for glycaemic control in the community (the RxING study). BMJ Open, 2013, 3, e003154.	0.8	76
25	Community pharmacist-initiated screening program for osteoporosis: randomized controlled trial. Osteoporosis International, 2010, 21, 391-398.	1.3	75
26	Primary health care teams: team members' perceptions of the collaborative process. Journal of Interprofessional Care, 2004, 18, 75-78.	0.8	74
27	Measurement Issues in Trials of Pediatric Acute Diarrheal Diseases: A Systematic Review. Pediatrics, 2010, 126, e222-e231.	1.0	72
28	Pharmaceutical Care in Community Pharmacies: Practice and Research in Canada. Annals of Pharmacotherapy, 2005, 39, 1527-1533.	0.9	71
29	Underutilisation of ACE Inhibitors in Patients with Congestive Heart Failure. Drugs, 2001, 61, 2021-2033.	4.9	61
30	Reduced Mortality Associated With the Use of ACE Inhibitors in Patients With Type 2 Diabetes. Diabetes Care, 2004, 27, 1330-1334.	4.3	58
31	Angiotensin Receptor Blockers Do Not Increase Risk ofMyocardial Infarction. Circulation, 2006, 114, 855-860.	1.6	54
32	Lower extremity peripheral arterial disease in individuals with coronary artery disease: Prognostic importance, care gaps, and impact of therapy. American Heart Journal, 2008, 155, 348-355.	1.2	52
33	Pharmacy 2.0: A scoping review of social media use in pharmacy. Research in Social and Administrative Pharmacy, 2014, 10, 256-270.	1.5	52
34	Pharmacistâ€initiated intervention trial in osteoarthritis: A multidisciplinary intervention for knee osteoarthritis. Arthritis Care and Research, 2012, 64, 1837-1845.	1.5	51
35	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): A Randomized Trial Design of the Effect of a Community Pharmacist Intervention Program on Serum Cholesterol Risk. Annals of Pharmacotherapy, 1999, 33, 910-919.	0.9	50
36	Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the second study of cardiovascular risk intervention by pharmacists (SCRIP-plus). American Journal of Medicine, 2004, 116, 130-133.	0.6	50

#	Article	IF	CITATIONS
37	Treatment and blood pressure control in 47,964 people with diabetes and hypertension: A systematic review of observational studies. Canadian Journal of Cardiology, 2006, 22, 855-860.	0.8	47
38	Changes in Adherence to Evidence-Based Medications in the First Year After Initial Hospitalization for Heart Failure. Circulation: Cardiovascular Quality and Outcomes, 2009, 2, 228-235.	0.9	43
39	Stroke Prophylaxis in Institutionalized Elderly Patients with Atrial Fibrillation. Journal of the American Geriatrics Society, 2004, 52, 428-433.	1.3	42
40	Mortality Risk and Patterns of Practice in 2,070 Patients With Acute Myocardial Infarction, 1987-92. Chest, 1994, 105, 1687-1692.	0.4	41
41	A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. Journal of Clinical Epidemiology, 2005, 58, 138-141.	2.4	40
42	The effect of 1 month of therapy with midodrine, octreotide‣AR and albumin in refractory as pilot study. Liver International, 2009, 29, 169-174.	scites: a 1.9	40
43	The Treatment and Prevention of Coronary Heart Disease in Canada: Do Older Patients Receive Efficacious Therapies?. Journal of the American Geriatrics Society, 1999, 47, 811-818.	1.3	38
44	Costâ€effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with TypeÂ2 diabetes: results from a randomized controlled trial. Diabetic Medicine, 2015, 32, 899-906.	1.2	38
45	Identifying relationships between the professional culture of pharmacy, pharmacists' personality traits, and the provision of advanced pharmacy services. Research in Social and Administrative Pharmacy, 2016, 12, 56-67.	1.5	38
46	Use of Nonprescription Medications by Patients with Congestive Heart Failure. Annals of Pharmacotherapy, 1999, 33, 674-679.	0.9	37
47	Systematic Reviews of Pharmacy Practice Research: Methodologic Issues in Searching, Evaluating, Interpreting, and Disseminating Results. Annals of Pharmacotherapy, 2009, 43, 118-122.	0.9	36
48	Hypertension in diabetes: A call to action. Canadian Journal of Cardiology, 2009, 25, 299-302.	0.8	32
49	Adding pharmacists to primary care teams reduces predicted longâ€ŧerm risk of cardiovascular events in Type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. Diabetic Medicine, 2012, 29, 1433-1439.	1.2	32
50	After patients are diagnosed with knee osteoarthritis, what do they do?. Arthritis Care and Research, 2010, 62, 510-515.	1.5	27
51	Pharmacists' Preferences for Providing Patient-Centered Services: A Discrete Choice Experiment to Guide Health Policy. Annals of Pharmacotherapy, 2010, 44, 1554-1564.	0.9	27
52	Prescribing by pharmacists in Alberta and its relation to culture and personality traits. Research in Social and Administrative Pharmacy, 2015, 11, 401-411.	1.5	27
53	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. Diabetic Medicine, 2004, 21, 962-967.	1.2	26
54	Doxycycline Reduces Cardiac Matrix Metalloproteinase-2 Activity but Does not Ameliorate Myocardial Dysfunction During Reperfusion in Coronary Artery Bypass Patients Undergoing Cardiopulmonary Bypass. Critical Care Medicine, 2013, 41, 2512-2520.	0.4	25

#	Article	IF	CITATIONS
55	Outcomes of nurse practitionerâ€led care in patients with cardiovascular disease: A systematic review and metaâ€analysis. Journal of Advanced Nursing, 2020, 76, 81-95.	1.5	24
56	Multidisciplinary approaches to the management of high blood pressure. Current Opinion in Cardiology, 2014, 29, 344-353.	0.8	22
57	Pharmacy study of natural health product adverse reactions (SONAR): a cross-sectional study using active surveillance in community pharmacies to detect adverse events associated with natural health products and assess causality. BMJ Open, 2014, 4, e003431.	0.8	21
58	The effects of angiotensin-receptor blockers on mortality and morbidity in heart failure: a systematic review. International Journal of Clinical Practice, 2008, 62, 1397-1402.	0.8	20
59	The evidence for pharmacist care in outpatients with heart failure: a systematic review and metaâ€analysis. ESC Heart Failure, 2021, 8, 3566-3576.	1.4	20
60	The Prevalence of Natural Health Product Use in Patients with Acute Cardiovascular Disease. PLoS ONE, 2011, 6, e19623.	1.1	19
61	Adding Pharmacists to Primary Care Teams Increases Guideline-Concordant Antiplatelet Use in Patients with Type 2 Diabetes: Results from a Randomized Trial. Annals of Pharmacotherapy, 2013, 47, 43-48.	0.9	17
62	Usefulness of the Ankle-Brachial Index to Predict High Coronary SYNTAX Scores, Myocardium at Risk, and Incomplete Coronary Revascularization. American Journal of Cardiology, 2014, 114, 1745-1749.	0.7	17
63	Healthy Food Procurement Policy: An Important Intervention to Aid the Reduction in Chronic Noncommunicable Diseases. Canadian Journal of Cardiology, 2014, 30, 1456-1459.	0.8	17
64	Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study. Contemporary Clinical Trials, 2004, 25, 502-514.	2.0	16
65	A Descriptive Examination of the Impact of Sternal Scar Formation in Women. European Journal of Cardiovascular Nursing, 2009, 8, 112-118.	0.4	16
66	Case management reduces global vascular risk after stroke: Secondary results from the The preventing recurrent vascular events and neurological worsening through intensive organized case-management randomized controlled trial. American Heart Journal, 2014, 168, 924-930.	1.2	16
67	Melatonin Interaction Resulting in Severe Sedation. Journal of Pharmacy and Pharmaceutical Sciences, 2015, 18, 124.	0.9	16
68	Utilization of evidence-based therapies for heart failure in the institutionalized elderly. European Journal of Heart Failure, 2005, 7, 1122-1125.	2.9	15
69	Effect of a prior authorization process on antiplatelet therapy and outcomes in patients prescribed clopidogrel following coronary stenting. Canadian Journal of Cardiology, 2006, 22, 1205-1208.	0.8	14
70	A randomized controlled trial of women's early use of a novel undergarment following sternotomy: The Women's Recovery from Sternotomy Trial (WREST). American Heart Journal, 2006, 152, 1187-1193.	1.2	14
71	Relationship Between Serum Concentration and Dose of Valproic Acid During Monotherapy in Adult Outpatients. Therapeutic Drug Monitoring, 1992, 14, 416-423.	1.0	13
72	Relation of T-Axis Abnormalities to Coronary Artery Disease and Survival After Cardiac Catheterization. American Journal of Cardiology, 2005, 96, 639-642.	0.7	13

#	Article	IF	CITATIONS
73	Pharmacists' perceptions of their practice: a comparison between Alberta and Northern Ireland. International Journal of Pharmacy Practice, 2012, 20, 57-64.	0.3	13
74	??-Blockers For Congestive Heart Failure. Drugs and Aging, 2000, 16, 1-7.	1.3	12
75	Practice patterns and outcomes in patients presenting to the emergency department with acute heart failure. Canadian Journal of Cardiology, 2009, 25, e173-e178.	0.8	12
76	Heart failure in the elderly. Current Opinion in Cardiology, 2013, 28, 234-241.	0.8	12
77	Prevention and Regression of Coronary Atherosclerosis. Chest, 1994, 105, 718-726.	0.4	11
78	Contemporary Utilization of Digoxin in Patients with Atrial Fibrillation. Annals of Pharmacotherapy, 1999, 33, 289-293.	0.9	11
79	Patients' achievement of cholesterol targets. American Journal of Preventive Medicine, 2003, 25, 339-342.	1.6	11
80	Uptake of new treatment strategies for deep vein thrombosis: an international audit. International Journal for Quality in Health Care, 2004, 16, 193-200.	0.9	11
81	Physician perspectives on collaborative working relationships with team-based hospital pharmacists in the inpatient medicine setting. International Journal of Pharmacy Practice, 2013, 21, 123-127.	0.3	11
82	Management of hypertension in elderly long-term care residents. Canadian Journal of Cardiology, 2008, 24, 912-914.	0.8	10
83	The validity of blood pressure kiosk validation studies. Blood Pressure Monitoring, 2013, 18, 167-172.	0.4	10
84	The evolution of pharmacy practice research–Part I: Time to implement the evidenceâ€. International Journal of Pharmacy Practice, 2019, 27, 109-111.	0.3	10
85	Superior Pedicle Breast Reduction Techniques Increase the Risk of Postoperative Drainage. Annals of Plastic Surgery, 2008, 60, 367-371.	0.5	9
86	The influence of coronary artery bypass graft harvest site on women's pain, functional status, and health services utilization throughout the first post-operative year: A longitudinal study. International Journal of Nursing Studies, 2009, 46, 1054-1060.	2.5	9
87	Death by Diet: The Role of Food Pricing Interventions as a Public Policy Response and Health Advocacy Opportunity. Canadian Journal of Cardiology, 2015, 31, 112-116.	0.8	9
88	After the diabetes care trial ends, now what? A 1-year follow-up of the RxING study. BMJ Open, 2015, 5, e008152.	0.8	9
89	Relationship between number, timing, and type of pharmacist interventions and patient outcomes. American Journal of Health-System Pharmacy, 2005, 62, 1798-1801.	0.5	8
90	Completely Autologous Platelet Gel in Breast Reduction Surgery: A Blinded, Randomized, Controlled Trial. Plastic and Reconstructive Surgery, 2007, 119, 1159-1166.	0.7	8

1.8

1

#	Article	IF	CITATIONS
91	Publicâ€Use Blood Pressure Machines in Pharmacies for Identification of Undetected Hypertension in the Community. Journal of Clinical Hypertension, 2013, 15, 302-302.	1.0	8
92	The evolution of pharmacy practice research – Part II: Time to join the rest of the worldâ€. International Journal of Pharmacy Practice, 2019, 27, 219-220.	0.3	7
93	Systematic review: renal and other clinically relevant outcomes in hepatorenal syndrome trials. Alimentary Pharmacology and Therapeutics, 2007, 25, 1017-1028.	1.9	6
94	Urine Neutrophil Gelatinase-Associated Lipocalin and Kidney Injury Molecule-1 to Detect Pediatric Cisplatin-Associated Acute Kidney Injury. Kidney360, 2022, 3, 37-50.	0.9	6
95	The Women's Recovery from Sternotomy (WREST) Study: Design of a randomized trial of a novel undergarment for early use after sternotomy. American Heart Journal, 2005, 149, 761-767.	1.2	5
96	Lipid-Lowering Therapy and Outcomes in Heart Failure. Journal of Cardiovascular Pharmacology and Therapeutics, 2007, 12, 27-35.	1.0	5
97	Predictors of Bone Mineral Density Testing in Patients at High Risk of Osteoporosis: Secondary Analyses From the OSTEOPHARM Randomized Trial. Journal of Clinical Densitometry, 2012, 15, 61-66.	0.5	5
98	Why pharmacists should care about the marketing of unhealthy foods: Increasing our role in public health policy / Pourquoi les pharmaciens devraient-ils s'intéresser à la promotion des aliments néfastes pour la santé? Contribuons davantage aux politiques en matière de santé publique. Canadian Pharmacists Journal, 2014, 147, 4-7.	0.4	5
99	Patient preferences for ongoing warfarin management after receiving care by an anticoagulation management service. American Journal of Health-System Pharmacy, 2008, 65, 1498-1500.	0.5	4
100	Development and implementation of blood pressure screening and referral guidelines for German community pharmacists. Journal of Clinical Hypertension, 2020, 22, 1807-1816.	1.0	4
101	Stroke prophylaxis in nonvalvular atrial fibrillation<. Current Opinion in Neurology, 2001, 14, 59-65.	1.8	3
102	Comment: Sensitivity of Patient Outcomes to Pharmacist Interventions. Part III: Systematic Review and Meta-Analysis in Hyperlipidemia Management. Annals of Pharmacotherapy, 2009, 43, 793-794.	0.9	3
103	A Randomized Trial of Video-based Education in Patients With Heart Failure: The Congestive Heart Failure Outreach Program of Education (COPE). CJC Open, 2019, 1, 62-68.	0.7	3
104	The effect of a pharmacist consultation on pregnant women's quality of life with a special focus on nausea and vomiting: an intervention study. BMC Pregnancy and Childbirth, 2020, 20, 766.	0.9	3
105	Evaluation of attitudes and perceptions of key clinical stakeholders regarding out-of-hospital diagnosis and treatment of ST elevation myocardial infarction patients using a region-wide survey. Emergency Medicine Journal, 2009, 26, 371-376.	0.4	2
106	Experience of Patients with COPD of Pharmacists' Provided Care: A Qualitative Study. Pharmacy (Basel,) Tj E	TQ ₈ 000	rgBT /Overloo
107	Cholesterol and Osteoporosis in Postmenopausal Women: A Pilot Study. Journal of the American Geriatrics Society, 2003, 51, 1510-1511.	1.3	1

¹⁰⁸ Ethnic Differences in Prevalence of Peripheral Artery Disease in Patients Undergoing Hemodialysis. Journal of Racial and Ethnic Health Disparities, 2015, 2, 275-279.

#	Article	IF	CITATIONS
109	Pharmacist interventions to improve hypertension management: protocol for a systematic review of randomised controlled trials. BMJ Open, 2022, 12, e059399.	0.8	1
110	387 Inter-Arm Blood Pressure Difference is Not Associated With High Ankle-Brachial Index. Canadian Journal of Cardiology, 2012, 28, S243-S244.	0.8	0
111	Going it on their own. Canadian Pharmacists Journal, 2014, 147, 276-277.	0.4	0
112	Death by food. Canadian Pharmacists Journal, 2015, 148, 232-233.	0.4	0