

Ross T Tsuyuki

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4178964/ross-t-tsuyuki-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107
papers

6,018
citations

37
h-index

76
g-index

114
ext. papers

6,800
ext. citations

4.6
avg, IF

5.21
L-index

#	Paper	IF	Citations
107	Validity and reliability of the Edmonton Frail Scale. <i>Age and Ageing</i> , 2006 , 35, 526-9	3	744
106	Comparison of candesartan, enalapril, and their combination in congestive heart failure: randomized evaluation of strategies for left ventricular dysfunction (RESOLVD) pilot study. The RESOLVD Pilot Study Investigators. <i>Circulation</i> , 1999 , 100, 1056-64	16.7	735
105	Effect of calcium-based versus non-calcium-based phosphate binders on mortality in patients with chronic kidney disease: an updated systematic review and meta-analysis. <i>Lancet, The</i> , 2013 , 382, 1268-77 ⁴⁰		328
104	Canadian Cardiovascular Society consensus conference recommendations on heart failure 2006: diagnosis and management. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 23-45	3.8	323
103	Improved clinical outcomes associated with metformin in patients with diabetes and heart failure. <i>Diabetes Care</i> , 2005 , 28, 2345-51	14.6	310
102	Comparative safety and effectiveness of metformin in patients with diabetes mellitus and heart failure: systematic review of observational studies involving 34,000 patients. <i>Circulation: Heart Failure</i> , 2013 , 6, 395-402	7.6	222
101	Blood-pressure reduction and cardiovascular risk in HOPE study. <i>Lancet, The</i> , 2001 , 358, 2130-1	40	195
100	Glucose and insulin abnormalities relate to functional capacity in patients with congestive heart failure. <i>European Heart Journal</i> , 2000 , 21, 1368-75	9.5	182
99	Long-term association between frailty and health-related quality of life among survivors of critical illness: a prospective multicenter cohort study. <i>Critical Care Medicine</i> , 2015 , 43, 973-82	1.4	137
98	Collaboration between pharmacists, physicians and nurse practitioners: a qualitative investigation of working relationships in the inpatient medical setting. <i>Journal of Interprofessional Care</i> , 2009 , 23, 169-84	2.7	116
97	A multicenter disease management program for hospitalized patients with heart failure. <i>Journal of Cardiac Failure</i> , 2004 , 10, 473-80	3.3	114
96	Canadian Cardiovascular Society Consensus Conference recommendations on heart failure update 2007: Prevention, management during intercurrent illness or acute decompensation, and use of biomarkers. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 21-45	3.8	110
95	Does performance-based remuneration for individual health care practitioners affect patient care?: a systematic review. <i>Annals of Internal Medicine</i> , 2012 , 157, 889-99	8	109
94	Rationale, design, implementation, and baseline characteristics of patients in the DIG trial: a large, simple, long-term trial to evaluate the effect of digitalis on mortality in heart failure. <i>Contemporary Clinical Trials</i> , 1996 , 17, 77-97		106
93	Randomized Trial of the Effect of Pharmacist Prescribing on Improving Blood Pressure in the Community: The Alberta Clinical Trial in Optimizing Hypertension (RxACTION). <i>Circulation</i> , 2015 , 132, 93-100	16.7	103
92	Type 2 diabetes mellitus management in Canada: is it improving?. <i>Canadian Journal of Diabetes</i> , 2013 , 37, 82-9	2.1	92
91	Patient and informal caregivers knowledge of heart failure: necessary but insufficient for effective self-care. <i>European Journal of Heart Failure</i> , 2009 , 11, 617-21	12.3	88

90	Capturing outcomes of clinical activities performed by a rounding pharmacist practicing in a team environment: the COLLABORATE study [NCT00351676]. <i>Medical Care</i> , 2009 , 47, 642-50	3.1	86
89	Effect of adding pharmacists to primary care teams on blood pressure control in patients with type 2 diabetes: a randomized controlled trial. <i>Diabetes Care</i> , 2011 , 34, 20-6	14.6	80
88	Canadian Cardiovascular Society Consensus Conference guidelines on heart failure--2008 update: best practices for the transition of care of heart failure patients, and the recognition, investigation and treatment of cardiomyopathies. <i>Canadian Journal of Cardiology</i> , 2008 , 24, 21-40	3.8	78
87	The effects of calcium-based versus non-calcium-based phosphate binders on mortality among patients with chronic kidney disease: a meta-analysis. <i>Nephrology Dialysis Transplantation</i> , 2009 , 24, 3168-74	4.3	68
86	Community pharmacist-initiated screening program for osteoporosis: randomized controlled trial. <i>Osteoporosis International</i> , 2010 , 21, 391-8	5.3	67
85	Canadian Cardiovascular Society Consensus Conference guidelines on heart failure, update 2009: diagnosis and management of right-sided heart failure, myocarditis, device therapy and recent important clinical trials. <i>Canadian Journal of Cardiology</i> , 2009 , 25, 85-105	3.8	64
84	Measurement issues in trials of pediatric acute diarrheal diseases: a systematic review. <i>Pediatrics</i> , 2010 , 126, e222-31	7.4	62
83	Pharmaceutical care in community pharmacies: practice and research in Canada. <i>Annals of Pharmacotherapy</i> , 2005 , 39, 1527-33	2.9	59
82	Primary health care teams: team members' perceptions of the collaborative process. <i>Journal of Interprofessional Care</i> , 2004 , 18, 75-8	2.7	58
81	Pharmacist intervention for glycaemic control in the community (the RxING study). <i>BMJ Open</i> , 2013 , 3, e003154	3	52
80	Underutilisation of ACE inhibitors in patients with congestive heart failure. <i>Drugs</i> , 2001 , 61, 2021-33	12.1	50
79	What Are Effective Program Characteristics of Self-Management Interventions in Patients With Heart Failure? An Individual Patient Data Meta-analysis. <i>Journal of Cardiac Failure</i> , 2016 , 22, 861-871	3.3	50
78	Angiotensin receptor blockers do not increase risk of myocardial infarction. <i>Circulation</i> , 2006 , 114, 855-60	6.7	49
77	Reduced mortality associated with the use of ACE inhibitors in patients with type 2 diabetes. <i>Diabetes Care</i> , 2004 , 27, 1330-4	14.6	49
76	Lower extremity peripheral arterial disease in individuals with coronary artery disease: prognostic importance, care gaps, and impact of therapy. <i>American Heart Journal</i> , 2008 , 155, 348-55	4.9	45
75	Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP): a randomized trial design of the effect of a community pharmacist intervention program on serum cholesterol risk. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 910-9	2.9	45
74	Pharmacy 2.0: a scoping review of social media use in pharmacy. <i>Research in Social and Administrative Pharmacy</i> , 2014 , 10, 256-70	2.9	41
73	Pharmacist-initiated intervention trial in osteoarthritis: a multidisciplinary intervention for knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 1837-45	4.7	40

72	Effect of community pharmacist intervention on cholesterol levels in patients at high risk of cardiovascular events: the Second Study of Cardiovascular Risk Intervention by Pharmacists (SCRIP-plus). <i>American Journal of Medicine</i> , 2004 , 116, 130-3	2.4	40
71	Treatment and blood pressure control in 47,964 people with diabetes and hypertension: a systematic review of observational studies. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 855-60	3.8	39
70	Changes in adherence to evidence-based medications in the first year after initial hospitalization for heart failure: observational cohort study from 1994 to 2003. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009 , 2, 228-35	5.8	37
69	Stroke prophylaxis in institutionalized elderly patients with atrial fibrillation. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 428-33	5.6	37
68	The effect of 1 month of therapy with midodrine, octreotide-LAR and albumin in refractory ascites: a pilot study. <i>Liver International</i> , 2009 , 29, 169-74	7.9	34
67	Mortality risk and patterns of practice in 2,070 patients with acute myocardial infarction, 1987-92. Relative importance of age, sex, and medical therapy. <i>Chest</i> , 1994 , 105, 1687-92	5.3	34
66	A cohort study found the RAND-12 and Health Utilities Index Mark 3 demonstrated construct validity in high-risk primary care patients. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 138-41	5.7	33
65	Use of nonprescription medications by patients with congestive heart failure. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 674-9	2.9	33
64	Identifying relationships between the professional culture of pharmacy, pharmacists' personality traits, and the provision of advanced pharmacy services. <i>Research in Social and Administrative Pharmacy</i> , 2016 , 12, 56-67	2.9	27
63	Cost-effectiveness analysis of adding pharmacists to primary care teams to reduce cardiovascular risk in patients with Type 2 diabetes: results from a randomized controlled trial. <i>Diabetic Medicine</i> , 2015 , 32, 899-906	3.5	27
62	Adding pharmacists to primary care teams reduces predicted long-term risk of cardiovascular events in type 2 diabetic patients without established cardiovascular disease: results from a randomized trial. <i>Diabetic Medicine</i> , 2012 , 29, 1433-9	3.5	27
61	Pharmacists' preferences for providing patient-centered services: a discrete choice experiment to guide health policy. <i>Annals of Pharmacotherapy</i> , 2010 , 44, 1554-64	2.9	27
60	Systematic reviews of pharmacy practice research: methodologic issues in searching, evaluating, interpreting, and disseminating results. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 118-22	2.9	25
59	Hypertension in diabetes: a call to action. <i>Canadian Journal of Cardiology</i> , 2009 , 25, 299-302	3.8	25
58	After patients are diagnosed with knee osteoarthritis, what do they do?. <i>Arthritis Care and Research</i> , 2010 , 62, 510-5	4.7	25
57	The treatment and prevention of coronary heart disease in Canada: do older patients receive efficacious therapies? The Clinical Quality Improvement Network (CQIN) Investigators. <i>Journal of the American Geriatrics Society</i> , 1999 , 47, 811-8	5.6	23
56	Doxycycline reduces cardiac matrix metalloproteinase-2 activity but does not ameliorate myocardial dysfunction during reperfusion in coronary artery bypass patients undergoing cardiopulmonary bypass. <i>Critical Care Medicine</i> , 2013 , 41, 2512-20	1.4	22
55	Prescribing by pharmacists in Alberta and its relation to culture and personality traits. <i>Research in Social and Administrative Pharmacy</i> , 2015 , 11, 401-11	2.9	20

54	Multidisciplinary approaches to the management of high blood pressure. <i>Current Opinion in Cardiology</i> , 2014 , 29, 344-53	2.1	18
53	Statin use in Type 2 diabetes mellitus is associated with a delay in starting insulin. <i>Diabetic Medicine</i> , 2004 , 21, 962-7	3.5	17
52	The effects of angiotensin-receptor blockers on mortality and morbidity in heart failure: a systematic review. <i>International Journal of Clinical Practice</i> , 2008 , 62, 1397-402	2.9	16
51	The prevalence of natural health product use in patients with acute cardiovascular disease. <i>PLoS ONE</i> , 2011 , 6, e19623	3.7	15
50	Pharmacy study of natural health product adverse reactions (SONAR): a cross-sectional study using active surveillance in community pharmacies to detect adverse events associated with natural health products and assess causality. <i>BMJ Open</i> , 2014 , 4, e003431	3	14
49	A randomized controlled trial of women's early use of a novel undergarment following sternotomy: the Women's Recovery from Sternotomy Trial (WREST). <i>American Heart Journal</i> , 2006 , 152, 1187-93	4.9	14
48	Improving asthma symptom control in rural communities: the design of the Better Respiratory Education and Asthma Treatment in Hinton and Edson study. <i>Contemporary Clinical Trials</i> , 2004 , 25, 502-14		14
47	Adding pharmacists to primary care teams increases guideline-concordant antiplatelet use in patients with type 2 diabetes: results from a randomized trial. <i>Annals of Pharmacotherapy</i> , 2013 , 47, 43-8 ^{2.9}		13
46	A descriptive examination of the impact of sternal scar formation in women. <i>European Journal of Cardiovascular Nursing</i> , 2009 , 8, 112-8	3.3	13
45	Utilization of evidence-based therapies for heart failure in the institutionalized elderly. <i>European Journal of Heart Failure</i> , 2005 , 7, 1122-5	12.3	13
44	Usefulness of the ankle-brachial index to predict high coronary SYNTAX scores, myocardium at risk, and incomplete coronary revascularization. <i>American Journal of Cardiology</i> , 2014 , 114, 1745-9	3	12
43	Healthy food procurement policy: an important intervention to aid the reduction in chronic noncommunicable diseases. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1456-9	3.8	12
42	Melatonin Interaction Resulting in Severe Sedation. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2015 , 18, 124-31	3.4	12
41	Practice patterns and outcomes in patients presenting to the emergency department with acute heart failure. <i>Canadian Journal of Cardiology</i> , 2009 , 25, e173-8	3.8	12
40	Relation of T-axis abnormalities to coronary artery disease and survival after cardiac catheterization. <i>American Journal of Cardiology</i> , 2005 , 96, 639-42	3	12
39	Case management reduces global vascular risk after stroke: secondary results from the The preventing recurrent vascular events and neurological worsening through intensive organized case-management randomized controlled trial. <i>American Heart Journal</i> , 2014 , 168, 924-30	4.9	11
38	Effect of a prior authorization process on antiplatelet therapy and outcomes in patients prescribed clopidogrel following coronary stenting. <i>Canadian Journal of Cardiology</i> , 2006 , 22, 1205-8	3.8	11
37	Prevention and regression of coronary atherosclerosis. Is it safe and efficacious therapy?. <i>Chest</i> , 1994 , 105, 718-26	5.3	11

36	Pharmacists' perceptions of their practice: a comparison between Alberta and Northern Ireland. <i>International Journal of Pharmacy Practice</i> , 2012 , 20, 57-64	1.7	10
35	Contemporary utilization of digoxin in patients with atrial fibrillation. Clinical Quality Improvement Network Investigators. <i>Annals of Pharmacotherapy</i> , 1999 , 33, 289-93	2.9	10
34	Physician perspectives on collaborative working relationships with team-based hospital pharmacists in the inpatient medicine setting. <i>International Journal of Pharmacy Practice</i> , 2013 , 21, 123-7	1.7	9
33	Management of hypertension in elderly long-term care residents. <i>Canadian Journal of Cardiology</i> , 2008 , 24, 912-4	3.8	9
32	Beta-blockers for congestive heart failure: what is the current consensus?. <i>Drugs and Aging</i> , 2000 , 16, 1-7	4.7	9
31	Relationship between serum concentration and dose of valproic acid during monotherapy in adult outpatients. <i>Therapeutic Drug Monitoring</i> , 1992 , 14, 416-23	3.2	9
30	Heart failure in the elderly. <i>Current Opinion in Cardiology</i> , 2013 , 28, 234-41	2.1	8
29	Completely autologous platelet gel in breast reduction surgery: a blinded, randomized, controlled trial. <i>Plastic and Reconstructive Surgery</i> , 2007 , 119, 1159-1166	2.7	8
28	Patients' achievement of cholesterol targets: a cross-sectional evaluation. <i>American Journal of Preventive Medicine</i> , 2003 , 25, 339-42	6.1	8
27	Uptake of new treatment strategies for deep vein thrombosis: an international audit. <i>International Journal for Quality in Health Care</i> , 2004 , 16, 193-200	1.9	7
26	Relationship between number, timing, and type of pharmacist interventions and patient outcomes. <i>American Journal of Health-System Pharmacy</i> , 2005 , 62, 1798-801	2.2	7
25	After the diabetes care trial ends, now what? A 1-year follow-up of the RxING study. <i>BMJ Open</i> , 2015 , 5, e008152	3	6
24	Public-use blood pressure machines in pharmacies for identification of undetected hypertension in the community. <i>Journal of Clinical Hypertension</i> , 2013 , 15, 302	2.3	6
23	The influence of coronary artery bypass graft harvest site on women's pain, functional status, and health services utilization throughout the first post-operative year: a longitudinal study. <i>International Journal of Nursing Studies</i> , 2009 , 46, 1054-60	5.8	6
22	Superior pedicle breast reduction techniques increase the risk of postoperative drainage. <i>Annals of Plastic Surgery</i> , 2008 , 60, 367-71	1.7	6
21	Systematic review: renal and other clinically relevant outcomes in hepatorenal syndrome trials. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 25, 1017-28	6.1	6
20	The Women's Recovery from Sternotomy (WREST) study: design of a randomized trial of a novel undergarment for early use after sternotomy. <i>American Heart Journal</i> , 2005 , 149, 761-7	4.9	5
19	Outcomes of nurse practitioner-led care in patients with cardiovascular disease: A systematic review and meta-analysis. <i>Journal of Advanced Nursing</i> , 2020 , 76, 81-95	3.1	5

18	The validity of blood pressure kiosk validation studies: a systematic review. <i>Blood Pressure Monitoring</i> , 2013 , 18, 167-72	1.3	4
17	Predictors of bone mineral density testing in patients at high risk of osteoporosis: secondary analyses from the OSTEOPHARM randomized trial. <i>Journal of Clinical Densitometry</i> , 2012 , 15, 61-6	3.5	3
16	Comment: sensitivity of patient outcomes to pharmacist interventions. Part III: systematic review and meta-analysis in hyperlipidemia management. <i>Annals of Pharmacotherapy</i> , 2009 , 43, 793-4; author reply 794	2.9	3
15	Patient preferences for ongoing warfarin management after receiving care by an anticoagulation management service. <i>American Journal of Health-System Pharmacy</i> , 2008 , 65, 1498-500	2.2	3
14	The evidence for pharmacist care in outpatients with heart failure: a systematic review and meta-analysis. <i>ESC Heart Failure</i> , 2021 , 8, 3566-3576	3.7	3
13	A Randomized Trial of Video-based Education in Patients With Heart Failure: The congestive Heart Failure outreach program of education (COPE). <i>CJC Open</i> , 2019 , 1, 62-68	2	2
12	Why pharmacists should care about the marketing of unhealthy foods: Increasing our role in public health policy / Pourquoi les pharmaciens devraient-ils s'intéresser à la promotion des aliments malsains pour la santé? Contribuons davantage aux politiques en matière de santé publique. <i>Canadian Pharmacists Journal</i> , 2014 , 147, 4-7	1.3	2
11	Evaluation of attitudes and perceptions of key clinical stakeholders regarding out-of-hospital diagnosis and treatment of ST elevation myocardial infarction patients using a region-wide survey. <i>Emergency Medicine Journal</i> , 2009 , 26, 371-6	1.5	2
10	Lipid-lowering therapy and outcomes in heart failure. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2007 , 12, 27-35	2.6	2
9	Development and implementation of blood pressure screening and referral guidelines for German community pharmacists. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1807-1816	2.3	2
8	Ethnic Differences in Prevalence of Peripheral Artery Disease in Patients Undergoing Hemodialysis. <i>Journal of Racial and Ethnic Health Disparities</i> , 2015 , 2, 275-9	3.5	1
7	The effect of a pharmacist consultation on pregnant women's quality of life with a special focus on nausea and vomiting: an intervention study. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 766	3.2	1
6	Cholesterol and osteoporosis in postmenopausal women: a pilot study. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1510-1	5.6	1
5	Stroke prophylaxis in nonvalvular atrial fibrillation. <i>Current Opinion in Neurology</i> , 2001 , 14, 59-65	7.1	1
4	Urine Neutrophil Gelatinase-Associated Lipocalin and Kidney Injury Molecule-1 to Detect Pediatric Cisplatin-Associated Acute Kidney Injury.. <i>Kidney360</i> , 2022 , 3, 37-50	1.8	0
3	Pharmacist interventions to improve hypertension management: protocol for a systematic review of randomised controlled trials.. <i>BMJ Open</i> , 2022 , 12, e059399	3	0
2	Death by food: Why pharmacists should care. <i>Canadian Pharmacists Journal</i> , 2015 , 148, 232-3	1.3	
1	Going it on their own: Young pharmacists strike out on their own to provide patient-centred care. <i>Canadian Pharmacists Journal</i> , 2014 , 147, 276-7	1.3	

