

# Mary M Mcdermott

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4179041/publications.pdf>

Version: 2024-02-01

242  
papers

60,896  
citations

13827

67  
h-index

1044

234  
g-index

251  
all docs

251  
docs citations

251  
times ranked

72003  
citing authors

#	ARTICLE	IF	CITATIONS
1	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2095-2128.	6.3	11,038
2	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990â€”2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2197-2223.	6.3	7,061
3	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990â€”2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012, 380, 2163-2196.	6.3	6,376
4	Heart Disease and Stroke Statisticsâ€”2011 Update. <i>Circulation</i> , 2011, 123, e18-e209.	1.6	4,379
5	Heart Disease and Stroke Statisticsâ€”2010 Update. <i>Circulation</i> , 2010, 121, e46-e215.	1.6	4,053
6	Heart Disease and Stroke Statisticsâ€”2008 Update. <i>Circulation</i> , 2008, 117, e25-146.	1.6	2,876
7	Heart Disease and Stroke Statisticsâ€”2007 Update. <i>Circulation</i> , 2007, 115, e69-171.	1.6	2,686
8	Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: a systematic review and analysis. <i>Lancet, The</i> , 2013, 382, 1329-1340.	6.3	2,640
9	The State of US Health, 1990-2010. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 591.	3.8	2,070
10	Executive Summary: Heart Disease and Stroke Statisticsâ€”2010 Update. <i>Circulation</i> , 2010, 121, 948-954.	1.6	1,411
11	Measurement and Interpretation of the Ankle-Brachial Index. <i>Circulation</i> , 2012, 126, 2890-2909.	1.6	1,232
12	Effect of Structured Physical Activity on Prevention of Major Mobility Disability in Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 2387.	3.8	1,072
13	Leg Symptoms in Peripheral Arterial Disease. <i>JAMA - Journal of the American Medical Association</i> , 2001, 286, 1599.	3.8	714
14	Functional Decline in Peripheral Arterial Disease. <i>JAMA - Journal of the American Medical Association</i> , 2004, 292, 453.	3.8	553
15	Peripheral artery disease: epidemiology and global perspectives. <i>Nature Reviews Cardiology</i> , 2017, 14, 156-170.	6.1	470
16	Treadmill Exercise and Resistance Training in Patients With Peripheral Arterial Disease With and Without Intermittent Claudication. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 165.	3.8	375
17	Effect of a 24-Month Physical Activity Intervention vs Health Education on Cognitive Outcomes in Sedentary Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2015, 314, 781.	3.8	318
18	Subclavian Artery Stenosis: Prevalence, Risk Factors, and Association With Cardiovascular Diseases. <i>Journal of the American College of Cardiology</i> , 2004, 44, 618-623.	1.2	311

#	ARTICLE	IF	CITATIONS
19	Ankle-Brachial Index and Subclinical Cardiac and Carotid Disease. <i>American Journal of Epidemiology</i> , 2005, 162, 33-41.	1.6	305
20	A Call to Action: Women and Peripheral Artery Disease. <i>Circulation</i> , 2012, 125, 1449-1472.	1.6	277
21	The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. <i>Vascular Medicine</i> , 2008, 13, 15-24.	0.8	275
22	The Ankle-Brachial Index and Incident Cardiovascular Events in the MESA (Multi-Ethnic Study of) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.2	259
23	Home-Based Walking Exercise Intervention in Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 57.	3.8	241
24	Lower Extremity Peripheral Artery Disease: Contemporary Epidemiology, Management Gaps, and Future Directions: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2021, 144, e171-e191.	1.6	229
25	Physical Activity During Daily Life and Mortality in Patients With Peripheral Arterial Disease. <i>Circulation</i> , 2006, 114, 242-248.	1.6	226
26	The Effect of Novel Cardiovascular Risk Factors on the Ethnic-Specific Odds for Peripheral Arterial Disease in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Journal of the American College of Cardiology</i> , 2006, 48, 1190-1197.	1.2	211
27	Statin Use and Leg Functioning in Patients With and Without Lower-Extremity Peripheral Arterial Disease. <i>Circulation</i> , 2003, 107, 757-761.	1.6	205
28	Global and Regional Burden of Death and Disability From Peripheral Artery Disease: 21 World Regions, 1990 to 2010. <i>Global Heart</i> , 2014, 9, 145.	0.9	204
29	Peripheral Artery Disease, Diabetes, and Reduced Lower Extremity Functioning. <i>Diabetes Care</i> , 2002, 25, 113-120.	4.3	199
30	Global and Regional Burden of Aortic Dissection and Aneurysms: Mortality Trends in 21 World Regions, 1990 to 2010. <i>Global Heart</i> , 2014, 9, 171.	0.9	196
31	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019, 139, e10-e33.	1.6	172
32	Associations of Borderline and Low Normal Ankle-Brachial Index Values With Functional Decline at 5-Year Follow-Up. <i>Journal of the American College of Cardiology</i> , 2009, 53, 1056-1062.	1.2	171
33	Lower Extremity Manifestations of Peripheral Artery Disease. <i>Circulation Research</i> , 2015, 116, 1540-1550.	2.0	163
34	Estimation of Global and Regional Incidence and Prevalence of Abdominal Aortic Aneurysms 1990 to 2010. <i>Global Heart</i> , 2014, 9, 159.	0.9	159
35	Six-Minute Walk Is a Better Outcome Measure Than Treadmill Walking Tests in Therapeutic Trials of Patients With Peripheral Artery Disease. <i>Circulation</i> , 2014, 130, 61-68.	1.6	158
36	Preserving Clinical Trial Integrity During the Coronavirus Pandemic. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 2135.	3.8	157

#	ARTICLE	IF	CITATIONS
37	Effect of a Home-Based Exercise Intervention of Wearable Technology and Telephone Coaching on Walking Performance in Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 1665.	3.8	151
38	Physical Performance in Peripheral Arterial Disease: A Slower Rate of Decline in Patients Who Walk More. <i>Annals of Internal Medicine</i> , 2006, 144, 10.	2.0	141
39	Asymptomatic Peripheral Arterial Disease Is Associated With More Adverse Lower Extremity Characteristics Than Intermittent Claudication. <i>Circulation</i> , 2008, 117, 2484-2491.	1.6	140
40	Prognostic Value of Functional Performance for Mortality in Patients With Peripheral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2008, 51, 1482-1489.	1.2	135
41	Lower Extremity Ischemia, Calf Skeletal Muscle Characteristics, and Functional Impairment in Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2007, 55, 400-406.	1.3	133
42	Physical Activity During Daily Life and Functional Decline in Peripheral Arterial Disease. <i>Circulation</i> , 2009, 119, 251-260.	1.6	127
43	Biomarkers of Inflammation and Thrombosis as Predictors of Near-Term Mortality in Patients with Peripheral Arterial Disease: A Cohort Study. <i>Annals of Internal Medicine</i> , 2008, 148, 85.	2.0	123
44	Atherosclerotic risk factor reduction in peripheral arterial disease. <i>Journal of General Internal Medicine</i> , 2002, 17, 895-904.	1.3	122
45	Baseline Functional Performance Predicts the Rate of Mobility Loss in Persons With Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2007, 50, 974-982.	1.2	115
46	Corridor-based functional performance measures correlate better with physical activity during daily life than treadmill measures in persons with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2008, 48, 1231-1237.e1.	0.6	111
47	Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance. <i>Journal of Vascular Surgery</i> , 2004, 39, 523-530.	0.6	109
48	Impairments of Muscles and Nerves Associated with Peripheral Arterial Disease and Their Relationship with Lower Extremity Functioning: The InCHIANTI Study. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 405-410.	1.3	108
49	Relation of levels of hemostatic factors and inflammatory markers to the ankle brachial index. <i>American Journal of Cardiology</i> , 2003, 92, 194-199.	0.7	105
50	D-Dimer, Inflammatory Markers, and Lower Extremity Functioning in Patients With and Without Peripheral Arterial Disease. <i>Circulation</i> , 2003, 107, 3191-3198.	1.6	105
51	Patterns of inflammation associated with peripheral arterial disease: The InCHIANTI study. <i>American Heart Journal</i> , 2005, 150, 276-281.	1.2	105
52	Decline in Functional Performance Predicts Later Increased Mobility Loss and Mortality in Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2011, 57, 962-970.	1.2	105
53	Plasma microbiome-modulated indole- and phenyl-derived metabolites associate with advanced atherosclerosis and postoperative outcomes. <i>Journal of Vascular Surgery</i> , 2018, 68, 1552-1562.e7.	0.6	105
54	Effect of Low-Intensity vs High-Intensity Home-Based Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1266.	3.8	102

#	ARTICLE	IF	CITATIONS
55	Light Intensity Physical Activity and Sedentary Behavior in Relation to Body Mass Index and Grip Strength in Older Adults: Cross-Sectional Findings from the Lifestyle Interventions and Independence for Elders (LIFE) Study. PLoS ONE, 2015, 10, e0116058.	1.1	98
56	Calf Muscle Characteristics, Strength Measures, and Mortality in Peripheral Arterial Disease. Journal of the American College of Cardiology, 2012, 59, 1159-1167.	1.2	97
57	Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. PLoS ONE, 2017, 12, e0182155.	1.1	96
58	Functional outcomes and quality of life in peripheral arterial disease: current status. Vascular Medicine, 2003, 8, 115-126.	0.8	95
59	Exertional Leg Pain in Patients With and Without Peripheral Arterial Disease. Circulation, 2005, 112, 3501-3508.	1.6	94
60	Statin Use and Functional Decline in Patients With and Without Peripheral Arterial Disease. Journal of the American College of Cardiology, 2006, 47, 998-1004.	1.2	89
61	Lower Extremity Peripheral Artery Disease Without Chronic Limb-Threatening Ischemia. JAMA - Journal of the American Medical Association, 2021, 325, 2188.	3.8	78
62	Lower Extremity Performance Is Associated with Daily Life Physical Activity in Individuals with and without Peripheral Arterial Disease. Journal of the American Geriatrics Society, 2002, 50, 247-255.	1.3	75
63	Women With Peripheral Arterial Disease Experience Faster Functional Decline Than Men With Peripheral Arterial Disease. Journal of the American College of Cardiology, 2011, 57, 707-714.	1.2	74
64	Effect of Physical Activity on Frailty. Annals of Internal Medicine, 2018, 168, 309.	2.0	74
65	Implementation of Supervised Exercise Therapy for Patients With Symptomatic Peripheral Artery Disease: A Science Advisory From the American Heart Association. Circulation, 2019, 140, e700-e710.	1.6	74
66	Home-Based Walking Exercise in Peripheral Artery Disease: 12-Month Follow-Up of the Goals Randomized Trial. Journal of the American Heart Association, 2014, 3, e000711.	1.6	72
67	Elevated Levels of Inflammation, D-Dimer, and Homocysteine Are Associated With Adverse Calf Muscle Characteristics and Reduced Calf Strength in Peripheral Arterial Disease. Journal of the American College of Cardiology, 2007, 50, 897-905.	1.2	70
68	Skeletal Muscle Pathology in Peripheral Artery Disease. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, 2577-2585.	1.1	70
69	Remote Research and Clinical Trial Integrity During and After the Coronavirus Pandemic. JAMA - Journal of the American Medical Association, 2021, 325, 1935.	3.8	70
70	Executive Summary: Heart Disease and Stroke Statistics—2011 Update. Circulation, 2011, 123, 459-463.	1.6	69
71	Effect of structured physical activity on prevention of serious fall injuries in adults aged 70-89: randomized clinical trial (LIFE Study). BMJ, The, 2016, 352, i245.	3.0	68
72	Associations Between Lower Extremity Ischemia, Upper and Lower Extremity Strength, and Functional Impairment with Peripheral Arterial Disease. Journal of the American Geriatrics Society, 2008, 56, 724-729.	1.3	67

#	ARTICLE	IF	CITATIONS
73	Effect of Granulocyte-Macrophage Colony-Stimulating Factor With or Without Supervised Exercise on Walking Performance in Patients With Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2017, 318, 2089.	3.8	64
74	Effect of Physical Activity versus Health Education on Physical Function, Grip Strength and Mobility. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1427-1433.	1.3	63
75	Exercise training for intermittent claudication. <i>Journal of Vascular Surgery</i> , 2017, 66, 1612-1620.	0.6	63
76	Leg Symptom Categories and Rates of Mobility Decline in Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2010, 58, 1256-1262.	1.3	62
77	Exercise Rehabilitation for Peripheral Artery Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, 63-69.	1.2	62
78	Ankle Brachial Index Values, Leg Symptoms, and Functional Performance Among Community-Dwelling Older Men and Women in the Lifestyle Interventions and Independence for Elders Study. <i>Journal of the American Heart Association</i> , 2013, 2, e000257.	1.6	61
79	Effect of Resveratrol on Walking Performance in Older People With Peripheral Artery Disease. <i>JAMA Cardiology</i> , 2017, 2, 902.	3.0	60
80	The Role of Biomarkers and Genetics in Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2009, 54, 1228-1237.	1.2	59
81	The Ankle Brachial Index and Change in Lower Extremity Functioning over Time: The Women's Health and Aging Study. <i>Journal of the American Geriatrics Society</i> , 2002, 50, 238-246.	1.3	58
82	Circulating Blood Markers and Functional Impairment in Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1504-1510.	1.3	54
83	The association of lesion eccentricity with plaque morphology and components in the superficial femoral artery: a high-spatial-resolution, multi-contrast weighted CMR study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 37.	1.6	53
84	Greater Sedentary Hours and Slower Walking Speed Outside the Home Predict Faster Declines in Functioning and Adverse Calf Muscle Changes in Peripheral Arterial Disease. <i>Journal of the American College of Cardiology</i> , 2011, 57, 2356-2364.	1.2	52
85	D-Dimer and Inflammatory Markers as Predictors of Functional Decline in Men and Women with and without Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2005, 53, 1688-1696.	1.3	50
86	Association of Lower Extremity Performance With Cardiovascular and All-Cause Mortality in Patients With Peripheral Artery Disease: A Systematic Review and Meta-Analysis. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	49
87	Lipoprotein(a), Inflammation, and Peripheral Arterial Disease in a Community-Based Sample of Older Men and Women (the INCHIANTI Study). <i>American Journal of Cardiology</i> , 2010, 105, 1825-1830.	0.7	48
88	The ankle-brachial index is associated with the magnitude of impaired walking endurance among men and women with peripheral arterial disease. <i>Vascular Medicine</i> , 2010, 15, 251-257.	0.8	48
89	Ethnicity and risk factors for change in the ankle-brachial index: The Multi-Ethnic Study of Atherosclerosis. <i>Journal of Vascular Surgery</i> , 2009, 50, 1049-1056.	0.6	46
90	The Walking Impairment Questionnaire stair-climbing score predicts mortality in men and women with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2012, 55, 1662-1673.e2.	0.6	46

#	ARTICLE	IF	CITATIONS
91	Association of Objectively Measured Physical Activity With Cardiovascular Risk in Mobility-limited Older Adults. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	45
92	Cocoa to Improve Walking Performance in Older People With Peripheral Artery Disease. <i>Circulation Research</i> , 2020, 126, 589-599.	2.0	45
93	Physical activity during daily life and brachial artery flow-mediated dilation in peripheral arterial disease. <i>Vascular Medicine</i> , 2009, 14, 193-201.	0.8	44
94	Leg strength predicts mortality in men but not in women with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2010, 52, 624-631.	0.6	44
95	Functional decline in lower-extremity peripheral arterial disease: Associations with comorbidity, gender, and race. <i>Journal of Vascular Surgery</i> , 2005, 42, 1131-1137.	0.6	43
96	Biomarkers in peripheral arterial disease patients and near- and longer-term mortality. <i>Journal of Vascular Surgery</i> , 2010, 52, 85-90.	0.6	43
97	Persistent Depressive Symptoms and Functional Decline Among Patients With Peripheral Arterial Disease. <i>Psychosomatic Medicine</i> , 2007, 69, 415-424.	1.3	41
98	Lower Extremity Nerve Function in Patients With Lower Extremity Ischemia. <i>Archives of Internal Medicine</i> , 2006, 166, 1986.	4.3	40
99	Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2007, 46, 87-93.	0.6	40
100	Angiotensin-Converting Enzyme Inhibitor Use and Incident Frailty in Women Aged 65 and Older: Prospective Findings from the Women's Health Initiative Observational Study. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 297-303.	1.3	40
101	Plaque Composition in the Proximal Superficial Femoral Artery and Peripheral Artery Disease Events. <i>JACC: Cardiovascular Imaging</i> , 2017, 10, 1003-1012.	2.3	40
102	Declining Walking Impairment Questionnaire Scores Are Associated With Subsequent Increased Mortality in Peripheral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2013, 61, 1820-1829.	1.2	39
103	Obesity, weight change, and functional decline in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2006, 43, 1198-1204.	0.6	38
104	Social Cognitive Constructs and the Promotion of Physical Activity in Patients With Peripheral Artery Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008, 28, 65-72.	1.2	38
105	Unsupervised Exercise and Mobility Loss in Peripheral Artery Disease: A Randomized Controlled Trial. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	38
106	Functional Decline in Patients With and Without Peripheral Arterial Disease: Predictive Value of Annual Changes in Levels of C-Reactive Protein and D-Dimer. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006, 61, 374-379.	1.7	37
107	Respiratory Impairment and Dyspnea and Their Associations with Physical Inactivity and Mobility in Sedentary Community-Dwelling Older Persons. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 622-628.	1.3	37
108	Walking performance is positively correlated to calf muscle fiber size in peripheral artery disease subjects, but fibers show aberrant mitophagy: an observational study. <i>Journal of Translational Medicine</i> , 2016, 14, 284.	1.8	37

#	ARTICLE	IF	CITATIONS
109	Gait Speed and Mobility Disability: Revisiting Meaningful Levels in Diverse Clinical Populations. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 954-961.	1.3	36
110	Meaningful change in 6-minute walk in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 267-276.e1.	0.6	36
111	A Pilot Exercise Intervention to Improve Lower Extremity Functioning in Peripheral Arterial Disease Unaccompanied by Intermittent Claudication. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2004, 24, 187-196.	0.5	34
112	The Relevance of Different Methods of Calculating the Ankle-Brachial Index: The Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Epidemiology</i> , 2010, 171, 368-376.	1.6	34
113	Proximal Superficial Femoral Artery Occlusion, Collateral Vessels, and Walking Performance in Peripheral Artery Disease. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 687-694.	2.3	34
114	Incidence and Prognostic Significance of Depressive Symptoms in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2016, 5, e002959.	1.6	34
115	Cost-effectiveness of the LIFE Physical Activity Intervention for Older Adults at Increased Risk for Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 656-662.	1.7	34
116	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. <i>Hypertension</i> , 2021, 77, 650-661.	1.3	34
117	Peripheral artery disease, calf skeletal muscle mitochondrial DNA copy number, and functional performance. <i>Vascular Medicine</i> , 2018, 23, 340-348.	0.8	33
118	Effect of Losartan and Fish Oil on Plasma IL-6 and Mobility in Older Persons. The ENRGISE Pilot Randomized Clinical Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1612-1619.	1.7	32
119	Superficial Femoral Artery Plaque, the Ankle-Brachial Index, and Leg Symptoms in Peripheral Arterial Disease. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 246-252.	1.3	31
120	Association between nutrient intake and peripheral artery disease: Results from the InCHIANTI study. <i>Atherosclerosis</i> , 2006, 186, 200-206.	0.4	29
121	Associations of Noninvasive Measures of Arterial Compliance and Ankle-Brachial Index: The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Hypertension</i> , 2012, 25, 535-541.	1.0	29
122	Genetic influence on exercise-induced changes in physical function among mobility-limited older adults. <i>Physiological Genomics</i> , 2014, 46, 149-158.	1.0	29
123	Physical Activity During Daily Life and Circulating Biomarker Levels in Patients With Peripheral Arterial Disease. <i>American Journal of Cardiology</i> , 2008, 102, 1263-1268.	0.7	28
124	Baseline Lower Extremity Strength and Subsequent Decline in Functional Performance at 6-Year Follow-Up in Persons with Lower Extremity Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2246-2252.	1.3	28
125	Superficial Femoral Artery Plaque and Functional Performance in Peripheral Arterial Disease. <i>JACC: Cardiovascular Imaging</i> , 2011, 4, 730-739.	2.3	28
126	Lower Extremity Nerve Function, Calf Skeletal Muscle Characteristics, and Functional Performance in Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1855-1863.	1.3	27



#	ARTICLE	IF	CITATIONS
127	The Group Oriented Arterial Leg Study (GOALS) to improve walking performance in patients with peripheral arterial disease. <i>Contemporary Clinical Trials</i> , 2012, 33, 1311-1320.	0.8	27
128	Association of 6-Minute Walk Performance and Physical Activity With Incident Ischemic Heart Disease Events and Stroke in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	27
129	Sedentary time is associated with the metabolic syndrome in older adults with mobility limitations "The LIFE Study. <i>Experimental Gerontology</i> , 2015, 70, 32-36.	1.2	27
130	Effects of a Long-Term Physical Activity Program on Activity Patterns in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2167-2175.	0.2	27
131	Medical Management of Functional Impairment in Peripheral Artery Disease: A Review. <i>Progress in Cardiovascular Diseases</i> , 2018, 60, 586-592.	1.6	27
132	Impact and Lessons From the Lifestyle Interventions and Independence for Elders (LIFE) Clinical Trials of Physical Activity to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 872-881.	1.3	27
133	High-risk plaque in the superficial femoral artery of people with peripheral artery disease: Prevalence and associated clinical characteristics. <i>Atherosclerosis</i> , 2014, 237, 169-176.	0.4	26
134	Robust estimation of the proportion of treatment effect explained by surrogate marker information. <i>Statistics in Medicine</i> , 2016, 35, 1637-1653.	0.8	26
135	Home-Based Exercise. <i>Circulation</i> , 2016, 134, 1127-1129.	1.6	26
136	Correlations of Calf Muscle Macrophage Content With Muscle Properties and Walking Performance in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2020, 9, e015929.	1.6	26
137	Associations of Peripheral Artery Disease With Calf Skeletal Muscle Mitochondrial DNA Heteroplasmy. <i>Journal of the American Heart Association</i> , 2020, 9, e015197.	1.6	26
138	Inflammatory and Thrombotic Blood Markers and Walking-Related Disability in Men and Women with and Without Peripheral Arterial Disease. <i>Journal of the American Geriatrics Society</i> , 2004, 52, 1888-1894.	1.3	25
139	Genetic determinants of the ankle-brachial index: A meta-analysis of a cardiovascular candidate gene 50K SNP panel in the candidate gene association resource (CARE) consortium. <i>Atherosclerosis</i> , 2012, 222, 138-147.	0.4	25
140	A group-mediated, home-based physical activity intervention for patients with peripheral artery disease: effects on social and psychological function. <i>Journal of Translational Medicine</i> , 2014, 12, 29.	1.8	25
141	Cardiovascular Events in a Physical Activity Intervention Compared With a Successful Aging Intervention. <i>JAMA Cardiology</i> , 2016, 1, 568.	3.0	25
142	Comparing 6-minute walk versus treadmill walking distance as outcomes in randomized trials of peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2020, 71, 988-1001.	0.6	25
143	Comparison of Effects of Statin Use on Mortality in Patients With Peripheral Arterial Disease With Versus Without Elevated C-Reactive Protein and D-Dimer Levels. <i>American Journal of Cardiology</i> , 2010, 105, 1348-1352.	0.7	24
144	Can Attention Control Conditions Have Detrimental Effects on Behavioral Medicine Randomized Trials?. <i>Psychosomatic Medicine</i> , 2013, 75, 137-143.	1.3	24

#	ARTICLE	IF	CITATIONS
145	Durability of Benefits From Supervised Treadmill Exercise in People With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2019, 8, e009380.	1.6	24
146	Walking Exercise Therapy Effects on Lower Extremity Skeletal Muscle in Peripheral Artery Disease. <i>Circulation Research</i> , 2021, 128, 1851-1867.	2.0	24
147	Lower Mitochondrial Energy Production of the Thigh Muscles in Patients With Low Normal Ankle-Brachial Index. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	23
148	Maintenance of Physical Function 1 Year After Exercise Intervention in At-Risk Older Adults: Follow-up From the LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 688-694.	1.7	23
149	Relation of Interleukin-6 and Vascular Cellular Adhesion Molecule-1 Levels to Functional Decline in Patients With Lower Extremity Peripheral Arterial Disease. <i>American Journal of Cardiology</i> , 2011, 107, 1392-1398.	0.7	22
150	The MAT-sf: Identifying Risk for Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 641-646.	1.7	22
151	Metabolic syndrome and incident peripheral artery disease – the Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2015, 243, 198-203.	0.4	22
152	Activating Peripheral Arterial Disease Patients to Reduce Cholesterol: A Randomized Trial. <i>American Journal of Medicine</i> , 2011, 124, 557-565.	0.6	21
153	Vitamin D status, functional decline, and mortality in peripheral artery disease. <i>Vascular Medicine</i> , 2014, 19, 18-26.	0.8	21
154	Community walking speed, sedentary or lying down time, and mortality in peripheral artery disease. <i>Vascular Medicine</i> , 2016, 21, 120-129.	0.8	21
155	Racial differences in functional decline in peripheral artery disease and associations with socioeconomic status and education. <i>Journal of Vascular Surgery</i> , 2017, 66, 826-834.	0.6	21
156	Enabling Reduction of Low-Grade Inflammation in Seniors Pilot Study: Concept, Rationale, and Design. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1961-1968.	1.3	21
157	Recruiting participants with peripheral arterial disease for clinical trials: Experience from the Study to Improve Leg Circulation (SILC). <i>Journal of Vascular Surgery</i> , 2009, 49, 653-659.e4.	0.6	20
158	Associations of calf skeletal muscle characteristics and peripheral nerve function with self-perceived physical functioning and walking ability in persons with peripheral artery disease. <i>Vascular Medicine</i> , 2011, 16, 3-11.	0.8	20
159	Prospective Relationship of Low Cardiovascular Risk Factor Profile at Younger Ages to Ankle-Brachial Index: 39-Year Follow-Up The Chicago Healthy Aging Study. <i>Journal of the American Heart Association</i> , 2012, 1, e001545.	1.6	20
160	Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018, 73, 1501-1513.	2.4	20
161	Clinical correlates of size and number of collateral vessels in peripheral artery disease. <i>Vascular Medicine</i> , 2012, 17, 223-230.	0.8	19
162	Associations of diabetes mellitus and other cardiovascular disease risk factors with decline in the ankle-brachial index. <i>Vascular Medicine</i> , 2014, 19, 465-472.	0.8	19

#	ARTICLE	IF	CITATIONS
163	Progenitor cell release plus exercise to improve functional performance in peripheral artery disease: The PROPEL Study. <i>Contemporary Clinical Trials</i> , 2013, 36, 502-509.	0.8	18
164	Comparative effectiveness study of self-directed walking exercise, lower extremity revascularization, and functional decline in peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2013, 57, 990-996.e1.	0.6	17
165	Associations Between Ankle-Brachial Index and Cognitive Function: Results From the Lifestyle Interventions and Independence for Elders Trial. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 682-689.	1.2	17
166	Changes in D-dimer and inflammatory biomarkers before ischemic events in patients with peripheral artery disease: The BRAVO Study. <i>Vascular Medicine</i> , 2016, 21, 12-20.	0.8	17
167	Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70 Years and Older: The LIFE Study. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 312-319.	1.2	17
168	Sleep-Wake Disturbances in Sedentary Community-Dwelling Elderly Adults with Functional Limitations. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 1064-1072.	1.3	16
169	Gender differences in cholesterol-lowering medication prescribing in peripheral artery disease. <i>Vascular Medicine</i> , 2011, 16, 428-435.	0.8	15
170	Clinical characteristics and response to supervised exercise therapy of people with lower extremity peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021, 73, 608-625.	0.6	15
171	Getting funded. <i>Journal of General Internal Medicine</i> , 2004, 19, 472-478.	1.3	14
172	Higher body mass index is associated with more adverse changes in calf muscle characteristics in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2012, 55, 1015-1024.	0.6	14
173	Wall morphology, blood flow and wall shear stress: MR findings in patients with peripheral artery disease. <i>European Radiology</i> , 2014, 24, 850-856.	2.3	14
174	Association of the von Willebrand Factor-ADAMTS13 Ratio With Incident Cardiovascular Events in Patients With Peripheral Arterial Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 807-813.	0.7	14
175	Self-Reported Physical Function As a Predictor of Hospitalization in the Lifestyle Interventions and Independence for Elders Study. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1927-1933.	1.3	14
176	The relationship between interleukin-6 levels and physical performance in mobility-limited older adults with chronic low-grade inflammation: The ENRGISE Pilot study. <i>Archives of Gerontology and Geriatrics</i> , 2020, 90, 104131.	1.4	14
177	Nicotinamide riboside—A missing piece in the puzzle of exercise therapy for older adults?. <i>Experimental Gerontology</i> , 2020, 137, 110972.	1.2	14
178	Vitamin D status and functional performance in peripheral artery disease. <i>Vascular Medicine</i> , 2012, 17, 294-302.	0.8	13
179	Femoral artery plaque characteristics, lower extremity collaterals, and mobility loss in peripheral artery disease. <i>Vascular Medicine</i> , 2017, 22, 473-481.	0.8	13
180	Exercise Training and Revascularization in the Management of Symptomatic Peripheral Artery Disease. <i>JACC Basic To Translational Science</i> , 2021, 6, 174-188.	1.9	13

#	ARTICLE	IF	CITATIONS
181	Plasma metabolomic profiles predict near-term death among individuals with lower extremity peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2013, 58, 989-996.e1.	0.6	12
182	The effect of intervening hospitalizations on the benefit of structured physical activity in promoting independent mobility among community-living older persons: secondary analysis of a randomized controlled trial. <i>BMC Medicine</i> , 2017, 15, 65.	2.3	12
183	Mitochondrial DNA Sequence Variants Associated With Blood Pressure Among 2 Cohorts of Older Adults. <i>Journal of the American Heart Association</i> , 2018, 7, e010009.	1.6	12
184	Life's Simple 7 and Peripheral Artery Disease: The Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Preventive Medicine</i> , 2019, 56, 262-270.	1.6	12
185	Vulnerable blood in high risk vascular patients: Study design and methods. <i>Contemporary Clinical Trials</i> , 2014, 38, 121-129.	0.8	11
186	Effect of Structured Physical Activity on Respiratory Outcomes in Sedentary Elderly Adults with Mobility Limitations. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 501-509.	1.3	11
187	Hospitalizations During a Physical Activity Intervention in Older Adults at Risk of Mobility Disability: Analyses from the Lifestyle Interventions and Independence for Elders Randomized Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 933-943.	1.3	11
188	Elevated IL-6 and CRP Levels Are Associated With Incident Self-Reported Major Mobility Disability: A Pooled Analysis of Older Adults With Slow Gait Speed. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 2293-2299.	1.7	11
189	Attitudes and behavior of peripheral arterial disease patients toward influencing their physician's prescription of cholesterol-lowering medication. <i>Vascular Medicine</i> , 2010, 15, 83-90.	0.8	10
190	Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 660-667.	1.7	10
191	Prepregnancy Body Mass Index, Weight Gain During Pregnancy, and Health Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 1715.	3.8	10
192	Poorer ankle-brachial index scores are associated with greater functional impairment in peripheral artery disease: The Walking and Leg Circulation Study II. <i>Vascular Medicine</i> , 2011, 16, 173-181.	0.8	9
193	The Enabling Reduction of Low-Grade Inflammation in Seniors (ENRGISE) Pilot Study: Screening Methods and Recruitment Results. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1296-1302.	1.7	9
194	The prevalence of overweight and obesity levels among forensic inpatients with learning disability. <i>British Journal of Learning Disabilities</i> , 2018, 46, 101-108.	0.8	8
195	Ankle-Brachial Index Screening and Improving Peripheral Artery Disease Detection and Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 143.	3.8	8
196	A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1821-1827.	1.7	8
197	Association of six-minute walk distance with subsequent lower extremity events in peripheral artery disease. <i>Vascular Medicine</i> , 2020, 25, 319-327.	0.8	8
198	Perceived Versus Objective Change in Walking Ability in Peripheral Artery Disease: Results from 3 Randomized Clinical Trials of Exercise Therapy. <i>Journal of the American Heart Association</i> , 2021, 10, e017609.	1.6	8

#	ARTICLE	IF	CITATIONS
199	Ischemia-related changes in circulating stem and progenitor cells and associated clinical characteristics in peripheral artery disease. <i>Vascular Medicine</i> , 2015, 20, 534-543.	0.8	7
200	Antihypertensive Use and the Effect of a Physical Activity Intervention in the Prevention of Major Mobility Disability Among Older Adults: The LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016, 71, 974-981.	1.7	7
201	Meta-analysis identifies mitochondrial DNA sequence variants associated with walking speed. <i>GeroScience</i> , 2018, 40, 497-511.	2.1	7
202	Reducing Disability in Peripheral Artery Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 1137-1139.	1.1	7
203	Peripheral Artery Disease and Aortic Disease. <i>Global Heart</i> , 2016, 11, 313.	0.9	7
204	Effects of supervised exercise therapy on blood pressure and heart rate during exercise, and associations with improved walking performance in peripheral artery disease: Results of a randomized clinical trial. <i>Journal of Vascular Surgery</i> , 2021, 74, 1589-1600.e4.	0.6	7
205	Identifying gaps in disease knowledge among patients with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2022, 75, 1358-1368.e5.	0.6	7
206	Collateral vessel number, plaque burden, and functional decline in peripheral artery disease. <i>Vascular Medicine</i> , 2014, 19, 281-288.	0.8	6
207	Smoking Cessation and Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2019, 74, 508-511.	1.2	6
208	Associations of Weight Change With Changes in Calf Muscle Characteristics and Functional Decline in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2019, 8, e010890.	1.6	6
209	Mitochondrial DNA damage in calf skeletal muscle and walking performance in people with peripheral artery disease. <i>Free Radical Biology and Medicine</i> , 2020, 160, 680-689.	1.3	6
210	High-Quality Peer Review of Clinical and Translational Research. <i>Journal of the American College of Cardiology</i> , 2021, 78, 1564-1568.	1.2	6
211	One-Year Change in Walking Performance and Subsequent Mobility Loss and Mortality Rates in Peripheral Artery Disease: Longitudinal Data From the WALCS. <i>Journal of the American Heart Association</i> , 2021, 10, e021917.	1.6	6
212	Combined Reduced Forced Expiratory Volume in 1 Second (FEV1) and Peripheral Artery Disease in Sedentary Elders With Functional Limitations. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 665-670.	1.2	5
213	Associations of Poly (ADP-Ribose) Polymerase1 abundance in calf skeletal muscle with walking performance in peripheral artery disease. <i>Experimental Gerontology</i> , 2020, 140, 111048.	1.2	5
214	Patient-Reported Outcome Measures in Symptomatic, Non-Limb-Threatening Peripheral Artery Disease: A State-of-the-Art Review. <i>Circulation: Cardiovascular Interventions</i> , 2022, 15, CIRCINTERVENTIONS121011320.	1.4	5
215	Home-Based Walking Exercise for Peripheral Artery Disease. <i>JAMA - Journal of the American Medical Association</i> , 2022, 327, 1339.	3.8	5
216	Elevated Levels of Adhesion Proteins Are Associated With Low Ankle-Brachial Index. <i>Angiology</i> , 2017, 68, 322-329.	0.8	4

#	ARTICLE	IF	CITATIONS
217	Mitochondrial DNA variants and pulmonary function in older persons. <i>Experimental Gerontology</i> , 2019, 115, 96-103.	1.2	4
218	Impact of Baseline Fatigue on a Physical Activity Intervention to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020, 68, 619-624.	1.3	4
219	Safety of paclitaxel-coated devices in peripheral artery disease. <i>Nature Reviews Cardiology</i> , 2021, 18, 311-312.	6.1	4
220	Racial Differences in the Effect of Granulocyte Macrophage Colony-Stimulating Factor on Improved Walking Distance in Peripheral Artery Disease: The PROPEL Randomized Clinical Trial. <i>Journal of the American Heart Association</i> , 2019, 8, e011001.	1.6	3
221	Brachial artery intima-media thickness and grayscale texture changes in patients with peripheral artery disease receiving supervised exercise training in the PROPEL randomized clinical trial. <i>Vascular Medicine</i> , 2019, 24, 12-22.	0.8	3
222	Treadmill Exercise or Resistance Training in Patients With Peripheral Arterial Disease—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2009, 301, 1986.	3.8	2
223	The importance and challenge of recruitment for peripheral artery disease randomized clinical trials. <i>Vascular Medicine</i> , 2016, 21, 352-354.	0.8	2
224	Sustained physical activity in peripheral artery disease: Associations with disease severity, functional performance, health-related quality of life, and subsequent serious adverse events in the LITE randomized clinical trial. <i>Vascular Medicine</i> , 2021, 26, 497-506.	0.8	2
225	High Mortality Rates in Medicare Patients After Peripheral Artery Disease Revascularization. <i>JAMA Internal Medicine</i> , 2021, 181, 1041.	2.6	2
226	Ankle-Brachial Index and Energy Production in People Without Peripheral Artery Disease: The BLSA. <i>Journal of the American Heart Association</i> , 2022, 11, e019014.	1.6	2
227	Response to Letter Regarding Article, "Six-Minute Walk Is a Better Outcome Measure Than Treadmill Walking Tests in Therapeutic Trials of Patients With Peripheral Artery Disease": <i>Circulation</i> , 2015, 131, e407.	1.6	1
228	Role of the Ankle Brachial Index. , 2020, , 5-19.		1
229	Exercise and Peripheral Arterial Disease. <i>Annals of Internal Medicine</i> , 2006, 144, 699.	2.0	1
230	Plaque Characteristics in the Superficial Femoral Artery Correlate with Walking Impairment Questionnaire Scores in Peripheral Arterial Disease: The Walking and Leg Circulation Study (WALCS) III. <i>Journal of Surgical Radiology</i> , 2012, 3, 148-157.	0.1	1
231	Exercise therapy for peripheral artery disease in 2022: Progress and a prediction. <i>Vascular Medicine</i> , 2022, 27, 113-115.	0.8	1
232	Improving the Management of Orthopedic Surgical Patients with Indwelling Urinary Catheters Using a Systematic Evidence Based Approach. <i>American Journal of Infection Control</i> , 2012, 40, e125-e126.	1.1	0
233	Use of a Wearable Activity Monitor in a Home-Based Exercise Intervention for Peripheral Artery Disease—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1286.	3.8	0
234	Exercise Interventions in Patients with Diabetes and Peripheral Artery Disease. , 2019, , 217-227.		0

#	ARTICLE	IF	CITATIONS
235	American Heart Association Vascular Disease Strategically Focused Research Network. Arteriosclerosis, Thrombosis, and Vascular Biology, 2020, 40, e47-e54.	1.1	0
236	Effect of Low-Intensity vs High-Intensity Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease—Reply. JAMA - Journal of the American Medical Association, 2021, 326, 769.	3.8	0
237	Association between Protein Levels and Mortality in Patients with Peripheral Arterial Disease. Annals of Internal Medicine, 2008, 149, 64.	2.0	0
238	The Ankle Brachial Index. , 2011, , 211-223.		0
239	D-Dimer in the Months Leading up to Acute Coronary Events: A Case Crossover Study. Blood, 2014, 124, 2864-2864.	0.6	0
240	Effects of a Long-Term Physical Activity Program on Activity Patterns in Mobility Impaired Older Adults. Medicine and Science in Sports and Exercise, 2017, 49, 863.	0.2	0
241	Peripheral Artery Disease: An Overview. , 2020, , 137-146.		0
242	Midlife Cardiorespiratory Fitness and the Development of Peripheral Artery Disease in Later Life. Journal of the American Heart Association, 2021, 10, e020841.	1.6	0