Mary M Mcdermott

List of Publications by Citations

Source: https://exaly.com/author-pdf/4179041/mary-m-mcdermott-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 47,990 219 234 h-index g-index citations papers 8.1 6.52 54,316 251 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
234	Global and regional mortality from 235 causes of death for 20 age groups in 1990 and 2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2095-128	40	8873
233	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	40	5768
232	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	40	4971
231	Heart disease and stroke statistics2011 update: a report from the American Heart Association. <i>Circulation</i> , 2011 , 123, e18-e209	16.7	3795
230	Heart disease and stroke statistics2010 update: a report from the American Heart Association. <i>Circulation</i> , 2010 , 121, e46-e215	16.7	3147
229	Heart disease and stroke statistics2008 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. <i>Circulation</i> , 2008 , 117, e25-146	16.7	2438
228	Heart disease and stroke statistics2007 update: a report from the American Heart Association Statistics Committee and Stroke Statistics Subcommittee. <i>Circulation</i> , 2007 , 115, e69-171	16.7	2297
227	Comparison of global estimates of prevalence and risk factors for peripheral artery disease in 2000 and 2010: a systematic review and analysis. <i>Lancet, The</i> , 2013 , 382, 1329-40	40	1847
226	The state of US health, 1990-2010: burden of diseases, injuries, and risk factors. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 591-608	27.4	1629
225	Executive summary: heart disease and stroke statistics2010 update: a report from the American Heart Association. <i>Circulation</i> , 2010 , 121, 948-54	16.7	1226
224	Measurement and interpretation of the ankle-brachial index: a scientific statement from the American Heart Association. <i>Circulation</i> , 2012 , 126, 2890-909	16.7	909
223	Effect of structured physical activity on prevention of major mobility disability in older adults: the LIFE study randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 238	7- 3 7 ^{.4}	804
222	Leg symptoms in peripheral arterial disease: associated clinical characteristics and functional impairment. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 1599-606	27.4	581
221	Functional decline in peripheral arterial disease: associations with the ankle brachial index and leg symptoms. <i>JAMA - Journal of the American Medical Association</i> , 2004 , 292, 453-61	27.4	446
220	Treadmill exercise and resistance training in patients with peripheral arterial disease with and without intermittent claudication: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2009 , 301, 165-74	27.4	297
219	Subclavian artery stenosis: prevalence, risk factors, and association with cardiovascular diseases. Journal of the American College of Cardiology, 2004 , 44, 618-23	15.1	274
218	Peripheral artery disease: epidemiology and global perspectives. <i>Nature Reviews Cardiology</i> , 2017 , 14, 156-170	14.8	272

(2007-2005)

217	Ankle-brachial index and subclinical cardiac and carotid disease: the multi-ethnic study of atherosclerosis. <i>American Journal of Epidemiology</i> , 2005 , 162, 33-41	3.8	270
216	Effect of a 24-Month Physical Activity Intervention vs Health Education on Cognitive Outcomes in Sedentary Older Adults: The LIFE Randomized Trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 781-90	27.4	224
215	The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. <i>Vascular Medicine</i> , 2008 , 13, 15-24	3.3	217
214	The ankle-brachial index and incident cardiovascular events in the MESA (Multi-Ethnic Study of Atherosclerosis). <i>Journal of the American College of Cardiology</i> , 2010 , 56, 1506-12	15.1	209
213	A call to action: women and peripheral artery disease: a scientific statement from the American Heart Association. <i>Circulation</i> , 2012 , 125, 1449-72	16.7	201
212	Home-based walking exercise intervention in peripheral artery disease: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 57-65	27.4	190
211	Physical activity during daily life and mortality in patients with peripheral arterial disease. <i>Circulation</i> , 2006 , 114, 242-8	16.7	184
210	Statin use and leg functioning in patients with and without lower-extremity peripheral arterial disease. <i>Circulation</i> , 2003 , 107, 757-61	16.7	179
209	The effect of novel cardiovascular risk factors on the ethnic-specific odds for peripheral arterial disease in the Multi-Ethnic Study of Atherosclerosis (MESA). <i>Journal of the American College of Cardiology</i> , 2006 , 48, 1190-7	15.1	172
208	Peripheral artery disease, diabetes, and reduced lower extremity functioning. <i>Diabetes Care</i> , 2002 , 25, 113-20	14.6	162
207	Associations of borderline and low normal ankle-brachial index values with functional decline at 5-year follow-up: the WALCS (Walking and Leg Circulation Study). <i>Journal of the American College of Cardiology</i> , 2009 , 53, 1056-62	15.1	142
206	Global and regional burden of death and disability from peripheral artery disease: 21 world regions, 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 145-158.e21	2.9	142
205	Global and regional burden of aortic dissection and aneurysms: mortality trends in 21 world regions, 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 171-180.e10	2.9	133
204	Six-minute walk is a better outcome measure than treadmill walking tests in therapeutic trials of patients with peripheral artery disease. <i>Circulation</i> , 2014 , 130, 61-8	16.7	118
203	Prognostic value of functional performance for mortality in patients with peripheral artery disease. Journal of the American College of Cardiology, 2008 , 51, 1482-9	15.1	118
202	Lower extremity manifestations of peripheral artery disease: the pathophysiologic and functional implications of leg ischemia. <i>Circulation Research</i> , 2015 , 116, 1540-50	15.7	116
201	Asymptomatic peripheral arterial disease is associated with more adverse lower extremity characteristics than intermittent claudication. <i>Circulation</i> , 2008 , 117, 2484-91	16.7	113
200	Lower extremity ischemia, calf skeletal muscle characteristics, and functional impairment in peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 400-6	5.6	110

199	Estimation of global and regional incidence and prevalence of abdominal aortic aneurysms 1990 to 2010. <i>Global Heart</i> , 2014 , 9, 159-70	2.9	108
198	Preserving Clinical Trial Integrity During the Coronavirus Pandemic. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2135-2136	27.4	107
197	Physical performance in peripheral arterial disease: a slower rate of decline in patients who walk more. <i>Annals of Internal Medicine</i> , 2006 , 144, 10-20	8	103
196	Physical activity during daily life and functional decline in peripheral arterial disease. <i>Circulation</i> , 2009 , 119, 251-60	16.7	102
195	Atherosclerotic risk factor reduction in peripheral arterial diseasea: results of a national physician survey. <i>Journal of General Internal Medicine</i> , 2002 , 17, 895-904	4	102
194	Biomarkers of inflammation and thrombosis as predictors of near-term mortality in patients with peripheral arterial disease: a cohort study. <i>Annals of Internal Medicine</i> , 2008 , 148, 85-93	8	100
193	Baseline functional performance predicts the rate of mobility loss in persons with peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 974-82	15.1	99
192	Effect of a Home-Based Exercise Intervention of Wearable Technology and Telephone Coaching on Walking Performance in Peripheral Artery Disease: The HONOR Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1665-1676	27.4	95
191	D-dimer, inflammatory markers, and lower extremity functioning in patients with and without peripheral arterial disease. <i>Circulation</i> , 2003 , 107, 3191-8	16.7	94
190	Impairments of muscles and nerves associated with peripheral arterial disease and their relationship with lower extremity functioning: the InCHIANTI Study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 405-10	5.6	94
189	Leg strength in peripheral arterial disease: associations with disease severity and lower-extremity performance. <i>Journal of Vascular Surgery</i> , 2004 , 39, 523-30	3.5	91
188	Relation of levels of hemostatic factors and inflammatory markers to the ankle brachial index. <i>American Journal of Cardiology</i> , 2003 , 92, 194-9	3	90
187	Functional outcomes and quality of life in peripheral arterial disease: current status. <i>Vascular Medicine</i> , 2003 , 8, 115-26	3.3	89
186	Patterns of inflammation associated with peripheral arterial disease: the InCHIANTI study. <i>American Heart Journal</i> , 2005 , 150, 276-81	4.9	87
185	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019 , 139, e10-e33	16.7	87
184	Corridor-based functional performance measures correlate better with physical activity during daily life than treadmill measures in persons with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2008 , 48, 1231-7, 1237.e1	3.5	82
183	Statin use and functional decline in patients with and without peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 998-1004	15.1	76
182	Exertional leg pain in patients with and without peripheral arterial disease. <i>Circulation</i> , 2005 , 112, 3501-8	3 16.7	76

181	Calf muscle characteristics, strength measures, and mortality in peripheral arterial disease: a longitudinal study. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1159-67	15.1	75
180	Decline in functional performance predicts later increased mobility loss and mortality in peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 962-70	15.1	75
179	Light Intensity physical activity and sedentary behavior in relation to body mass index and grip strength in older adults: cross-sectional findings from the Lifestyle Interventions and Independence for Elders (LIFE) study. <i>PLoS ONE</i> , 2015 , 10, e0116058	3.7	73
178	Lower extremity performance is associated with daily life physical activity in individuals with and without peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 247-55	5.6	68
177	Elevated levels of inflammation, d-dimer, and homocysteine are associated with adverse calf muscle characteristics and reduced calf strength in peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 897-905	15.1	62
176	Executive Summary: Heart Disease and Stroke Statistics 2011 Update. Circulation, 2011, 123, 459-463	16.7	60
175	Dose of physical activity, physical functioning and disability risk in mobility-limited older adults: Results from the LIFE study randomized trial. <i>PLoS ONE</i> , 2017 , 12, e0182155	3.7	59
174	Women with peripheral arterial disease experience faster functional decline than men with peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 707-14	15.1	55
173	Home-based walking exercise in peripheral artery disease: 12-month follow-up of the GOALS randomized trial. <i>Journal of the American Heart Association</i> , 2014 , 3, e000711	6	54
172	Plasma microbiome-modulated indole- and phenyl-derived metabolites associate with advanced atherosclerosis and postoperative outcomes. <i>Journal of Vascular Surgery</i> , 2018 , 68, 1552-1562.e7	3.5	52
171	Associations between lower extremity ischemia, upper and lower extremity strength, and functional impairment with peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 724-9	5.6	52
170	Effect of Physical Activity versus Health Education on Physical Function, Grip Strength and Mobility. Journal of the American Geriatrics Society, 2017 , 65, 1427-1433	5.6	51
169	Ankle brachial index values, leg symptoms, and functional performance among community-dwelling older men and women in the lifestyle interventions and independence for elders study. <i>Journal of the American Heart Association</i> , 2013 , 2, e000257	6	50
168	The role of biomarkers and genetics in peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1228-37	15.1	50
167	Circulating blood markers and functional impairment in peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 1504-10	5.6	48
166	The association of lesion eccentricity with plaque morphology and components in the superficial femoral artery: a high-spatial-resolution, multi-contrast weighted CMR study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010 , 12, 37	6.9	46
165	The ankle brachial index and change in lower extremity functioning over time: the Women's Health and Aging Study. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 238-46	5.6	46
164	Effect of structured physical activity on prevention of serious fall injuries in adults aged 70-89: randomized clinical trial (LIFE Study). <i>BMJ, The</i> , 2016 , 352, i245	5.9	45

163	Effect of Physical Activity on Frailty: Secondary Analysis of a Randomized Controlled Trial. <i>Annals of Internal Medicine</i> , 2018 , 168, 309-316	8	44
162	D-dimer and inflammatory markers as predictors of functional decline in men and women with and without peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 1688-96	5.6	43
161	Greater sedentary hours and slower walking speed outside the home predict faster declines in functioning and adverse calf muscle changes in peripheral arterial disease. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2356-64	15.1	41
160	The ankle-brachial index is associated with the magnitude of impaired walking endurance among men and women with peripheral arterial disease. <i>Vascular Medicine</i> , 2010 , 15, 251-7	3.3	41
159	Functional decline in lower-extremity peripheral arterial disease: associations with comorbidity, gender, and race. <i>Journal of Vascular Surgery</i> , 2005 , 42, 1131-7	3.5	41
158	Effect of Granulocyte-Macrophage Colony-Stimulating Factor With or Without Supervised Exercise on Walking Performance in Patients With Peripheral Artery Disease: The PROPEL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 2089-2098	27.4	40
157	Leg symptom categories and rates of mobility decline in peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1256-62	5.6	40
156	Effect of Low-Intensity vs High-Intensity Home-Based Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease: The LITE Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1266-1276	27.4	39
155	Exercise Rehabilitation for Peripheral Artery Disease: A REVIEW. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018 , 38, 63-69	3.6	38
154	Biomarkers in peripheral arterial disease patients and near- and longer-term mortality. <i>Journal of Vascular Surgery</i> , 2010 , 52, 85-90	3.5	38
153	Effect of Resveratrol on Walking Performance in Older People With Peripheral Artery Disease: The RESTORE Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2017 , 2, 902-907	16.2	37
152	Association of objectively measured physical activity with cardiovascular risk in mobility-limited older adults. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	37
151	The Walking Impairment Questionnaire stair-climbing score predicts mortality in men and women with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2012 , 55, 1662-73.e2	3.5	37
150	Angiotensin-converting enzyme inhibitor use and incident frailty in women aged 65 and older: prospective findings from the Women's Health Initiative Observational Study. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 297-303	5.6	37
149	Physical activity, walking exercise, and calf skeletal muscle characteristics in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2007 , 46, 87-93	3.5	37
148	Exercise training for intermittent claudication. <i>Journal of Vascular Surgery</i> , 2017 , 66, 1612-1620	3.5	36
147	Physical activity during daily life and brachial artery flow-mediated dilation in peripheral arterial disease. <i>Vascular Medicine</i> , 2009 , 14, 193-201	3.3	36
146	Lipoprotein(a), inflammation, and peripheral arterial disease in a community-based sample of older men and women (the InCHIANTI study). <i>American Journal of Cardiology</i> , 2010 , 105, 1825-30	3	36

145	Social cognitive constructs and the promotion of physical activity in patients with peripheral artery disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008 , 28, 65-72	3.6	36	
144	Association of lower extremity performance with cardiovascular and all-cause mortality in patients with peripheral artery disease: a systematic review and meta-analysis. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	34	
143	Ethnicity and risk factors for change in the ankle-brachial index: the Multi-Ethnic Study of Atherosclerosis. <i>Journal of Vascular Surgery</i> , 2009 , 50, 1049-56	3.5	33	
142	Functional decline in patients with and without peripheral arterial disease: predictive value of annual changes in levels of C-reactive protein and D-dimer. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 374-9	6.4	33	
141	Lower extremity nerve function in patients with lower extremity ischemia. <i>Archives of Internal Medicine</i> , 2006 , 166, 1986-92		33	
140	Unsupervised exercise and mobility loss in peripheral artery disease: a randomized controlled trial. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	32	
139	Declining walking impairment questionnaire scores are associated with subsequent increased mortality in peripheral artery disease. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1820-9	15.1	32	
138	Persistent depressive symptoms and functional decline among patients with peripheral arterial disease. <i>Psychosomatic Medicine</i> , 2007 , 69, 415-24	3.7	32	
137	Obesity, weight change, and functional decline in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2006 , 43, 1198-204	3.5	30	
136	A pilot exercise intervention to improve lower extremity functioning in peripheral arterial disease unaccompanied by intermittent claudication. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2004 , 24, 187-96		30	
135	Leg strength predicts mortality in men but not in women with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2010 , 52, 624-31	3.5	29	
134	Walking performance is positively correlated to calf muscle fiber size in peripheral artery disease subjects, but fibers show aberrant mitophagy: an observational study. <i>Journal of Translational Medicine</i> , 2016 , 14, 284	8.5	28	
133	Lower Extremity Peripheral Artery Disease: Contemporary Epidemiology, Management Gaps, and Future Directions: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2021 , 144, e171-e191	16.7	28	
132	Proximal superficial femoral artery occlusion, collateral vessels, and walking performance in peripheral artery disease. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 687-94	8.4	27	
131	The relevance of different methods of calculating the ankle-brachial index: the multi-ethnic study of atherosclerosis. <i>American Journal of Epidemiology</i> , 2010 , 171, 368-76	3.8	27	
130	Baseline lower extremity strength and subsequent decline in functional performance at 6-year follow-up in persons with lower extremity peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2246-52	5.6	27	
129	Superficial femoral artery plaque, the ankle-brachial index, and leg symptoms in peripheral arterial disease: the walking and leg circulation study (WALCS) III. <i>Circulation: Cardiovascular Imaging</i> , 2011 , 4, 246-52	3.9	27	
128	Plaque Composition in the Proximal Superficial Femoral Artery and Peripheral Artery Disease Events. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 1003-1012	8.4	26	

127	Respiratory impairment and dyspnea and their associations with physical inactivity and mobility in sedentary community-dwelling older persons. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 622-	8 ^{5.6}	26
126	Implementation of Supervised Exercise Therapy for Patients With Symptomatic Peripheral Artery Disease: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2019 , 140, e700-e710	16.7	25
125	Sedentary time is associated with the metabolic syndrome in older adults with mobility limitationsThe LIFE Study. <i>Experimental Gerontology</i> , 2015 , 70, 32-6	4.5	25
124	Cocoa to Improve Walking Performance in Older People With Peripheral Artery Disease: The COCOA-PAD Pilot Randomized Clinical Trial. <i>Circulation Research</i> , 2020 , 126, 589-599	15.7	25
123	Genetic influence on exercise-induced changes in physical function among mobility-limited older adults. <i>Physiological Genomics</i> , 2014 , 46, 149-58	3.6	25
122	Superficial femoral artery plaque and functional performance in peripheral arterial disease: walking and leg circulation study (WALCS III). <i>JACC: Cardiovascular Imaging</i> , 2011 , 4, 730-9	8.4	25
121	Associations of noninvasive measures of arterial compliance and ankle-brachial index: the Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Journal of Hypertension</i> , 2012 , 25, 535-41	2.3	25
120	Association between nutrient intake and peripheral artery disease: results from the InCHIANTI study. <i>Atherosclerosis</i> , 2006 , 186, 200-6	3.1	25
119	Inflammatory and thrombotic blood markers and walking-related disability in men and women with and without peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1888-94	5.6	24
118	Cost-effectiveness of the LIFE Physical Activity Intervention for Older Adults at Increased Risk for Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 656-62	6.4	23
117	Physical activity during daily life and circulating biomarker levels in patients with peripheral arterial disease. <i>American Journal of Cardiology</i> , 2008 , 102, 1263-8	3	23
116	The Group Oriented Arterial Leg Study (GOALS) to improve walking performance in patients with peripheral arterial disease. <i>Contemporary Clinical Trials</i> , 2012 , 33, 1311-20	2.3	22
115	Incidence and Prognostic Significance of Depressive Symptoms in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2016 , 5, e002959	6	22
114	High-risk plaque in the superficial femoral artery of people with peripheral artery disease: prevalence and associated clinical characteristics. <i>Atherosclerosis</i> , 2014 , 237, 169-76	3.1	21
113	Remote Research and Clinical Trial Integrity During and After the Coronavirus Pandemic. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 325, 1935-1936	27.4	21
112	Gait Speed and Mobility Disability: Revisiting Meaningful Levels in Diverse Clinical Populations. Journal of the American Geriatrics Society, 2018 , 66, 954-961	5.6	20
111	Peripheral artery disease, calf skeletal muscle mitochondrial DNA copy number, and functional performance. <i>Vascular Medicine</i> , 2018 , 23, 340-348	3.3	20
110	Effects of a Long-Term Physical Activity Program on Activity Patterns in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 2167-2175	1.2	19

109	Vitamin D status, functional decline, and mortality in peripheral artery disease. <i>Vascular Medicine</i> , 2014 , 19, 18-26	3.3	19
108	Lower extremity nerve function, calf skeletal muscle characteristics, and functional performance in peripheral arterial disease. <i>Journal of the American Geriatrics Society</i> , 2011 , 59, 1855-63	5.6	19
107	Relation of interleukin-6 and vascular cellular adhesion molecule-1 levels to functional decline in patients with lower extremity peripheral arterial disease. <i>American Journal of Cardiology</i> , 2011 , 107, 139	9 2 -8	19
106	Comparison of effects of statin use on mortality in patients with peripheral arterial disease with versus without elevated C-reactive protein and d-dimer levels. <i>American Journal of Cardiology</i> , 2010 , 105, 1348-52	3	19
105	Association of 6-Minute Walk Performance and Physical Activity With Incident Ischemic Heart Disease Events and Stroke in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2015 , 4,	6	18
104	Lower Mitochondrial Energy Production of the Thigh Muscles in Patients With Low-Normal Ankle-Brachial Index. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	18
103	Genetic determinants of the ankle-brachial index: a meta-analysis of a cardiovascular candidate gene 50K SNP panel in the candidate gene association resource (CARe) consortium. <i>Atherosclerosis</i> , 2012 , 222, 138-47	3.1	18
102	Can attention control conditions have detrimental effects on behavioral medicine randomized trials?. <i>Psychosomatic Medicine</i> , 2013 , 75, 137-43	3.7	18
101	Skeletal Muscle Pathology in Peripheral Artery Disease: A Brief Review. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2020 , 40, 2577-2585	9.4	18
100	Effect of Losartan and Fish Oil on Plasma IL-6 and Mobility in Older Persons. The ENRGISE Pilot Randomized Clinical Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1612-1619	6.4	18
99	Metabolic syndrome and incident peripheral artery disease - the Multi-Ethnic Study of Atherosclerosis. <i>Atherosclerosis</i> , 2015 , 243, 198-203	3.1	17
98	Prospective relationship of low cardiovascular risk factor profile at younger ages to ankle-brachial index: 39-year follow-upthe Chicago Healthy Aging Study. <i>Journal of the American Heart Association</i> , 2012 , 1, e001545	6	17
97	Recruiting participants with peripheral arterial disease for clinical trials: experience from the Study to Improve Leg Circulation (SILC). <i>Journal of Vascular Surgery</i> , 2009 , 49, 653-659.e4	3.5	17
96	Lower Extremity Peripheral Artery Disease Without Chronic Limb-Threatening Ischemia: A Review. JAMA - Journal of the American Medical Association, 2021, 325, 2188-2198	27.4	17
95	Meaningful change in 6-minute walk in people with peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021 , 73, 267-276.e1	3.5	17
94	Maintenance of Physical Function 1 Year After Exercise Intervention in At-Risk Older Adults: Follow-up From the LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 688-694	6.4	16
93	Medical Management of Functional Impairment in Peripheral Artery Disease: A Review. <i>Progress in Cardiovascular Diseases</i> , 2018 , 60, 586-592	8.5	16
92	Home-Based Exercise: A Therapeutic Option for Peripheral Artery Disease. <i>Circulation</i> , 2016 , 134, 1127-	1:162 9	16

91	A group-mediated, home-based physical activity intervention for patients with peripheral artery disease: effects on social and psychological function. <i>Journal of Translational Medicine</i> , 2014 , 12, 29	8.5	16
90	Progenitor cell release plus exercise to improve functional performance in peripheral artery disease: the PROPEL Study. <i>Contemporary Clinical Trials</i> , 2013 , 36, 502-9	2.3	16
89	ENabling Reduction of Low-grade Inflammation in SEniors Pilot Study: Concept, Rationale, and Design. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1961-1968	5.6	16
88	Associations of diabetes mellitus and other cardiovascular disease risk factors with decline in the ankle-brachial index. <i>Vascular Medicine</i> , 2014 , 19, 465-72	3.3	16
87	Activating peripheral arterial disease patients to reduce cholesterol: a randomized trial. <i>American Journal of Medicine</i> , 2011 , 124, 557-65	2.4	16
86	Racial differences in functional decline in peripheral artery disease and associations with socioeconomic status and education. <i>Journal of Vascular Surgery</i> , 2017 , 66, 826-834	3.5	15
85	Community walking speed, sedentary or lying down time, and mortality in peripheral artery disease. <i>Vascular Medicine</i> , 2016 , 21, 120-9	3.3	15
84	Changes in D-dimer and inflammatory biomarkers before ischemic events in patients with peripheral artery disease: The BRAVO Study. <i>Vascular Medicine</i> , 2016 , 21, 12-20	3.3	15
83	Comparative effectiveness study of self-directed walking exercise, lower extremity revascularization, and functional decline in peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2013 , 57, 990-996.e1	3.5	15
82	Cardiovascular Events in a Physical Activity Intervention Compared With a Successful Aging Intervention: The LIFE Study Randomized Trial. <i>JAMA Cardiology</i> , 2016 , 1, 568-74	16.2	15
81	Durability of Benefits From Supervised Treadmill Exercise in People With Peripheral Artery Disease. Journal of the American Heart Association, 2019 , 8, e009380	6	15
80	The MAT-sf: identifying risk for major mobility disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015 , 70, 641-6	6.4	14
79	Sleep-wake disturbances in sedentary community-dwelling elderly adults with functional limitations. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1064-72	5.6	14
78	Comparing 6-minute walk versus treadmill walking distance as outcomes in randomized trials of peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2020 , 71, 988-1001	3.5	14
77	Dynapenia and Metabolic Health in Obese and Nonobese Adults Aged 70 Years and Older: The LIFE Study. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 312-319	5.9	13
76	Associations of calf skeletal muscle characteristics and peripheral nerve function with self-perceived physical functioning and walking ability in persons with peripheral artery disease. <i>Vascular Medicine</i> , 2011 , 16, 3-11	3.3	13
75	Clinical correlates of size and number of collateral vessels in peripheral artery disease. <i>Vascular Medicine</i> , 2012 , 17, 223-30	3.3	13
74	Correlations of Calf Muscle Macrophage Content With Muscle Properties and Walking Performance in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2020 , 9, e015929	6	12

73	Associations of Peripheral Artery Disease With Calf Skeletal Muscle Mitochondrial DNA Heteroplasmy. <i>Journal of the American Heart Association</i> , 2020 , 9, e015197	6	12
72	Plasma metabolomic profiles predict near-term death among individuals with lower extremity peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2013 , 58, 989-96.e1	3.5	12
71	Robust estimation of the proportion of treatment effect explained by surrogate marker information. <i>Statistics in Medicine</i> , 2016 , 35, 1637-53	2.3	12
70	Impact and Lessons From the Lifestyle Interventions and Independence for Elders (LIFE) Clinical Trials of Physical Activity to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 872-881	5.6	11
69	Social Participation Modifies the Effect of a Structured Physical Activity Program on Major Mobility Disability Among Older Adults: Results From the LIFE Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2018 , 73, 1501-1513	4.6	11
68	Wall morphology, blood flow and wall shear stress: MR findings in patients with peripheral artery disease. <i>European Radiology</i> , 2014 , 24, 850-6	8	11
67	Vulnerable blood in high risk vascular patients: study design and methods. <i>Contemporary Clinical Trials</i> , 2014 , 38, 121-9	2.3	11
66	Higher body mass index is associated with more adverse changes in calf muscle characteristics in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2012 , 55, 1015-24	3.5	11
65	Vitamin D status and functional performance in peripheral artery disease. <i>Vascular Medicine</i> , 2012 , 17, 294-302	3.3	11
64	Getting funded. Career development awards for aspiring clinical investigators. <i>Journal of General Internal Medicine</i> , 2004 , 19, 472-8	4	11
63	The effect of intervening hospitalizations on the benefit of structured physical activity in promoting independent mobility among community-living older persons: secondary analysis of a randomized controlled trial. <i>BMC Medicine</i> , 2017 , 15, 65	11.4	10
62	Gender differences in cholesterol-lowering medication prescribing in peripheral artery disease. <i>Vascular Medicine</i> , 2011 , 16, 428-35	3.3	10
61	Nicotinamide riboside-A missing piece in the puzzle of exercise therapy for older adults?. <i>Experimental Gerontology</i> , 2020 , 137, 110972	4.5	9
60	Association of the von Willebrand Factor-ADAMTS13 Ratio With Incident Cardiovascular Events in Patients With Peripheral Arterial Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017 , 23, 807-813	33.3	8
59	A Case for Promoting Movement Medicine: Preventing Disability in the LIFE Randomized Controlled Trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 183	21 -1 82	7 ⁸
58	Evaluating Accelerometry Thresholds for Detecting Changes in Levels of Moderate Physical Activity and Resulting Major Mobility Disability. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 660-667	6.4	8
57	Hospitalizations During a Physical Activity Intervention in Older Adults at Risk of Mobility Disability: Analyses from the Lifestyle Interventions and Independence for Elders Randomized Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 933-43	5.6	8
56	Self-Reported Physical Function As a Predictor of Hospitalization in the Lifestyle Interventions and Independence for Elders Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 1927-1933	5.6	8

55	Femoral artery plaque characteristics, lower extremity collaterals, and mobility loss in peripheral artery disease. <i>Vascular Medicine</i> , 2017 , 22, 473-481	3.3	7
54	Associations Between Ankle-Brachial Index and Cognitive Function: Results From the Lifestyle Interventions and Independence for Elders Trial. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 682-9	5.9	7
53	The relationship between interleukin-6 levels and physical performance in mobility-limited older adults with chronic low-grade inflammation: The ENRGISE Pilot study. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 90, 104131	4	7
52	Attitudes and behavior of peripheral arterial disease patients toward influencing their physician prescription of cholesterol-lowering medication. <i>Vascular Medicine</i> , 2010 , 15, 83-90	3.3	7
51	Walking Exercise Therapy Effects on Lower Extremity Skeletal Muscle in Peripheral Artery Disease. <i>Circulation Research</i> , 2021 , 128, 1851-1867	15.7	7
50	The Enabling Reduction of Low-Grade Inflammation in Seniors (ENRGISE) Pilot Study: Screening Methods and Recruitment Results. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1296-1302	6.4	7
49	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality: Individual Participant Data Meta-Analysis, Development and Validation of a Prognostic Algorithm: The INTERPRESS-IPD Collaboration. <i>Hypertension</i> , 2021 , 77, 650-661	8.5	7
48	Exercise Training and Revascularization in the Management of Symptomatic Peripheral Artery Disease. <i>JACC Basic To Translational Science</i> , 2021 , 6, 174-188	8.7	7
47	Prepregnancy Body Mass Index, Weight Gain During Pregnancy, and Health Outcomes. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1715	27.4	6
46	Antihypertensive Use and the Effect of a Physical Activity Intervention in the Prevention of Major Mobility Disability Among Older Adults: The LIFE Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 974-81	6.4	6
45	Ischemia-related changes in circulating stem and progenitor cells and associated clinical characteristics in peripheral artery disease. <i>Vascular Medicine</i> , 2015 , 20, 534-43	3.3	6
44	Effect of Structured Physical Activity on Respiratory Outcomes in Sedentary Elderly Adults with Mobility Limitations. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 501-9	5.6	6
43	Peripheral Artery Disease and Aortic Disease. <i>Global Heart</i> , 2016 , 11, 313-326	2.9	6
42	Mitochondrial DNA Sequence Variants Associated With Blood Pressure Among 2 Cohorts of Older Adults. <i>Journal of the American Heart Association</i> , 2018 , 7, e010009	6	6
41	Collateral vessel number, plaque burden, and functional decline in peripheral artery disease. <i>Vascular Medicine</i> , 2014 , 19, 281-288	3.3	5
40	Poorer clock draw test scores are associated with greater functional impairment in peripheral artery disease: the Walking and Leg Circulation Study II. <i>Vascular Medicine</i> , 2011 , 16, 173-81	3.3	5
39	Clinical characteristics and response to supervised exercise therapy of people with lower extremity peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021 , 73, 608-625	3.5	5
38	Meta-analysis identifies mitochondrial DNA sequence variants associated with walking speed. <i>GeroScience</i> , 2018 , 40, 497-511	8.9	5

37	Combined reduced forced expiratory volume in 1 second (FEV1) and peripheral artery disease in sedentary elders with functional limitations. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 665-70	5.9	4
36	Perceived Versus Objective Change in Walking Ability in Peripheral Artery Disease: Results from 3 Randomized Clinical Trials of Exercise Therapy. <i>Journal of the American Heart Association</i> , 2021 , 10, e01	7609	4
35	Racial Differences in the Effect of Granulocyte Macrophage Colony-Stimulating Factor on Improved Walking Distance in Peripheral Artery Disease: The PROPEL Randomized Clinical Trial. <i>Journal of the American Heart Association</i> , 2019 , 8, e011001	6	3
34	Association of six-minute walk distance with subsequent lower extremity events in peripheral artery disease. <i>Vascular Medicine</i> , 2020 , 25, 319-327	3.3	3
33	The prevalence of overweight and obesity levels among forensic inpatients with learning disability. British Journal of Learning Disabilities, 2018 , 46, 101-108	1	3
32	Associations of Weight Change With Changes in Calf Muscle Characteristics and Functional Decline in Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2019 , 8, e010890	6	3
31	Effects of supervised exercise therapy on blood pressure and heart rate during exercise, and associations with improved walking performance in peripheral artery disease: Results of a randomized clinical trial. <i>Journal of Vascular Surgery</i> , 2021 , 74, 1589-1600.e4	3.5	3
30	Life's Simple 7 and Peripheral Artery Disease: The Multi-Ethnic Study of Atherosclerosis. <i>American Journal of Preventive Medicine</i> , 2019 , 56, 262-270	6.1	3
29	Safety of paclitaxel-coated devices in peripheral artery disease. <i>Nature Reviews Cardiology</i> , 2021 , 18, 311-312	14.8	3
28	Elevated Levels of Adhesion Proteins Are Associated With Low Ankle-Brachial Index. <i>Angiology</i> , 2017 , 68, 322-329	2.1	2
27	Impact of Baseline Fatigue on a Physical Activity Intervention to Prevent Mobility Disability. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 619-624	5.6	2
26	Associations of Poly (ADP-Ribose) Polymerase1 abundance in calf skeletal muscle with walking performance in peripheral artery disease. <i>Experimental Gerontology</i> , 2020 , 140, 111048	4.5	2
25	Mitochondrial DNA damage in calf skeletal muscle and walking performance in people with peripheral artery disease. <i>Free Radical Biology and Medicine</i> , 2020 , 160, 680-689	7.8	2
24	Elevated IL-6 and CRP Levels Are Associated With Incident Self-Reported Major Mobility Disability: A Pooled Analysis of Older Adults With Slow Gait Speed. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021 , 76, 2293-2299	6.4	2
23	Brachial artery intima-media thickness and grayscale texture changes in patients with peripheral artery disease receiving supervised exercise training in the PROPEL randomized clinical trial. <i>Vascular Medicine</i> , 2019 , 24, 12-22	3.3	2
22	Mitochondrial DNA variants and pulmonary function in older persons. <i>Experimental Gerontology</i> , 2019 , 115, 96-103	4.5	2
21	One-Year Change in Walking Performance and Subsequent Mobility Loss and Mortality Rates in Peripheral Artery Disease: Longitudinal Data From the WALCS <i>Journal of the American Heart Association</i> , 2021 , 10, e021917	6	2
20	Response to letter regarding article, "Six-minute walk is a better outcome measure than treadmill walking tests in therapeutic trials of patients with peripheral artery disease". <i>Circulation</i> , 2015 , 131, e40	16.7	1

19	Plaque Characteristics in the Superficial Femoral Artery Correlate with Walking Impairment Questionnaire Scores in Peripheral Arterial Disease: The Walking and Leg Circulation Study (WALCS) III 2012 , 3, 148-157		1
18	Role of the Ankle Brachial Index 2020 , 5-19		1
17	High Mortality Rates in Medicare Patients After Peripheral Artery Disease Revascularization. <i>JAMA Internal Medicine</i> , 2021 , 181, 1041-1042	11.5	1
16	Patient-Reported Outcome Measures in Symptomatic, Non-Limb-Threatening Peripheral Artery Disease: A State-of-the-Art Review <i>Circulation: Cardiovascular Interventions</i> , 2021 , CIRCINTERVENTION	s ⁶ 1210	19320
15	High-Quality Peer Review of Clinical and Translational Research: A Practical Guide. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 1564-1568	15.1	О
14	Sustained physical activity in peripheral artery disease: Associations with disease severity, functional performance, health-related quality of life, and subsequent serious adverse events in the LITE randomized clinical trial. <i>Vascular Medicine</i> , 2021 , 26, 497-506	3.3	O
13	Exercise Interventions in Patients with Diabetes and Peripheral Artery Disease 2019 , 217-227		
12	American Heart Association Vascular Disease Strategically Focused Research Network. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020 , 40, e47-e54	9.4	
11	Midlife Cardiorespiratory Fitness and the Development of Peripheral Artery Disease in Later Life. Journal of the American Heart Association, 2021 , 10, e020841	6	
10	Exercise and Peripheral Arterial Disease. <i>Annals of Internal Medicine</i> , 2006 , 144, 699	8	
9	Peripheral Artery Disease: An Overview 2020 , 137-146		
8	D-Dimer in the Months Leading up to Acute Coronary Events: A Case Crossover Study. <i>Blood</i> , 2014 , 124, 2864-2864	2.2	
7	Effects of a Long-Term Physical Activity Program on Activity Patterns in Mobility Impaired Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 863	1.2	
6	Association between Protein Levels and Mortality in Patients with Peripheral Arterial Disease. <i>Annals of Internal Medicine</i> , 2008 , 149, 64	8	
5	The Ankle Brachial Index 2011 , 211-223		
4	Use of a Wearable Activity Monitor in a Home-Based Exercise Intervention for Peripheral Artery Disease-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1286	27.4	
3	Effect of Low-Intensity vs High-Intensity Walking Exercise on Walk Distance in Patients With Peripheral Artery Disease-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 769-770	27.4	
2	Ankle-Brachial Index and Energy Production in People Without Peripheral Artery Disease: The BLSA <i>Journal of the American Heart Association</i> , 2022 , e019014	6	

Home-Based Walking Exercise for Peripheral Artery Disease.. *JAMA - Journal of the American Medical Association*, **2022**, 327, 1339-1340

27.4