Jirong Yue

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4181909/publications.pdf

Version: 2024-02-01

86	3,157 citations	23	52
papers		h-index	g-index
103	103	103	3244
all docs	docs citations	times ranked	citing authors

#	Article	lF	CITATIONS
1	Effectiveness of Multicomponent Nonpharmacological Delirium Interventions. JAMA Internal Medicine, 2015, 175, 512.	2.6	560
2	American Geriatrics Society Abstracted Clinical Practice Guideline for Postoperative Delirium in Older Adults. Journal of the American Geriatrics Society, 2015, 63, 142-150.	1.3	384
3	Antipsychotic Medication for Prevention and Treatment of Delirium in Hospitalized Adults: A Systematic Review and Metaâ€Analysis. Journal of the American Geriatrics Society, 2016, 64, 705-714.	1.3	341
4	Hospital Elder Life Program: Systematic Review and Meta-analysis of Effectiveness. American Journal of Geriatric Psychiatry, 2018, 26, 1015-1033.	0.6	243
5	Effect of the Tailored, Family-Involved Hospital Elder Life Program on Postoperative Delirium and Function in Older Adults. JAMA Internal Medicine, 2020, 180, 17.	2.6	98
6	<scp>NICE</scp> to <scp>HELP</scp> : Operationalizing National Institute for Health and Clinical Excellence Guidelines to Improve Clinical Practice. Journal of the American Geriatrics Society, 2014, 62, 754-761.	1.3	85
7	Diagnosis, prevalence, and mortality of sarcopenia in dialysis patients: a systematic review and metaâ€analysis. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 145-158.	2.9	80
8	Gut Microbiota Interact With the Brain Through Systemic Chronic Inflammation: Implications on Neuroinflammation, Neurodegeneration, and Aging. Frontiers in Immunology, 2022, 13, 796288.	2.2	75
9	The association between frailty and severe disease among COVID-19 patients aged over 60Âyears in China: a prospective cohort study. BMC Medicine, 2020, 18, 274.	2.3	72
10	Assessment of Instruments for Measurement of Delirium Severity. JAMA Internal Medicine, 2019, 179, 231.	2.6	61
11	Prevalence of depression in patients with sarcopenia and correlation between the two diseases: systematic review and metaâ€analysis. Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 128-144.	2.9	52
12	Prevalence of sarcopenia in multi ethnics adults and the association with cognitive impairment: findings from West-China health and aging trend study. BMC Geriatrics, 2020, 20, 63.	1.1	50
13	Comparison of the Saint Louis University Mental Status Examination, the Mini-Mental State Examination, and the Montreal Cognitive Assessment in Detection of Cognitive Impairment in Chinese Elderly from the Geriatric Department. Journal of the American Medical Directors Association, 2012, 13, 626-629.	1.2	45
14	Comorbid depressive and anxiety symptoms and frailty among older adults: Findings from the West China health and aging trend study. Journal of Affective Disorders, 2020, 277, 970-976.	2.0	44
15	Statins and bone health in postmenopausal women: a systematic review of randomized controlled trials. Menopause, 2010, 17, 1071-1079.	0.8	42
16	Detecting Delirium: A Systematic Review of Identification Instruments for ⟨scp⟩Nonâ€lCU⟨/scp⟩ Settings. Journal of the American Geriatrics Society, 2021, 69, 547-555.	1.3	42
17	The Prognostic Nutritional Index is associated with mortality of COVIDâ€19 patients in Wuhan, China. Journal of Clinical Laboratory Analysis, 2020, 34, e23566.	0.9	40
18	Linezolid versus vancomycin for skin and soft tissue infections. The Cochrane Library, 2016, 2016, CD008056.	1.5	39

#	Article	IF	Citations
19	Oral topical decontamination for preventing ventilator-associated pneumonia: a systematic review and meta-analysis of randomized controlled trials. Journal of Hospital Infection, 2013, 84, 283-293.	1.4	38
20	Cross-Sectional Study Examining the Association Between Metabolic Syndrome and Cognitive Function Among the Oldest Old. Journal of the American Medical Directors Association, 2013, 14, 105-108.	1.2	36
21	Rheum officinale (a traditional Chinese medicine) for chronic kidney disease. The Cochrane Library, 2012, , CD008000.	1.5	28
22	Thrombolytic therapy for pulmonary embolism. The Cochrane Library, 2015, , CD004437.	1.5	28
23	Acetaminophen (paracetamol) for the common cold in adults. The Cochrane Library, 2013, , CD008800.	1.5	26
24	Association of serum uric acid with body mass index among long-lived Chinese. Experimental Gerontology, 2012, 47, 595-600.	1.2	25
25	Association between frailty and chronic pain among older adults: a systematic review and meta-analysis. European Geriatric Medicine, 2020, 11, 945-959.	1.2	24
26	The Comparison of Sarcopenia Diagnostic Criteria using AWGS 2019 with the Other Five Criteria in West China. Gerontology, 2021, 67, 386-396.	1.4	24
27	Association of sleep quality and dementia among long-lived Chinese older adults. Age, 2013, 35, 1423-1432.	3.0	23
28	Neutrophil-lymphocyte ratio as a predictor of delirium in older internal medicine patients: a prospective cohort study. BMC Geriatrics, 2021, 21, 334.	1.1	23
29	Ethnic Groups Differences in the Prevalence of Sarcopenia Using the AWGS Criteria. Journal of Nutrition, Health and Aging, 2020, 24, 665-671.	1.5	23
30	Huperzine A for mild cognitive impairment. The Cochrane Library, 2012, 12, CD008827.	1.5	22
31	Dissecting Delirium. Clinics in Geriatric Medicine, 2017, 33, 393-413.	1.0	21
32	Geriatric Nutritional Risk Index can predict postoperative delirium and hospital length of stay in elderly patients undergoing nonâ€cardiac surgery. Geriatrics and Gerontology International, 2020, 20, 759-764.	0.7	19
33	Elevated cardiac biomarkers may be effective prognostic predictors for patients with COVID-19: A multicenter, observational study. American Journal of Emergency Medicine, 2021, 39, 34-41.	0.7	19
34	Prevalence of Sarcopenia in Pain Patients and Correlation Between the Two Conditions: A Systematic Review and Meta-Analysis. Journal of the American Medical Directors Association, 2022, 23, 902.e1-902.e20.	1.2	19
35	Effects of five types of selenium supplementation for treatment of Kashin-Beck disease in children: a systematic review and network meta-analysis. BMJ Open, 2018, 8, e017883.	0.8	18
36	Linezolid versus vancomycin for skin and soft tissue infections. , 2013, , CD008056.		17

#	Article	IF	CITATIONS
37	The geriatric nutrition risk index versus the mini-nutritional assessment short form in predicting postoperative delirium and hospital length of stay among older non-cardiac surgical patients: a prospective cohort study. BMC Geriatrics, 2020, 20, 107.	1.1	17
38	Association Between Geriatric Nutritional Risk Index and Frailty in Older Hospitalized Patients. Clinical Interventions in Aging, 2021, Volume 16, 1241-1249.	1.3	16
39	Thrombolytic therapy for pulmonary embolism. The Cochrane Library, 2021, 2021, CD004437.	1.5	15
40	Higher uric acid serum levels are associated with sarcopenia in west China: a cross-sectional study. BMC Geriatrics, 2022, 22, 121.	1.1	15
41	Signatures and Clinical Significance of Amino Acid Flux in Sarcopenia: A Systematic Review and Meta-Analysis. Frontiers in Endocrinology, 2021, 12, 725518.	1.5	14
42	The Value of FujiLAM in the Diagnosis of Tuberculosis: A Systematic Review and Meta-Analysis. Frontiers in Public Health, 2021, 9, 757133.	1.3	14
43	Cognitive Impairment and Depression Among Chinese Nonagenarians/Centenarians. American Journal of Geriatric Psychiatry, 2010, 18, 297-304.	0.6	13
44	Comorbid anxiety and depression, depression, and anxiety in comparison in multi-ethnic community of west China: prevalence, metabolic profile, and related factors. Journal of Affective Disorders, 2022, 298, 381-387.	2.0	13
45	Long sleep duration is associated with cognitive frailty among older community-dwelling adults: results from West China Health and Aging Trend study. BMC Geriatrics, 2021, 21, 608.	1.1	13
46	Prevalence and prognostic value of preexisting sarcopenia in patients with mechanical ventilation: a systematic review and meta-analysis. Critical Care, 2022, 26, 140.	2.5	13
47	Prostaglandin E1 for preventing the progression of diabetic kidney disease. The Cochrane Library, 2010, , CD006872.	1.5	12
48	DEPRESSION AND SERUM LIPIDS AND LIPOPROTEIN IN CHINESE NONAGENARIANS AND CENTENARIANS. Journal of the American Geriatrics Society, 2009, 57, 732-733.	1.3	11
49	Association between sleep quality and arterial blood pressure among Chinese nonagenarians/centenarians. Medical Science Monitor, 2012, 18, PH36-PH42.	0.5	11
50	The prevalence and associated factors of motoric cognitive risk syndrome in multiple ethnic middleâ€aged to older adults in west China: a crossâ€sectional study. European Journal of Neurology, 2022, 29, 1354-1365.	1.7	11
51	Diagnostic Performance of Clinical Laboratory Indicators With Sarcopenia: Results From the West China Health and Aging Trend Study. Frontiers in Endocrinology, 2021, 12, 785045.	1.5	11
52	The mediation role of sleep quality in the relationship between cognitive decline and depression. BMC Geriatrics, 2022, 22, 178.	1.1	10
53	Association Between Angiotensin-Converting Enzyme Insertion/Deletion Polymorphisms and Frailty Among Chinese Older People. Journal of the American Medical Directors Association, 2015, 16, 438.e1-438.e6.	1.2	9
54	The association of single nucleotide polymorphism rs189037C>T in ATM gene with coronary artery disease in Chinese Han populations. Medicine (United States), 2018, 97, e9747.	0.4	9

#	Article	IF	Citations
55	Transformation of a Geriatric Department in China. Journal of the American Geriatrics Society, 2018, 66, 184-190.	1.3	9
56	High Serum AST/ALT Ratio and Low Serum INS*PA Product Are Risk Factors and Can Diagnose Sarcopenia in Middle-Aged and Older Adults. Frontiers in Endocrinology, 2022, 13, 843610.	1.5	9
57	Pro12Ala polymorphism in PPAR-Î ³ 2 and dementia in Chinese nonagenarians/centenarians. Age, 2010, 32, 397-404.	3.0	8
58	Incidence, predictors and health outcomes of delirium in very old hospitalized patients: a prospective cohort study. BMC Geriatrics, 2022, 22, 262.	1.1	8
59	Associations of geriatric nutrition risk index and other nutritional risk-related indexes with sarcopenia presence and their value in sarcopenia diagnosis. BMC Geriatrics, 2022, 22, 327.	1.1	8
60	The incidence of delirium after cardiac surgery in the elderly: protocol for a systematic review and meta-analysis. BMJ Open, 2017, 7, e014726.	0.8	7
61	Multiple Physical Symptoms of Community-Dwelling Older People in Western China: Prevalence and Its Association with Frailty. Gerontology, 2021, 67, 290-298.	1.4	7
62	Risk Factors for Delirium in the Palliative Care Population: A Systematic Review and Meta-Analysis. Frontiers in Psychiatry, 2021, 12, 772387.	1.3	7
63	Relationship Between Low Skeletal Muscle Mass and Arteriosclerosis in Western China: A Cross-Sectional Study. Frontiers in Cardiovascular Medicine, 2021, 8, 735262.	1.1	7
64	Frailty and testosterone level in older adults: a systematic review and meta-analysis. European Geriatric Medicine, 2022, 13, 663-673.	1.2	7
65	Combined Vision and Hearing Impairment is Associated with Frailty in Older Adults: Results from the West China Health and Aging Trend Study. Clinical Interventions in Aging, 2022, Volume 17, 675-683.	1.3	7
66	Precision intervention for sarcopenia . Precision Clinical Medicine, 2022, 5, .	1.3	6
67	Polymorphism rs189037CÂ>ÂT in the promoter region of the ATM gene may associate with reduced risk of T2DM in older adults in China: a case control study. BMC Medical Genetics, 2017, 18, 84.	2.1	5
68	Nutrition status mediates the association between cognitive decline and sarcopenia. Aging, 2021, 13, 8599-8610.	1.4	5
69	Developing a machine learning model to identify delirium risk in geriatric internal medicine inpatients. European Geriatric Medicine, 2022, 13, 173-183.	1.2	5
70	Association between the rs189037 single nucleotide polymorphism in the ATM gene promoter and cognitive impairment. Genetics and Molecular Research, 2015, 14, 4584-4592.	0.3	5
71	Quantitative estimation of muscle mass in older adults at risk of sarcopenia using ultrasound: a cross-sectional study. Quantitative Imaging in Medicine and Surgery, 2022, 12, 2498-2508.	1.1	5
72	Hospital Elder Life Program (HELP). , 2015, , 25-37.		4

#	Article	IF	Citations
73	Barriers to prescribing oral anticoagulants to inpatients aged 80 years and older with nonvalvular atrial fibrillation: a cross-sectional study. BMC Geriatrics, 2022, 22, 263.	1.1	4
74	Linezolid versus vancomycin for skin and soft tissue infections. Evidence-Based Child Health: A Cochrane Review Journal, 2014, 9, 103-166.	2.0	3
75	Antibiotics for treating infected burn wounds. The Cochrane Library, 0, , .	1.5	3
76	Association between stress hyperglycemia ratio and delirium in older hospitalized patients: a cohort study. BMC Geriatrics, 2022, 22, 277.	1.1	3
77	Effects of Circulating 25(OH)D Status in Advanced Colorectal Cancer Patients Undergoing Chemotherapy: A Systematic Review. Anticancer Research, 2021, 41, 5903-5912.	0.5	2
78	The authors reply: Letter on: "Prevalence of depression in patients with sarcopenia and correlation between the two diseases: systematic review and metaâ€analysis" by Li et al Journal of Cachexia, Sarcopenia and Muscle, 2022, 13, 2254-2256.	2.9	2
79	OBESITY AND THE OTHER COMPONENTS OF METABOLIC SYNDROME IN CHINESE NONAGENARIANS AND CENTENARIANS. Journal of the American Geriatrics Society, 2011, 59, 940-942.	1.3	1
80	Brain Health: A Chinese Geriatrician's Viewpoint. Journal of the American Medical Directors Association, 2016, 17, 459-460.	1.2	1
81	Frailty: Progress update on prevention and treatment. Journal of Evidence-Based Medicine, 2021, 14, 173-174.	0.7	1
82	Phase Angle as a Bioelectrical Marker to Identify Sarcopenia. Innovation in Aging, 2020, 4, 177-177.	0.0	1
83	Functional dentition is a modifier of the association between vitamin D and the frailty index among Chinese older adults: a population-based longitudinal study. BMC Geriatrics, 2022, 22, 159.	1.1	1
84	Sarpogrelate for peripheral arterial disease. The Cochrane Library, 2009, , .	1.5	0
85	Reply to "Limitations of Conclusions of Systematic Review & Detaâ€enalysis Due to Exclusion of Groups Most at Riskâ€e Journal of the American Geriatrics Society, 2017, 65, 661-663.	1.3	0
86	Relationship between malnutrition and adverse outcomes – reply to "Assessing performance of the Geriatric Nutritional Risk Index for the prediction of postoperative delirium and length of hospital stay in older surgical patientsâ€. Geriatrics and Gerontology International, 2020, 20, 1098-1098.	0.7	0