Koon K Teo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4182059/publications.pdf

Version: 2024-02-01

1745 2795 48,534 315 94 212 citations h-index g-index papers 319 319 319 44377 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Optimal Medical Therapy with or without PCI for Stable Coronary Disease. New England Journal of Medicine, 2007, 356, 1503-1516.	13.9	4,022
2	Telmisartan, Ramipril, or Both in Patients at High Risk for Vascular Events. New England Journal of Medicine, 2008, 358, 1547-1559.	13.9	3,155
3	Niacin in Patients with Low HDL Cholesterol Levels Receiving Intensive Statin Therapy. New England Journal of Medicine, 2011, 365, 2255-2267.	13.9	2,523
4	Optimal Medical Therapy With or Without Percutaneous Coronary Intervention to Reduce Ischemic Burden. Circulation, 2008, 117, 1283-1291.	1.6	1,478
5	Renal outcomes with telmisartan, ramipril, or both, in people at high vascular risk (the ONTARGET) Tj ETQq $1\ 1\ 0.0$	784314 rg	gBT /Overlock 1,442
6	Prevalence, Awareness, Treatment, and Control of Hypertension in Rural and Urban Communities in High-, Middle-, and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 310, 959.	3.8	1,422
7	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. Lancet, The, 2015, 386, 266-273.	6.3	1,295
8	Modifiable risk factors, cardiovascular disease, and mortality in 155â€^722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 395, 795-808.	6.3	935
9	Differences in risk factors, atherosclerosis, and cardiovascular disease between ethnic groups in Canada: the Study of Health Assessment and Risk in Ethnic groups (SHARE). Lancet, The, 2000, 356, 279-284.	6.3	866
10	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2050-2062.	6.3	841
11	The effect of physical activity on mortality and cardiovascular disease in 130â€^000 people from 17 high-income, middle-income, and low-income countries: the PURE study. Lancet, The, 2017, 390, 2643-2654.	6.3	838
12	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. Lancet, The, 2011, 378, 1231-1243.	6.3	803
13	Tobacco use and risk of myocardial infarction in 52 countries in the INTERHEART study: a case-control study. Lancet, The, 2006, 368, 647-658.	6.3	802
14	Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. Kidney International, 2011, 79, 1341-1352.	2.6	759
15	Urinary Sodium and Potassium Excretion, Mortality, and Cardiovascular Events. New England Journal of Medicine, 2014, 371, 612-623.	13.9	725
16	Effects of Ramipril and Vitamin E on Atherosclerosis. Circulation, 2001, 103, 919-925.	1.6	698
17	Association of Urinary Sodium and Potassium Excretion with Blood Pressure. New England Journal of Medicine, 2014, 371, 601-611.	13.9	687
18	Cardiovascular Risk and Events in 17 Low-, Middle-, and High-Income Countries. New England Journal of Medicine, 2014, 371, 818-827.	13.9	679

#	Article	IF	CITATIONS
19	Reducing the Global Burden of Cardiovascular Disease, Part 1. Circulation Research, 2017, 121, 677-694.	2.0	639
20	Effect of Lipid Lowering With Rosuvastatin on Progression of Aortic Stenosis. Circulation, 2010, 121, 306-314.	1.6	637
21	Effect of PCI on Quality of Life in Patients with Stable Coronary Disease. New England Journal of Medicine, 2008, 359, 677-687.	13.9	604
22	The Prospective Urban Rural Epidemiology (PURE) study: Examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. American Heart Journal, 2009, 158, 1-7.e1.	1.2	495
23	Defining Obesity Cut Points in a Multiethnic Population. Circulation, 2007, 115, 2111-2118.	1.6	476
24	Urinary Sodium and Potassium Excretion and Risk of Cardiovascular Events. JAMA - Journal of the American Medical Association, 2011, 306, 2229-38.	3.8	471
25	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. Lancet, The, 2017, 390, 2037-2049.	6.3	446
26	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2020, 395, 785-794.	6.3	428
27	Pharmacological blood pressure lowering for primary and secondary prevention of cardiovascular disease across different levels of blood pressure: an individual participant-level data meta-analysis. Lancet, The, 2021, 397, 1625-1636.	6.3	414
28	Characteristics, complications, and gaps in evidence-based interventions in rheumatic heart disease: the Global Rheumatic Heart Disease Registry (the REMEDY study). European Heart Journal, 2015, 36, 1115-1122.	1.0	391
29	Rationale, design, and baseline characteristics of 2 large, simple, randomized trials evaluating telmisartan, ramipril, and their combination in high-risk patients: the Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study in ACE Intolerant Subjects with Cardiovascular Disease (ONTARGET/TRANSCEND) trials. American Heart	1.2	388
30	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. Lancet, The, 2016, 388, 465-475.	6.3	381
31	Randomized Trial of Warfarin, Aspirin, and Clopidogrel in Patients With Chronic Heart Failure. Circulation, 2009, 119, 1616-1624.	1.6	370
32	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. The Lancet Global Health, 2019, 7, e748-e760.	2.9	340
33	Oxidized Phospholipids, Lipoprotein(a),Âand Progression of CalcificÂAortic ValveÂStenosis. Journal of the American College of Cardiology, 2015, 66, 1236-1246.	1.2	295
34	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. Lancet, The, 2018, 392, 2288-2297.	6.3	295
35	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. The Lancet Global Health, 2016, 4, e695-e703.	2.9	287
36	Randomised trials of secondary prevention programmes in coronary heart disease: systematic review. BMJ: British Medical Journal, 2001, 323, 957-962.	2.4	286

#	Article	IF	Citations
37	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet, The, 2016, 387, 61-69.	6.3	272
38	Achieved blood pressure and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. Lancet, The, 2017, 389, 2226-2237.	6.3	263
39	Long-Term Effects of Cholesterol Lowering and Angiotensin-Converting Enzyme Inhibition on Coronary Atherosclerosis. Circulation, 2000, 102, 1748-1754.	1.6	260
40	Relationship of Metabolic Syndrome and Fibrinolytic Dysfunction to Cardiovascular Disease. Circulation, 2003, 108, 420-425.	1.6	257
41	Prevalence of a Healthy Lifestyle Among Individuals With Cardiovascular Disease in High-, Middle- and Low-Income Countries. JAMA - Journal of the American Medical Association, 2013, 309, 1613.	3.8	256
42	Reducing the Global Burden of Cardiovascular Disease, Part 2. Circulation Research, 2017, 121, 695-710.	2.0	256
43	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. The Lancet Global Health, 2017, 5, e665-e672.	2.9	247
44	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. Lancet, The, 2018, 392, 496-506.	6.3	243
45	Changes in Albuminuria Predict Mortality and Morbidity in Patients with Vascular Disease. Journal of the American Society of Nephrology: JASN, 2011, 22, 1353-1364.	3.0	234
46	Effects of long-term treatment with angiotensin-converting-enzyme inhibitors in the presence or absence of aspirin: a systematic review. Lancet, The, 2002, 360, 1037-1043.	6.3	230
47	Effect of PCI on Long-Term Survival in Patients with Stable Ischemic Heart Disease. New England Journal of Medicine, 2015, 373, 1937-1946.	13.9	225
48	Clinical Outcomes in 3343 Children and Adults With Rheumatic Heart Disease From 14 Low- and Middle-Income Countries. Circulation, 2016, 134, 1456-1466.	1.6	213
49	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. European Heart Journal, 2019, 40, 1620-1629.	1.0	208
50	Increased risk of cognitive and functional decline in patients with atrial fibrillation: results of the ONTARGET and TRANSCEND studies. Cmaj, 2012, 184, E329-E336.	0.9	205
51	Estimating modifiable coronary heart disease risk in multiple regions of the world: the INTERHEART Modifiable Risk Score. European Heart Journal, 2011, 32, 581-589.	1.0	199
52	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. Lancet Diabetes and Endocrinology,the, 2017, 5, 774-787.	5 . 5	198
53	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. Lancet, The, 2020, 396, 97-109.	6. 3	194
54	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 535-546.	2.9	191

#	Article	IF	CITATIONS
55	C-Reactive Protein as a Screening Test for Cardiovascular Risk in a Multiethnic Population. Arteriosclerosis, Thrombosis, and Vascular Biology, 2004, 24, 1509-1515.	1.1	179
56	Predicting Outcome in the COURAGE Trial (Clinical Outcomes Utilizing Revascularization and) Tj ETQq0 0 0 rgB	T /Qverloc	k 10 Tf 50 70
57	Renin-angiotensin system blockade and cognitive function in patients at high risk of cardiovascular disease: analysis of data from the ONTARGET and TRANSCEND studies. Lancet Neurology, The, 2011, 10, 43-53.	4.9	177
58	Baseline stress myocardial perfusion imaging results and outcomes in patients with stable ischemic heart disease randomized to optimal medical therapy with or without percutaneous coronary intervention. American Heart Journal, 2012, 164, 243-250.	1.2	175
59	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. Journal of Hypertension, 2014, 32, 1005-1015.	0.3	174
60	Safety and Efficacy of Low Blood Pressures Among Patients With Diabetes. Journal of the American College of Cardiology, 2012, 59, 74-83.	1.2	164
61	Effect of Telmisartan on Renal Outcomes. Annals of Internal Medicine, 2009, 151, 1.	2.0	163
62	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. Lancet, The, 2015, 386, 1945-1954.	6.3	163
63	Polypill with or without Aspirin in Persons without Cardiovascular Disease. New England Journal of Medicine, 2021, 384, 216-228.	13.9	163
64	Blood Pressure Targets Recommended by Guidelines and Incidence of Cardiovascular and Renal Events in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial (ONTARGET). Circulation, 2011, 124, 1727-1736.	1.6	156
65	Ethnic Variation in Adiponectin and Leptin Levels and Their Association With Adiposity and Insulin Resistance. Diabetes Care, 2010, 33, 1629-1634.	4.3	152
66	The Polypill in the Prevention of Cardiovascular Diseases. Circulation, 2010, 122, 2078-2088.	1.6	152
67	Relationship Between Healthy Diet and Risk of Cardiovascular Disease Among Patients on Drug Therapies for Secondary Prevention. Circulation, 2012, 126, 2705-2712.	1.6	151
68	Early cerebral small vessel disease and brain volume, cognition, and gait. Annals of Neurology, 2015, 77, 251-261.	2.8	150
69	Hypertension prevalence, awareness, treatment, and control in 115 rural and urban communities involving 47 000 people from China. Journal of Hypertension, 2016, 34, 39-46.	0.3	140
70	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. Diabetes Care, 2016, 39, 780-787.	4.3	138
71	Environmental and societal influences acting on cardiovascular risk factors and disease at a population level: a review. International Journal of Epidemiology, 2009, 38, 1580-1594.	0.9	137
72	Risk Factor Control for Coronary Artery Disease Secondary Prevention in Large Randomized Trials. Journal of the American College of Cardiology, 2013, 61, 1607-1615.	1.2	137

#	Article	IF	CITATIONS
73	Cardiovascular and Renal Outcomes With Telmisartan, Ramipril, or Both in People at High Renal Risk. Circulation, 2011, 123, 1098-1107.	1.6	135
74	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. Lancet Public Health, The, 2017, 2, e411-e419.	4.7	134
75	Canadian Cardiovascular Society Guidelines for the Diagnosis and Management of Stable Ischemic HeartÂDisease. Canadian Journal of Cardiology, 2014, 30, 837-849.	0.8	132
76	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. New England Journal of Medicine, 2021, 384, 1312-1322.	13.9	124
77	The relationship between estimated sodium and potassium excretion and subsequent renal outcomes. Kidney International, 2014, 86, 1205-1212.	2.6	122
78	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV1 (PURE): an international, community-based cohort study. The Lancet Global Health, 2019, 7, e613-e623.	2.9	122
79	Heart rate is associated with increased risk of major cardiovascular events, cardiovascular and all-cause death in patients with stable chronic cardiovascular disease: an analysis of ONTARGET/TRANSCEND. Clinical Research in Cardiology, 2014, 103, 149-159.	1.5	117
80	Patterns of Alcohol Consumption and Myocardial Infarction Risk. Circulation, 2014, 130, 390-398.	1.6	117
81	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. Environmental Health Perspectives, 2019, 127, 57003.	2.8	117
82	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. Lancet Diabetes and Endocrinology,the, 2018, 6, 798-808.	5.5	116
83	Development and evaluation of cultural food frequency questionnaires for South Asians, Chinese, and Europeans in North America. Journal of the American Dietetic Association, 2003, 103, 1178-1184.	1.3	115
84	Cost-Effectiveness of Percutaneous Coronary Intervention in Optimally Treated Stable Coronary Patients. Circulation: Cardiovascular Quality and Outcomes, 2008, 1, 12-20.	0.9	114
85	Cognitive impairment and risk of cardiovascular events and mortality. European Heart Journal, 2012, 33, 1777-1786.	1.0	114
86	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. American Heart Journal, 2013, 166, 636-646.e4.	1.2	113
87	Physical Activity and Anger or Emotional Upset as Triggers of Acute Myocardial Infarction. Circulation, 2016, 134, 1059-1067.	1.6	112
88	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. International Journal of Cardiology, 2016, 204, 133-141.	0.8	108
89	Effects of Telmisartan, Ramipril, and Their Combination on Left Ventricular Hypertrophy in Individuals at High Vascular Risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global End Point Trial and the Telmisartan Randomized Assessment Study in ACE Intolerant Subjects With Cardiovascular Disease, Circulation, 2009, 120, 1380-1389.	1.6	103
90	Impact of Metabolic Syndrome on Progression of Aortic Stenosis. Journal of the American College of Cardiology, 2012, 60, 216-223.	1.2	103

#	Article	IF	CITATIONS
91	Lipid Lowering on Progression of Mild to Moderate Aortic Stenosis: Meta-analysis of the Randomized Placebo-Controlled Clinical Trials on 2344 Patients. Canadian Journal of Cardiology, 2011, 27, 800-808.	0.8	102
92	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. Circulation, 2021, 143, 2129-2142.	1.6	101
93	Diet and Kidney Disease in High-Risk Individuals With Type 2 Diabetes Mellitus. JAMA Internal Medicine, 2013, 173, 1682-92.	2.6	100
94	Cardiovascular Risk Factors and Prevention: A Perspective From Developing Countries. Canadian Journal of Cardiology, 2021, 37, 733-743.	0.8	98
95	The Warfarin and Antiplatelet Therapy in Heart Failure Trial (WATCH): rationale, design, and baseline patient characteristics. Journal of Cardiac Failure, 2004, 10, 101-112.	0.7	97
96	Risk Prediction for Early CKD in Type 2 Diabetes. Clinical Journal of the American Society of Nephrology: CJASN, 2015, 10, 1371-1379.	2.2	97
97	Intensive Multifactorial Intervention for Stable Coronary Artery Disease. Journal of the American College of Cardiology, 2010, 55, 1348-1358.	1.2	96
98	Optimal Medical Therapy With or Without Percutaneous Coronary Intervention for Patients With Stable Coronary Artery Disease and Chronic Kidney Disease. American Journal of Cardiology, 2009, 104, 1647-1653.	0.7	94
99	Achieved diastolic blood pressure and pulse pressure at target systolic blood pressure (120–140) Tj ETQq1 1 0.3 trials. European Heart Journal, 2018, 39, 3105-3114.	784314 rg 1.0	gBT /Overloc 92
100	Impact of Sex on Cardiovascular Outcome in Patients at High Cardiovascular Risk. Circulation, 2012, 126, 934-941.	1.6	90
101	The household economic burden of non-communicable diseases in 18 countries. BMJ Global Health, 2020, 5, e002040.	2.0	90
102	Metabolic Syndrome Is Associated With More Pronounced Impairment of Left Ventricle Geometry and Function in Patients With Calcific Aortic Stenosis. Journal of the American College of Cardiology, 2010, 55, 1867-1874.	1.2	87
103	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. Lancet, The, 2021, 398, 1133-1146.	6.3	87
104	Trends in smoking in Canada from 1950 to 2011: progression of the tobacco epidemic according to socioeconomic status and geography. Cancer Causes and Control, 2014, 25, 45-57.	0.8	86
105	Modifiable lifestyle and social factors affect chronic kidney disease in high-risk individuals with type 2 diabetes mellitus. Kidney International, 2015, 87, 784-791.	2.6	86
106	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. BMJ: British Medical Journal, 2019, 364, 1772.	2.4	85
107	Carbohydrate intake and HDL in a multiethnic population. American Journal of Clinical Nutrition, 2007, 85, 225-230.	2.2	84
108	Low Levels of High-Density Lipoprotein Cholesterol and Increased Risk of Cardiovascular Events in Stable Ischemic Heart Disease Patients. Journal of the American College of Cardiology, 2013, 62, 1826-1833.	1.2	84

#	Article	IF	CITATIONS
109	Design and rationale of the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation (COURAGE) trial. American Heart Journal, 2006, 151, 1173-1179.	1.2	82
110	Albuminuria and Decline in Cognitive Function <subtitle>The ONTARGET/TRANSCEND Studies</subtitle> <alt-title>Albuminuria and Decline in Cognitive Function</alt-title> . Archives of Internal Medicine, 2011, 171, 142.	4.3	82
111	Human maternal and umbilical cord blood concentrations of polybrominated diphenyl ethers. Chemosphere, 2011, 84, 1301-1309.	4.2	80
112	Systolic Blood Pressure Variation and Mean Heart Rate Is Associated With Cognitive Dysfunction in Patients With High Cardiovascular Risk. Hypertension, 2015, 65, 651-661.	1.3	80
113	Reliability and Validity of Measures of Cardiac Output During Incremental to Maximal Aerobic Exercise. Sports Medicine, 1999, 27, 241-260.	3.1	79
114	Reliability and Validity of Measures of Cardiac Output During Incremental to Maximal Aerobic Exercise. Sports Medicine, 1999, 27, 23-41.	3.1	78
115	Social disadvantage and cardiovascular disease: development of an index and analysis of age, sex, and ethnicity effects. International Journal of Epidemiology, 2006, 35, 1239-1245.	0.9	75
116	Estimated Glomerular Filtration Rate and Albuminuria as Predictors of Outcomes in Patients With High Cardiovascular Risk. Annals of Internal Medicine, 2011, 154, 310.	2.0	74
117	Combination pharmacotherapy to prevent cardiovascular disease: present status and challenges. European Heart Journal, 2014, 35, 353-364.	1.0	73
118	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. The Lancet Global Health, 2018, 6, e292-e301.	2.9	73
119	Dual inhibition of the renin–angiotensin system in high-risk diabetes and risk for stroke and other outcomes. Journal of Hypertension, 2013, 31, 414-421.	0.3	72
120	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. American Journal of Clinical Nutrition, 2020, 111, 795-803.	2.2	71
121	The Evolving Pattern of Symptomatic Coronary Artery Disease in the United States and Canada: Baseline Characteristics of the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation (COURAGE) Trial. American Journal of Cardiology, 2007, 99, 208-212.	0.7	70
122	Environmental Profile of a Community's Health (EPOCH): An Instrument to Measure Environmental Determinants of Cardiovascular Health in Five Countries. PLoS ONE, 2010, 5, e14294.	1.1	70
123	Comparison of Risk Factor Reduction and Tolerability of a Full-Dose Polypill (With Potassium) Versus Low-Dose Polypill (Polycap) in Individuals at High Risk of Cardiovascular Diseases. Circulation: Cardiovascular Quality and Outcomes, 2012, 5, 463-471.	0.9	70
124	Systolic and Diastolic Blood Pressure Changes in Relation With Myocardial Infarction and Stroke in Patients With Coronary Artery Disease. Hypertension, 2015, 65, 108-114.	1,3	70
125	Alcohol consumption and the risk of incident atrial fibrillation among people with cardiovascular disease. Cmaj, 2012, 184, E857-E866.	0.9	69
126	Global differences in lung function by region (PURE): an international, community-based prospective study. Lancet Respiratory Medicine, the, 2013, 1, 599-609.	5.2	68

#	Article	IF	CITATIONS
127	Genetic variants associated with angiotensin-converting enzyme inhibitor-associated angioedema. Pharmacogenetics and Genomics, 2013, 23, 470-478.	0.7	68
128	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. JAMA Internal Medicine, 2021, 181, 631.	2.6	68
129	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. International Journal for Equity in Health, 2016, 15, 199.	1.5	67
130	Blood pressure-lowering treatment strategies based on cardiovascular risk versus blood pressure: A meta-analysis of individual participant data. PLoS Medicine, 2018, 15, e1002538.	3.9	67
131	Sodium Intake and Renal Outcomes: A Systematic Review. American Journal of Hypertension, 2014, 27, 1277-1284.	1.0	66
132	Understanding the modifiable health systems barriers to hypertension management in Malaysia: a multi-method health systems appraisal approach. BMC Health Services Research, 2015, 15, 254.	0.9	65
133	Effect of Ramipril in Reducing Sudden Deaths and Nonfatal Cardiac Arrests in High-Risk Individuals Without Heart Failure or Left Ventricular Dysfunction. Circulation, 2004, 110, 1413-1417.	1.6	63
134	Rationale and design of a Global Rheumatic Heart Disease Registry: The REMEDY study. American Heart Journal, 2012, 163, 535-540.e1.	1.2	63
135	The association between ownership of common household devices and obesity and diabetes in high, middle and low income countries. Cmaj, 2014, 186, 258-266.	0.9	62
136	Healthy eating and reduced risk of cognitive decline. Neurology, 2015, 84, 2258-2265.	1.5	62
137	Impact of Optimal Medical Therapy With or Without Percutaneous Coronary Intervention on Long-Term Cardiovascular End Points in Patients With Stable Coronary Artery Disease (from the) Tj ETQq1 1 0.78	34 3017 4 rgBT	Overlock
138	Role of Magnesium in Reducing Mortality in Acute Myocardial Infarction. Drugs, 1993, 46, 347-359.	4.9	59
139	Interrelation of saturated fat, trans fat, alcohol intake, and subclinical atherosclerosis. American Journal of Clinical Nutrition, 2008, 87, 168-174.	2.2	59
140	Acute change in glomerular filtration rate withÂinhibition of the renin-angiotensin systemÂdoes notÂpredict subsequent renal andÂcardiovascularÂoutcomes. Kidney International, 2017, 91, 683-690.	2.6	59
141	Blood pressure and other determinants of new-onset atrial fibrillation in patients at high cardiovascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial/Telmisartan Randomized AssessmeNt Study in ACE iNtolerant subjects with cardiovascular Disease studies, Journal of Hypertension, 2012, 30, 1004-1014.	0.3	57
142	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. BMJ Open Diabetes Research and Care, 2020, 8, e000826.	1.2	57
143	Antihypertensive treatment and risk of cancer: an individual participant data meta-analysis. Lancet Oncology, The, 2021, 22, 558-570.	5.1	56
144	Optimal Medical Therapy With or Without Percutaneous Coronary Intervention in Older Patients With Stable Coronary Disease. Journal of the American College of Cardiology, 2009, 54, 1303-1308.	1.2	54

#	Article	IF	CITATIONS
145	Ambulatory Blood Pressure Values in the Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial (ONTARGET). Hypertension, 2012, 60, 1400-1406.	1.3	54
146	Socioeconomic factors and use of secondary preventive therapies for cardiovascular diseases in South Asia: The PURE study. European Journal of Preventive Cardiology, 2015, 22, 1261-1271.	0.8	54
147	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. BMJ, The, 2021, 372, m4948.	3.0	53
148	Influenza Vaccination and Major Adverse Vascular Events in High-Risk Patients. Circulation, 2012, 126, 278-286.	1.6	52
149	Measures of cardiovascular risk and subclinical atherosclerosis in a cohort of women with a remote history of preeclampsia. Atherosclerosis, 2013, 229, 234-239.	0.4	51
150	Effects of nonpersistence with medication on outcomes in high-risk patients with cardiovascular disease. American Heart Journal, 2013, 166, 306-314.e7.	1.2	51
151	Protein Intake Is Inversely Associated with Abdominal Obesity in a Multi-Ethnic Population. Journal of Nutrition, 2005, 135, 1196-1201.	1.3	49
152	Angiographic Disease Progression and Residual Risk of Cardiovascular Events While on Optimal Medical Therapy. Circulation: Cardiovascular Interventions, 2011, 4, 545-552.	1.4	49
153	Rationale and design of South Asian Birth Cohort (START): a Canada-India collaborative study. BMC Public Health, 2013, 13, 79.	1.2	49
154	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. Heart, 2018, 104, 581-587.	1.2	49
155	Canadian Cardiovascular Society/Canadian Association ofÂInterventional Cardiology/Canadian Society of CardiacÂSurgery Position Statement on Revascularization—Multivessel Coronary Artery Disease. Canadian Journal of Cardiology, 2014, 30, 1482-1491.	0.8	48
156	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. BMJ Global Health, 2021, 6, e004124.	2.0	48
157	Rationale, design, and baseline characteristics of a randomized trial to assess the effect of cholesterol lowering on the progression of aortic stenosis. American Heart Journal, 2007, 153, 925-931.	1.2	47
158	The Family Atherosclerosis Monitoring In earLY life (FAMILY) study. American Heart Journal, 2009, 158, 533-539.	1.2	47
159	Effects of blood pressure lowering on cardiovascular risk according to baseline body-mass index: a meta-analysis of randomised trials. Lancet, The, 2015, 385, 867-874.	6.3	47
160	Cardiovascular outcomes and achieved blood pressure in patients with and without diabetes at high cardiovascular risk. European Heart Journal, 2019, 40, 2032-2043.	1.0	47
161	Nutritional Metabolomics and the Classification of Dietary Biomarker Candidates: A Critical Review. Advances in Nutrition, 2021, 12, 2333-2357.	2.9	47

Left Ventricular Mass and Volume With Telmisartan, Ramipril, or Combination in Patients With
Previous Atherosclerotic Events or With Diabetes Mellitus (from the ONgoing Telmisartan Alone and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf
2009, 104, 1484-1489.

#	Article	IF	CITATIONS
163	Population-Attributable Fractions of Modifiable Lifestyle Factors for CKD and Mortality in Individuals With Type 2 Diabetes: AÂCohort Study. American Journal of Kidney Diseases, 2016, 68, 29-40.	2.1	46
164	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. American Journal of Clinical Nutrition, 2021, 114, 1049-1058.	2.2	46
165	Impact of Metabolic Syndrome and Diabetes on Prognosis and Outcomes With Early Percutaneous Coronary Intervention in the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive) Tj ETQq1	1 0.7 8431	4 ag BT /Ove
166	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. BMJ Open, 2017, 7, e013817.	0.8	44
167	Impact of an Initial Strategy of Medical Therapy Without Percutaneous Coronary Intervention in High-Risk Patients From the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation (COURAGE) Trial. American Journal of Cardiology, 2009, 104, 1055-1062.	0.7	43
168	Resting heart rate is associated with renal disease outcomes in patients with vascular disease: results of the <scp>ONTARGET</scp> and <scp>TRANSCEND</scp> studies. Journal of Internal Medicine, 2015, 278, 38-49.	2.7	42
169	Healthy Behavior, Risk Factor Control, and Survival in the COURAGE Trial. Journal of the American College of Cardiology, 2018, 72, 2297-2305.	1.2	42
170	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. BMJ Global Health, 2020, 5, e002640.	2.0	41
171	Evaluation of Adiposity and Cognitive Function in Adults. JAMA Network Open, 2022, 5, e2146324.	2.8	41
172	Mortality and morbidity in relation to changes in albuminuria, glucose status and systolic blood pressure: an analysis of the ONTARGET and TRANSCEND studies. Diabetologia, 2014, 57, 2019-2029.	2.9	40
173	The Emerging Epidemic of Cardiovascular Risk Factors and Atherosclerotic Disease in Developing Countries. Canadian Journal of Cardiology, 2017, 33, 358-365.	0.8	39
174	Maternal and Pregnancy Related Predictors of Cardiometabolic Traits in Newborns. PLoS ONE, 2013, 8, e55815.	1.1	38
175	Quantitative Results of Baseline Angiography and Percutaneous Coronary Intervention in the COURAGE Trial. Circulation: Cardiovascular Quality and Outcomes, 2009, 2, 320-327.	0.9	37
176	The effect of ramipril and telmisartan on serum potassium and its association with cardiovascular and renal events: Results from the ONTARGET trial. European Journal of Preventive Cardiology, 2014, 21, 299-309.	0.8	36
177	Marital Status, Education, and Risk of Acute Myocardial Infarction in Mainland China: The INTER-HEART Study. Journal of Epidemiology, 2012, 22, 123-129.	1.1	35
178	Secondary CV Prevention in South America in a Community Setting: The PURE Study. Global Heart, 2017, 12, 305.	0.9	35
179	Resting heart rate and cardiovascular outcomes in diabetic and non-diabetic individuals at high cardiovascular risk analysis from the ONTARGET/TRANSCEND trials. European Heart Journal, 2020, 41, 231-238.	1.0	35
180	Antiarrhythmic Therapies for the Prevention of Sudden Cardiac Death. Drugs, 1997, 54, 235-252.	4.9	34

#	Article	IF	CITATIONS
181	Gated myocardial perfusion single photon emission computed tomography in the clinical outcomes utilizing revascularization and aggressive drug evaluation (COURAGE) trial, Veterans Administration Cooperative study no. 424. Journal of Nuclear Cardiology, 2006, 13, 685-698.	1.4	34
182	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. American Journal of Clinical Nutrition, 2020, 112, 208-219.	2.2	33
183	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. Cardiovascular Research, 2021, 117, 1523-1531.	1.8	33
184	The maternal serum metabolome by multisegment injection-capillary electrophoresis-mass spectrometry: a high-throughput platform and standardized data workflow for large-scale epidemiological studies. Nature Protocols, 2021, 16, 1966-1994.	5 . 5	33
185	The Miniâ€Mental State Examination, Clinical Factors, and Motor Vehicle Crash Risk. Journal of the American Geriatrics Society, 2014, 62, 1419-1426.	1.3	32
186	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. Diabetes Care, 2020, 43, 3094-3101.	4.3	32
187	Relationship between QRS duration and left ventricular mass and volume in patients at high cardiovascular risk. Heart, 2011, 97, 1766-1770.	1.2	31
188	Insulin Resistance and LVH Progression in Patients With Calcific Aortic Stenosis. JACC: Cardiovascular Imaging, 2013, 6, 165-174.	2.3	31
189	Dietary risk factors for incidence or progression of chronic kidney disease in individuals with type 2 diabetes in the European Union. Nephrology Dialysis Transplantation, 2015, 30, iv76-iv85.	0.4	31
190	Harmonization of Food-Frequency Questionnaires and Dietary Pattern Analysis in 4 Ethnically Diverse Birth Cohorts. Journal of Nutrition, 2016, 146, 2343-2350.	1.3	31
191	Rationale, design, and methods for Canadian alliance for healthy hearts and minds cohort study (CAHHM) – a Pan Canadian cohort study. BMC Public Health, 2016, 16, 650.	1.2	31
192	Relative and Combined Prognostic Importance of On-Treatment Mean and Visit-to-Visit Blood Pressure Variability in ONTARGET and TRANSCEND Patients. Hypertension, 2017, 70, 938-948.	1.3	31
193	Does the impact of a plant-based diet during pregnancy on birth weight differ by ethnicity? A dietary pattern analysis from a prospective Canadian birth cohort alliance. BMJ Open, 2017, 7, e017753.	0.8	31
194	Frequency, Predictors, and Consequences of Crossing Over to Revascularization Within 12 Months of Randomization to Optimal Medical Therapy in the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) Trial. Circulation: Cardiovascular Quality and Outcomes, 2013, 6, 409-418.	0.9	30
195	Tobacco use, smoking quit rates, and socioeconomic patterning among men and women: a cross-sectional survey in rural Andhra Pradesh, India. European Journal of Preventive Cardiology, 2014, 21, 1308-1318.	0.8	30
196	Optimal medical therapy with or without percutaneous coronary intervention in women with stable coronary disease: A pre-specified subset analysis of the Clinical Outcomes Utilizing Revascularization and Aggressive druG Evaluation (COURAGE) trial. American Heart Journal, 2016, 173, 108-117.	1.2	30
197	Extended-Release Niacin Therapy and Risk of Ischemic Stroke in Patients With Cardiovascular Disease. Stroke, 2013, 44, 2688-2693.	1.0	29
198	Heart failure in low- and middle-income countries: Background, rationale, and design of the INTERnational Congestive Heart Failure Study (INTER-CHF). American Heart Journal, 2015, 170, 627-634.e1.	1.2	29

#	Article	IF	CITATIONS
199	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. International Journal of Obesity, 2015, 39, 1217-1223.	1.6	29
200	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. Bulletin of the World Health Organization, 2015, 93, 851-861G.	1.5	29
201	Prognostic importance of coronary anatomy and left ventricular ejection fraction despite optimal therapy: Assessment of residual risk in the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation Trial. American Heart Journal, 2013, 166, 481-487.	1.2	28
202	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35–70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. Injury Prevention, 2016, 22, 92-98.	1.2	28
203	Causes and consequences of gestational diabetes in South Asians living in Canada: results from a prospective cohort study. CMAJ Open, 2017, 5, E604-E611.	1.1	28
204	ApoCIII-Lp(a) complexes in conjunction with Lp(a)-OxPL predict rapid progression of aortic stenosis. Heart, 2020, 106, 738-745.	1.2	28
205	Socioeconomic and Geographic Patterning of Smoking Behaviour in Canada: A Cross-Sectional Multilevel Analysis. PLoS ONE, 2013, 8, e57646.	1.1	28
206	Effects of Telmisartan on Glucose Levels in People at High Risk for Cardiovascular Disease but Free From Diabetes. Diabetes Care, 2011, 34, 1902-1907.	4.3	27
207	Economics methods in the Clinical Outcomes Utilizing percutaneous coronary Revascularization and Aggressive Guideline-driven drug Evaluation (COURAGE) trial. American Heart Journal, 2006, 151, 1180-1185.	1.2	26
208	Glucose intolerance and diabetes as risk factors for cognitive impairment in people at high cardiovascular risk: Results from the ONTARGET/TRANSCEND Research Programme. Diabetes Research and Clinical Practice, 2009, 83, 387-393.	1.1	26
209	Shared environments: a multilevel analysis of community context and child nutritional status in Bangladesh. Public Health Nutrition, 2011, 14, 951-959.	1.1	26
210	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. American Journal of Hypertension, 2016, 29, 796-805.	1.0	26
211	Monitoring Initial Response to Angiotensin-Converting Enzyme Inhibitor–Based Regimens. Hypertension, 2010, 56, 533-539.	1.3	25
212	Assessment of Dietary Sodium and Potassium in Canadians Using 24-Hour Urinary Collection. Canadian Journal of Cardiology, 2016, 32, 319-326.	0.8	25
213	Serum nonesterified fatty acids have utility as dietary biomarkers of fat intake from fish, fish oil, and dairy in women. Journal of Lipid Research, 2020, 61, 933-944.	2.0	25
214	A Robust Method for Iodine Status Determination in Epidemiological Studies by Capillary Electrophoresis. Analytical Chemistry, 2014, 86, 10010-10015.	3.2	24
215	Incidental Magnetic Resonance Diffusion-Weighted Imaging–Positive Lesions Are Rare in Neurologically Asymptomatic Community-Dwelling Adults. Stroke, 2014, 45, 2115-2117.	1.0	24
216	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. American Heart Journal, 2018, 206, 72-79.	1.2	24

#	Article	IF	Citations
217	Lifestyle, Glycosylated Hemoglobin A1c, and Survival Among Patients With Stable Ischemic Heart Disease and Diabetes. Journal of the American College of Cardiology, 2019, 73, 2049-2058.	1.2	24
218	Maternal Diet and the Serum Metabolome in Pregnancy: Robust Dietary Biomarkers Generalizable to a Multiethnic Birth Cohort. Current Developments in Nutrition, 2020, 4, nzaa144.	0.1	24
219	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. JAMA Network Open, 2021, 4, e2113775.	2.8	24
220	Effect of rosuvastatin on C-reactive protein and progression of aortic stenosis. American Heart Journal, 2011, 161, 1133-1139.	1.2	23
221	Environmental Profile of a Community's Health (EPOCH): An Ecometric Assessment of Measures of the Community Environment Based on Individual Perception. PLoS ONE, 2012, 7, e44410.	1.1	23
222	Aliskiren alone or with other antihypertensives in the elderly with borderline and stage 1 hypertension: the APOLLO trial. European Heart Journal, 2014, 35, 1743-1751.	1.0	23
223	Sleep duration, snoring habits and risk of acute myocardial infarction in China population: results of the INTERHEART study. BMC Public Health, 2014, 14, 531.	1.2	23
224	Effect of Coronary Anatomy and Myocardial Ischemia on Long-Term Survival in Patients with Stable Ischemic Heart Disease. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005079.	0.9	22
225	The Local Food Environment and Obesity: Evidence from Three Cities. Obesity, 2020, 28, 40-45.	1.5	22
226	Smoking in Context. American Journal of Preventive Medicine, 2012, 43, 601-610.	1.6	21
227	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis. EClinicalMedicine, 2022, 44, 101284.	3.2	21
228	The Cost-Effectiveness of Percutaneous Coronary Intervention as a Function of Angina Severity in Patients With Stable Angina. Circulation: Cardiovascular Quality and Outcomes, 2011, 4, 172-182.	0.9	20
229	Effectiveness of Percutaneous Coronary Intervention in Patients With Silent Myocardial Ischemia (Post Hoc Analysis of the COURAGE Trial). American Journal of Cardiology, 2012, 109, 954-959.	0.7	20
230	Albuminuria and Rapid Loss of GFR and Risk of New Hip and Pelvic Fractures. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 233-240.	2.2	20
231	Clinical Usefulness of Tissue Doppler Imaging in Patients with Mild to Moderate Aortic Stenosis: A Substudy of the Aortic Stenosis Progression Observation Measuring Effects of Rosuvastatin Study. Journal of the American Society of Echocardiography, 2008, 21, 1023-1027.	1.2	19
232	Differences in perceptions and fast food eating behaviours between Indians living in high- and low-income neighbourhoods of Chandigarh, India. Nutrition Journal, 2013, 12, 4.	1.5	19
233	Physical Activity Levels, Sport Activities, and Risk of Acute Myocardial Infarction. Angiology, 2014, 65, 113-121.	0.8	19
234	Effect of comorbidities on outcomes and angiotensin converting enzyme inhibitor effects in patients with predominantly left ventricular dysfunction and heart failure. European Journal of Heart Failure, 2014, 16, 325-333.	2.9	19

#	Article	IF	CITATIONS
235	Health Status and Quality of Life in Patients With Stable Coronary Artery Disease and Chronic Kidney Disease Treated With Optimal Medical Therapy or Percutaneous Coronary Intervention (Post Hoc) Tj ETQq1 1	. 0.78 ⊕3 ⁄14 rg	BT1 & Overlock
236	Maternal and Newborn Health Profile in a First Nations Community in Canada. Journal of Obstetrics and Gynaecology Canada, 2013, 35, 905-913.	0.3	18
237	A Novel Method to Evaluate the Community Built Environment Using Photographs – Environmental Profile of a Community Health (EPOCH) Photo Neighbourhood Evaluation Tool. PLoS ONE, 2014, 9, e110042.	1.1	18
238	A Direct Assessment of "Obesogenicâ€Built Environments: Challenges and Recommendations. Journal of Environmental and Public Health, 2011, 2011, 1-8.	0.4	17
239	Aboriginal birth cohort (ABC): a prospective cohort study of early life determinants of adiposity and associated risk factors among Aboriginal people in Canada. BMC Public Health, 2013, 13, 608.	1.2	17
240	Predicting cardiovascular disease from handgrip strength: the potential clinical implications. Expert Review of Cardiovascular Therapy, 2015, 13, 1277-1279.	0.6	17
241	Normal sex and age-specific parameters in a multi-ethnic population: a cardiovascular magnetic resonance study of the Canadian Alliance for Healthy Hearts and Minds cohort. Journal of Cardiovascular Magnetic Resonance, 2022, 24, 2.	1.6	17
242	Blocking the renin–angiotensin system: dual- versus mono-therapy. Expert Review of Cardiovascular Therapy, 2009, 7, 667-674.	0.6	16
243	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179â€^000 participants from 63 countries. The Lancet Global Health, 2022, 10, e216-e226.	2.9	16
244	Who Should Receive HMG CoA Reductase Inhibitors?. Drugs, 2002, 62, 1707-1715.	4.9	15
245	Validation of the Appropriate Use Criteria for Percutaneous Coronary Intervention in Patients With Stable Coronary Artery Disease (from the COURAGE Trial). American Journal of Cardiology, 2015, 116, 167-173.	0.7	15
246	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. BMJ Global Health, 2017, 2, e000443.	2.0	15
247	Increased cardiovascular risk after preâ€eclampsia in women with dysglycaemia. Diabetic Medicine, 2013, 30, e1-7.	1.2	14
248	Heart rate and blood pressure interactions in the development of erectile dysfunction in high-risk cardiovascular patients. European Journal of Preventive Cardiology, 2014, 21, 272-280.	0.8	14
249	Circulating Levels of Matrix Gla Protein and Progression of Aortic Stenosis: A Substudy of the Aortic Stenosis Progression Observation: Measuring Effects of RosuvastatinÂ(ASTRONOMER) Trial. Canadian Journal of Cardiology, 2014, 30, 1088-1095.	0.8	14
250	Impact of telmisartan on cardiovascular outcome in hypertensive patients at high risk. Journal of Hypertension, 2014, 32, 1334-1341.	0.3	14
251	Low resting heart rates are associated with newâ€onset atrial fibrillation in patients with vascular disease: results of the <scp>ONTARGET</scp> / <scp>TRANSCEND</scp> studies. Journal of Internal Medicine, 2015, 278, 303-312.	2.7	14
252	A genetic link between prepregnancy body mass index, postpartum weight retention, and offspring weight in early childhood. Obesity, 2017, 25, 236-243.	1,5	14

#	Article	IF	CITATIONS
253	Predicting the Benefits of Percutaneous Coronary Intervention on 1-Year Angina and Quality of Life in Stable Ischemic Heart Disease. Circulation: Cardiovascular Quality and Outcomes, 2018, 11, e003971.	0.9	14
254	Factors Associated with Serum 25-Hydroxyvitamin D Concentration in Two Cohorts of Pregnant Women in Southern Ontario, Canada. Nutrients, 2019, 11, 123.	1.7	14
255	Relation between clopidogrel active metabolite levels and different platelet aggregation methods in patients receiving clopidogrel and aspirin. Journal of Thrombosis and Thrombolysis, 2012, 34, 429-436.	1.0	13
256	Effect of Cognitive Reserve on the Association of Vascular Brain Injury With Cognition. Neurology, 2021, 97, e1707-e1716.	1.5	13
257	??-Blockers For Congestive Heart Failure. Drugs and Aging, 2000, 16, 1-7.	1.3	12
258	In a Subgroup of High-Risk Asians, Telmisartan Was Non-Inferior to Ramipril and Better Tolerated in the Prevention of Cardiovascular Events. PLoS ONE, 2010, 5, e13694.	1.1	12
259	Digoxin and clinical outcomes in the Global Rheumatic Heart Disease Registry. Heart, 2019, 105, heartjnl-2018-313614.	1.2	12
260	The cardiac MRI substudy to ongoing telmisartan alone and in combination with ramipril global endpoint trial/telmisartan randomized assessment study in ACE-intolerant subjects with cardiovascular disease: analysis protocol and baseline characteristics. Clinical Research in Cardiology, 2009, 98, 421-433.	1.5	11
261	Cardiovascular risk scoring and magnetic resonance imaging detected subclinical cerebrovascular disease. European Heart Journal Cardiovascular Imaging, 2020, 21, 692-700.	0.5	11
262	Diabetes, Brain Infarcts, Cognition, and Small Vessels in the Canadian Alliance for Healthy Hearts and Minds Study. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e891-e898.	1.8	11
263	Association between exercise frequency with renal and cardiovascular outcomes in diabetic and non-diabetic individuals at high cardiovascular risk. Cardiovascular Diabetology, 2022, 21, 12.	2.7	11
264	Optimal Medical Therapy, Lifestyle Intervention, and Secondary Prevention Strategies for Cardiovascular Event Reduction in Ischemic Heart Disease. Current Cardiology Reports, 2011, 13, 287-295.	1.3	10
265	Associations of cardiometabolic outcomes with indices of obesity in children aged 5 years and younger. PLoS ONE, 2019, 14, e0218816.	1.1	10
266	Pollen Count and Presentation of Angiotensin-Converting Enzyme Inhibitor–Associated Angioedema. Journal of Allergy and Clinical Immunology: in Practice, 2013, 1, 468-473.e4.	2.0	9
267	Influence of Tea Consumption on Acute Myocardial Infarction in China Population. Angiology, 2015, 66, 265-270.	0.8	9
268	Risk Alleles in/near ADCY5, ADRA2A, CDKAL1, CDKN2A/B, GRB10, and TCF7L2 Elevate Plasma Glucose Levels at Birth and in Early Childhood: Results from the FAMILY Study. PLoS ONE, 2016, 11, e0152107.	1.1	9
269	Adiposity measures and their validity in estimating risk of hypertension in South Asian children: a cross-sectional study. BMJ Open, 2019, 9, e024087.	0.8	9
270	Visit-to-visit blood pressure variability and renal outcomes: results from ONTARGET and TRANSCEND trials. Journal of Hypertension, 2020, 38, 2050-2058.	0.3	9

#	Article	IF	Citations
271	Reduced Cognitive Assessment Scores Among Individuals With Magnetic Resonance Imaging–Detected Vascular Brain Injury. Stroke, 2020, 51, 1158-1165.	1.0	9
272	Renal outcomes and blood pressure patterns in diabetic and nondiabetic individuals at high cardiovascular risk. Journal of Hypertension, 2021, 39, 766-774.	0.3	9
273	Metabolite profiles and the risk of metabolic syndrome in early childhood: a case-control study. BMC Medicine, 2021, 19, 292.	2.3	9
274	Evaluating the effectiveness of rosuvastatin in preventing the progression of diastolic dysfunction in aortic stenosis: A substudy of the aortic stenosis progression observation measuring effects of rosuvastatin (ASTRONOMER) study. Cardiovascular Ultrasound, 2011, 9, 5.	0.5	8
275	Ethnic differences in maternal diet in pregnancy and infant eczema. PLoS ONE, 2020, 15, e0232170.	1.1	8
276	Serum metabolomic signatures of gestational diabetes in South Asian and white European women. BMJ Open Diabetes Research and Care, 2022, 10, e002733.	1.2	8
277	Corrigendum to "Effectiveness of comprehensive disease management programmes in improving clinical outcomes in heart failure patients. A meta-analysis―[Eur J Heart Fail 7 (2005) 1133-1144]. European Journal of Heart Failure, 2006, 8, 223-224.	2.9	7
278	Polypill: Lights and Shadows. Current Hypertension Reports, 2010, 12, 276-281.	1.5	7
279	Impact of lifestyle factors on fracture risk in older patients with cardiovascular disease: a prospective cohort study of 26,335 individuals from 40 countries. Age and Ageing, 2014, 43, 629-635.	0.7	7
280	Dysglycemia and Cognitive Dysfunction and Ill Health in People With High CV Risk: Results From the ONTARGET/TRANSCEND Studies. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 2682-2689.	1.8	7
281	Polypill Variants (Quarter Pill Trials). American Journal of Hypertension, 2018, 31, 758-761.	1.0	7
282	Sources of Variation in Food-Related Metabolites during Pregnancy. Nutrients, 2022, 14, 2503.	1.7	7
283	Do Major Cardiovascular Outcomes in Patients With Stable Ischemic Heart Disease in the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation Trial Differ by Healthcare System?. Circulation: Cardiovascular Quality and Outcomes, 2010, 3, 476-483.	0.9	6
284	The cost implications of the use of telmisartan or ramipril in patients at high risk for vascular events: the ONTARGET study. Journal of Medical Economics, 2011, 14, 792-797.	1.0	6
285	Autoantibodies and immune complexes to oxidation-specific epitopes and progression of aortic stenosis: Results from the ASTRONOMER trial. Atherosclerosis, 2017, 260, 1-7.	0.4	6
286	DNA methylation changes in cord blood and the developmental origins of health and disease $\hat{a} \in \hat{a}$ systematic review and replication study. BMC Genomics, 2022, 23, 221.	1.2	6
287	Ramipril in the treatment of vascular diseases. Expert Opinion on Pharmacotherapy, 2005, 6, 1911-1919.	0.9	5
288	Cardiovascular outcomes in patients at high cardiovascular risk with previous myocardial infarction or stroke. Journal of Hypertension, 2021, 39, 1602-1610.	0.3	5

#	Article	IF	Citations
289	Non-esterified fatty acids as biomarkers of diet and glucose homeostasis in pregnancy: The impact of fatty acid reporting methods. Prostaglandins Leukotrienes and Essential Fatty Acids, 2022, 176, 102378.	1.0	5
290	Acute myocardial infarction in Canada: New epidemiologic insights on incidence, therapy, and risk. Journal of Thrombosis and Thrombolysis, 1996, 3, 101-105.	1.0	4
291	Co-variation in dimensions of smoking behaviour: A multivariate analysis of individuals and communities in Canada. Health and Place, 2013, 22, 29-37.	1.5	4
292	Genetic contribution to lipid levels in early life based on 158 loci validated in adults: the FAMILY study. Scientific Reports, 2017, 7, 68.	1.6	4
293	The Blood Pressure Lowering Treatment Trialists' Collaboration. Journal of Hypertension, 2022, Publish Ahead of Print, .	0.3	4
294	Clinical evidence from ONTARGET: proven cardio- and vascular protection. European Heart Journal Supplements, 2009, 11, F9-F15.	0.0	3
295	Parental and offspring contribution of genetic markers of adult blood pressure in early life: The FAMILY study. PLoS ONE, 2017, 12, e0186218.	1.1	3
296	Variations in the association of height with mortality, cardiovascular disease and cancer in low-, middle- and high-income countries. International Journal of Epidemiology, 2022, 51, 1304-1316.	0.9	3
297	Title is missing!. Journal of Interventional Cardiac Electrophysiology, 1997, 1, 207-209.	0.9	2
298	A survey of physicians show a one-third reduction in harmful outcomes to be a clinically important difference for statin therapy. Journal of Clinical Epidemiology, 2012, 65, 954-961.	2.4	2
299	Blood pressure reduction by reducing sodium intake in the population. Current Opinion in Cardiology, 2014, 29, 331-335.	0.8	2
300	Effect of Baseline Exercise Capacity on Outcomes in Patients With Stable Coronary Heart Disease (A) Tj ETQq0 0	0 rgBT /O 0.7	verlock 10 Tf 2
301	Maternal and child factors associated with bone length traits in children at 3†years of age. Bone, 2019, 127, 1-8.	1.4	2
302	Risk Prediction Tool for Assessing the Probability of Death or Myocardial Infarction in Patients With Stable Coronary Artery Disease. American Journal of Cardiology, 2020, 130, 1-6.	0.7	2
303	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. PLOS Global Public Health, 2022, 2, e0000141.	0.5	2
304	Neighborhood Greenspace and Socioeconomic Risk are Associated with Diabetes Risk at the Sub-neighborhood Scale: Results from the Prospective Urban and Rural Epidemiology (PURE) Study. Journal of Urban Health, 2022, 99, 506-518.	1.8	2
305	The Prevalence and Risk Factors Associated with Iodine Deficiency in Canadian Adults. Nutrients, 2022, 14, 2570.	1.7	2
306	Is there an optimal combination of antihypertensives for preventing cardiovascular events?. Journal of Hypertension, 2011, 29, 1483-1485.	0.3	1

KOON K TEO

#	Article	IF	CITATIONS
307	Angiotensin receptor blocker therapy and risk of cancer. Journal of Hypertension, 2013, 31, 1532-1534.	0.3	1
308	Heart Failure in Transition: Is It Really Better to Be Younger?. Canadian Journal of Cardiology, 2017, 33, 1455-1456.	0.8	1
309	Effective Management of Cardiovascular Risk Factorsâ€"Are We Doing Enough?. Canadian Journal of Cardiology, 2017, 33, 300-302.	0.8	1
310	The Canadian Alliance for Healthy Hearts and Minds: How Well Does It Reflect the Canadian Population?. CJC Open, 2020, 2, 599-609.	0.7	1
311	Primary Prevention in Chronic Ischemic Heart Disease. Journal of Interventional Cardiac Electrophysiology, 1999, 3, 184-186.	0.9	O
312	Primary prevention in chronic ischemic heart disease. Journal of Interventional Cardiac Electrophysiology, 2002, 6, 15-17.	0.9	0
313	The Role of the Polypill in Hypertension. , 2012, , 279-294.		О
314	Practical and valid approaches in quantifying sodium intake in population studies. Journal of Hypertension, 2017, 35, 2168-2170.	0.3	0
315	Does spironolactone reduce the risk of urinary tract cancers in hypertensive patients?. Journal of Hypertension, 2017, 35, 36-38.	0.3	O