

Koon K Teo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4182059/koon-k-teo-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

304
papers

34,934
citations

82
h-index

183
g-index

319
ext. papers

42,623
ext. citations

10.6
avg, IF

6.52
L-index

#	Paper	IF	Citations
304	Optimal medical therapy with or without PCI for stable coronary disease. <i>New England Journal of Medicine</i> , 2007 , 356, 1503-16	59.2	3073
303	Telmisartan, ramipril, or both in patients at high risk for vascular events. <i>New England Journal of Medicine</i> , 2008 , 358, 1547-59	59.2	2573
302	Niacin in patients with low HDL cholesterol levels receiving intensive statin therapy. <i>New England Journal of Medicine</i> , 2011 , 365, 2255-67	59.2	2046
301	Optimal medical therapy with or without percutaneous coronary intervention to reduce ischemic burden: results from the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial nuclear substudy. <i>Circulation</i> , 2008 , 117, 1283-91	16.7	1183
300	Renal outcomes with telmisartan, ramipril, or both, in people at high vascular risk (the ONTARGET study): a multicentre, randomised, double-blind, controlled trial. <i>Lancet, The</i> , 2008 , 372, 547-53	40	1179
299	Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-, middle-, and low-income countries. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 959-68	27.4	992
298	Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>Lancet, The</i> , 2015 , 386, 266-73	40	871
297	Differences in risk factors, atherosclerosis, and cardiovascular disease between ethnic groups in Canada: the Study of Health Assessment and Risk in Ethnic groups (SHARE). <i>Lancet, The</i> , 2000 , 356, 279-84	40	748
296	Tobacco use and risk of myocardial infarction in 52 countries in the INTERHEART study: a case-control study. <i>Lancet, The</i> , 2006 , 368, 647-58	40	668
295	Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. <i>Lancet, The</i> , 2011 , 378, 1231-43	40	627
294	Effects of ramipril and vitamin E on atherosclerosis: the study to evaluate carotid ultrasound changes in patients treated with ramipril and vitamin E (SECURE). <i>Circulation</i> , 2001 , 103, 919-25	16.7	606
293	Associations of fats and carbohydrate intake with cardiovascular disease and mortality in 18 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2050-2062	40	583
292	Lower estimated glomerular filtration rate and higher albuminuria are associated with all-cause and cardiovascular mortality. A collaborative meta-analysis of high-risk population cohorts. <i>Kidney International</i> , 2011 , 79, 1341-52	9.9	562
291	Urinary sodium and potassium excretion, mortality, and cardiovascular events. <i>New England Journal of Medicine</i> , 2014 , 371, 612-23	59.2	553
290	Cardiovascular risk and events in 17 low-, middle-, and high-income countries. <i>New England Journal of Medicine</i> , 2014 , 371, 818-27	59.2	499
289	Association of urinary sodium and potassium excretion with blood pressure. <i>New England Journal of Medicine</i> , 2014 , 371, 601-11	59.2	494
288	The effect of physical activity on mortality and cardiovascular disease in 130 000 people from 17 high-income, middle-income, and low-income countries: the PURE study. <i>Lancet, The</i> , 2017 , 390, 2643-2654	49	492

287	Effect of Lipid lowering with rosuvastatin on progression of aortic stenosis: results of the aortic stenosis progression observation: measuring effects of rosuvastatin (ASTRONOMER) trial. <i>Circulation</i> , 2010 , 121, 306-14	16.7	480
286	Effect of PCI on quality of life in patients with stable coronary disease. <i>New England Journal of Medicine</i> , 2008 , 359, 677-87	59.2	475
285	Defining obesity cut points in a multiethnic population. <i>Circulation</i> , 2007 , 115, 2111-8	16.7	402
284	The Prospective Urban Rural Epidemiology (PURE) study: examining the impact of societal influences on chronic noncommunicable diseases in low-, middle-, and high-income countries. <i>American Heart Journal</i> , 2009 , 158, 1-7.e1	4.9	396
283	Urinary sodium and potassium excretion and risk of cardiovascular events. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 2229-38	27.4	375
282	Reducing the Global Burden of Cardiovascular Disease, Part 1: The Epidemiology and Risk Factors. <i>Circulation Research</i> , 2017 , 121, 677-694	15.7	365
281	Rationale, design, and baseline characteristics of 2 large, simple, randomized trials evaluating telmisartan, ramipril, and their combination in high-risk patients: the Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study	4.9	343
280	in ACE Intolerant Subjects with Cardiovascular Disease (ONTARGET/TRANSCEND) trials. <i>American Heart Journal</i> , 2008 , 148, 52-61 Modifiable risk factors, cardiovascular disease, and mortality in 155 722 individuals from 21 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 795-808	40	342
279	Randomized trial of warfarin, aspirin, and clopidogrel in patients with chronic heart failure: the Warfarin and Antiplatelet Therapy in Chronic Heart Failure (WATCH) trial. <i>Circulation</i> , 2009 , 119, 1616-24	16.7	299
278	Fruit, vegetable, and legume intake, and cardiovascular disease and deaths in 18 countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2017 , 390, 2037-2049	40	285
277	Associations of urinary sodium excretion with cardiovascular events in individuals with and without hypertension: a pooled analysis of data from four studies. <i>Lancet, The</i> , 2016 , 388, 465-75	40	284
276	Characteristics, complications, and gaps in evidence-based interventions in rheumatic heart disease: the Global Rheumatic Heart Disease Registry (the REMEDY study). <i>European Heart Journal</i> , 2015 , 36, 1115-22a	9.5	278
275	Relationship of metabolic syndrome and fibrinolytic dysfunction to cardiovascular disease. <i>Circulation</i> , 2003 , 108, 420-5	16.7	227
274	Randomised trials of secondary prevention programmes in coronary heart disease: systematic review. <i>BMJ: British Medical Journal</i> , 2001 , 323, 957-62		222
273	Variations in common diseases, hospital admissions, and deaths in middle-aged adults in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 395, 785-794	40	218
272	Long-term effects of cholesterol lowering and angiotensin-converting enzyme inhibition on coronary atherosclerosis: The Simvastatin/Enalapril Coronary Atherosclerosis Trial (SCAT). <i>Circulation</i> , 2000 , 102, 1748-54	16.7	216
271	Availability and affordability of cardiovascular disease medicines and their effect on use in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet, The</i> , 2016 , 387, 61-9	40	211
270	Oxidized Phospholipids, Lipoprotein(a), and Progression of Calcific Aortic Valve Stenosis. <i>Journal of the American College of Cardiology</i> , 2015 , 66, 1236-1246	15.1	210

269	Availability, affordability, and consumption of fruits and vegetables in 18 countries across income levels: findings from the Prospective Urban Rural Epidemiology (PURE) study. <i>The Lancet Global Health</i> , 2016 , 4, e695-703	13.6	199
268	Association of dairy intake with cardiovascular disease and mortality in 21 countries from five continents (PURE): a prospective cohort study. <i>Lancet, The</i> , 2018 , 392, 2288-2297	40	191
267	Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-, middle- and low-income countries: The Prospective Urban Rural Epidemiology (PURE) study. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 309, 1613-21	27.4	190
266	Changes in albuminuria predict mortality and morbidity in patients with vascular disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 1353-64	12.7	190
265	Effects of long-term treatment with angiotensin-converting-enzyme inhibitors in the presence or absence of aspirin: a systematic review. <i>Lancet, The</i> , 2002 , 360, 1037-43	40	188
264	Achieved blood pressure and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. <i>Lancet, The</i> , 2017 , 389, 2226-2237	40	171
263	Urinary sodium excretion, blood pressure, cardiovascular disease, and mortality: a community-level prospective epidemiological cohort study. <i>Lancet, The</i> , 2018 , 392, 496-506	40	159
262	Increased risk of cognitive and functional decline in patients with atrial fibrillation: results of the ONTARGET and TRANSCEND studies. <i>Cmaj</i> , 2012 , 184, E329-36	3.5	154
261	Socioeconomic status and risk of cardiovascular disease in 20 low-income, middle-income, and high-income countries: the Prospective Urban Rural Epidemiologic (PURE) study. <i>The Lancet Global Health</i> , 2019 , 7, e748-e760	13.6	153
260	Estimating modifiable coronary heart disease risk in multiple regions of the world: the INTERHEART Modifiable Risk Score. <i>European Heart Journal</i> , 2011 , 32, 581-9	9.5	153
259	Effect of PCI on Long-Term Survival in Patients with Stable Ischemic Heart Disease. <i>New England Journal of Medicine</i> , 2015 , 373, 1937-46	59.2	151
258	Validation and comparison of three formulae to estimate sodium and potassium excretion from a single morning fasting urine compared to 24-h measures in 11 countries. <i>Journal of Hypertension</i> , 2014 , 32, 1005-14; discussion 1015	1.9	150
257	Global mortality variations in patients with heart failure: results from the International Congestive Heart Failure (INTER-CHF) prospective cohort study. <i>The Lancet Global Health</i> , 2017 , 5, e665-e672	13.6	148
256	C-reactive protein as a screening test for cardiovascular risk in a multiethnic population. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004 , 24, 1509-15	9.4	148
255	Renin-angiotensin system blockade and cognitive function in patients at high risk of cardiovascular disease: analysis of data from the ONTARGET and TRANSCEND studies. <i>Lancet Neurology, The</i> , 2011 , 10, 43-53	24.1	142
254	Clinical Outcomes in 3343 Children and Adults With Rheumatic Heart Disease From 14 Low- and Middle-Income Countries: Two-Year Follow-Up of the Global Rheumatic Heart Disease Registry (the REMEDY Study). <i>Circulation</i> , 2016 , 134, 1456-1466	16.7	136
253	Reducing the Global Burden of Cardiovascular Disease, Part 2: Prevention and Treatment of Cardiovascular Disease. <i>Circulation Research</i> , 2017 , 121, 695-710	15.7	134
252	Baseline stress myocardial perfusion imaging results and outcomes in patients with stable ischemic heart disease randomized to optimal medical therapy with or without percutaneous coronary intervention. <i>American Heart Journal</i> , 2012 , 164, 243-50	4.9	131

251	Reference ranges of handgrip strength from 125,462 healthy adults in 21 countries: a prospective urban rural epidemiologic (PURE) study. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2016 , 7, 535-546	10.3	129
250	Ethnic variation in adiponectin and leptin levels and their association with adiposity and insulin resistance. <i>Diabetes Care</i> , 2010 , 33, 1629-34	14.6	128
249	Safety and efficacy of low blood pressures among patients with diabetes: subgroup analyses from the ONTARGET (ONgoing Telmisartan Alone and in combination with Ramipril Global Endpoint Trial). <i>Journal of the American College of Cardiology</i> , 2012 , 59, 74-83	15.1	126
248	Predicting outcome in the COURAGE trial (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation): coronary anatomy versus ischemia. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 195-201	5	125
247	Association of dietary nutrients with blood lipids and blood pressure in 18 countries: a cross-sectional analysis from the PURE study. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 774-787	18.1	125
246	Blood pressure targets recommended by guidelines and incidence of cardiovascular and renal events in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial (ONTARGET). <i>Circulation</i> , 2011 , 124, 1727-36	16.7	121
245	The polypill in the prevention of cardiovascular diseases: key concepts, current status, challenges, and future directions. <i>Circulation</i> , 2010 , 122, 2078-88	16.7	120
244	Alcohol consumption and cardiovascular disease, cancer, injury, admission to hospital, and mortality: a prospective cohort study. <i>Lancet, The</i> , 2015 , 386, 1945-1954	40	116
243	Effect of telmisartan on renal outcomes: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 151, 1-10, W1-2	8	116
242	Relationship between healthy diet and risk of cardiovascular disease among patients on drug therapies for secondary prevention: a prospective cohort study of 31 546 high-risk individuals from 40 countries. <i>Circulation</i> , 2012 , 126, 2705-12	16.7	114
241	Environmental and societal influences acting on cardiovascular risk factors and disease at a population level: a review. <i>International Journal of Epidemiology</i> , 2009 , 38, 1580-94	7.8	113
240	Early cerebral small vessel disease and brain volume, cognition, and gait. <i>Annals of Neurology</i> , 2015 , 77, 251-61	9.4	110
239	Hypertension prevalence, awareness, treatment, and control in 115 rural and urban communities involving 47 000 people from China. <i>Journal of Hypertension</i> , 2016 , 34, 39-46	1.9	108
238	Risk factor control for coronary artery disease secondary prevention in large randomized trials. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 1607-15	15.1	106
237	Variations in Diabetes Prevalence in Low-, Middle-, and High-Income Countries: Results From the Prospective Urban and Rural Epidemiological Study. <i>Diabetes Care</i> , 2016 , 39, 780-7	14.6	104
236	Cardiovascular and renal outcomes with telmisartan, ramipril, or both in people at high renal risk: results from the ONTARGET and TRANSCEND studies. <i>Circulation</i> , 2011 , 123, 1098-107	16.7	104
235	Pharmacological blood pressure lowering for primary and secondary prevention of cardiovascular disease across different levels of blood pressure: an individual participant-level data meta-analysis. <i>Lancet, The</i> , 2021 , 397, 1625-1636	40	101
234	Canadian Cardiovascular Society guidelines for the diagnosis and management of stable ischemic heart disease. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 837-49	3.8	97

233	Development and evaluation of cultural food frequency questionnaires for South Asians, Chinese, and Europeans in North America. <i>Journal of the American Dietetic Association</i> , 2003 , 103, 1178-84		94
232	Heart rate is associated with increased risk of major cardiovascular events, cardiovascular and all-cause death in patients with stable chronic cardiovascular disease: an analysis of ONTARGET/TRANSCEND. <i>Clinical Research in Cardiology</i> , 2014 , 103, 149-59	6.1	92
231	Cognitive impairment and risk of cardiovascular events and mortality. <i>European Heart Journal</i> , 2012 , 33, 1777-86	9.5	92
230	Availability and affordability of blood pressure-lowering medicines and the effect on blood pressure control in high-income, middle-income, and low-income countries: an analysis of the PURE study data. <i>Lancet Public Health</i> , 2017 , 2, e411-e419	22.4	90
229	Patterns of alcohol consumption and myocardial infarction risk: observations from 52 countries in the INTERHEART case-control study. <i>Circulation</i> , 2014 , 130, 390-8	16.7	89
228	Prospective Urban Rural Epidemiology (PURE) study: Baseline characteristics of the household sample and comparative analyses with national data in 17 countries. <i>American Heart Journal</i> , 2013 , 166, 636-646.e4	4.9	87
227	Cost-effectiveness of percutaneous coronary intervention in optimally treated stable coronary patients. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2008 , 1, 12-20	5.8	86
226	The relationship between estimated sodium and potassium excretion and subsequent renal outcomes. <i>Kidney International</i> , 2014 , 86, 1205-12	9.9	85
225	Lipid lowering on progression of mild to moderate aortic stenosis: meta-analysis of the randomized placebo-controlled clinical trials on 2344 patients. <i>Canadian Journal of Cardiology</i> , 2011 , 27, 800-8	3.8	83
224	Effects of telmisartan, ramipril, and their combination on left ventricular hypertrophy in individuals at high vascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global End Point Trial and the Telmisartan Randomized Assessment Study in ACE Intolerant Subjects With Cardiovascular Disease. <i>Circulation</i> , 2009 , 120, 1380-9	16.7	83
223	The Warfarin and Antiplatelet Therapy in Heart Failure trial (WATCH): rationale, design, and baseline patient characteristics. <i>Journal of Cardiac Failure</i> , 2004 , 10, 101-12	3.3	82
222	Association of estimated sleep duration and naps with mortality and cardiovascular events: a study of 116 632 people from 21 countries. <i>European Heart Journal</i> , 2019 , 40, 1620-1629	9.5	82
221	Diet and kidney disease in high-risk individuals with type 2 diabetes mellitus. <i>JAMA Internal Medicine</i> , 2013 , 173, 1682-92	11.5	81
220	Intensive multifactorial intervention for stable coronary artery disease: optimal medical therapy in the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation) trial. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1348-58	15.1	79
219	Physical Activity and Anger or Emotional Upset as Triggers of Acute Myocardial Infarction: The INTERHEART Study. <i>Circulation</i> , 2016 , 134, 1059-1067	16.7	79
218	Impact of metabolic syndrome on progression of aortic stenosis: influence of age and statin therapy. <i>Journal of the American College of Cardiology</i> , 2012 , 60, 216-23	15.1	78
217	Metabolic syndrome is associated with more pronounced impairment of left ventricle geometry and function in patients with calcific aortic stenosis: a substudy of the ASTRONOMER (Aortic Stenosis Progression Observation Measuring Effects of Rosuvastatin). <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1867-74	15.1	77
216	Carbohydrate intake and HDL in a multiethnic population. <i>American Journal of Clinical Nutrition</i> , 2007 , 85, 225-30	7	75

215	Optimal medical therapy with or without percutaneous coronary intervention for patients with stable coronary artery disease and chronic kidney disease. <i>American Journal of Cardiology</i> , 2009 , 104, 1647-53	3	74
214	Human maternal and umbilical cord blood concentrations of polybrominated diphenyl ethers. <i>Chemosphere</i> , 2011 , 84, 1301-9	8.4	73
213	Heart Failure in Africa, Asia, the Middle East and South America: The INTER-CHF study. <i>International Journal of Cardiology</i> , 2016 , 204, 133-41	3.2	72
212	Albuminuria and decline in cognitive function: The ONTARGET/TRANSCEND studies. <i>Archives of Internal Medicine</i> , 2011 , 171, 142-50		72
211	Reliability and validity of measures of cardiac output during incremental to maximal aerobic exercise. Part I: Conventional techniques. <i>Sports Medicine</i> , 1999 , 27, 23-41	10.6	72
210	Reliability and validity of measures of cardiac output during incremental to maximal aerobic exercise. Part II: Novel techniques and new advances. <i>Sports Medicine</i> , 1999 , 27, 241-60	10.6	71
209	Design and rationale of the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial Veterans Affairs Cooperative Studies Program no. 424. <i>American Heart Journal</i> , 2006 , 151, 1173-9	4.9	70
208	Risk Prediction for Early CKD in Type 2 Diabetes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015 , 10, 1371-9	6.9	66
207	Availability and affordability of essential medicines for diabetes across high-income, middle-income, and low-income countries: a prospective epidemiological study. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 798-808	18.1	66
206	Low levels of high-density lipoprotein cholesterol and increased risk of cardiovascular events in stable ischemic heart disease patients: A post-hoc analysis from the COURAGE Trial (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation). <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1826-33	15.1	65
205	Trends in smoking in Canada from 1950 to 2011: progression of the tobacco epidemic according to socioeconomic status and geography. <i>Cancer Causes and Control</i> , 2014 , 25, 45-57	2.8	64
204	Impact of sex on cardiovascular outcome in patients at high cardiovascular risk: analysis of the Telmisartan Randomized Assessment Study in ACE-Intolerant Subjects With Cardiovascular Disease (TRANSCEND) and the Ongoing Telmisartan Alone and in Combination With Ramipril Global End Point Trial (ONTARGET). <i>Circulation</i> , 2012 , 126, 221-11	16.7	64
203	Health Effects of Household Solid Fuel Use: Findings from 11 Countries within the Prospective Urban and Rural Epidemiology Study. <i>Environmental Health Perspectives</i> , 2019 , 127, 57003	8.4	60
202	Systolic blood pressure variation and mean heart rate is associated with cognitive dysfunction in patients with high cardiovascular risk. <i>Hypertension</i> , 2015 , 65, 651-61	8.5	60
201	Estimated glomerular filtration rate and albuminuria as predictors of outcomes in patients with high cardiovascular risk: a cohort study. <i>Annals of Internal Medicine</i> , 2011 , 154, 310-8	8	60
200	Environmental Profile of a Community's Health (EPOCH): an instrument to measure environmental determinants of cardiovascular health in five countries. <i>PLoS ONE</i> , 2010 , 5, e14294	3.7	60
199	Variations between women and men in risk factors, treatments, cardiovascular disease incidence, and death in 27 high-income, middle-income, and low-income countries (PURE): a prospective cohort study. <i>Lancet, The</i> , 2020 , 396, 97-109	40	59
198	Comparison of risk factor reduction and tolerability of a full-dose polypill (with potassium) versus low-dose polypill (polycap) in individuals at high risk of cardiovascular diseases: the Second Indian Polycap Study (TIPS-2) investigators. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 463-71	5.8	58

197	Polypill with or without Aspirin in Persons without Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2021 , 384, 216-228	59.2	58
196	Combination pharmacotherapy to prevent cardiovascular disease: present status and challenges. <i>European Heart Journal</i> , 2014 , 35, 353-64	9.5	57
195	Achieved diastolic blood pressure and pulse pressure at target systolic blood pressure (120-140 mmHg) and cardiovascular outcomes in high-risk patients: results from ONTARGET and TRANSCEND trials. <i>European Heart Journal</i> , 2018 , 39, 3105-3114	9.5	54
194	Social disadvantage and cardiovascular disease: development of an index and analysis of age, sex, and ethnicity effects. <i>International Journal of Epidemiology</i> , 2006 , 35, 1239-45	7.8	54
193	Systolic and diastolic blood pressure changes in relation with myocardial infarction and stroke in patients with coronary artery disease. <i>Hypertension</i> , 2015 , 65, 108-14	8.5	52
192	Dual inhibition of the renin-angiotensin system in high-risk diabetes and risk for stroke and other outcomes: results of the ONTARGET trial. <i>Journal of Hypertension</i> , 2013 , 31, 414-21	1.9	52
191	The evolving pattern of symptomatic coronary artery disease in the United States and Canada: baseline characteristics of the Clinical Outcomes Utilizing Revascularization and Aggressive DruG Evaluation (COURAGE) trial. <i>American Journal of Cardiology</i> , 2007 , 99, 208-12	3	52
190	Joint association of urinary sodium and potassium excretion with cardiovascular events and mortality: prospective cohort study. <i>BMJ, The</i> , 2019 , 364, l772	5.9	50
189	Modifiable lifestyle and social factors affect chronic kidney disease in high-risk individuals with type 2 diabetes mellitus. <i>Kidney International</i> , 2015 , 87, 784-91	9.9	50
188	Impact of optimal medical therapy with or without percutaneous coronary intervention on long-term cardiovascular end points in patients with stable coronary artery disease (from the COURAGE Trial). <i>American Journal of Cardiology</i> , 2009 , 104, 1-4	3	49
187	Alcohol consumption and the risk of incident atrial fibrillation among people with cardiovascular disease. <i>Cmaj</i> , 2012 , 184, E857-66	3.5	49
186	Mortality and cardiovascular and respiratory morbidity in individuals with impaired FEV (PURE): an international, community-based cohort study. <i>The Lancet Global Health</i> , 2019 , 7, e613-e623	13.6	47
185	The association between ownership of common household devices and obesity and diabetes in high, middle and low income countries. <i>Cmaj</i> , 2014 , 186, 258-66	3.5	47
184	Rationale and design of a Global Rheumatic Heart Disease Registry: the REMEDY study. <i>American Heart Journal</i> , 2012 , 163, 535-40.e1	4.9	47
183	Genetic variants associated with angiotensin-converting enzyme inhibitor-associated angioedema. <i>Pharmacogenetics and Genomics</i> , 2013 , 23, 470-8	1.9	47
182	Interrelation of saturated fat, trans fat, alcohol intake, and subclinical atherosclerosis. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 168-74	7	47
181	Sodium intake and renal outcomes: a systematic review. <i>American Journal of Hypertension</i> , 2014 , 27, 1277-84	3.4	46
180	Global differences in lung function by region (PURE): an international, community-based prospective study. <i>Lancet Respiratory Medicine</i> , 2013 , 1, 599-609	35.1	46

179	Blood pressure and other determinants of new-onset atrial fibrillation in patients at high cardiovascular risk in the Ongoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial/Telmisartan Randomized Assessment Study in ACE iNtolerant subjects with cardiovascular Disease studies. <i>Journal of Hypertension</i> , 2012 , 30, 1004-14	1.9	46
178	Effect of ramipril in reducing sudden deaths and nonfatal cardiac arrests in high-risk individuals without heart failure or left ventricular dysfunction. <i>Circulation</i> , 2004 , 110, 1413-7	16.7	46
177	Wealth and cardiovascular health: a cross-sectional study of wealth-related inequalities in the awareness, treatment and control of hypertension in high-, middle- and low-income countries. <i>International Journal for Equity in Health</i> , 2016 , 15, 199	4.6	45
176	Healthy eating and reduced risk of cognitive decline: A cohort from 40 countries. <i>Neurology</i> , 2015 , 84, 2258-65	6.5	44
175	Inequalities in the use of secondary prevention of cardiovascular disease by socioeconomic status: evidence from the PURE observational study. <i>The Lancet Global Health</i> , 2018 , 6, e292-e301	13.6	44
174	Blood pressure-lowering treatment strategies based on cardiovascular risk versus blood pressure: A meta-analysis of individual participant data. <i>PLoS Medicine</i> , 2018 , 15, e1002538	11.6	44
173	Measures of cardiovascular risk and subclinical atherosclerosis in a cohort of women with a remote history of preeclampsia. <i>Atherosclerosis</i> , 2013 , 229, 234-9	3.1	44
172	Effects of nonpersistence with medication on outcomes in high-risk patients with cardiovascular disease. <i>American Heart Journal</i> , 2013 , 166, 306-314.e7	4.9	44
171	Role of magnesium in reducing mortality in acute myocardial infarction. A review of the evidence. <i>Drugs</i> , 1993 , 46, 347-359	12.1	44
170	Rationale, design, and baseline characteristics of a randomized trial to assess the effect of cholesterol lowering on the progression of aortic stenosis: the Aortic Stenosis Progression Observation: Measuring Effects of Rosuvastatin (ASTRONOMER) trial. <i>American Heart Journal</i> , 2007 , 153, 925-31	4.9	42
169	Acute change in glomerular filtration rate with inhibition of the renin-angiotensin system does not predict subsequent renal and cardiovascular outcomes. <i>Kidney International</i> , 2017 , 91, 683-690	9.9	41
168	Understanding the modifiable health systems barriers to hypertension management in Malaysia: a multi-method health systems appraisal approach. <i>BMC Health Services Research</i> , 2015 , 15, 254	2.9	41
167	Ambulatory blood pressure values in the Ongoing Telmisartan Alone and in Combination with Ramipril Global Endpoint Trial (ONTARGET). <i>Hypertension</i> , 2012 , 60, 1400-6	8.5	41
166	Optimal medical therapy with or without percutaneous coronary intervention in older patients with stable coronary disease: a pre-specified subset analysis of the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive drug Evaluation) trial. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1000-8	15.1	41
165	Canadian Cardiovascular Society/Canadian Association of Interventional Cardiology/Canadian Society of Cardiac Surgery position statement on revascularization--multivessel coronary artery disease. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1482-91	3.8	40
164	Influenza vaccination and major adverse vascular events in high-risk patients. <i>Circulation</i> , 2012 , 126, 278-867	4.0	40
163	Glycemic Index, Glycemic Load, and Cardiovascular Disease and Mortality. <i>New England Journal of Medicine</i> , 2021 , 384, 1312-1322	59.2	39
162	Impact of metabolic syndrome and diabetes on prognosis and outcomes with early percutaneous coronary intervention in the COURAGE (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation) trial. <i>Journal of the American College of Cardiology</i> , 2011 , 58, 131-7	15.1	38

161	Socioeconomic factors and use of secondary preventive therapies for cardiovascular diseases in South Asia: The PURE study. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1261-71	3.9	36
160	Left ventricular mass and volume with telmisartan, ramipril, or combination in patients with previous atherosclerotic events or with diabetes mellitus (from the ONgoing Telmisartan Alone and in Combination With Ramipril Global Endpoint Trial [ONTARGET]). <i>American Journal of Cardiology</i> , 2015 , 116, 1121-8	3	36
159	The Family Atherosclerosis Monitoring In earLY life (FAMILY) study: rationale, design, and baseline data of a study examining the early determinants of atherosclerosis. <i>American Heart Journal</i> , 2009 , 158, 533-9	4.9	36
158	Protein intake is inversely associated with abdominal obesity in a multi-ethnic population. <i>Journal of Nutrition</i> , 2005 , 135, 1196-201	4.1	36
157	Effects of blood pressure lowering on cardiovascular risk according to baseline body-mass index: a meta-analysis of randomised trials. <i>Lancet, The</i> , 2015 , 385, 867-74	4.0	35
156	Association of egg intake with blood lipids, cardiovascular disease, and mortality in 177,000 people in 50 countries. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 795-803	7	35
155	Mortality and morbidity in relation to changes in albuminuria, glucose status and systolic blood pressure: an analysis of the ONTARGET and TRANSCEND studies. <i>Diabetologia</i> , 2014 , 57, 2019-29	10.3	34
154	Impact of an initial strategy of medical therapy without percutaneous coronary intervention in high-risk patients from the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial. <i>American Journal of Cardiology</i> , 2009 , 104, 1055-62	3	34
153	Angiographic disease progression and residual risk of cardiovascular events while on optimal medical therapy: observations from the COURAGE Trial. <i>Circulation: Cardiovascular Interventions</i> , 2011 , 4, 545-52	6	34
152	The household economic burden of non-communicable diseases in 18 countries. <i>BMJ Global Health</i> , 2020 , 5, e002040	6.6	33
151	Maternal and pregnancy related predictors of cardiometabolic traits in newborns. <i>PLoS ONE</i> , 2013 , 8, e55815	3.7	33
150	Tobacco control environment: cross-sectional survey of policy implementation, social unacceptability, knowledge of tobacco health harms and relationship to quit ratio in 17 low-income, middle-income and high-income countries. <i>BMJ Open</i> , 2017 , 7, e013817	3	31
149	Prognostic validation of a non-laboratory and a laboratory based cardiovascular disease risk score in multiple regions of the world. <i>Heart</i> , 2018 , 104, 581-587	5.1	31
148	Resting heart rate is associated with renal disease outcomes in patients with vascular disease: results of the ONTARGET and TRANSCEND studies. <i>Journal of Internal Medicine</i> , 2015 , 278, 38-49	10.8	29
147	Rationale and design of South Asian Birth Cohort (START): a Canada-India collaborative study. <i>BMC Public Health</i> , 2013 , 13, 79	4.1	29
146	The effect of ramipril and telmisartan on serum potassium and its association with cardiovascular and renal events: results from the ONTARGET trial. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 299-309	3.9	28
145	Gated myocardial perfusion single photon emission computed tomography in the clinical outcomes utilizing revascularization and aggressive drug evaluation (COURAGE) trial, Veterans Administration Cooperative study no. 424. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 685-98	2.1	28
144	Insulin resistance and LVH progression in patients with calcific aortic stenosis: a substudy of the ASTRONOMER trial. <i>JACC: Cardiovascular Imaging</i> , 2013 , 6, 165-74	8.4	27

143	Dietary risk factors for incidence or progression of chronic kidney disease in individuals with type 2 diabetes in the European Union. <i>Nephrology Dialysis Transplantation</i> , 2015 , 30 Suppl 4, iv76-85	4.3	26
142	Quantitative results of baseline angiography and percutaneous coronary intervention in the COURAGE trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2009 , 2, 320-7	5.8	26
141	Heart failure in low- and middle-income countries: background, rationale, and design of the INTERNational Congestive Heart Failure Study (INTER-CHF). <i>American Heart Journal</i> , 2015 , 170, 627-634.e19	4.9	25
140	Association of dairy consumption with metabolic syndrome, hypertension and diabetes in 147 812 individuals from 21 countries. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	25
139	Relationship between QRS duration and left ventricular mass and volume in patients at high cardiovascular risk. <i>Heart</i> , 2011 , 97, 1766-70	5.1	25
138	Socioeconomic and geographic patterning of smoking behaviour in Canada: a cross-sectional multilevel analysis. <i>PLoS ONE</i> , 2013 , 8, e57646	3.7	25
137	Rationale, design, and methods for Canadian alliance for healthy hearts and minds cohort study (CAHHM) - a Pan Canadian cohort study. <i>BMC Public Health</i> , 2016 , 16, 650	4.1	24
136	Population-Attributable Fractions of Modifiable Lifestyle Factors for CKD and Mortality in Individuals With Type 2 Diabetes: A Cohort Study. <i>American Journal of Kidney Diseases</i> , 2016 , 68, 29-40	7.4	24
135	The mini-mental state examination, clinical factors, and motor vehicle crash risk. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 1419-26	5.6	24
134	The environmental profile of a community's health: a cross-sectional study on tobacco marketing in 16 countries. <i>Bulletin of the World Health Organization</i> , 2015 , 93, 851-61G	8.2	24
133	Healthy Behavior, Risk Factor Control, and Survival in the COURAGE Trial. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 2297-2305	15.1	24
132	The Emerging Epidemic of Cardiovascular Risk Factors and Atherosclerotic Disease in Developing Countries. <i>Canadian Journal of Cardiology</i> , 2017 , 33, 358-365	3.8	23
131	Cardiovascular outcomes and achieved blood pressure in patients with and without diabetes at high cardiovascular risk. <i>European Heart Journal</i> , 2019 , 40, 2032-2043	9.5	23
130	Extended-release niacin therapy and risk of ischemic stroke in patients with cardiovascular disease: the Atherothrombosis Intervention in Metabolic Syndrome with low HDL/High Triglycerides: Impact on Global Health Outcome (AIM-HIGH) trial. <i>Stroke</i> , 2013 , 44, 2688-93	6.7	23
129	Glucose intolerance and diabetes as risk factors for cognitive impairment in people at high cardiovascular risk: results from the ONTARGET/TRANSCEND research programme. <i>Diabetes Research and Clinical Practice</i> , 2009 , 83, 387-93	7.4	23
128	Economics methods in the Clinical Outcomes Utilizing percutaneous coronary Revascularization and Aggressive Guideline-driven drug Evaluation (COURAGE) trial. <i>American Heart Journal</i> , 2006 , 151, 1180-5	4.9	23
127	Secondary CV Prevention in South America in a Community Setting: The PURE Study. <i>Global Heart</i> , 2017 , 12, 305-313	2.9	23
126	Marital status, education, and risk of acute myocardial infarction in Mainland China: the INTER-HEART study. <i>Journal of Epidemiology</i> , 2012 , 22, 123-9	3.4	22

125	Effects of telmisartan on glucose levels in people at high risk for cardiovascular disease but free from diabetes: the TRANSCEND study. <i>Diabetes Care</i> , 2011 , 34, 1902-7	14.6	22
124	Psychosocial factors and obesity in 17 high-, middle- and low-income countries: the Prospective Urban Rural Epidemiologic study. <i>International Journal of Obesity</i> , 2015 , 39, 1217-23	5.5	21
123	Association of Urinary Sodium Excretion With Blood Pressure and Cardiovascular Clinical Events in 17,033 Latin Americans. <i>American Journal of Hypertension</i> , 2016 , 29, 796-805	2.3	21
122	Prognostic importance of coronary anatomy and left ventricular ejection fraction despite optimal therapy: assessment of residual risk in the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation Trial. <i>American Heart Journal</i> , 2013 , 166, 481-7	4.9	21
121	Antiarrhythmic therapies for the prevention of sudden cardiac death. <i>Drugs</i> , 1997 , 54, 235-52	12.1	21
120	Assessment of Dietary Sodium and Potassium in Canadians Using 24-Hour Urinary Collection. <i>Canadian Journal of Cardiology</i> , 2016 , 32, 319-26	3.8	20
119	Assessing global risk factors for non-fatal injuries from road traffic accidents and falls in adults aged 35-70 years in 17 countries: a cross-sectional analysis of the Prospective Urban Rural Epidemiological (PURE) study. <i>Injury Prevention</i> , 2016 , 22, 92-8	3.2	20
118	Frequency, predictors, and consequences of crossing over to revascularization within 12 months of randomization to optimal medical therapy in the Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation (COURAGE) trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013 , 6, 409-18	5.8	20
117	Does the impact of a plant-based diet during pregnancy on birth weight differ by ethnicity? A dietary pattern analysis from a prospective Canadian birth cohort alliance. <i>BMJ Open</i> , 2017 , 7, e017753	3	20
116	Incidental magnetic resonance diffusion-weighted imaging-positive lesions are rare in neurologically asymptomatic community-dwelling adults. <i>Stroke</i> , 2014 , 45, 2115-7	6.7	20
115	Relative and Combined Prognostic Importance of On-Treatment Mean and Visit-to-Visit Blood Pressure Variability in ONTARGET and TRANSCEND Patients. <i>Hypertension</i> , 2017 , 70, 938-948	8.5	19
114	Smoking in context: a multilevel analysis of 49,088 communities in Canada. <i>American Journal of Preventive Medicine</i> , 2012 , 43, 601-10	6.1	19
113	Aliskiren alone or with other antihypertensives in the elderly with borderline and stage 1 hypertension: the APOLLO trial. <i>European Heart Journal</i> , 2014 , 35, 1743-51	9.5	18
112	Environmental Profile of a Community's Health (EPOCH): an ecometric assessment of measures of the community environment based on individual perception. <i>PLoS ONE</i> , 2012 , 7, e44410	3.7	18
111	Effect of rosuvastatin on C-reactive protein and progression of aortic stenosis. <i>American Heart Journal</i> , 2011 , 161, 1133-9	4.9	18
110	Monitoring initial response to Angiotensin-converting enzyme inhibitor-based regimens: an individual patient data meta-analysis from randomized, placebo-controlled trials. <i>Hypertension</i> , 2010 , 56, 533-9	8.5	18
109	The cost-effectiveness of percutaneous coronary intervention as a function of angina severity in patients with stable angina. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2011 , 4, 172-82	5.8	18
108	Optimal medical therapy with or without percutaneous coronary intervention in women with stable coronary disease: A pre-specified subset analysis of the Clinical Outcomes Utilizing Revascularization and Aggressive drug Evaluation (COURAGE) trial. <i>American Heart Journal</i> , 2016 , 173, 108-17	4.9	17

107	Effect of comorbidities on outcomes and angiotensin converting enzyme inhibitor effects in patients with predominantly left ventricular dysfunction and heart failure. <i>European Journal of Heart Failure</i> , 2014 , 16, 325-33	12.3	17
106	A robust method for iodine status determination in epidemiological studies by capillary electrophoresis. <i>Analytical Chemistry</i> , 2014 , 86, 10010-5	7.8	17
105	Tobacco use, smoking quit rates, and socioeconomic patterning among men and women: a cross-sectional survey in rural Andhra Pradesh, India. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1308-18	3.9	17
104	Shared environments: a multilevel analysis of community context and child nutritional status in Bangladesh. <i>Public Health Nutrition</i> , 2011 , 14, 951-9	3.3	17
103	A direct assessment of "obesogenic" built environments: challenges and recommendations. <i>Journal of Environmental and Public Health</i> , 2011 , 2011, 161574	2.6	17
102	Associations of Fish Consumption With Risk of Cardiovascular Disease and Mortality Among Individuals With or Without Vascular Disease From 58 Countries. <i>JAMA Internal Medicine</i> , 2021 , 181, 631-649	11.5	17
101	Physical activity levels, sport activities, and risk of acute myocardial infarction: results of the INTERHEART study in China. <i>Angiology</i> , 2014 , 65, 113-21	2.1	16
100	Associations of unprocessed and processed meat intake with mortality and cardiovascular disease in 21 countries [Prospective Urban Rural Epidemiology (PURE) Study]: a prospective cohort study. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 1049-1058	7	16
99	Harmonization of Food-Frequency Questionnaires and Dietary Pattern Analysis in 4 Ethnically Diverse Birth Cohorts. <i>Journal of Nutrition</i> , 2016 , 146, 2343-2350	4.1	16
98	Resting heart rate and cardiovascular outcomes in diabetic and non-diabetic individuals at high cardiovascular risk analysis from the ONTARGET/TRANSCEND trials. <i>European Heart Journal</i> , 2020 , 41, 231-238	9.5	16
97	Fixed-dose combination therapies with and without aspirin for primary prevention of cardiovascular disease: an individual participant data meta-analysis. <i>Lancet, The</i> , 2021 , 398, 1133-1146	4.0	16
96	ApoCIII-Lp(a) complexes in conjunction with Lp(a)-OxPL predict rapid progression of aortic stenosis. <i>Heart</i> , 2020 , 106, 738-745	5.1	15
95	Sleep duration, snoring habits and risk of acute myocardial infarction in China population: results of the INTERHEART study. <i>BMC Public Health</i> , 2014 , 14, 531	4.1	15
94	Differences in perceptions and fast food eating behaviours between Indians living in high- and low-income neighbourhoods of Chandigarh, India. <i>Nutrition Journal</i> , 2013 , 12, 4	4.3	15
93	Causes and consequences of gestational diabetes in South Asians living in Canada: results from a prospective cohort study. <i>CMAJ Open</i> , 2017 , 5, E604-E611	2.5	15
92	Albuminuria and rapid loss of GFR and risk of new hip and pelvic fractures. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013 , 8, 233-40	6.9	15
91	Health status and quality of life in patients with stable coronary artery disease and chronic kidney disease treated with optimal medical therapy or percutaneous coronary intervention (post hoc findings from the COURAGE trial). <i>American Journal of Cardiology</i> , 2013 , 112, 1703-8	3	15
90	Antihypertensive treatment and risk of cancer: an individual participant data meta-analysis. <i>Lancet Oncology, The</i> , 2021 , 22, 558-570	21.7	15

89	Validation of the appropriate use criteria for percutaneous coronary intervention in patients with stable coronary artery disease (from the COURAGE trial). <i>American Journal of Cardiology</i> , 2015 , 116, 167-73	3.3	14
88	Aboriginal birth cohort (ABC): a prospective cohort study of early life determinants of adiposity and associated risk factors among Aboriginal people in Canada. <i>BMC Public Health</i> , 2013 , 13, 608	4.1	14
87	Blocking the renin-angiotensin system: dual- versus mono-therapy. <i>Expert Review of Cardiovascular Therapy</i> , 2009 , 7, 667-74	2.5	14
86	Clinical usefulness of tissue Doppler imaging in patients with mild to moderate aortic stenosis: a substudy of the aortic stenosis progression observation measuring effects of rosuvastatin study. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 1023-7	5.8	14
85	Health-Related Quality of Life and Mortality in Heart Failure: The Global Congestive Heart Failure Study of 23 000 Patients From 40 Countries. <i>Circulation</i> , 2021 , 143, 2129-2142	16.7	14
84	Associations of cereal grains intake with cardiovascular disease and mortality across 21 countries in Prospective Urban and Rural Epidemiology study: prospective cohort study. <i>BMJ, The</i> , 2021 , 372, m4948	5.9	14
83	Serum nonesterified fatty acids have utility as dietary biomarkers of fat intake from fish, fish oil, and dairy in women. <i>Journal of Lipid Research</i> , 2020 , 61, 933-944	6.3	13
82	Circulating levels of matrix gla protein and progression of aortic stenosis: a substudy of the Aortic Stenosis Progression Observation: Measuring Effects of rosuvastatin (ASTRONOMER) trial. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1088-95	3.8	13
81	Increased cardiovascular risk after pre-eclampsia in women with dysglycaemia. <i>Diabetic Medicine</i> , 2013 , 30, e1-7	3.5	13
80	Effectiveness of percutaneous coronary intervention in patients with silent myocardial ischemia (post hoc analysis of the COURAGE trial). <i>American Journal of Cardiology</i> , 2012 , 109, 954-9	3	13
79	A novel method to evaluate the community built environment using photographs--Environmental Profile of a Community Health (EPOCH) photo neighbourhood evaluation tool. <i>PLoS ONE</i> , 2014 , 9, e110042	3.7	13
78	Lifestyle, Glycosylated Hemoglobin A1c, and Survival Among Patients With Stable Ischemic Heart Disease and Diabetes. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2049-2058	15.1	12
77	The International Polycap Study-3 (TIPS-3): Design, baseline characteristics and challenges in conduct. <i>American Heart Journal</i> , 2018 , 206, 72-79	4.9	12
76	A genetic link between prepregnancy body mass index, postpartum weight retention, and offspring weight in early childhood. <i>Obesity</i> , 2017 , 25, 236-243	8	12
75	Relation between clopidogrel active metabolite levels and different platelet aggregation methods in patients receiving clopidogrel and aspirin. <i>Journal of Thrombosis and Thrombolysis</i> , 2012 , 34, 429-36	5.1	12
74	Association of nut intake with risk factors, cardiovascular disease, and mortality in 16 countries from 5 continents: analysis from the Prospective Urban and Rural Epidemiology (PURE) study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 208-219	7	11
73	Impact of telmisartan on cardiovascular outcome in hypertensive patients at high risk: a Telmisartan Randomised Assessment Study in ACE iNtolerant subjects with cardiovascular Disease subanalysis. <i>Journal of Hypertension</i> , 2014 , 32, 1334-41	1.9	11
72	Low resting heart rates are associated with new-onset atrial fibrillation in patients with vascular disease: results of the ONTARGET/TRANSCEND studies. <i>Journal of Internal Medicine</i> , 2015 , 278, 303-12	10.8	11

71	Maternal and newborn health profile in a first nations community in Canada. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013 , 35, 905-913	1.3	11
70	Who should receive HMG CoA reductase inhibitors?. <i>Drugs</i> , 2002 , 62, 1707-15	12.1	11
69	Cardiovascular Risk Factors and Prevention: A Perspective From Developing Countries. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 733-743	3.8	11
68	Effect of Coronary Anatomy and Myocardial Ischemia on Long-Term Survival in Patients with Stable Ischemic Heart Disease. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2019 , 12, e005079	5.8	11
67	Global variations in the prevalence, treatment, and impact of atrial fibrillation in a multi-national cohort of 153 152 middle-aged individuals. <i>Cardiovascular Research</i> , 2021 , 117, 1523-1531	9.9	11
66	Impact of social isolation on mortality and morbidity in 20 high-income, middle-income and low-income countries in five continents. <i>BMJ Global Health</i> , 2021 , 6,	6.6	11
65	The Local Food Environment and Obesity: Evidence from Three Cities. <i>Obesity</i> , 2020 , 28, 40-45	8	10
64	Contrasting Associations Between Diabetes and Cardiovascular Mortality Rates in Low-, Middle-, and High-Income Countries: Cohort Study Data From 143,567 Individuals in 21 Countries in the PURE Study. <i>Diabetes Care</i> , 2020 , 43, 3094-3101	14.6	10
63	Availability and affordability of medicines and cardiovascular outcomes in 21 high-income, middle-income and low-income countries. <i>BMJ Global Health</i> , 2020 , 5,	6.6	10
62	Heart rate and blood pressure interactions in the development of erectile dysfunction in high-risk cardiovascular patients. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 272-80	3.9	9
61	The cardiac MRI substudy to ongoing telmisartan alone and in combination with ramipril global endpoint trial/telmisartan randomized assessment study in ACE-intolerant subjects with cardiovascular disease: analysis protocol and baseline characteristics. <i>Clinical Research in Cardiology</i> , 2009 , 98, 421-33	6.1	9
60	Beta-blockers for congestive heart failure: what is the current consensus?. <i>Drugs and Aging</i> , 2000 , 16, 1-7	4.7	9
59	Nutritional Metabolomics and the Classification of Dietary Biomarker Candidates: A Critical Review. <i>Advances in Nutrition</i> , 2021 , 12, 2333-2357	10	9
58	Factors Associated with Serum 25-Hydroxyvitamin D Concentration in Two Cohorts of Pregnant Women in Southern Ontario, Canada. <i>Nutrients</i> , 2019 , 11,	6.7	9
57	Evaluating the effectiveness of rosuvastatin in preventing the progression of diastolic dysfunction in aortic stenosis: A substudy of the aortic stenosis progression observation measuring effects of rosuvastatin (ASTRONOMER) study. <i>Cardiovascular Ultrasound</i> , 2011 , 9, 5	2.4	8
56	In a subgroup of high-risk Asians, telmisartan was non-inferior to ramipril and better tolerated in the prevention of cardiovascular events. <i>PLoS ONE</i> , 2010 , 5, e13694	3.7	8
55	Risk Alleles in/near ADCY5, ADRA2A, CDKAL1, CDKN2A/B, GRB10, and TCF7L2 Elevate Plasma Glucose Levels at Birth and in Early Childhood: Results from the FAMILY Study. <i>PLoS ONE</i> , 2016 , 11, e0152107	3.7	8
54	Pollen count and presentation of angiotensin-converting enzyme inhibitor-associated angioedema. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2013 , 1, 468-73.e1-4	5.4	7

53	Optimal medical therapy, lifestyle intervention, and secondary prevention strategies for cardiovascular event reduction in ischemic heart disease. <i>Current Cardiology Reports</i> , 2011 , 13, 287-95	4.2	7
52	Maternal Diet and the Serum Metabolome in Pregnancy: Robust Dietary Biomarkers Generalizable to a Multiethnic Birth Cohort. <i>Current Developments in Nutrition</i> , 2020 , 4, nzaa144	0.4	7
51	The maternal serum metabolome by multisegment injection-capillary electrophoresis-mass spectrometry: a high-throughput platform and standardized data workflow for large-scale epidemiological studies. <i>Nature Protocols</i> , 2021 , 16, 1966-1994	18.8	7
50	Digoxin and clinical outcomes in the Global Rheumatic Heart Disease Registry. <i>Heart</i> , 2019 , 105, 363-369	5.1	7
49	Autoantibodies and immune complexes to oxidation-specific epitopes and progression of aortic stenosis: Results from the ASTRONOMER trial. <i>Atherosclerosis</i> , 2017 , 260, 1-7	3.1	6
48	Adiposity measures and their validity in estimating risk of hypertension in South Asian children: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e024087	3	6
47	Predicting the Benefits of Percutaneous Coronary Intervention on 1-Year Angina and Quality of Life in Stable Ischemic Heart Disease: Risk Models From the COURAGE Trial (Clinical Outcomes Utilizing Revascularization and Aggressive Drug Evaluation). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018 , 11, e003971	5.8	6
46	Associations of cardiometabolic outcomes with indices of obesity in children aged 5 years and younger. <i>PLoS ONE</i> , 2019 , 14, e0218816	3.7	6
45	Impact of lifestyle factors on fracture risk in older patients with cardiovascular disease: a prospective cohort study of 26,335 individuals from 40 countries. <i>Age and Ageing</i> , 2014 , 43, 629-35	3	6
44	Dysglycemia and Cognitive Dysfunction and Ill Health in People With High CV Risk: Results From the ONTARGET/TRANSCEND Studies. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2682-9	5.6	6
43	Polypill: lights and shadows. <i>Current Hypertension Reports</i> , 2010 , 12, 276-81	4.7	6
42	Influence of tea consumption on acute myocardial infarction in China population: the INTERHEART China study. <i>Angiology</i> , 2015 , 66, 265-70	2.1	5
41	Reduced Cognitive Assessment Scores Among Individuals With Magnetic Resonance Imaging-Detected Vascular Brain Injury. <i>Stroke</i> , 2020 , 51, 1158-1165	6.7	5
40	Does greater individual social capital improve the management of hypertension? Cross-national analysis of 61 229 individuals in 21 countries. <i>BMJ Global Health</i> , 2017 , 2, e000443	6.6	5
39	Do major cardiovascular outcomes in patients with stable ischemic heart disease in the clinical outcomes utilizing revascularization and aggressive drug evaluation trial differ by healthcare system?. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2010 , 3, 476-83	5.8	5
38	Corrigendum to Effectiveness of comprehensive disease management programmes in improving clinical outcomes in heart failure patients. A meta-analysis [Eur J Heart Fail 7 (2005) 1133-1144]. <i>European Journal of Heart Failure</i> , 2006 , 8, 223-224	12.3	5
37	Cardiovascular risk scoring and magnetic resonance imaging detected subclinical cerebrovascular disease. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 692-700	4.1	5
36	Polypill Variants (Quarter Pill Trials). <i>American Journal of Hypertension</i> , 2018 , 31, 758-761	2.3	4

35	Co-variation in dimensions of smoking behaviour: a multivariate analysis of individuals and communities in Canada. <i>Health and Place</i> , 2013 , 22, 29-37	4.6	4
34	Genetic contribution to lipid levels in early life based on 158 loci validated in adults: the FAMILY study. <i>Scientific Reports</i> , 2017 , 7, 68	4.9	4
33	The cost implications of the use of telmisartan or ramipril in patients at high risk for vascular events: the ONTARGET study. <i>Journal of Medical Economics</i> , 2011 , 14, 792-7	2.4	4
32	Ramipril in the treatment of vascular diseases. <i>Expert Opinion on Pharmacotherapy</i> , 2005 , 6, 1911-9	4	4
31	Acute Myocardial Infarction in Canada: New Epidemiologic Insights on Incidence, Therapy, and Risk. <i>Journal of Thrombosis and Thrombolysis</i> , 1996 , 3, 101-105	5.1	4
30	Visit-to-visit blood pressure variability and renal outcomes: results from ONTARGET and TRANSCEND trials. <i>Journal of Hypertension</i> , 2020 , 38, 2050-2058	1.9	4
29	Effect of Cognitive Reserve on the Association of Vascular Brain Injury With Cognition: Analysis of the PURE and CAHMH Studies. <i>Neurology</i> , 2021 , 97, e1707-e1716	6.5	4
28	Diabetes, Brain Infarcts, Cognition, and Small Vessels in the Canadian Alliance for Healthy Hearts and Minds Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e891-e898	5.6	3
27	Effect of baseline exercise capacity on outcomes in patients with stable coronary heart disease (a post hoc analysis of the clinical outcomes utilizing revascularization and aggressive drug evaluation trial). <i>American Journal of Cardiology</i> , 2015 , 116, 1509-15	3	2
26	Ethnic differences in maternal diet in pregnancy and infant eczema. <i>PLoS ONE</i> , 2020 , 15, e0232170	3.7	2
25	Parental and offspring contribution of genetic markers of adult blood pressure in early life: The FAMILY study. <i>PLoS ONE</i> , 2017 , 12, e0186218	3.7	2
24	Blood pressure reduction by reducing sodium intake in the population: one shoe fits all?. <i>Current Opinion in Cardiology</i> , 2014 , 29, 331-5	2.1	2
23	A survey of physicians show a one-third reduction in harmful outcomes to be a clinically important difference for statin therapy. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 954-61	5.7	2
22	Clinical evidence from ONTARGET: proven cardio- and vascular protection. <i>European Heart Journal Supplements</i> , 2009 , 11, F9-F15	1.5	2
21	Evaluation of Adiposity and Cognitive Function in Adults.. <i>JAMA Network Open</i> , 2022 , 5, e2146324	10.4	2
20	Metabolite profiles and the risk of metabolic syndrome in early childhood: a case-control study. <i>BMC Medicine</i> , 2021 , 19, 292	11.4	2
19	Renal outcomes and blood pressure patterns in diabetic and nondiabetic individuals at high cardiovascular risk. <i>Journal of Hypertension</i> , 2021 , 39, 766-774	1.9	2
18	The Blood Pressure Lowering Treatment Trialists' Collaboration: methodological clarifications of recent reports.. <i>Journal of Hypertension</i> , 2022 ,	1.9	2

17	Maternal and child factors associated with bone length traits in children at 3 years of age. <i>Bone</i> , 2019 , 127, 1-8	4.7	1
16	Risk Prediction Tool for Assessing the Probability of Death or Myocardial Infarction in Patients With Stable Coronary Artery Disease. <i>American Journal of Cardiology</i> , 2020 , 130, 1-6	3	1
15	Differences and agreement between two portable hand-held spirometers across diverse community-based populations in the Prospective Urban Rural Epidemiology (PURE) study. <i>PLOS Global Public Health</i> , 2022 , 2, e0000141		1
14	Variations in risks from smoking between high-income, middle-income, and low-income countries: an analysis of data from 179 000 participants from 63 countries.. <i>The Lancet Global Health</i> , 2022 , 10, e216-e226 ¹	13.6	1
13	Variations in the financial impact of the COVID-19 pandemic across 5 continents: A cross-sectional, individual level analysis.. <i>EclinicalMedicine</i> , 2022 , 44, 101284	11.3	1
12	Non-esterified fatty acids as biomarkers of diet and glucose homeostasis in pregnancy: The impact of fatty acid reporting methods: NEFA reporting methods affect dietary and cardiometabolic endpoints. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2021 , 176, 102378	2.8	1
11	Timing and Length of Nocturnal Sleep and Daytime Napping and Associations With Obesity Types in High-, Middle-, and Low-Income Countries. <i>JAMA Network Open</i> , 2021 , 4, e2113775	10.4	1
10	Normal sex and age-specific parameters in a multi-ethnic population: a cardiovascular magnetic resonance study of the Canadian Alliance for Healthy Hearts and Minds cohort.. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2022 , 24, 2	6.9	0
9	Association between exercise frequency with renal and cardiovascular outcomes in diabetic and non-diabetic individuals at high cardiovascular risk.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 12	8.7	0
8	The Canadian Alliance for Healthy Hearts and Minds: How Well Does It Reflect the Canadian Population?. <i>CJC Open</i> , 2020 , 2, 599-609	2	0
7	Cardiovascular outcomes in patients at high cardiovascular risk with previous myocardial infarction or stroke. <i>Journal of Hypertension</i> , 2021 , 39, 1602-1610	1.9	0
6	DNA methylation changes in cord blood and the developmental origins of health and disease - a systematic review and replication study.. <i>BMC Genomics</i> , 2022 , 23, 221	4.5	0
5	Practical and valid approaches in quantifying sodium intake in population studies. <i>Journal of Hypertension</i> , 2017 , 35, 2168-2170	1.9	
4	The Role of the Polypill in Hypertension 2012 , 279-294		
3	Pharmacologic Therapy for Primary Prevention of Arrhythmias and Sudden Death in Patients who have had a Myocardial Infarction. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1997 , 1, 207-209		
2	Primary prevention in chronic ischemic heart disease. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2002 , 6, 15-7		
1	Primary Prevention in Chronic Ischemic Heart Disease. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1999 , 3, 184-186		