
## Francesc FernÃ;ndez-Avilés

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4183291/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prolonged viral replication in patients with hematologic malignancies hospitalized with COVID-19. Haematologica, 2022, 107, 1731-1735.	3.5	11
2	PTCY and Tacrolimus for GVHD Prevention for Older Adults Undergoing HLA-Matched Sibling and Unrelated Donor AlloHCT. Transplantation and Cellular Therapy, 2022, 28, 489.e1-489.e9.	1.2	7
3	Risk Factors for Mortality in Hematopoietic Stem Cell Transplantation Recipients with Bloodstream Infection: Points To Be Addressed by Future Guidelines. Transplantation and Cellular Therapy, 2021, 27, 501.e1-501.e6.	1.2	9
4	Personalized at-home autologous hematopoietic stem cell transplantation during the SARS-CoV-2 outbreak. Leukemia Research, 2021, 106, 106589.	0.8	2
5	High-Dose Cyclophosphamide and Tacrolimus as Graft-versus-Host Disease Prophylaxis for Matched and Mismatched Unrelated Donor Transplantation. Transplantation and Cellular Therapy, 2021, 27, 619.e1-619.e8.	1.2	15
6	Hospital and outpatient models for Hematopoietic Stem Cell Transplantation: A systematic review of comparative studies for health outcomes, experience of care and costs. PLoS ONE, 2021, 16, e0254135.	2.5	10
7	Validation of Different Prognostic Scores in Allogeneic Hematopoietic Cell Transplantation in the Post-Transplant Cyclophosphamide Era. Blood, 2021, 138, 3925-3925.	1.4	Ο
8	Changing epidemiology of bloodstream infection in a 25-years hematopoietic stem cell transplant program: current challenges and pitfalls on empiric antibiotic treatment impacting outcomes. Bone Marrow Transplantation, 2020, 55, 603-612.	2.4	33
9	The induction strategies administered in the treatment of multiple myeloma exhibit a deleterious effect on the endothelium. Bone Marrow Transplantation, 2020, 55, 2270-2278.	2.4	9
10	Impact of intensifying primary antibiotic prophylaxis in at-home autologous stem cell transplantation program for lymphoma patients. Leukemia and Lymphoma, 2020, 61, 1565-1574.	1.3	8
11	Impact of severe acute kidney injury and chronic kidney disease on allogeneic hematopoietic cell transplant recipients: a retrospective single center analysis. Bone Marrow Transplantation, 2020, 55, 1264-1271.	2.4	21
12	A reproducible and safe at-home allogeneic haematopoietic cell transplant program: first experience in Central and Southern Europe. Bone Marrow Transplantation, 2020, 55, 965-973.	2.4	15
13	The avoidance of G-CSF and the addition of prophylactic corticosteroids after autologous stem cell transplantation for multiple myeloma patients appeal for the at-home setting to reduce readmission for neutropenic fever. PLoS ONE, 2020, 15, e0241778.	2.5	5
14	Quantitative PCR Is Faster, More Objective, and More Reliable Than Immunohistochemistry for the Diagnosis of Cytomegalovirus Gastrointestinal Disease in Allogeneic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 2281-2286.	2.0	14
15	Improving security of autologous hematopoietic stem cell transplant in patients with light-chain amyloidosis. Bone Marrow Transplantation, 2019, 54, 1295-1303.	2.4	6
16	Thrombopoietin Receptor Agonists for Severe Thrombocytopenia after Allogeneic Stem Cell Transplantation: Experience of the Spanish Group of Hematopoietic Stem Cell Transplant. Biology of Blood and Marrow Transplantation, 2019, 25, 1825-1831.	2.0	34
17	Response to Novel Drugs before and after Allogeneic Stem Cell Transplantation in Patients with Relapsed Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2019, 25, 1703-1712.	2.0	13
18	Single Antigen–Mismatched Unrelated Hematopoietic Stem Cell Transplantation Using High-Dose Post-Transplantation Cyclophosphamide Is a Suitable Alternative for Patients Lacking HLA-Matched Donors. Biology of Blood and Marrow Transplantation, 2018, 24, 1196-1202.	2.0	50

#	Article	IF	CITATIONS
19	Innovative strategies minimize engraftment syndrome in multiple myeloma patients with novel induction therapy following autologous hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2018, 53, 1541-1547.	2.4	20
20	Deleterious Effect of Steroids on Cytomegalovirus Infection Rate after Allogeneic Stem Cell Transplantation Depends on Pretransplant Cytomegalovirus Serostatus of Donors and Recipients. Biology of Blood and Marrow Transplantation, 2018, 24, 2088-2093.	2.0	11
21	Thrombopoietin Receptor Agonists for Severe Thrombocytopenia after Allogeneic Stem Cell Transplantation: Experience of a Multicenter Study from the Grupo Español De Trasplante Hematopoyético (GETH). Blood, 2018, 132, 200-200.	1.4	1
22	Autologous Haematopoietic Stem Cell Transplantation for Refractory Crohn's Disease: Efficacy in a Single-Centre Cohort. Journal of Crohn's and Colitis, 2017, 11, 1161-1168.	1.3	56
23	Pharmacodynamics of T cell function for monitoring pharmacologic immunosuppression after allogeneic hematopoietic stem cell transplantation. International Journal of Hematology, 2017, 105, 497-505.	1.6	4
24	Romiplostim for the treatment of glioblastoma-related paraneoplastic autoimmune thrombocytopenia refractory to conventional therapy. Annals of Hematology, 2016, 95, 665-666.	1.8	2
25	Improving safety of autologous haematopoietic stem cell transplantation in patients with Crohn's disease. Gut, 2016, 65, 1456-1462.	12.1	56
26	Response to Proteosome Inhibitors and Immunomodulatory Drugs before and after Allogeneic Transplantation in Patients with Multiple Myeloma: A Long Term Follow up Study. Blood, 2016, 128, 3436-3436.	1.4	1
27	Impact of transplant eligibility and availability of a human leukocyte antigen-identical matched related donor on outcome of older patients with acute lymphoblastic leukemia. Leukemia and Lymphoma, 2015, 56, 2812-2818.	1.3	5
28	Effect of meropenem administration in extended infusion on the clinical outcome of febrile neutropenia: a retrospective observational study. Journal of Antimicrobial Chemotherapy, 2014, 69, 2556-2562.	3.0	39
29	Combination of the Hematopoietic Cell Transplantation Comorbidity Index and the European Group for Blood and Marrow Transplantation Score Allows a Better Stratification of High-Risk Patients Undergoing Reduced-Toxicity Allogeneic Hematopoietic Cell Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 66-72.	2.0	41
30	Strategies for Graft Versus Host Disease Prophylaxis after Reduced-Intensity Conditioning Transplantation: Combination of Sirolimus Plus Tacrolimus Allows to Obtain the Best Outcome. Blood, 2014, 124, 1165-1165.	1.4	0
31	At-Home Management of Adult Patients Following Consolidation Chemotherapy for Acute Myeloid Leukemia. Blood, 2014, 124, 3692-3692.	1.4	4
32	Genetic Polymorphisms in the Inflammasomes Are Associated with Relapse and Survival in HLA-Identical Sibling Donor Allogeneic Stem Cell Transplantation Blood, 2007, 110, 1075-1075.	1.4	5
33	Endothelial Dysfunction in Autologous Hematopoietic Stem Cell Transplantation Blood, 2007, 110, 4855-4855.	1.4	0
34	Case-Control Comparison of At-Home to Total Hospital Care for Autologous Stem-Cell Transplantation for Hematologic Malignancies. Journal of Clinical Oncology, 2006, 24, 4855-4861.	1.6	63
35	Impact of Dendritic Cell CD16+ Recovery on Outcome after Reduced-Intensity Conditioning Allogeneic Stem Cell Transplantation Blood, 2005, 106, 1409-1409.	1.4	0
36	Polymorphisms of NOD2/CARD15 Are Associated with Clinical Outcome in T-Cell Depleted HLA-Identical Sibling Allogeneic Stem Cell Transplantation Blood, 2005, 106, 1408-1408.	1.4	0

#	Article	IF	CITATIONS
37	Donor's Mannan-Binding Lectin (MBL) Gene Polymorphism Is Associated with Invasive Fungal Infection Following Allogeneic Stem Cell Transplantation Blood, 2004, 104, 2220-2220.	1.4	2
38	Low-dose total-body irradiation and fludarabine followed by hematopoietic cell transplantation from HLA-identical sibling donors do not induce complete T-cell donor engraftment in most patients with progressive hematologic diseases. Experimental Hematology, 2003, 31, 934-940.	0.4	5
39	Long-term outcomes in patients with relapsed/refractory acute myeloid leukemia and other high-risk myeloid malignancies after undergoing sequential conditioning regimen based on IDA-FLAG and high-dose melphalan. Bone Marrow Transplantation, 0, , .	2.4	1