

Harpreet Kaur Saini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4183380/harpreet-kaur-saini-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

6,002
citations

26
h-index

45
g-index

45
ext. papers

6,624
ext. citations

9.7
avg, IF

5.67
L-index

#	Paper	IF	Citations
44	Combining the IAP Antagonist Tolinapant with a DNA Hypomethylating Agent Enhances Immunogenic Cell Death in Preclinical Models of T-Cell Lymphoma. <i>Blood</i> , 2021 , 138, 3986-3986	2.2	
43	The role of SQSTM1 (p62) in mitochondrial function and clearance in human cortical neurons. <i>Stem Cell Reports</i> , 2021 , 16, 1276-1289	8	3
42	Antagonism of inhibitors of apoptosis proteins reveals a novel, immune response-based therapeutic approach for T-cell lymphoma. <i>Blood Advances</i> , 2021 , 5, 4003-4016	7.8	1
41	Dual-Mechanism ERK1/2 Inhibitors Exploit a Distinct Binding Mode to Block Phosphorylation and Nuclear Accumulation of ERK1/2. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 525-539	6.1	5
40	Visualization and analysis of RNA-Seq assembly graphs. <i>Nucleic Acids Research</i> , 2019 , 47, 7262-7275	20.1	1
39	COSMIC-3D provides structural perspectives on cancer genetics for drug discovery. <i>Nature Genetics</i> , 2018 , 50, 1200-1202	36.3	18
38	Fragment-Based Discovery of a Potent, Orally Bioavailable Inhibitor That Modulates the Phosphorylation and Catalytic Activity of ERK1/2. <i>Journal of Medicinal Chemistry</i> , 2018 , 61, 4978-4992	8.3	22
37	Transposon-driven transcription is a conserved feature of vertebrate spermatogenesis and transcript evolution. <i>EMBO Reports</i> , 2017 , 18, 1231-1247	6.5	26
36	Extracellular vesicles are independent metabolic units with asparaginase activity. <i>Nature Chemical Biology</i> , 2017 , 13, 951-955	11.7	70
35	Emergence of resistance to tyrosine kinase inhibitors in non-small-cell lung cancer can be delayed by an upfront combination with the HSP90 inhibitor onalespib. <i>British Journal of Cancer</i> , 2016 , 115, 1069-1077	8.7	23
34	ETurn: a novel ETurn mimic in globular proteins stabilized by main-chain to side-chain C _H 1111O interaction. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015 , 83, 203-14	4.2	6
33	Solid tumors of childhood display specific serum microRNA profiles. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 350-60	4	50
32	Detection of secondary binding sites in proteins using fragment screening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15910-5	11.5	71
31	Integrated analysis of microRNA and mRNA expression and association with HIF binding reveals the complexity of microRNA expression regulation under hypoxia. <i>Molecular Cancer</i> , 2014 , 13, 28	42.1	104
30	Extracellular vesicles from neural stem cells transfer IFN- γ via Ifngr1 to activate Stat1 signaling in target cells. <i>Molecular Cell</i> , 2014 , 56, 193-204	17.6	195
29	Multiple epigenetic mechanisms and the piRNA pathway enforce LINE1 silencing during adult spermatogenesis. <i>Molecular Cell</i> , 2013 , 50, 601-8	17.6	134
28	Depletion of HPV16 early genes induces autophagy and senescence in a cervical carcinogenesis model, regardless of viral physical state. <i>Journal of Pathology</i> , 2013 , 231, 354-66	9.4	28

27	LIN28 Expression in malignant germ cell tumors downregulates let-7 and increases oncogene levels. <i>Cancer Research</i> , 2013 , 73, 4872-84	10.1	50
26	Messenger RNA and microRNA profiling during early mouse EB formation. <i>Gene Expression Patterns</i> , 2011 , 11, 334-44	1.5	16
25	Functional evidence that Drosha overexpression in cervical squamous cell carcinoma affects cell phenotype and microRNA profiles. <i>Journal of Pathology</i> , 2011 , 224, 496-507	9.4	61
24	MiR-221 influences effector functions and actin cytoskeleton in mast cells. <i>PLoS ONE</i> , 2011 , 6, e26133	3.7	69
23	Malignant germ cell tumors display common microRNA profiles resulting in global changes in expression of messenger RNA targets. <i>Cancer Research</i> , 2010 , 70, 2911-23	10.1	201
22	iMotifs: an integrated sequence motif visualization and analysis environment. <i>Bioinformatics</i> , 2010 , 26, 843-4	7.2	7
21	The two most common histological subtypes of malignant germ cell tumour are distinguished by global microRNA profiles, associated with differential transcription factor expression. <i>Molecular Cancer</i> , 2010 , 9, 290	42.1	48
20	Annotation of mammalian primary microRNAs. <i>BMC Genomics</i> , 2008 , 9, 564	4.5	110
19	Computational prediction of protein-protein interactions. <i>Molecular Biotechnology</i> , 2008 , 38, 1-17	3	152
18	miRBase: tools for microRNA genomics. <i>Nucleic Acids Research</i> , 2008 , 36, D154-8	20.1	3326
17	Structural and functional insights into Mimivirus ORFans. <i>BMC Genomics</i> , 2007 , 8, 115	4.5	15
16	Genomic analysis of human microRNA transcripts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 17719-24	11.5	402
15	PEPstr: a de novo method for tertiary structure prediction of small bioactive peptides. <i>Protein and Peptide Letters</i> , 2007 , 14, 626-31	1.9	152
14	FRalalyzer: a tool for functional analysis of fold-recognition sequence-structure alignments. <i>Nucleic Acids Research</i> , 2007 , 35, W499-502	20.1	3
13	A putative novel alpha/beta hydrolase ORFan family in Bacillus. <i>FEBS Letters</i> , 2005 , 579, 3175-82	3.8	12
12	Real value prediction of solvent accessibility in proteins using multiple sequence alignment and secondary structure. <i>Proteins: Structure, Function and Bioinformatics</i> , 2005 , 61, 318-24	4.2	73
11	Meta-DP: domain prediction meta-server. <i>Bioinformatics</i> , 2005 , 21, 2917-20	7.2	43
10	A neural network method for prediction of beta-turn types in proteins using evolutionary information. <i>Bioinformatics</i> , 2004 , 20, 2751-8	7.2	80

9	Prediction of transmembrane regions of beta-barrel proteins using ANN- and SVM-based methods. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004 , 56, 11-8	4.2	85
8	Prediction of alpha-turns in proteins using PSI-BLAST profiles and secondary structure information. <i>Proteins: Structure, Function and Bioinformatics</i> , 2004 , 55, 83-90	4.2	44
7	Role of evolutionary information in prediction of aromatic-backbone NH interactions in proteins. <i>FEBS Letters</i> , 2004 , 564, 47-57	3.8	8
6	Prediction of beta-turns in proteins from multiple alignment using neural network. <i>Protein Science</i> , 2003 , 12, 627-34	6.3	117
5	A neural-network based method for prediction of gamma-turns in proteins from multiple sequence alignment. <i>Protein Science</i> , 2003 , 12, 923-9	6.3	61
4	BTEVAL: a server for evaluation of beta-turn prediction methods. <i>Journal of Bioinformatics and Computational Biology</i> , 2003 , 1, 495-504	1	3
3	Locating probable genes using Fourier transform approach. <i>Bioinformatics</i> , 2002 , 18, 196-7	7.2	45
2	An evaluation of beta-turn prediction methods. <i>Bioinformatics</i> , 2002 , 18, 1508-14	7.2	41
1	BetaTPred: prediction of beta-TURNS in a protein using statistical algorithms. <i>Bioinformatics</i> , 2002 , 18, 498-9	7.2	21