

Jinfei Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/418440/jinfei-chen-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

1,573

citations

23

h-index

37

g-index

85

ext. papers

1,850

ext. citations

5.2

avg, IF

4.27

L-index

#	Paper	IF	Citations
83	A novel long noncoding RNA HOXC-AS3 mediates tumorigenesis of gastric cancer by binding to YBX1. <i>Genome Biology</i> , 2018 , 19, 154	18.3	152
82	Genetic variants in lncRNA HOTAIR are associated with risk of colorectal cancer. <i>Mutagenesis</i> , 2015 , 30, 303-10	2.8	112
81	c-Myc-induced, long, noncoding H19 affects cell proliferation and predicts a poor prognosis in patients with gastric cancer. <i>Medical Oncology</i> , 2014 , 31, 914	3.7	103
80	miR-122 targets pyruvate kinase M2 and affects metabolism of hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e86872	3.7	88
79	E2F1-induced upregulation of long noncoding RNA LINC00668 predicts a poor prognosis of gastric cancer and promotes cell proliferation through epigenetically silencing of CKIs. <i>Oncotarget</i> , 2016 , 7, 23212-26	3.3	57
78	A genetic variant in miR-146a modifies colorectal cancer susceptibility in a Chinese population. <i>Archives of Toxicology</i> , 2013 , 87, 825-33	5.8	55
77	Genome-wide analysis of long noncoding RNA signature in human colorectal cancer. <i>Gene</i> , 2015 , 556, 227-34	3.8	53
76	Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , 2017 , 66, 581-587	19.2	51
75	Clinical potential role of circulating microRNAs in early diagnosis of colorectal cancer patients. <i>Carcinogenesis</i> , 2014 , 35, 2723-30	4.6	51
74	The DNA repair gene APE1 T1349G polymorphism and cancer risk: a meta-analysis of 27 case-control studies. <i>Mutagenesis</i> , 2009 , 24, 507-12	2.8	50
73	Common genetic variation in ETV6 is associated with colorectal cancer susceptibility. <i>Nature Communications</i> , 2016 , 7, 11478	17.4	45
72	Genetic variants in noncoding PIWI-interacting RNA and colorectal cancer risk. <i>Cancer</i> , 2015 , 121, 2044-50.4	5.4	43
71	Clinical significance of SOD2 and GSTP1 gene polymorphisms in Chinese patients with gastric cancer. <i>Cancer</i> , 2012 , 118, 5489-96	6.4	40
70	Exome Array Analysis Identifies Variants in SPOCD1 and BTN3A2 That Affect Risk for Gastric Cancer. <i>Gastroenterology</i> , 2017 , 152, 2011-2021	13.3	32
69	Genetic variant in 8q24 is associated with prognosis for gastric cancer in a Chinese population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 689-95	4	31
68	Frequent KIT mutations in human gastrointestinal stromal tumors. <i>Scientific Reports</i> , 2014 , 4, 5907	4.9	30
67	Lack of association between the hOGG1 Ser326Cys polymorphism and breast cancer risk: evidence from 11 case-control studies. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 527-31	4.4	30

66	An inverse association between tea consumption and colorectal cancer risk. <i>Oncotarget</i> , 2017 , 8, 37367-37376	3.0	30
65	The HOTAIR, PRNCR1 and POLR2E polymorphisms are associated with cancer risk: a meta-analysis. <i>Oncotarget</i> , 2017 , 8, 43271-43283	3.3	29
64	Targeting HSP90-HDAC6 Regulating Network Implicates Precision Treatment of Breast Cancer. <i>International Journal of Biological Sciences</i> , 2017 , 13, 505-517	11.2	25
63	RelB Expression Determines the Differential Effects of Ascorbic Acid in Normal and Cancer Cells. <i>Cancer Research</i> , 2017 , 77, 1345-1356	10.1	24
62	Phase III study of dulanermin (recombinant human tumor necrosis factor-related apoptosis-inducing ligand/Apo2 ligand) combined with vinorelbine and cisplatin in patients with advanced non-small-cell lung cancer. <i>Investigational New Drugs</i> , 2018 , 36, 315-322	4.3	24
61	Circadian clock pathway genes associated with colorectal cancer risk and prognosis. <i>Archives of Toxicology</i> , 2018 , 92, 2681-2689	5.8	24
60	The DNA repair gene APE1 T1349G polymorphism and risk of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2011 , 6, e28971	3.7	22
59	Clinical significance of ALDH2 rs671 polymorphism in esophageal cancer: evidence from 31 case-control studies. <i>OncoTargets and Therapy</i> , 2015 , 8, 649-59	4.4	20
58	Efficacy and safety of aprepitant in the prevention of chemotherapy-induced nausea and vomiting: a pooled analysis. <i>Supportive Care in Cancer</i> , 2012 , 20, 1815-22	3.9	18
57	Genetic mutation analysis of human gastric adenocarcinomas using ion torrent sequencing platform. <i>PLoS ONE</i> , 2014 , 9, e100442	3.7	15
56	Clinical significance of POU5F1P1 rs10505477 polymorphism in Chinese gastric cancer patients receiving cisplatin-based chemotherapy after surgical resection. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 12764-77	6.3	15
55	A genetic variant in ERCC2 is associated with gastric cancer prognosis in a Chinese population. <i>Mutagenesis</i> , 2013 , 28, 441-6	2.8	15
54	A genetic polymorphism in TOX3 is associated with survival of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2013 , 8, e72186	3.7	15
53	Polymorphism in one-carbon metabolism pathway affects survival of gastric cancer patients: Large and comprehensive study. <i>Oncotarget</i> , 2015 , 6, 9564-76	3.3	15
52	Polymorphism rs2682818 in miR-618 is associated with colorectal cancer susceptibility in a Han Chinese population. <i>Cancer Medicine</i> , 2018 , 7, 1194-1200	4.8	13
51	Comparison of the efficacy and safety of S-1-based and capecitabine-based regimens in gastrointestinal cancer: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e84230	3.7	12
50	Association study of genetic variants in estrogen metabolic pathway genes and colorectal cancer risk and survival. <i>Archives of Toxicology</i> , 2018 , 92, 1991-1999	5.8	12
49	Functional annotation of colorectal cancer susceptibility loci identifies MLH1 rs1800734 associated with MSI patients. <i>Gut</i> , 2016 , 65, 1227-8	19.2	11

48	SOD2 rs4880 CT/CC genotype predicts poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 401-10	3	11
47	Survival benefit and safety of the combinations of FOLFOXIRI + bevacizumab versus the combinations of FOLFIRI + bevacizumab as first-line treatment for unresectable metastatic colorectal cancer: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016 , 9, 4833-42	4.4	11
46	Remote modulation of lncRNA by risk variant at 16p13 underlying genetic susceptibility to gastric cancer. <i>Science Advances</i> , 2020 , 6, eaay5525	14.3	10
45	Survival benefit from S-1 as compared to Fluorouracil in Asian patients with advanced gastrointestinal cancer: a meta-analysis. <i>Cancer Science</i> , 2014 , 105, 1008-14	6.9	10
44	Association of XRCC1 gene polymorphisms with the survival and clinicopathological characteristics of gastric cancer. <i>DNA and Cell Biology</i> , 2013 , 32, 111-8	3.6	10
43	TGFB1 T29C polymorphism and breast cancer risk: a meta-analysis based on 10,417 cases and 11,455 controls. <i>Breast Cancer Research and Treatment</i> , 2010 , 123, 857-61	4.4	10
42	The effects of genomic polymorphisms in one-carbon metabolism pathways on survival of gastric cancer patients received fluorouracil-based adjuvant therapy. <i>Scientific Reports</i> , 2016 , 6, 28019	4.9	9
41	A genetic variant located in the miR-532-5p-binding site of TGFBR1 is associated with the colorectal cancer risk. <i>Journal of Gastroenterology</i> , 2019 , 54, 141-148	6.9	9
40	Associations of NR5A2 gene polymorphisms with the clinicopathological characteristics and survival of gastric cancer. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 22902-17	6.3	8
39	Pyrotinib in the treatment of human epidermal growth factor receptor 2-positive metastatic breast cancer: A case report. <i>Medicine (United States)</i> , 2020 , 99, e20809	1.8	7
38	Survival Benefit and Safety of Bevacizumab in Combination with Erlotinib as Maintenance Therapy in Patients with Metastatic Colorectal Cancer: A Meta-Analysis. <i>Clinical Drug Investigation</i> , 2017 , 37, 155-165	3.25	7
37	Genetic variation in C12orf51 is associated with prognosis of intestinal-type gastric cancer in a Chinese population. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 69, 133-8	7.5	7
36	Clinical significance of MYT1L gene polymorphisms in Chinese patients with gastric cancer. <i>PLoS ONE</i> , 2013 , 8, e71979	3.7	7
35	Long noncoding RNA LINC00165-induced by STAT3 exerts oncogenic properties via interaction with Polycomb Repressive Complex 2 to promote EMT in gastric cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 507, 223-230	3.4	7
34	Isobavachalcone sensitizes cells to E2-induced paclitaxel resistance by down-regulating CD44 expression in ER+ breast cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5220-5230	5.6	7
33	Clinicopathological and prognostic significance of metastasis-associated in colon cancer-1 in gastric cancer: A meta-analysis. <i>International Journal of Biological Markers</i> , 2019 , 34, 27-32	2.8	6
32	A MAP3k1 SNP predicts survival of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2014 , 9, e96083	3.7	6
31	Gemcitabine plus S-1: a hopeful frontline treatment for Asian patients with unresectable advanced pancreatic cancer. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 1122-30	2.8	5

30	Protein phosphatase magnesium-dependent 1 is a novel tumor marker and target in hepatocellular carcinoma. <i>Frontiers of Medicine</i> , 2016 , 10, 52-60	12	5
29	Hint1 expression inhibits proliferation and promotes radiosensitivity of human SGC7901 gastric cancer cells. <i>Oncology Letters</i> , 2018 , 16, 2135-2142	2.6	5
28	Evaluation of GWAS-Identified Genetic Variants for Gastric Cancer Survival. <i>EBioMedicine</i> , 2018 , 33, 82-88.8	8.8	5
27	A multicenter phase II study of donafenib in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15682-e15682	2.2	5
26	The efficacy and safety of irinotecan + bevacizumab compared with oxaliplatin + bevacizumab for metastatic colorectal cancer: A meta-analysis. <i>Medicine (United States)</i> , 2019 , 98, e17384	1.8	5
25	Association of microRNA-27a rs895819 polymorphism with the risk of cancer: An updated meta-analysis. <i>Gene</i> , 2020 , 728, 144185	3.8	4
24	A genetic variant in large tumor suppressor kinase 2 of Hippo signaling pathway contributes to prognosis of hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2016 , 9, 1945-51	4.4	4
23	Genetic polymorphism of rs9564966 G>A on 13q22.1 predicts poor survival for Chinese patients with gastric cancer. <i>Cancer Medicine</i> , 2019 , 8, 428-436	4.8	4
22	Asymmetrical arginine dimethylation of histone H4 by 8-oxog/OGG1/PRMT1 is essential for oxidative stress-induced transcription activation. <i>Free Radical Biology and Medicine</i> , 2021 , 164, 175-186	7.8	4
21	Influence of TS (rs34743033) and RUNX1 (rs2014300) gene polymorphisms on survival outcomes of fluorouracil-based chemotherapy in Chinese advanced gastric cancer patients. <i>Cancer Management and Research</i> , 2018 , 10, 1429-1437	3.6	3
20	Identification of biomarkers and their functions in dasatinib-resistant pancreatic cancer using bioinformatics analysis. <i>Oncology Letters</i> , 2019 , 18, 197-206	2.6	3
19	IKBKB rs2272736 is Associated with Gastric Cancer Survival. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 345-352	2.1	3
18	Establishment and Characterization of gc-006-03, a Novel Human Signet Ring Cell Gastric Cancer Cell Line Derived from Metastatic Ascites. <i>Journal of Cancer</i> , 2018 , 9, 3236-3246	4.5	3
17	regulates the integrity of lysosomal membrane by hnRNP K-stabilized transcript and promotes cell survival.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	2
16	Concordance evaluation of an artificial intelligence technology with a multidisciplinary tumor board in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e18569-e18569	2.2	2
15	Assessment of the Diagnostic Efficiency of a Liquid Biopsy Assay for Early Detection of Gastric Cancer. <i>JAMA Network Open</i> , 2021 , 4, e2121129	10.4	2
14	Establishment and characterization of a novel cell line (cc-006cpm8) of moderately/poorly differentiated colorectal adenocarcinoma derived from a primary tumor of a patient. <i>International Journal of Oncology</i> , 2019 , 55, 243-256	4.4	1
13	MAP3K1 rs889312 genotypes influence survival outcomes of Chinese gastric cancer patients who received adjuvant chemotherapy based on platinum and fluorouracil regimens. <i>OncoTargets and Therapy</i> , 2019 , 12, 6843-6855	4.4	1

12	The prognostic impacts of transcription factor polymorphisms in Chinese hepatocellular carcinoma patients. <i>Oncotarget</i> , 2017 , 8, 69823-69832	3.3	1
11	Frequent mutations in MLH1, MET, KIT, PDGFRA, and PIK3CA genes in human gastrointestinal stromal tumors.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 10544-10544	2.2	1
10	Genomic variants in Fas-mediated apoptosis pathway predict a poor response to Platinum-based Chemotherapy for Chinese Gastric Cancer Patients. <i>Journal of Cancer</i> , 2021 , 12, 849-859	4.5	1
9	An isolated unusual digit metastasis from esophageal carcinoma: a case report. <i>OncoTargets and Therapy</i> , 2017 , 10, 2449-2452	4.4	0
8	SOD2 rs4880 CT/CC genotype to predict poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 11037-11037	2.2	0
7	Establishment and characterization of the GC-030-35 cell line derived from gastric hepatoid adenocarcinoma. <i>Cancer Management and Research</i> , 2019 , 11, 1275-1287	3.6	
6	Implication of polymorphisms in the promoter region of apoptosis-related genes in survival of gastric cancer patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15062-e15062	2.2	
5	Single nucleotide polymorphism of SOD2 to predict survival for Chinese gastric cancer patients received platinum/fluorouracil-based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15035-e15035	2.2	
4	Effect of polymorphism in one-carbon metabolism pathway on survival of gastric cancer patients in a large and comprehensive study.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e15091-e15091	2.2	
3	Effect of H3K27 acetylation activated-long noncoding RNA CCAT1 on cell proliferation and migration by regulating SPRY4 and HOXB13 expression in esophageal squamous carcinoma cell.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e15566-e15566	2.2	
2	Comprehensive genetic mutation analysis of human gastric adenocarcinomas.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4106-4106	2.2	
1	Variation rs9929218 and risk of the colorectal Cancer and adenomas: A meta-analysis. <i>BMC Cancer</i> , 2021 , 21, 190	4.8	