

Jinfei Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/418440/jinfei-chen-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

1,573

citations

23

h-index

37

g-index

85

ext. papers

1,850

ext. citations

5.2

avg, IF

4.27

L-index

#	Paper	IF	Citations
83	regulates the integrity of lysosomal membrane by hnRNP K-stabilized transcript and promotes cell survival.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022 , 119,	11.5	2
82	Genomic variants in Fas-mediated apoptosis pathway predict a poor response to Platinum-based Chemotherapy for Chinese Gastric Cancer Patients. <i>Journal of Cancer</i> , 2021 , 12, 849-859	4.5	1
81	Variation rs9929218 and risk of the colorectal Cancer and adenomas: A meta-analysis. <i>BMC Cancer</i> , 2021 , 21, 190	4.8	
80	Asymmetrical arginine dimethylation of histone H4 by 8-oxog/OGG1/PRMT1 is essential for oxidative stress-induced transcription activation. <i>Free Radical Biology and Medicine</i> , 2021 , 164, 175-186	7.8	4
79	Assessment of the Diagnostic Efficiency of a Liquid Biopsy Assay for Early Detection of Gastric Cancer. <i>JAMA Network Open</i> , 2021 , 4, e2121129	10.4	2
78	Remote modulation of lncRNA by risk variant at 16p13 underlying genetic susceptibility to gastric cancer. <i>Science Advances</i> , 2020 , 6, eaay5525	14.3	10
77	Pyrotinib in the treatment of human epidermal growth factor receptor 2-positive metastatic breast cancer: A case report. <i>Medicine (United States)</i> , 2020 , 99, e20809	1.8	7
76	Association of microRNA-27a rs895819 polymorphism with the risk of cancer: An updated meta-analysis. <i>Gene</i> , 2020 , 728, 144185	3.8	4
75	IKBKB rs2272736 is Associated with Gastric Cancer Survival. <i>Pharmacogenomics and Personalized Medicine</i> , 2020 , 13, 345-352	2.1	3
74	Establishment and characterization of a novel cell line (cc-006cpm8) of moderately/poorly differentiated colorectal adenocarcinoma derived from a primary tumor of a patient. <i>International Journal of Oncology</i> , 2019 , 55, 243-256	4.4	1
73	Clinicopathological and prognostic significance of metastasis-associated in colon cancer-1 in gastric cancer: A meta-analysis. <i>International Journal of Biological Markers</i> , 2019 , 34, 27-32	2.8	6
72	Establishment and characterization of the GC-030-35 cell line derived from gastric hepatoid adenocarcinoma. <i>Cancer Management and Research</i> , 2019 , 11, 1275-1287	3.6	
71	A genetic variant located in the miR-532-5p-binding site of TGFBR1 is associated with the colorectal cancer risk. <i>Journal of Gastroenterology</i> , 2019 , 54, 141-148	6.9	9
70	Identification of biomarkers and their functions in dasatinib-resistant pancreatic cancer using bioinformatics analysis. <i>Oncology Letters</i> , 2019 , 18, 197-206	2.6	3
69	MAP3K1 rs889312 genotypes influence survival outcomes of Chinese gastric cancer patients who received adjuvant chemotherapy based on platinum and fluorouracil regimes. <i>OncoTargets and Therapy</i> , 2019 , 12, 6843-6855	4.4	1
68	The efficacy and safety of irinotecan + bevacizumab compared with oxaliplatin + bevacizumab for metastatic colorectal cancer: A meta-analysis. <i>Medicine (United States)</i> , 2019 , 98, e17384	1.8	5
67	Genetic polymorphism of rs9564966 G>A on 13q22.1 predicts poor survival for Chinese patients with gastric cancer. <i>Cancer Medicine</i> , 2019 , 8, 428-436	4.8	4

66	Polymorphism rs2682818 in miR-618 is associated with colorectal cancer susceptibility in a Han Chinese population. <i>Cancer Medicine</i> , 2018 , 7, 1194-1200	4.8	13
65	Hint1 expression inhibits proliferation and promotes radiosensitivity of human SGC7901 gastric cancer cells. <i>Oncology Letters</i> , 2018 , 16, 2135-2142	2.6	5
64	Evaluation of GWAS-Identified Genetic Variants for Gastric Cancer Survival. <i>EBioMedicine</i> , 2018 , 33, 82-88.8	5	
63	Influence of TS (rs34743033) and RUNX1 (rs2014300) gene polymorphisms on survival outcomes of fluorouracil-based chemotherapy in Chinese advanced gastric cancer patients. <i>Cancer Management and Research</i> , 2018 , 10, 1429-1437	3.6	3
62	Concordance evaluation of an artificial intelligence technology with a multidisciplinary tumor board in gastric cancer.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e18569-e18569	2.2	2
61	Phase III study of dulanermin (recombinant human tumor necrosis factor-related apoptosis-inducing ligand/Apo2 ligand) combined with vinorelbine and cisplatin in patients with advanced non-small-cell lung cancer. <i>Investigational New Drugs</i> , 2018 , 36, 315-322	4.3	24
60	Long noncoding RNA LINC00165-induced by STAT3 exerts oncogenic properties via interaction with Polycomb Repressive Complex 2 to promote EMT in gastric cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 507, 223-230	3.4	7
59	Establishment and Characterization of gc-006-03, a Novel Human Signet Ring Cell Gastric Cancer Cell Line Derived from Metastatic Ascites. <i>Journal of Cancer</i> , 2018 , 9, 3236-3246	4.5	3
58	A novel long noncoding RNA HOXC-AS3 mediates tumorigenesis of gastric cancer by binding to YBX1. <i>Genome Biology</i> , 2018 , 19, 154	18.3	152
57	Isobavachalcone sensitizes cells to E2-induced paclitaxel resistance by down-regulating CD44 expression in ER+ breast cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5220-5230	5.6	7
56	Association study of genetic variants in estrogen metabolic pathway genes and colorectal cancer risk and survival. <i>Archives of Toxicology</i> , 2018 , 92, 1991-1999	5.8	12
55	Circadian clock pathway genes associated with colorectal cancer risk and prognosis. <i>Archives of Toxicology</i> , 2018 , 92, 2681-2689	5.8	24
54	Identification of new susceptibility loci for gastric non-cardia adenocarcinoma: pooled results from two Chinese genome-wide association studies. <i>Gut</i> , 2017 , 66, 581-587	19.2	51
53	RelB Expression Determines the Differential Effects of Ascorbic Acid in Normal and Cancer Cells. <i>Cancer Research</i> , 2017 , 77, 1345-1356	10.1	24
52	Exome Array Analysis Identifies Variants in SPOCD1 and BTN3A2 That Affect Risk for Gastric Cancer. <i>Gastroenterology</i> , 2017 , 152, 2011-2021	13.3	32
51	Targeting HSP90-HDAC6 Regulating Network Implicates Precision Treatment of Breast Cancer. <i>International Journal of Biological Sciences</i> , 2017 , 13, 505-517	11.2	25
50	An isolated unusual digit metastasis from esophageal carcinoma: a case report. <i>OncoTargets and Therapy</i> , 2017 , 10, 2449-2452	4.4	0
49	Survival Benefit and Safety of Bevacizumab in Combination with Erlotinib as Maintenance Therapy in Patients with Metastatic Colorectal Cancer: A Meta-Analysis. <i>Clinical Drug Investigation</i> , 2017 , 37, 155-165	3.25	7

48	A multicenter phase II study of donafenib in patients with advanced hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15682-e15682	2.2	5
47	The HOTAIR, PRNCR1 and POLR2E polymorphisms are associated with cancer risk: a meta-analysis. <i>Oncotarget</i> , 2017 , 8, 43271-43283	3.3	29
46	An inverse association between tea consumption and colorectal cancer risk. <i>Oncotarget</i> , 2017 , 8, 37367-37376	3.3	30
45	The prognostic impacts of transcription factor polymorphisms in Chinese hepatocellular carcinoma patients. <i>Oncotarget</i> , 2017 , 8, 69823-69832	3.3	1
44	The effects of genomic polymorphisms in one-carbon metabolism pathways on survival of gastric cancer patients received fluorouracil-based adjuvant therapy. <i>Scientific Reports</i> , 2016 , 6, 28019	4.9	9
43	Protein phosphatase magnesium-dependent 1 is a novel tumor marker and target in hepatocellular carcinoma. <i>Frontiers of Medicine</i> , 2016 , 10, 52-60	12	5
42	Functional annotation of colorectal cancer susceptibility loci identifies MLH1 rs1800734 associated with MSI patients. <i>Gut</i> , 2016 , 65, 1227-8	19.2	11
41	E2F1-induced upregulation of long noncoding RNA LINC00668 predicts a poor prognosis of gastric cancer and promotes cell proliferation through epigenetically silencing of CKIs. <i>Oncotarget</i> , 2016 , 7, 23212-26	3.3	57
40	Effect of H3K27 acetylation activated-long noncoding RNA CCAT1 on cell proliferation and migration by regulating SPRY4 and HOXB13 expression in esophageal squamous carcinoma cell.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e15566-e15566	2.2	
39	A genetic variant in large tumor suppressor kinase 2 of Hippo signaling pathway contributes to prognosis of hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2016 , 9, 1945-51	4.4	4
38	Survival benefit and safety of the combinations of FOLFOXIRI + bevacizumab versus the combinations of FOLFIRI + bevacizumab as first-line treatment for unresectable metastatic colorectal cancer: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016 , 9, 4833-42	4.4	11
37	Common genetic variation in ETV6 is associated with colorectal cancer susceptibility. <i>Nature Communications</i> , 2016 , 7, 11478	17.4	45
36	Genetic variants in noncoding PIWI-interacting RNA and colorectal cancer risk. <i>Cancer</i> , 2015 , 121, 2044-50	5.4	43
35	Genetic variant in 8q24 is associated with prognosis for gastric cancer in a Chinese population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 689-95	4	31
34	Gemcitabine plus S-1: a hopeful frontline treatment for Asian patients with unresectable advanced pancreatic cancer. <i>Japanese Journal of Clinical Oncology</i> , 2015 , 45, 1122-30	2.8	5
33	Genome-wide analysis of long noncoding RNA signature in human colorectal cancer. <i>Gene</i> , 2015 , 556, 227-34	3.8	53
32	Genetic variants in lncRNA HOTAIR are associated with risk of colorectal cancer. <i>Mutagenesis</i> , 2015 , 30, 303-10	2.8	112
31	Clinical significance of ALDH2 rs671 polymorphism in esophageal cancer: evidence from 31 case-control studies. <i>OncoTargets and Therapy</i> , 2015 , 8, 649-59	4.4	20

30	Genetic variation in C12orf51 is associated with prognosis of intestinal-type gastric cancer in a Chinese population. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 69, 133-8	7.5	7
29	Polymorphism in one-carbon metabolism pathway affects survival of gastric cancer patients: Large and comprehensive study. <i>Oncotarget</i> , 2015 , 6, 9564-76	3.3	15
28	SOD2 rs4880 CT/CC genotype predicts poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 401-10	3	11
27	Effect of polymorphism in one-carbon metabolism pathway on survival of gastric cancer patients in a large and comprehensive study.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e15091-e15091	2.2	
26	SOD2 rs4880 CT/CC genotype to predict poor survival for Chinese gastric cancer patients received platinum and fluorouracil based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 11037-11037	2.2	0
25	c-Myc-induced, long, noncoding H19 affects cell proliferation and predicts a poor prognosis in patients with gastric cancer. <i>Medical Oncology</i> , 2014 , 31, 914	3.7	103
24	Clinical potential role of circulating microRNAs in early diagnosis of colorectal cancer patients. <i>Carcinogenesis</i> , 2014 , 35, 2723-30	4.6	51
23	Frequent KIT mutations in human gastrointestinal stromal tumors. <i>Scientific Reports</i> , 2014 , 4, 5907	4.9	30
22	Comparison of the efficacy and safety of S-1-based and capecitabine-based regimens in gastrointestinal cancer: a meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e84230	3.7	12
21	miR-122 targets pyruvate kinase M2 and affects metabolism of hepatocellular carcinoma. <i>PLoS ONE</i> , 2014 , 9, e86872	3.7	88
20	Genetic mutation analysis of human gastric adenocarcinomas using ion torrent sequencing platform. <i>PLoS ONE</i> , 2014 , 9, e100442	3.7	15
19	Clinical significance of POU5F1P1 rs10505477 polymorphism in Chinese gastric cancer patients receiving cisplatin-based chemotherapy after surgical resection. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 12764-77	6.3	15
18	Survival benefit from S-1 as compared to Fluorouracil in Asian patients with advanced gastrointestinal cancer: a meta-analysis. <i>Cancer Science</i> , 2014 , 105, 1008-14	6.9	10
17	Associations of NR5A2 gene polymorphisms with the clinicopathological characteristics and survival of gastric cancer. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 22902-17	6.3	8
16	A MAP3k1 SNP predicts survival of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2014 , 9, e96083	3.7	6
15	Implication of polymorphisms in the promoter region of apoptosis-related genes in survival of gastric cancer patients.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15062-e15062	2.2	
14	Single nucleotide polymorphism of SOD2 to predict survival for Chinese gastric cancer patients received platinum/fluorouracil-based adjuvant chemotherapy.. <i>Journal of Clinical Oncology</i> , 2014 , 32, e15035-e15035	2.2	
13	A genetic variant in miR-146a modifies colorectal cancer susceptibility in a Chinese population. <i>Archives of Toxicology</i> , 2013 , 87, 825-33	5.8	55

12	Association of XRCC1 gene polymorphisms with the survival and clinicopathological characteristics of gastric cancer. <i>DNA and Cell Biology</i> , 2013 , 32, 111-8	3.6	10
11	A genetic variant in ERCC2 is associated with gastric cancer prognosis in a Chinese population. <i>Mutagenesis</i> , 2013 , 28, 441-6	2.8	15
10	Clinical significance of MYT1L gene polymorphisms in Chinese patients with gastric cancer. <i>PLoS ONE</i> , 2013 , 8, e71979	3.7	7
9	A genetic polymorphism in TOX3 is associated with survival of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2013 , 8, e72186	3.7	15
8	Frequent mutations in MLH1, MET, KIT, PDGFRA, and PIK3CA genes in human gastrointestinal stromal tumors.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 10544-10544	2.2	1
7	Comprehensive genetic mutation analysis of human gastric adenocarcinomas.. <i>Journal of Clinical Oncology</i> , 2013 , 31, 4106-4106	2.2	
6	Clinical significance of SOD2 and GSTP1 gene polymorphisms in Chinese patients with gastric cancer. <i>Cancer</i> , 2012 , 118, 5489-96	6.4	40
5	Efficacy and safety of aprepitant in the prevention of chemotherapy-induced nausea and vomiting: a pooled analysis. <i>Supportive Care in Cancer</i> , 2012 , 20, 1815-22	3.9	18
4	The DNA repair gene APE1 T1349G polymorphism and risk of gastric cancer in a Chinese population. <i>PLoS ONE</i> , 2011 , 6, e28971	3.7	22
3	Lack of association between the hOGG1 Ser326Cys polymorphism and breast cancer risk: evidence from 11 case-control studies. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 527-31	4.4	30
2	TGFB1 T29C polymorphism and breast cancer risk: a meta-analysis based on 10,417 cases and 11,455 controls. <i>Breast Cancer Research and Treatment</i> , 2010 , 123, 857-61	4.4	10
1	The DNA repair gene APE1 T1349G polymorphism and cancer risk: a meta-analysis of 27 case-control studies. <i>Mutagenesis</i> , 2009 , 24, 507-12	2.8	50