

# Adewale L Oyeyemi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4185116/publications.pdf>

Version: 2024-02-01

85  
papers

3,019  
citations

236833

25  
h-index

175177

52  
g-index

85  
all docs

85  
docs citations

85  
times ranked

4071  
citing authors

#	ARTICLE	IF	CITATIONS
1	Progress in physical activity over the Olympic quadrennium. <i>Lancet, The</i> , 2016, 388, 1325-1336.	6.3	676
2	Work-Related Musculoskeletal Disorders among Nurses in Ibadan, South-west Nigeria: a cross-sectional survey. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 12.	0.8	214
3	Physical activity behaviours in adolescence: current evidence and opportunities for intervention. <i>Lancet, The</i> , 2021, 398, 429-442.	6.3	212
4	An international physical activity and public health research agenda to inform coronavirus disease-2019 policies and practices. <i>Journal of Sport and Health Science</i> , 2020, 9, 328-334.	3.3	178
5	Work-related musculoskeletal disorders among Nigerian Physiotherapists. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 112.	0.8	145
6	Perceived neighbourhood environmental attributes associated with adults's recreational walking: IPEN Adult study in 12 countries. <i>Health and Place</i> , 2014, 28, 22-30.	1.5	125
7	Correlates of Agreement between Accelerometry and Self-reported Physical Activity. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1075-1084.	0.2	119
8	Global prevalence of physical activity for children and adolescents; inconsistencies, research gaps, and recommendations: a narrative review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 81.	2.0	80
9	The short international physical activity questionnaire: cross-cultural adaptation, validation and reliability of the Hausa language version in Nigeria. <i>BMC Medical Research Methodology</i> , 2011, 11, 156.	1.4	60
10	Perceived crime and traffic safety is related to physical activity among adults in Nigeria. <i>BMC Public Health</i> , 2012, 12, 294.	1.2	59
11	Environmental factors associated with overweight among adults in Nigeria. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 32.	2.0	49
12	Patterns and Associated Factors of Physical Activity among Adolescents in Nigeria. <i>PLoS ONE</i> , 2016, 11, e0150142.	1.1	46
13	Accelerometer-Determined Physical Activity and Its Comparison with the International Physical Activity Questionnaire in a Sample of Nigerian Adults. <i>PLoS ONE</i> , 2014, 9, e87233.	1.1	45
14	NEWS for Africa: adaptation and reliability of a built environment questionnaire for physical activity in seven African countries. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 33.	2.0	44
15	Evaluation of the neighborhood environment walkability scale in Nigeria. <i>International Journal of Health Geographics</i> , 2013, 12, 16.	1.2	42
16	Perception of built environmental factors and physical activity among adolescents in Nigeria. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 56.	2.0	39
17	Prevalence of Physical Activity Among Adults in a Metropolitan Nigerian City: A Cross-Sectional Study. <i>Journal of Epidemiology</i> , 2013, 23, 169-177.	1.1	38
18	Test- retest reliability of IPAQ environmental- module in an African population. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008, 5, 38.	2.0	33

#	ARTICLE	IF	CITATIONS
19	Neighborhood environmental factors are related to health-enhancing physical activity and walking among community dwelling older adults in Nigeria. <i>Physiotherapy Theory and Practice</i> , 2019, 35, 288-297.	0.6	32
20	Perceived Environmental Correlates of Physical Activity and Walking in African Young Adults. <i>American Journal of Health Promotion</i> , 2011, 25, e10-e19.	0.9	31
21	Physical Inactivity in Nigerian Young Adults: Prevalence and Socio-Demographic Correlates. <i>Journal of Physical Activity and Health</i> , 2011, 8, 1135-1142.	1.0	30
22	A systematic review of active transportation research in Africa and the psychometric properties of measurement tools for children and youth. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014, 11, 129.	2.0	30
23	Examining the reliability and validity of a modified version of the International Physical Activity Questionnaire, long form (IPAQ-LF) in Nigeria: a cross-sectional study. <i>BMJ Open</i> , 2014, 4, e005820.	0.8	29
24	Construct Validity of the Neighborhood Environment Walkability Scale for Africa. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 482-491.	0.2	29
25	Pain, balance, self-reported function and physical function in individuals with knee osteoarthritis. <i>Physiotherapy Theory and Practice</i> , 2012, 28, 32-40.	0.6	28
26	Associations between TV viewing and depressive symptoms among 60,202 Brazilian adults: The Brazilian national health survey. <i>Journal of Affective Disorders</i> , 2018, 236, 23-30.	2.0	28
27	Association between age at menarche and blood pressure in adulthood: is obesity an important mediator?. <i>Hypertension Research</i> , 2018, 41, 856-864.	1.5	26
28	Making the case for "physical activity security": the 2020 WHO guidelines on physical activity and sedentary behaviour from a Global South perspective. <i>British Journal of Sports Medicine</i> , 2020, 54, 1447-1448.	3.1	26
29	Associations of Neighborhood Walkability with Sedentary Time in Nigerian Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1879.	1.2	25
30	Joint association of ultra-processed food and sedentary behavior with anxiety-induced sleep disturbance among Brazilian adolescents. <i>Journal of Affective Disorders</i> , 2020, 266, 135-142.	2.0	25
31	International Physical Activity and Built Environment Study of adolescents: IPEN Adolescent design, protocol and measures. <i>BMJ Open</i> , 2021, 11, e046636.	0.8	24
32	Associations between TV viewing, sitting time, physical activity and insomnia among 100,839 Brazilian adolescents. <i>Psychiatry Research</i> , 2018, 269, 700-706.	1.7	23
33	Development and validation of the neighborhood environment walkability scale for youth across six continents. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019, 16, 122.	2.0	22
34	Association between physical activity and alcohol consumption: sociodemographic and behavioral patterns in Brazilian adults. <i>Journal of Public Health</i> , 2019, 41, 781-787.	1.0	22
35	Measurement of physical activity in urban and rural South African adults: a comparison of two self-report methods. <i>BMC Public Health</i> , 2016, 16, 1004.	1.2	20
36	Associations of neighborhood environmental attributes with adults' objectively-assessed sedentary time: IPEN adult multi-country study. <i>Preventive Medicine</i> , 2018, 115, 126-133.	1.6	20

#	ARTICLE	IF	CITATIONS
37	Relationship of physical activity to cardiovascular risk factors in an urban population of Nigerian adults. <i>Archives of Public Health</i> , 2013, 71, 6.	1.0	19
38	Body mass index, pain and function in individuals with knee osteoarthritis. <i>Nigerian Medical Journal</i> , 2013, 54, 230.	0.6	19
39	Physical activity and depression: is 150 min/week of moderate to vigorous physical activity a necessary threshold for decreasing risk of depression in adults? Different views from the same data. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 323-324.	1.6	18
40	Regional Socioeconomic Inequalities in Physical Activity and Sedentary Behavior Among Brazilian Adolescents. <i>Journal of Physical Activity and Health</i> , 2018, 15, 338-344.	1.0	17
41	Adaptation, Test-Retest Reliability, and Construct Validity of the Physical Activity Neighborhood Environment Scale in Nigeria (PANES-N). <i>Journal of Physical Activity and Health</i> , 2013, 10, 1079-1090.	1.0	16
42	Relationship between Physical Activity and Health Related Quality of Life among Pregnant Women. <i>African Journal of Reproductive Health</i> , 2018, 22, 80-89.	1.1	15
43	Physical Fitness, Physical Activity, Sedentary Behavior, or Diet? What Are the Correlates of Obesity in Polish School Children?. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 664.	1.2	14
44	Patterns of objectively assessed physical activity and sedentary time: Are Nigerian health professional students complying with public health guidelines?. <i>PLoS ONE</i> , 2017, 12, e0190124.	1.1	14
45	Behavioral Mediators of the Association between Neighborhood Environment and Weight Status in Nigerian Adults. <i>American Journal of Health Promotion</i> , 2013, 28, 23-31.	0.9	13
46	Professional Satisfaction and Desire to Emigrate among Nigerian Physiotherapists. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2012, 64, 225-232.	0.3	12
47	Results From Nigeria's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S231-S236.	1.0	12
48	A survey of physicians and physiotherapists on physical activity promotion in Nigeria. <i>Archives of Physiotherapy</i> , 2017, 7, 5.	0.7	11
49	Does leisure-time physical activity attenuate or eliminate the positive association between obesity and high blood pressure?. <i>Journal of Clinical Hypertension</i> , 2018, 20, 959-966.	1.0	11
50	Associations of the Built Environment With Physical Activity and Sedentary Time in Ugandan Outpatients With Mental Health Problems. <i>Journal of Physical Activity and Health</i> , 2019, 16, 243-250.	1.0	11
51	Does physical activity influence the association between depressive symptoms and low-grade inflammation in adults? A study of 8,048 adults. <i>Physiology and Behavior</i> , 2020, 223, 112967.	1.0	10
52	Physical activity attenuates metabolic risk of adolescents with overweight or obesity: the ICAD multi-country study. <i>International Journal of Obesity</i> , 2020, 44, 823-829.	1.6	10
53	Association(s) Between Objectively Measured Sedentary Behavior Patterns and Obesity Among Brazilian Adolescents. <i>Pediatric Exercise Science</i> , 2019, 31, 37-41.	0.5	9
54	Independent and combined associations of sugar-sweetened beverage consumption, TV viewing, and physical activity with severe depressive symptoms among 59,402 adults. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 574-583.	0.9	9

#	ARTICLE	IF	CITATIONS
55	Association between adolescent motherhood and maternal and child health indices in Maiduguri, Nigeria: a community-based cross-sectional study. <i>BMJ Open</i> , 2019, 9, e024017.	0.8	8
56	Knowledge, attitude and willingness of Nigerian physiotherapists to provide care for patients living with Acquired Immunodeficiency Syndrome. <i>Physiotherapy Research International</i> , 2008, 13, 176-188.	0.7	7
57	Results from Nigeria's 2013 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2014, 11, S88-S92.	1.0	7
58	Potential influence of physical, psychological and lifestyle factors on the association between television viewing and depressive symptoms: A cross-sectional study. <i>General Hospital Psychiatry</i> , 2019, 60, 37-43.	1.2	7
59	Physical activity and active transportation behaviour among rural, peri-urban and urban children in Kenya, Mozambique and Nigeria: The PAAT Study. <i>PLoS ONE</i> , 2022, 17, e0262768.	1.1	7
60	Casual blood pressure of adolescents attending public secondary schools in Maiduguri, Nigeria. <i>Clinical Hypertension</i> , 2015, 21, 16.	0.7	6
61	Prevalence and Correlates of Active Transportation in Developing Countries. , 2018, , 173-191.		6
62	Tracking of physical fitness in elementary school children: The role of changes in body fat. <i>American Journal of Human Biology</i> , 2019, 31, e23221.	0.8	6
63	Lifestyle behaviors among 4,343 Brazilian adults with severe mental illness and 55,859 general population controls: data from the Brazilian National Health Survey. <i>Revista Brasileira De Psiquiatria</i> , 2020, 42, 245-249.	0.9	6
64	Association of public physical activity facilities and participation in community programs with leisure-time physical activity: does the association differ according to educational level and income?. <i>BMC Public Health</i> , 2022, 22, 279.	1.2	6
65	Why are COVID-19 effects less severe in Sub-Saharan Africa? Moving more and sitting less may be a primary reason. <i>Progress in Cardiovascular Diseases</i> , 2022, 71, 103-105.	1.6	6
66	Relationship of Parental and Adolescents' Screen Time to Self-Rated Health: A Structural Equation Modeling. <i>Health Education and Behavior</i> , 2018, 45, 764-771.	1.3	5
67	Body mass index trajectories and noncommunicable diseases in women: The role of leisure time physical activity. <i>American Journal of Human Biology</i> , 2021, 33, e23492.	0.8	5
68	Physical activity can attenuate, but not eliminate, the negative relationships of high TV viewing with some chronic diseases: findings from a cohort of 60,202 Brazilian adults. <i>Journal of Public Health</i> , 2021, 43, e7-e15.	1.0	5
69	Associations of accelerometer measured school- and non-school based physical activity and sedentary time with body mass index: IPEN Adolescent study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2022, 19, .	2.0	4
70	Professional practice pattern and outlook of physiotherapists in Nigeria. <i>Advances in Physiotherapy</i> , 2011, 13, 162-169.	0.2	3
71	Development and convergent validity of new self-administered questionnaires of active transportation in three African countries: Kenya, Mozambique and Nigeria. <i>BMC Public Health</i> , 2018, 18, 1018.	1.2	3
72	Prevalence and socio-demographic correlates of accelerometer measured physical activity levels of school-going children in Kampala city, Uganda. <i>PLoS ONE</i> , 2020, 15, e0235211.	1.1	3

#	ARTICLE	IF	CITATIONS
73	Association of mentally-passive and mentally-active sedentary behaviors with device-measured bouts and breaks of sedentary time in adolescents. <i>Health Promotion Perspectives</i> , 2021, 11, 109-114.	0.8	2
74	Physiotherapy clinical teachersâ€™ perceptions on important attributes in teaching â€“ A Nigerian perspective. <i>European Journal of Physiotherapy</i> , 2013, 15, 26-33.	0.7	1
75	Health-related physical activity is associated with perception of environmental hygiene and safety among adults in low-income neighbourhoods in Nigeria. <i>European Journal of Physiotherapy</i> , 2015, 17, 45-53.	0.7	1
76	Association between patterns of sedentary time and academic performance in adolescents: the mediating role of self-concept. <i>Revista Paulista De Pediatria</i> , 2022, 40, e2021106.	0.4	1
77	Occupational Physical Activity and Health-Related Quality of Life among Nigerian Vocational-Skilled Workers. <i>Journal of Occupational Health and Epidemiology</i> , 2020, 9, 239-247.	0.1	0
78	Cardiovascular responses to millet pounding activity among women in a rural community in Northeastern Nigeria. <i>Annals of African Medicine</i> , 2017, 16, 24-29.	0.2	0
79	Parental-perceived home and neighborhood environmental correlates of accelerometer-measured physical activity among school-going children in Uganda. <i>PLOS Global Public Health</i> , 2021, 1, e0000089.	0.5	0
80	Title is missing!. , 2020, 15, e0235211.		0
81	Title is missing!. , 2020, 15, e0235211.		0
82	Title is missing!. , 2020, 15, e0235211.		0
83	Title is missing!. , 2020, 15, e0235211.		0
84	Title is missing!. , 2020, 15, e0235211.		0
85	Title is missing!. , 2020, 15, e0235211.		0