

# Elodie Chiarovano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4185503/publications.pdf>

Version: 2024-02-01

19  
papers

327  
citations

1170033

9  
h-index

993246

17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

386  
citing authors

#	ARTICLE	IF	CITATIONS
1	Vestibular semicircular canal function as detected by video Head Impulse Test (vHIT) is essentially unchanged in people with Parkinson’s disease compared to healthy controls. <i>Journal of Vestibular Research: Equilibrium and Orientation</i> , 2022, 32, 261-269.	0.8	7
2	Static and dynamic otolith reflex function in people with Parkinson’s disease. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 2057-2065.	0.8	6
3	Video-head impulse test in superior canal dehiscence. <i>Acta Oto-Laryngologica</i> , 2021, 141, 471-475.	0.3	5
4	Suppression head impulse test paradigm (SHIMP) characteristics in people with Parkinson’s disease compared to healthy controls. <i>Experimental Brain Research</i> , 2021, 239, 1853-1862.	0.7	5
5	Using virtual reality to assess vestibulo-visual interaction in people with Parkinson’s disease compared to healthy controls. <i>Experimental Brain Research</i> , 2021, 239, 3553-3564.	0.7	10
6	The Potential Benefits of Personalized 360 Video Experiences on Affect: A Proof-of-Concept Study. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2020, 23, 134-138.	2.1	6
7	Virtual Reality for Teletherapy: Avatars May Combine the Benefits of Face-to-Face Communication with the Anonymity of Online Text-Based Communication. <i>Cyberpsychology, Behavior, and Social Networking</i> , 2019, 22, 158-165.	2.1	25
8	Subjective visual vertical in virtual reality (Curator SVV): validation and normative data. <i>Virtual Reality</i> , 2018, 22, 315-320.	4.1	5
9	Imbalance: Objective measures versus subjective self-report in clinical practice. <i>Gait and Posture</i> , 2018, 59, 217-221.	0.6	14
10	An Initial Passive Phase That Limits the Time to Recover and Emphasizes the Role of Proprioceptive Information. <i>Frontiers in Neurology</i> , 2018, 9, 986.	1.1	7
11	¼VEMP: A Portable Interface to Record Vestibular Evoked Myogenic Potentials (VEMPs) With a Smart Phone or Tablet. <i>Frontiers in Neurology</i> , 2018, 9, 543.	1.1	15
12	Utility of vestibular testing and new technologies in a complex cholesteatoma. <i>Acta Oto-Laryngologica Case Reports</i> , 2017, 2, 111-118.	0.1	0
13	Balance in Virtual Reality: Effect of Age and Bilateral Vestibular Loss. <i>Frontiers in Neurology</i> , 2017, 8, 5.	1.1	37
14	Absence of Rotation Perception during Warm Water Caloric Irrigation in Some Seniors with Postural Instability. <i>Frontiers in Neurology</i> , 2016, 7, 4.	1.1	19
15	An Attempt of Early Detection of Poor Outcome after Whiplash. <i>Frontiers in Neurology</i> , 2016, 7, 177.	1.1	7
16	An objective measure for the visual fidelity of virtual reality and the risks of falls in a virtual environment. <i>Virtual Reality</i> , 2016, 20, 173-181.	4.1	33
17	Maintaining Balance when Looking at a Virtual Reality Three-Dimensional Display of a Field of Moving Dots or at a Virtual Reality Scene. <i>Frontiers in Neurology</i> , 2015, 6, 164.	1.1	45
18	The Role of Cervical and Ocular Vestibular Evoked Myogenic Potentials in the Assessment of Patients with Vestibular Schwannomas. <i>PLoS ONE</i> , 2014, 9, e105026.	1.1	37

#	ARTICLE	IF	CITATIONS
19	Ocular and cervical VEMPs: A study of 74 patients suffering from peripheral vestibular disorders. <i>Clinical Neurophysiology</i> , 2011, 122, 1650-1659.	0.7	43