## Elodie Chiarovano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4185503/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Vestibular semicircular canal function as detected by video Head Impulse Test (vHIT) is essentially unchanged in people with Parkinson's disease compared to healthy controls. Journal of Vestibular Research: Equilibrium and Orientation, 2022, 32, 261-269.	2.0	7
2	Static and dynamic otolith reflex function in people with Parkinson's disease. European Archives of Oto-Rhino-Laryngology, 2021, 278, 2057-2065.	1.6	6
3	Video-head impulse test in superior canal dehiscence. Acta Oto-Laryngologica, 2021, 141, 471-475.	0.9	5
4	Suppression head impulse test paradigm (SHIMP) characteristics in people with Parkinson's disease compared to healthy controls. Experimental Brain Research, 2021, 239, 1853-1862.	1.5	5
5	Using virtual reality to assess vestibulo-visual interaction in people with Parkinson's disease compared to healthy controls. Experimental Brain Research, 2021, 239, 3553-3564.	1.5	10
6	The Potential Benefits of Personalized 360 Video Experiences on Affect: A Proof-of-Concept Study. Cyberpsychology, Behavior, and Social Networking, 2020, 23, 134-138.	3.9	6
7	Virtual Reality for Teletherapy: Avatars May Combine the Benefits of Face-to-Face Communication with the Anonymity of Online Text-Based Communication. Cyberpsychology, Behavior, and Social Networking, 2019, 22, 158-165.	3.9	25
8	Subjective visual vertical in virtual reality (Curator SVV): validation and normative data. Virtual Reality, 2018, 22, 315-320.	6.1	5
9	Imbalance: Objective measures versus subjective self-report in clinical practice. Gait and Posture, 2018, 59, 217-221.	1.4	14
10	An Initial Passive Phase That Limits the Time to Recover and Emphasizes the Role of Proprioceptive Information. Frontiers in Neurology, 2018, 9, 986.	2.4	7
11	μVEMP: A Portable Interface to Record Vestibular Evoked Myogenic Potentials (VEMPs) With a Smart Phone or Tablet. Frontiers in Neurology, 2018, 9, 543.	2.4	15
12	Utility of vestibular testing and new technologies in a complex cholesteatoma. Acta Oto-Laryngologica Case Reports, 2017, 2, 111-118.	0.2	0
13	Balance in Virtual Reality: Effect of Age and Bilateral Vestibular Loss. Frontiers in Neurology, 2017, 8, 5.	2.4	37
14	Absence of Rotation Perception during Warm Water Caloric Irrigation in Some Seniors with Postural Instability. Frontiers in Neurology, 2016, 7, 4.	2.4	19
15	An Attempt of Early Detection of Poor Outcome after Whiplash. Frontiers in Neurology, 2016, 7, 177.	2.4	7
16	An objective measure for the visual fidelity of virtual reality and the risks of falls in a virtual environment. Virtual Reality, 2016, 20, 173-181.	6.1	33
17	Maintaining Balance when Looking at a Virtual Reality Three-Dimensional Display of a Field of Moving Dots or at a Virtual Reality Scene. Frontiers in Neurology, 2015, 6, 164.	2.4	45
18	The Role of Cervical and Ocular Vestibular Evoked Myogenic Potentials in the Assessment of Patients with Vestibular Schwannomas, PLoS ONF, 2014, 9, e105026.	2.5	37

#	Article	IF	CITATIONS
19	Ocular and cervical VEMPs: A study of 74 patients suffering from peripheral vestibular disorders. Clinical Neurophysiology, 2011, 122, 1650-1659.	1.5	43