

Mansoor Husain

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4186729/mansoor-husain-publications-by-citations.pdf>
Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129 papers	9,528 citations	45 h-index	97 g-index
135 ext. papers	11,643 ext. citations	10.2 avg, IF	5.77 L-index

#	Paper	IF	Citations
129	Cardioprotective and vasodilatory actions of glucagon-like peptide 1 receptor are mediated through both glucagon-like peptide 1 receptor-dependent and -independent pathways. <i>Circulation</i> , 2008 , 117, 2340-50	16.7	799
128	Local proliferation dominates lesional macrophage accumulation in atherosclerosis. <i>Nature Medicine</i> , 2013 , 19, 1166-72	50.5	669
127	Sodium Glucose Cotransporter 2 Inhibitors in the Treatment of Diabetes Mellitus: Cardiovascular and Kidney Effects, Potential Mechanisms, and Clinical Applications. <i>Circulation</i> , 2016 , 134, 752-72	16.7	631
126	Oral Semaglutide and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2019 , 381, 841-851	59.2	567
125	GLP-1R agonist liraglutide activates cytoprotective pathways and improves outcomes after experimental myocardial infarction in mice. <i>Diabetes</i> , 2009 , 58, 975-83	0.9	422
124	Control of human embryonic stem cell colony and aggregate size heterogeneity influences differentiation trajectories. <i>Stem Cells</i> , 2008 , 26, 2300-10	5.8	361
123	Self-renewing resident cardiac macrophages limit adverse remodeling following myocardial infarction. <i>Nature Immunology</i> , 2019 , 20, 29-39	19.1	263
122	Genetic deletion or pharmacological inhibition of dipeptidyl peptidase-4 improves cardiovascular outcomes after myocardial infarction in mice. <i>Diabetes</i> , 2010 , 59, 1063-73	0.9	228
121	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 777-789	59.2	227
120	Self-renewing resident arterial macrophages arise from embryonic CX3CR1(+) precursors and circulating monocytes immediately after birth. <i>Nature Immunology</i> , 2016 , 17, 159-68	19.1	209
119	A role for endoglin in coupling eNOS activity and regulating vascular tone revealed in hereditary hemorrhagic telangiectasia. <i>Circulation Research</i> , 2005 , 96, 684-92	15.7	207
118	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. <i>Journal of Clinical Investigation</i> , 2002 , 109, 735-743	15.9	206
117	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 790-802	59.2	203
116	The homeodomain transcription factor Irx5 establishes the mouse cardiac ventricular repolarization gradient. <i>Cell</i> , 2005 , 123, 347-58	56.2	200
115	Generation of human embryonic stem cell-derived mesoderm and cardiac cells using size-specified aggregates in an oxygen-controlled bioreactor. <i>Biotechnology and Bioengineering</i> , 2009 , 102, 493-507	4.9	188
114	Glucagon-like peptide (GLP)-1(9-36)amide-mediated cytoprotection is blocked by exendin(9-39) yet does not require the known GLP-1 receptor. <i>Endocrinology</i> , 2010 , 151, 1520-31	4.8	170
113	Cardiac function in mice lacking the glucagon-like peptide-1 receptor. <i>Endocrinology</i> , 2003 , 144, 2242-52	4.8	170

112	A glucagon-like peptide-1 analog reverses the molecular pathology and cardiac dysfunction of a mouse model of obesity. <i>Circulation</i> , 2013 , 127, 74-85	16.7	167
111	Dapagliflozin Effects on Biomarkers, Symptoms, and Functional Status in Patients With Heart Failure With Reduced Ejection Fraction: The DEFINE-HF Trial. <i>Circulation</i> , 2019 , 140, 1463-1476	16.7	163
110	Myeloid differentiation factor-88 plays a crucial role in the pathogenesis of Coxsackievirus B3-induced myocarditis and influences type I interferon production. <i>Circulation</i> , 2005 , 112, 2276-85	16.7	147
109	Overexpression of the serine elastase inhibitor elafin protects transgenic mice from hypoxic pulmonary hypertension. <i>Circulation</i> , 2002 , 105, 516-21	16.7	138
108	Conditional cardiac overexpression of endothelin-1 induces inflammation and dilated cardiomyopathy in mice. <i>Circulation</i> , 2004 , 109, 255-61	16.7	136
107	From molecules to mammals: what's NOS got to do with it?. <i>Acta Physiologica Scandinavica</i> , 2003 , 179, 123-35		113
106	Integrin-linked kinase expression is elevated in human cardiac hypertrophy and induces hypertrophy in transgenic mice. <i>Circulation</i> , 2006 , 114, 2271-9	16.7	101
105	Inhibition of Src kinase blocks high glucose-induced EGFR transactivation and collagen synthesis in mesangial cells and prevents diabetic nephropathy in mice. <i>Diabetes</i> , 2013 , 62, 3874-86	0.9	100
104	Cardiomyocyte overexpression of iNOS in mice results in peroxynitrite generation, heart block, and sudden death. <i>Journal of Clinical Investigation</i> , 2002 , 109, 735-43	15.9	96
103	Reversible regional wall motion abnormalities on exercise technetium-99m-gated cardiac single photon emission computed tomography predict high-grade angiographic stenoses. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 991-8	15.1	93
102	Conditional and targeted overexpression of vascular chymase causes hypertension in transgenic mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 7469-74	11.5	89
101	Increased fibulin-5 and elastin in S100A4/Mts1 mice with pulmonary hypertension. <i>Circulation Research</i> , 2005 , 97, 596-604	15.7	80
100	Plasma membrane calcium ATPase overexpression in arterial smooth muscle increases vasomotor responsiveness and blood pressure. <i>Circulation Research</i> , 2003 , 93, 614-21	15.7	75
99	Effects of age, gender, and blood pressure on myogenic responses of mesenteric arteries from C57BL/6 mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H380-8	5.2	68
98	Effect of vasopressin on hemodynamics in patients with refractory cardiogenic shock complicating acute myocardial infarction. <i>American Journal of Cardiology</i> , 2005 , 96, 1617-20	3	68
97	Glucagon-Like Peptide 1 Receptor Activation Attenuates Platelet Aggregation and Thrombosis. <i>Diabetes</i> , 2016 , 65, 1714-23	0.9	68
96	GLP-1 receptor agonists: a clinical perspective on cardiovascular effects. <i>Diabetes and Vascular Disease Research</i> , 2012 , 9, 95-108	3.3	67
95	Paradoxical Suppression of Atherosclerosis in the Absence of microRNA-146a. <i>Circulation Research</i> , 2017 , 121, 354-367	15.7	66

94	The primary benefits of angiotensin-converting enzyme inhibition on cardiac remodeling occur during sleep time in murine pressure overload hypertrophy. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 2020-8	15.1	63
93	Pulmonary hypertension in adult Alk1 heterozygous mice due to oxidative stress. <i>Cardiovascular Research</i> , 2011 , 92, 375-84	9.9	62
92	The role of NOS in heart failure: lessons from murine genetic models. <i>Heart Failure Reviews</i> , 2002 , 7, 407-22	5	61
91	Sphingosine-1-phosphate-dependent activation of p38 MAPK maintains elevated peripheral resistance in heart failure through increased myogenic vasoconstriction. <i>Circulation Research</i> , 2010 , 107, 923-33	15.7	58
90	Thioredoxin-Interacting Protein Deficiency Protects against Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015 , 26, 2963-77	12.7	57
89	Cardiovascular consequences of drugs used for the treatment of diabetes: potential promise of incretin-based therapies. <i>Journal of the American Society of Hypertension</i> , 2009 , 3, 245-59		56
88	Sepsis-induced myocardial depression is associated with transcriptional changes in energy metabolism and contractile related genes: a physiological and gene expression-based approach. <i>Critical Care Medicine</i> , 2010 , 38, 894-902	1.4	54
87	Cardiovascular safety of oral semaglutide in patients with type 2 diabetes: Rationale, design and patient baseline characteristics for the PIONEER 6 trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 499-508	6.7	54
86	Proximal cerebral arteries develop myogenic responsiveness in heart failure via tumor necrosis factor- α -dependent activation of sphingosine-1-phosphate signaling. <i>Circulation</i> , 2012 , 126, 196-206	16.7	50
85	Tumor necrosis factor- α -mediated downregulation of the cystic fibrosis transmembrane conductance regulator drives pathological sphingosine-1-phosphate signaling in a mouse model of heart failure. <i>Circulation</i> , 2012 , 125, 2739-50	16.7	48
84	Differential regulation of gonadotropin-releasing hormone secretion and gene expression by androgen: membrane versus nuclear receptor activation. <i>Molecular Endocrinology</i> , 2002 , 16, 2592-602		45
83	Calcineurin-independent regulation of plasma membrane Ca ²⁺ ATPase-4 in the vascular smooth muscle cell cycle. <i>American Journal of Physiology - Cell Physiology</i> , 2003 , 285, C88-95	5.4	44
82	Semaglutide (SUSTAIN and PIONEER) reduces cardiovascular events in type 2 diabetes across varying cardiovascular risk. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 442-451	6.7	44
81	Cardioprotective Signature of Short-Term Caloric Restriction. <i>PLoS ONE</i> , 2015 , 10, e0130658	3.7	43
80	The Iroquois homeobox gene <i>Ir2</i> is not essential for normal development of the heart and midbrain-hindbrain boundary in mice. <i>Molecular and Cellular Biology</i> , 2003 , 23, 8216-25	4.8	43
79	A calmodulin-binding site on cyclin E mediates Ca ²⁺ -sensitive G1/s transitions in vascular smooth muscle cells. <i>Circulation Research</i> , 2006 , 98, 1273-81	15.7	42
78	Targeted overexpression of elafin protects mice against cardiac dysfunction and mortality following viral myocarditis. <i>Journal of Clinical Investigation</i> , 1999 , 103, 1211-9	15.9	41
77	Spontaneous adult-onset pulmonary arterial hypertension attributable to increased endothelial oxidative stress in a murine model of hereditary hemorrhagic telangiectasia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 509-17	9.4	40

76	Directed differentiation of skin-derived precursors into functional vascular smooth muscle cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2938-48	9.4	39
75	Electrogram fractionation in murine HL-1 atrial monolayer model. <i>Heart Rhythm</i> , 2008 , 5, 1029-35	6.7	37
74	Conditional expression of a dominant-negative c-Myb in vascular smooth muscle cells inhibits arterial remodeling after injury. <i>Circulation Research</i> , 2003 , 92, 314-21	15.7	36
73	Suppressed smooth muscle proliferation and inflammatory cell invasion after arterial injury in elafin-overexpressing mice. <i>Journal of Clinical Investigation</i> , 2000 , 105, 1687-95	15.9	36
72	p27 protein protects metabolically stressed cardiomyocytes from apoptosis by promoting autophagy. <i>Journal of Biological Chemistry</i> , 2014 , 289, 16924-35	5.4	34
71	Calmodulin-mediated cell cycle regulation: new mechanisms for old observations. <i>Cell Cycle</i> , 2006 , 5, 2183-6	4.7	34
70	A CD103 Conventional Dendritic Cell Surveillance System Prevents Development of Overt Heart Failure during Subclinical Viral Myocarditis. <i>Immunity</i> , 2017 , 47, 974-989.e8	32.3	33
69	Targeting of transgene expression to the vascular endothelium of mice by homologous recombination at the thrombomodulin locus. <i>Circulation Research</i> , 1996 , 78, 180-7	15.7	33
68	Anti-Thrombotic Therapy to Ameliorate Complications of COVID-19 (ATTACC): Study design and methodology for an international, adaptive Bayesian randomized controlled trial. <i>Clinical Trials</i> , 2020 , 17, 491-500	2.2	33
67	Growth differentiation factor 5 regulates cardiac repair after myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 135-43	15.1	31
66	c-Myb-dependent smooth muscle cell differentiation. <i>Circulation Research</i> , 2008 , 102, 554-61	15.7	31
65	Serum-free differentiation of functional human coronary-like vascular smooth muscle cells from embryonic stem cells. <i>Cardiovascular Research</i> , 2013 , 98, 125-35	9.9	30
64	Urinary adenosine excretion in type 1 diabetes. <i>American Journal of Physiology - Renal Physiology</i> , 2017 , 313, F184-F191	4.3	29
63	Electrical remodelling precedes heart failure in an endothelin-1-induced model of cardiomyopathy. <i>Cardiovascular Research</i> , 2011 , 89, 623-33	9.9	29
62	Elafin-overexpressing mice have improved cardiac function after myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H286-92	5.2	29
61	c-Myb-dependent cell cycle progression and Ca ²⁺ storage in cultured vascular smooth muscle cells. <i>Circulation Research</i> , 1997 , 80, 617-26	15.7	29
60	c-Myb-binding sites mediate G(1)/S-associated repression of the plasma membrane Ca(2+)-ATPase-1 promoter. <i>Journal of Biological Chemistry</i> , 2000 , 275, 9062-9	5.4	28
59	Effects of Liraglutide on Cardiovascular Outcomes in Patients With Diabetes With or Without Heart Failure. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1128-1141	15.1	25

58	Calcium efflux activity of plasma membrane Ca ²⁺ ATPase-4 (PMCA4) mediates cell cycle progression in vascular smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2014 , 289, 7221-7231	5.4	23
57	Diurnal profiling of neuroendocrine genes in murine heart, and shift in proopiomelanocortin gene expression with pressure-overload cardiac hypertrophy. <i>Journal of Molecular Endocrinology</i> , 2008 , 41, 117-24	4.5	22
56	Molecular Mechanisms Underlying the Cardiovascular Benefits of SGLT2i and GLP-1RA. <i>Current Diabetes Reports</i> , 2018 , 18, 45	5.6	21
55	Cardiomyocyte-targeted overexpression of the coxsackie-adenovirus receptor causes a cardiomyopathy in association with beta-catenin signaling. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 48, 1194-205	5.8	20
54	Cardiovascular outcomes are predicted by exercise-stress myocardial perfusion imaging: Impact on death, myocardial infarction, and coronary revascularization procedures. <i>American Heart Journal</i> , 2011 , 161, 900-7	4.9	19
53	Cardioprotective GLP-1 metabolite prevents ischemic cardiac injury by inhibiting mitochondrial trifunctional protein- α <i>Journal of Clinical Investigation</i> , 2020 , 130, 1392-1404	15.9	19
52	c-Myb Regulates Proliferation and Differentiation of Adventitial Sca1+ Vascular Smooth Muscle Cell Progenitors by Transactivation of Myocardin. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1367-76	9.4	19
51	c-Myb function in fibroblasts. <i>Journal of Cellular Physiology</i> , 1997 , 173, 319-26	7	18
50	Tumor Necrosis Factor/Sphingosine-1-Phosphate Signaling Augments Resistance Artery Myogenic Tone in Diabetes. <i>Diabetes</i> , 2016 , 65, 1916-28	0.9	18
49	Vascular smooth muscle cell differentiation from human stem/progenitor cells. <i>Methods</i> , 2016 , 101, 85-92	12.6	17
48	Peptide-mediated disruption of calmodulin-cyclin E interactions inhibits proliferation of vascular smooth muscle cells and neointima formation. <i>Circulation Research</i> , 2011 , 108, 1053-62	15.7	17
47	Diagnostic and prognostic significance of transient ischemic dilation (TID) in myocardial perfusion imaging: A systematic review and meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 724-737	2.1	16
46	CFTR Therapeutics Normalize Cerebral Perfusion Deficits in Mouse Models of Heart Failure and Subarachnoid Hemorrhage. <i>JACC Basic To Translational Science</i> , 2019 , 4, 940-958	8.7	16
45	HDL protects against doxorubicin-induced cardiotoxicity in a scavenger receptor class B type 1-, PI3K-, and Akt-dependent manner. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H31-H44	5.2	15
44	The role of endothelin-1 in myocarditis and inflammatory cardiomyopathy: old lessons and new insights. <i>Canadian Journal of Physiology and Pharmacology</i> , 2005 , 83, 47-62	2.4	15
43	Lack of group X secreted phospholipase A α increases survival following pandemic H1N1 influenza infection. <i>Virology</i> , 2014 , 454-455, 78-92	3.6	14
42	Post-myocardial infarct p27 fusion protein intravenous delivery averts adverse remodelling and improves heart function and survival in rodents. <i>Cardiovascular Research</i> , 2012 , 94, 492-500	9.9	14
41	c-Myb-dependent inositol 1,4,5-trisphosphate receptor type-1 expression in vascular smooth muscle cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 1305-11	9.4	14

40	B-Cell Deficiency Lowers Blood Pressure in Mice. <i>Hypertension</i> , 2019 , 73, 561-570	8.5	13
39	The antidiabetic hormone glucagon-like peptide-1 induces formation of new elastic fibers in human cardiac fibroblasts after cross-activation of IGF-IR. <i>Endocrinology</i> , 2015 , 156, 90-102	4.8	11
38	Mutation in integrin-linked kinase (ILK(R211A)) and heat-shock protein 70 comprise a broadly cardioprotective complex. <i>PLoS ONE</i> , 2013 , 8, e77331	3.7	11
37	Perlecan heparan sulfate proteoglycan is a critical determinant of angiogenesis in response to mouse hind-limb ischemia. <i>Canadian Journal of Cardiology</i> , 2014 , 30, 1444-51	3.8	10
36	-Nitrosogluthathione Reductase Deficiency Confers Improved Survival and Neurological Outcome in Experimental Cerebral Malaria. <i>Infection and Immunity</i> , 2017 , 85,	3.7	10
35	Effects of semaglutide on risk of cardiovascular events across a continuum of cardiovascular risk: combined post hoc analysis of the SUSTAIN and PIONEER trials. <i>Cardiovascular Diabetology</i> , 2020 , 19, 156	8.7	10
34	Diabetes impairs arterio-venous specification in engineered vascular tissues in a perivascular cell recruitment-dependent manner. <i>Biomaterials</i> , 2017 , 119, 23-32	15.6	9
33	Regulated expression and role of c-Myb in the cardiovascular-directed differentiation of mouse embryonic stem cells. <i>Circulation Research</i> , 2012 , 110, 253-64	15.7	9
32	Distal coronary embolization following acute myocardial infarction increases early infarct size and late left ventricular wall thinning in a porcine model. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015 , 17, 106	6.9	8
31	Cardiac-specific inducible overexpression of human plasma membrane Ca ATPase 4b is cardioprotective and improves survival in mice following ischemic injury. <i>Clinical Science</i> , 2018 , 132, 641-654	6.5	7
30	Region-specific patterns of vascular remodelling occur early in atherosclerosis and without loss of smooth muscle cell markers. <i>Atherosclerosis</i> , 2008 , 196, 617-23	3.1	7
29	Heart failure with insulin degludec versus glargine U100 in patients with type 2 diabetes at high risk of cardiovascular disease: DEVOTE 14. <i>Cardiovascular Diabetology</i> , 2019 , 18, 156	8.7	6
28	Enhanced proliferation and altered calcium handling in RGS2-deficient vascular smooth muscle cells. <i>Journal of Receptor and Signal Transduction Research</i> , 2014 , 34, 476-83	2.6	5
27	Dapagliflozin effects on lung fluid volumes in patients with heart failure and reduced ejection fraction: Results from the DEFINE-HF trial. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1426-1430	6.7	5
26	Cardiovascular outcomes after pharmacologic stress myocardial perfusion imaging. <i>American Heart Journal</i> , 2016 , 174, 138-46	4.9	4
25	Functional culture and in vitro genetic and small-molecule manipulation of adult mouse cardiomyocytes. <i>Communications Biology</i> , 2020 , 3, 229	6.7	4
24	c-Myb regulates transcriptional activation of miR-143/145 in vascular smooth muscle cells. <i>PLoS ONE</i> , 2018 , 13, e0202778	3.7	4
23	c-Myb Exacerbates Atherosclerosis through Regulation of Protective IgM-Producing Antibody-Secreting Cells. <i>Cell Reports</i> , 2019 , 27, 2304-2312.e6	10.6	3

22	Antiatherothrombotic effects of dipeptidyl peptidase inhibitors. <i>Current Atherosclerosis Reports</i> , 2014 , 16, 408	6	3
21	MiR-30 promotes fatty acid beta-oxidation and endothelial cell dysfunction and is a circulating biomarker of coronary microvascular dysfunction in pre-clinical models of diabetes.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 31	8.7	3
20	Skin-derived precursors from human subjects with Type 2 diabetes yield dysfunctional vascular smooth muscle cells. <i>Clinical Science</i> , 2017 , 131, 1801-1814	6.5	2
19	Prognostic impact of SPECT-MPI after renal transplantation. <i>Journal of Nuclear Cardiology</i> , 2017 , 24, 295-303	2.1	2
18	Incidental COVID-19 on PET/CT imaging. <i>Cmaj</i> , 2020 , 192, E631	3.5	2
17	Effects of Dapagliflozin on Biomarkers, Symptoms and Functional Status in Patients with Heart Failure with Reduced Ejection Fraction with and without Diabetes - The Define-HF Trial. <i>Journal of Cardiac Failure</i> , 2019 , 25, 937-938	3.3	2
16	The Incretin System and Cardiovascular Risk: Effects of Incretin-Targeted Therapies. <i>Current Cardiovascular Risk Reports</i> , 2011 , 5, 62-69	0.9	1
15	Temporal and spatial regulation of histone deacetylase-7 and beta-catenin in endothelial cells. <i>Circulation Research</i> , 2010 , 106, 1180-3	15.7	1
14	Cadaveric thoracic trauma management courses for emergency physicians may contribute to improved outcomes. <i>European Journal of Emergency Medicine</i> , 2012 , 19, 204-5	2.3	1
13	Electrocardiographic prediction of the severity of posterior wall perfusion defects on rest technetium-99m Sestamibi myocardial perfusion imaging. <i>Journal of Electrocardiology</i> , 2005 , 38, 195-203	1.4	1
12	Troubles With a Transgene: Experiences With SM22 β TA Mice. <i>Circulation Research</i> , 2005 , 97,	15.7	1
11	The Role of Growth Differentiation Factor 5 in Cardiac Repair Post-Myocardial Infarction 2013 , 365-382		1
10	Applying REWIND cardiovascular disease criteria to SUSTAIN 6 and PIONEER 6: An exploratory analysis of cardiovascular outcomes with semaglutide. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 1677-1680	6.7	1
9	Aortic Sca-1 Progenitor Cells Arise from the Somitic Mesoderm Lineage in Mice. <i>Stem Cells and Development</i> , 2018 , 27, 888-897	4.4	0
8	Roles of vascular endothelial and smooth muscle cells in the vasculoprotective effect of insulin in a mouse model of restenosis. <i>Diabetes and Vascular Disease Research</i> , 2021 , 18, 14791641211027324	3.3	0
7	Semaglutide reduces cardiovascular events regardless of metformin use: a post hoc subgroup analysis of SUSTAIN 6 and PIONEER 6.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 64	8.7	0
6	Effects of Semaglutide on Stroke Subtypes in Type 2 Diabetes: Post Hoc Analysis of the Randomized SUSTAIN 6 and PIONEER 6.. <i>Stroke</i> , 2022 , 101161STROKEAHA121037775	6.7	0
5	Introductory Essay: Diagnosis and Treatment1599-1601		

4 Vascular Smooth Muscle Cells: The Muscle behind Vascular Biology 545-561

3 A possible escape phenomenon of lipoprotein(a) in sustained plasma exchange. *Transfusion Science*, **1993**, 14, 417-421

2 Hospitalization costs with degludec versus glargine U100 for patients with type 2 diabetes at high cardiovascular risk: Canadian costs applied to SAEs from a randomized outcomes trial. *Journal of Medical Economics*, **2021**, 24, 1318-1326 2.4

1 Vascular Antisense Therapy Directed Against c-myc, c-myb and PCNA. *Perspectives in Antisense Science*, **1999**, 71-98