

Joao Henrique Moreira Viana

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/4187477/joao-henrique-moreira-viana-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92

papers

1,119

citations

16

h-index

30

g-index

94

ext. papers

1,318

ext. citations

1.9

avg, IF

3.76

L-index

| # | Paper | IF | Citations |
|----|--|-----|-----------|
| 92 | Effect of maternal heat-stress on follicular growth and oocyte competence in <i>Bos indicus</i> cattle. <i>Theriogenology</i> , 2008 , 69, 155-66 | 2.8 | 308 |
| 91 | Color Doppler flow imaging for the early detection of nonpregnant cattle at 20 days after timed artificial insemination. <i>Journal of Dairy Science</i> , 2013 , 96, 6461-72 | 4 | 57 |
| 90 | Developmental competence and expression of the Hsp 70.1 gene in oocytes obtained from <i>Bos indicus</i> and <i>Bos taurus</i> dairy cows in a tropical environment. <i>Theriogenology</i> , 2007 , 68, 626-32 | 2.8 | 43 |
| 89 | Induction of estrus in non-lactating dairy goats with different estrous synchrony protocols. <i>Animal Reproduction Science</i> , 2005 , 85, 117-24 | 2.1 | 43 |
| 88 | Effects of a high-energy diet on oocyte quality and in vitro embryo production in <i>Bos indicus</i> and <i>Bos taurus</i> cows. <i>Journal of Dairy Science</i> , 2015 , 98, 3086-99 | 4 | 31 |
| 87 | Interrelationships among morphology, echotexture, and function of the bovine corpus luteum during the estrous cycle. <i>Animal Reproduction Science</i> , 2009 , 115, 18-28 | 2.1 | 31 |
| 86 | Short intervals between ultrasonographically guided follicle aspiration improve oocyte quality but do not prevent establishment of dominant follicles in the Gir breed (<i>Bos indicus</i>) of cattle. <i>Animal Reproduction Science</i> , 2004 , 84, 1-12 | 2.1 | 31 |
| 85 | Follicular dynamics in zebu cattle. <i>Pesquisa Agropecuaria Brasileira</i> , 2000 , 35, 2501-2509 | 1.8 | 31 |
| 84 | Colour Doppler Ultrasonography as a Tool to Assess Luteal Function in Santa Inês Ewes. <i>Reproduction in Domestic Animals</i> , 2015 , 50, 643-50 | 1.6 | 29 |
| 83 | Ovarian follicular dynamics, follicle deviation, and oocyte yield in Gyr breed (<i>Bos indicus</i>) cows undergoing repeated ovum pick-up. <i>Theriogenology</i> , 2010 , 73, 966-72 | 2.8 | 28 |
| 82 | Osmotic challenge and expression of aquaporin 3 and Na/K ATPase genes in bovine embryos produced in vitro. <i>Cryobiology</i> , 2011 , 63, 256-62 | 2.7 | 26 |
| 81 | Autoclaved, previously used intravaginal progesterone devices induces estrus and ovulation in anestrous Toggenburg goats. <i>Animal Reproduction Science</i> , 2011 , 129, 50-5 | 2.1 | 25 |
| 80 | Embryo production and recovery in goats by non-surgical transcervical technique. <i>Small Ruminant Research</i> , 2013 , 111, 96-99 | 1.7 | 22 |
| 79 | Corpus luteum blood flow evaluation on Day 21 to improve the management of embryo recipient herds. <i>Theriogenology</i> , 2015 , 84, 237-41 | 2.8 | 19 |
| 78 | Pregnancy rates and corpus luteum-related factors affecting pregnancy establishment in bovine recipients synchronized for fixed-time embryo transfer. <i>Theriogenology</i> , 2009 , 72, 949-58 | 2.8 | 18 |
| 77 | Developmental competence of oocytes from prepubertal <i>Bos indicus</i> crossbred cattle. <i>Animal Reproduction Science</i> , 2005 , 85, 53-9 | 2.1 | 17 |
| 76 | Gestation length, birth weight and offspring gender ratio of in vitro-produced Gyr (<i>Bos indicus</i>) cattle embryos. <i>Animal Reproduction Science</i> , 2010 , 120, 10-5 | 2.1 | 16 |

| | | | |
|----|---|-----|----|
| 75 | Occurrence and characteristics of residual follicles formed after transvaginal ultrasound-guided follicle aspiration in cattle. <i>Theriogenology</i> , 2013 , 79, 267-73 | 2.8 | 14 |
| 74 | The use of PGF2 α as ovulatory stimulus for timed artificial insemination in cattle. <i>Theriogenology</i> , 2014 , 81, 689-95 | 2.8 | 14 |
| 73 | Developmental competence and expression of the MATER and ZAR1 genes in immature bovine oocytes selected by brilliant cresyl blue. <i>Zygote</i> , 2010 , 18, 209-16 | 1.6 | 14 |
| 72 | Effect of oxygen tension and serum during IVM on developmental competence of bovine oocytes. <i>Reproduction, Fertility and Development</i> , 2010 , 22, 1074-82 | 1.8 | 14 |
| 71 | Caracterização das seqüelas subsequentes à punção folicular em bovinos. <i>Pesquisa Veterinaria Brasileira</i> , 2003 , 23, 119-124 | 0.4 | 14 |
| 70 | Trans-10, cis-12 conjugated linoleic acid reduces neutral lipid content and may affect cryotolerance of in vitro-produced crossbred bovine embryos. <i>Journal of Animal Science and Biotechnology</i> , 2014 , 5, 33 | 6 | 12 |
| 69 | Vascular and morphological features of the corpus luteum 12 to 20 days after timed artificial insemination in dairy cattle. <i>Journal of Dairy Science</i> , 2019 , 102, 5612-5622 | 4 | 11 |
| 68 | Indução de estro em cabras da raça Toggenburg com dois diferentes dispositivos intravaginais. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006 , 58, 367-372 | 0.3 | 11 |
| 67 | Update and overview on assisted reproductive technologies (ARTs) in Brazil. <i>Animal Reproduction</i> , 2016 , 13, 300-312 | 1.7 | 11 |
| 66 | Freezing goat embryos at different developmental stages and quality using ethylene glycol and a slow cooling rate. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2018 , 70, 1489-1496 | 0.3 | 11 |
| 65 | In vivo collection of follicular fluid and granulosa cells from individual follicles of different diameters in cattle by an adapted ovum pick-up system. <i>Reproductive Biology and Endocrinology</i> , 2013 , 11, 73 | 5 | 10 |
| 64 | Follicular populations, recruitment and atresia in the ovaries of different strains of mice. <i>Reproductive Biology</i> , 2012 , 12, 41-55 | 2.3 | 10 |
| 63 | Luteal dynamics in goats: morphological and endocrine features. <i>Revista Brasileira De Zootecnia</i> , 2010 , 39, 1937-1942 | 1.2 | 10 |
| 62 | Early resynchronization of non-pregnant beef cows based in corpus luteum blood flow evaluation 21 days after Timed-AI. <i>Theriogenology</i> , 2020 , 146, 26-30 | 2.8 | 10 |
| 61 | Viable offspring after successful non-surgical embryo transfer in goats. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2014 , 66, 613-616 | 0.3 | 9 |
| 60 | Assessment of luteal function in goats by ultrasonographic image attribute analysis. <i>Small Ruminant Research</i> , 2010 , 94, 176-179 | 1.7 | 9 |
| 59 | Características morfológicas e funcionais do corpo lúteo durante o ciclo estral em vacas da raça Gir. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 1999 , 51, 251-256 | 0.3 | 9 |
| 58 | Brazilian embryo industry in context: pitfalls, lessons, and expectations for the future. <i>Animal Reproduction</i> , 2017 , 14, 476-481 | 1.7 | 9 |

| | | |
|----|---|-------|
| 57 | Parâmetros reprodutivos de cabras Toggenburg inseminadas com sêmen resfriado, após diluição em meio base de gema de ovo. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2009 , 61, 299-305 ^{0.3} | 8 |
| 56 | Prostaglandin F2 α or estradiol benzoate to induce ovulation in timed artificially inseminated dairy cows. <i>Pesquisa Agropecuaria Brasileira</i> , 2016 , 51, 738-744 | 1.8 8 |
| 55 | Ovarian Grafts 10 Days after Xenotransplantation: Folliculogenesis and Recovery of Viable Oocytes. <i>PLoS ONE</i> , 2016 , 11, e0158109 | 3.7 8 |
| 54 | Bovine epididymal spermatozoa treatment for in vitro fertilization: Heparin accelerates fertilization and enables a reduction in coincubation time. <i>PLoS ONE</i> , 2019 , 14, e0209692 | 3.7 6 |
| 53 | Influência do grupo genético, condição sexual e tratamento antiparasitário nas medidas de fleia de olho do lombo e espessura de gordura in vivo e na carcaça de bovinos de corte. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2009 , 61, 676-681 | 0.3 6 |
| 52 | Use of ultrasound biomicroscopy to evaluate induced ovarian follicular growth and ovulation in mice. <i>Laboratory Animals</i> , 2011 , 45, 254-8 | 2.6 6 |
| 51 | Intraovarian injection of mesenchymal stem cells improves oocyte yield and in vitro embryo production in a bovine model of fertility loss. <i>Scientific Reports</i> , 2020 , 10, 8018 | 4.9 5 |
| 50 | Efficacy of induction of luteolysis in superovulated cows is dependent on time of prostaglandin F2alpha analog treatment: effects on plasma progesterone and luteinizing hormone profiles. <i>Theriogenology</i> , 2016 , 86, 934-939 | 2.8 5 |
| 49 | Características andrológicas de touros da raça Gir. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006 , 58, 809-815 | 0.3 5 |
| 48 | Regressão luteal e dinâmica folicular após luteólise natural ou induzida por cloprostenol em vacas da raça Gir. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 1999 , 51, 257-262 | 0.3 5 |
| 47 | The CC-chemokine receptor 2 is involved in the control of ovarian folliculogenesis and fertility lifespan in mice. <i>Journal of Reproductive Immunology</i> , 2020 , 141, 103174 | 4.2 4 |
| 46 | Comparison of gene expression in Bos indicus and Bos taurus embryos produced in vivo or in vitro. <i>Livestock Science</i> , 2011 , 140, 62-67 | 1.7 4 |
| 45 | Efeito de concentração espermática e período de incubação óvulo-espermatozóides na fecundação in vitro em bovinos da raça Gir. <i>Pesquisa Agropecuaria Brasileira</i> , 2002 , 37, 709-715 | 1.8 4 |
| 44 | Taurina no desenvolvimento de embriões bovinos fecundados in vitro. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2002 , 54, 396-404 | 0.3 4 |
| 43 | A historical perspective of embryo-related technologies in South America. <i>Animal Reproduction</i> , 2018 , 15, 963-970 | 1.7 4 |
| 42 | Polymorphisms and alternative splicing of the luteinizing hormone receptor of dairy cattle. <i>Genetics and Molecular Research</i> , 2016 , 15, | 1.2 4 |
| 41 | Differential expression of LHCGR and its isoforms is associated to the variability in superovulation responses of Gir cattle. <i>Theriogenology</i> , 2019 , 126, 68-74 | 2.8 4 |
| 40 | Differential gene expression between and maturation: a comparative study with bovine oocytes derived from the same donor pool. <i>Jornal Brasileiro De Reprodução Assistida</i> , 2019 , 23, 7-14 | 1.7 3 |

| | | | |
|----|--|------|---|
| 39 | Vitrification leads to transcriptomic modifications of mice ovaries that do not affect folliculogenesis progression. <i>Reproductive Biology</i> , 2020 , 20, 264-272 | 2.3 | 3 |
| 38 | Weight gain potential affects pregnancy rates in bovine embryo recipients raised under pasture conditions. <i>Tropical Animal Health and Production</i> , 2016 , 48, 103-7 | 1.7 | 3 |
| 37 | Contrasting effects of heat shock during in vitro maturation on development of in vitro-fertilized and parthenogenetic bovine embryos. <i>Reproduction in Domestic Animals</i> , 2019 , 54, 1357-1365 | 1.6 | 3 |
| 36 | Safety of vaccination against brucellosis with the rough strain in pregnant cattle. <i>Tropical Animal Health and Production</i> , 2017 , 49, 1779-1781 | 1.7 | 3 |
| 35 | Restrição alimentar e atividade ovariana luteal clínica pós-parto em vacas girolanda. <i>Pesquisa Agropecuária Brasileira</i> , 2000 , 35, 2521-2528 | 1.8 | 3 |
| 34 | Estimation of biometric parameters from cattle rump using free-hand scanning and a 3D data processing algorithm. <i>Virtual and Physical Prototyping</i> , 2016 , 11, 167-172 | 10.1 | 3 |
| 33 | Intrafollicular oestradiol production, expression of the LH receptor (LHR) gene and its isoforms, and early follicular deviation in Bos indicus. <i>Reproduction, Fertility and Development</i> , 2017 , 29, 1958-1970 | 1.8 | 2 |
| 32 | Likelihood of pregnancy after the transfer of embryos derived from follicle aspiration and in vitro embryo production sessions with different relative efficiencies. <i>Animal Reproduction Science</i> , 2018 , 193, 165-170 | 2.1 | 2 |
| 31 | Absence of Sperm Factors as in the Parthenogenesis Does Not Interfere on Bovine Embryo Sensitiveness to Heat Shock at Pre-Implantation Stage. <i>Reproduction in Domestic Animals</i> , 2016 , 51, 3-9 | 1.6 | 2 |
| 30 | Somatic development and embryo yield in crossbred F1 mice generated by different mating strategies. <i>Brazilian Journal of Biology</i> , 2010 , 70, 145-9 | 1.5 | 2 |
| 29 | Efeito do citrato e taurina em meio CR2aa no desenvolvimento de embriões bovinos fecundados in vitro. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2009 , 61, 88-94 | 0.3 | 2 |
| 28 | Concentração espermática na fecundação in vitro, com sêmen de touro da raça Guzerá. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2000 , 52, 59-64 | 0.3 | 2 |
| 27 | Efeito da preestimulação ovariana sobre características de óvulos após punção folicular em bovinos. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2003 , 55, 68-74 | 0.3 | 2 |
| 26 | Protocolos de produção in vitro de embriões na raça Gir. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006 , 58, 341-347 | 0.3 | 2 |
| 25 | Avaliação ultra-sonográfica da dinâmica folicular e leitea em vacas da raça Guzerá. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2007 , 59, 1089-1096 | 0.3 | 2 |
| 24 | Quantificação de transcritos maternos em óvulos bovinos submetidos a diferentes condições de maturação. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010 , 62, 1394-1400 | 0.3 | 2 |
| 23 | Characterization of blood flow and the effects of exogenous estradiol benzoate on residual follicles formed after ultrasound-guided transvaginal follicle aspiration in cattle. <i>Journal of Animal Science and Biotechnology</i> , 2016 , 7, 59 | 6 | 2 |
| 22 | Characteristic MALDI-MS lipid profiles of Gir, Holstein and crossbred (Gir x Holstein) oocytes recovered by ovum pick-up. <i>Livestock Science</i> , 2021 , 243, 104380 | 1.7 | 2 |

| | | | |
|----|--|-----|---|
| 21 | Efeito da somatotropina na população folicular, recuperação de óvulos e produção in vitro de embriões em vacas Gir. <i>Revista Brasileira De Zootecnia</i> , 2007 , 36, 380-386 | 1.2 | 1 |
| 20 | Concentração espermática e tempo de incubação in vitro usando-se sêmen de touros da raça Guzerá. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2006 , 58, 348-353 | 0.3 | 1 |
| 19 | Bovine herpesvirus type 1 in cumulus-oocyte complexes collected from naturally infected cows. <i>Pesquisa Agropecuaria Brasileira</i> , 2016 , 51, 676-679 | 1.8 | 1 |
| 18 | Fertilidade de novilhas após aborto induzido com cloprostenol. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2002 , 54, 279-282 | 0.3 | 1 |
| 17 | População folicular ovariana durante o ciclo estral em vacas da raça Gir. <i>Revista Brasileira De Zootecnia</i> , 2004 , 33, 1689-1694 | 1.2 | 1 |
| 16 | Effect of a single or two doses of an anti-GnRH vaccine on testicle morpho-functional characteristics in Nelore bulls. <i>Tropical Animal Health and Production</i> , 2021 , 53, 153 | 1.7 | 1 |
| 15 | Genetic analysis of in-vitro embryo production traits in Dairy Gir cattle. <i>Theriogenology</i> , 2020 , 148, 149-168 | 0 | |
| 14 | Endogenous Progesterone Concentrations Affect Progesterone Release from Intravaginal Devices Used for Oestrous Synchronization in Cattle. <i>Reproduction in Domestic Animals</i> , 2015 , 50, 692-5 | 1.6 | 0 |
| 13 | Actions of CSF2 and DKK1 on bovine embryo development and pregnancy outcomes are affected by composition of embryo culture medium.. <i>Scientific Reports</i> , 2022 , 12, 7503 | 4.9 | 0 |
| 12 | Relative expression of mRNAs related to cavitation process in bovine embryos produced in vivo and in vitro. <i>Revista Brasileira De Zootecnia</i> , 2011 , 40, 124-128 | 1.2 | |
| 11 | Efeito de diferentes meios de cultivo no desenvolvimento e proporção do sexo de embriões bovinos produzidos in vitro. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2004 , 56, 623-627 | 0.3 | |
| 10 | Short communication: Does previous superovulation affect fertility in dairy heifers?. <i>Journal of Dairy Science</i> , 2020 , 103, 10862-10866 | 4 | |
| 9 | Efeito de sistema de cultivo, célula somática e soro em co-cultura sobre o desenvolvimento de embriões bovinos fecundados in vitro. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2001 , 53, 78-83 | 0.3 | |
| 8 | Nascimento de bezerra gerada com auxílio das técnicas de punção folicular e fertilização in vitro no Estado de Minas Gerais. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2001 , 53, 477-478 | 0.3 | |
| 7 | Taxa de ovulação e concentração plasmática de progesterona em fêmeas bovinas imunizadas com líquido folicular suíno. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2002 , 54, 595-601 | 0.3 | |
| 6 | Intervalos do início e do final do estro e ovulação em vacas das raças Gir e Guzerá após luteíse natural ou induzida por prostaglandina. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2003 , 55, 430-437 | 0.3 | |
| 5 | Efficacy and limitations of different approaches to anticipate the diagnosis of pregnancy in cattle. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2019 , 71, 1909-1916 | 0.3 | |
| 4 | Acurácia da ultrassonografia e da avaliação comportamental na determinação das características funcionais de estruturas ovarianas císticas. <i>Pesquisa Agropecuaria Brasileira</i> , 2014 , 49, 823-827 | 1.8 | |

LIST OF PUBLICATIONS

- 3 Florfenicol associado ou não ao cloprosteno no tratamento de retenção de placenta em vacas leiteiras. *Arquivo Brasileiro De Medicina Veterinaria E Zootecnia*, **2014**, 66, 305-309 0.3
- 2 Timing of early resynchronization protocols affects subsequent pregnancy outcome in dairy cows. *Theriogenology*, **2021**, 167, 61-66 2.8
- 1 Active immunization against GnRH as an alternative therapeutic approach for the management of Bos indicus oocyte donors diagnosed with chronic cystic ovarian disease. *Theriogenology*, **2021**, 172, 133-141 2.8