

Carmelo Urso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4189467/publications.pdf>

Version: 2024-02-01

72
papers

1,455
citations

331259

21
h-index

360668

35
g-index

72
all docs

72
docs citations

72
times ranked

1739
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Conceptual Evolution and Current Approach to Spitz Tumors. <i>Dermatopathology (Basel, Switzerland)</i> , 2022, 9, 136-142. | 0.7 | 2 |
| 2 | NGS-Based Analysis of Atypical Deep Penetrating Nevi. <i>Cancers</i> , 2021, 13, 3066. | 1.7 | 10 |
| 3 | Spitzoid neoplasms: the double simulation theory in the time of genomic alterations. <i>Pathology</i> , 2020, 52, 268-269. | 0.3 | 1 |
| 4 | Certain and uncertain malignant potential in melanocytic skin neoplasms. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 711-712. | 0.7 | 1 |
| 5 | Melanocytic Skin Neoplasms: What Lesson From Genomic Aberrations?. <i>American Journal of Dermatopathology</i> , 2019, 41, 623-629. | 0.3 | 11 |
| 6 | Enhancing the prognostic role of melanoma sentinel lymph nodes through microscopic tumour burden characterization: clinical usefulness in patients who do not undergo complete lymph node dissection. <i>Melanoma Research</i> , 2019, 29, 163-171. | 0.6 | 13 |
| 7 | The burden of cutaneous adnexal carcinomas and the risk of associated squamous cell carcinoma: a population-based study. <i>British Journal of Dermatology</i> , 2019, 180, 565-573. | 1.4 | 17 |
| 8 | ERK5 is activated by oncogenic BRAF and promotes melanoma growth. <i>Oncogene</i> , 2018, 37, 2601-2614. | 2.6 | 50 |
| 9 | Spitzoid Neoplasms: Suggestions from Genomic Aberrations. <i>Dermatopathology (Basel, Switzerland)</i> , 2018, 5, 26-29. | 0.7 | 1 |
| 10 | Droplet digital PCR (ddPCR) vs quantitative real-time PCR (qPCR) approach for detection and quantification of Merkel cell polyomavirus (MCPyV) DNA in formalin fixed paraffin embedded (FFPE) cutaneous biopsies. <i>Journal of Virological Methods</i> , 2017, 246, 15-20. | 1.0 | 41 |
| 11 | Subungual Eccrine Porocarcinoma: Rare but Possible. <i>Dermatologic Surgery</i> , 2017, 43, 995-996. | 0.4 | 6 |
| 12 | Diagnostic problems in spitzoid neoplasms. <i>Pathology</i> , 2017, 49, 325-326. | 0.3 | 5 |
| 13 | If Cellular Blue Melanocytic Lesions Do Not Form a Spectrum. <i>American Journal of Dermatopathology</i> , 2017, 39, 711-713. | 0.3 | 2 |
| 14 | Teledermoscopy in doubtful melanocytic lesions: is it really useful?. <i>International Journal of Dermatology</i> , 2016, 55, 1119-1123. | 0.5 | 12 |
| 15 | On The Nature of Atypical Spitz Tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 1316-1317. | 1.2 | 1 |
| 16 | Detection of Merkel cell polyomavirus and human papillomavirus DNA in porocarcinoma. <i>Journal of Clinical Virology</i> , 2016, 78, 71-73. | 1.6 | 14 |
| 17 | Thin and thick primary cutaneous melanomas reveal distinct patterns of somatic copy number alterations. <i>Oncotarget</i> , 2016, 7, 30365-30378. | 0.8 | 10 |
| 18 | Time to reconsider Spitzoid neoplasms?. <i>Dermatology Practical and Conceptual</i> , 2016, 6, 43-48. | 0.5 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Immunohistochemistry is highly sensitive and specific for the detection of NRASQ61R mutation in melanoma. <i>Modern Pathology</i> , 2015, 28, 487-497. | 2.9 | 59 |
| 20 | KIT genetic alterations in anorectal melanomas. <i>Journal of Clinical Pathology</i> , 2015, 68, 130-134. | 1.0 | 27 |
| 21 | Lymphatic and blood vasculature in primary cutaneous melanomas of the scalp and neck. <i>Head and Neck</i> , 2015, 37, 1596-1602. | 0.9 | 12 |
| 22 | CD63 Tetraspanin Is a Negative Driver of Epithelial-to-Mesenchymal Transition in Human Melanoma Cells. <i>Journal of Investigative Dermatology</i> , 2014, 134, 2947-2956. | 0.3 | 38 |
| 23 | Animal-type melanoma. <i>Melanoma Research</i> , 2014, 24, 47-53. | 0.6 | 8 |
| 24 | Dendritic cells recruitment in melanoma metastasis treated by electrochemotherapy. <i>Clinical and Experimental Metastasis</i> , 2013, 30, 37-45. | 1.7 | 57 |
| 25 | Porocarcinoma: an exceedingly rare tumor or a tumor eclipse phenomenon?. <i>Human Pathology</i> , 2013, 44, 448-449. | 1.1 | 12 |
| 26 | High hERG1 expression in advanced melanoma. <i>Melanoma Research</i> , 2013, 23, 185-190. | 0.6 | 6 |
| 27 | Tertium Non Datur? Legitimacy of a Third Diagnostic Category in Melanocytic Lesions. <i>Archives of Pathology and Laboratory Medicine</i> , 2012, 136, 1181-1183. | 1.2 | 1 |
| 28 | Human Langerhans cells are immature in melanoma sentinel lymph nodes. <i>Blood</i> , 2012, 119, 4807-4808. | 0.6 | 19 |
| 29 | A False Diabetic Foot Ulcer. <i>Journal of the American Geriatrics Society</i> , 2011, 59, 1964-1966. | 1.3 | 4 |
| 30 | Female Breast Cancer Status According to ER, PR and HER2 Expression: A Population Based Analysis. <i>Pathology and Oncology Research</i> , 2011, 17, 753-758. | 0.9 | 47 |
| 31 | The atypical Spitz tumor of uncertain biologic potential. <i>Cancer</i> , 2010, 116, 258-258. | 2.0 | 0 |
| 32 | Indoleamine 2,3-Dioxygenase+ Cells Correspond to the BDCA2+ Plasmacytoid Dendritic Cells in Human Melanoma Sentinel Nodes. <i>Journal of Investigative Dermatology</i> , 2010, 130, 898-901. | 0.3 | 40 |
| 33 | The Influence of Clinical Information in the Histopathologic Diagnosis of Melanocytic Skin Neoplasms. <i>PLoS ONE</i> , 2009, 4, e5375. | 1.1 | 65 |
| 34 | Non-sentinel lymph node involvement in a patient with an atypical Spitz tumor and a positive sentinel node. Report of a case and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 586-590. | 0.7 | 16 |
| 35 | Nodal melanocytic nevus with balloon cell change (nodal balloon cell nevus). <i>Journal of Cutaneous Pathology</i> , 2008, 35, 672-676. | 0.7 | 20 |
| 36 | Atypical Spitz tumors: facts and opinions on intranodal melanocytes. <i>Human Pathology</i> , 2008, 39, 470. | 1.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Histopathological Correlates of the Parallel-Furrow Pattern Seen in Acral Melanocytic Naevi at Dermatoscopy. <i>Dermatology</i> , 2008, 217, 356-358. | 0.9 | 11 |
| 38 | Sensitivity and specificity of histological criteria in the diagnosis of conventional cutaneous melanoma. <i>Melanoma Research</i> , 2008, 18, 253-258. | 0.6 | 8 |
| 39 | Tubular Adenoma and Syringocystadenoma Papilliferum: A Reappraisal of Their Relationship. An Interobserver Study of a Series, by a Panel of Dermatopathologists. <i>American Journal of Dermatopathology</i> , 2007, 29, 256-263. | 0.3 | 51 |
| 40 | Melanocytic Lesions, Spitz Tumors, and Don Ferrante's Logic. <i>American Journal of Dermatopathology</i> , 2007, 29, 491-494. | 0.3 | 8 |
| 41 | Plasmacytoid dendritic cells represent a major dendritic cell subset in sentinel lymph nodes of melanoma patients and accumulate in metastatic nodes. <i>Clinical Immunology</i> , 2007, 125, 184-193. | 1.4 | 77 |
| 42 | Cleft formation and consumption of the epidermis in cutaneous melanocytic lesions. <i>Human Pathology</i> , 2006, 37, 246. | 1.1 | 6 |
| 43 | Sentinel lymph node biopsy in patients with atypical Spitz tumors. A report on 12 cases. <i>Human Pathology</i> , 2006, 37, 816-823. | 1.1 | 96 |
| 44 | Cutaneous melanoma with pseudomyxoid features. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 312-314. | 0.7 | 8 |
| 45 | Angiomatoid cellular blue nevus: a variant of blue nevus with an angioma-like appearance. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 385-387. | 0.7 | 19 |
| 46 | A New Perspective for Spitz Tumors?. <i>American Journal of Dermatopathology</i> , 2005, 27, 364-366. | 0.3 | 56 |
| 47 | A pilot study of a combined dermoscopic pathological approach to the telediagnosis of melanocytic skin neoplasms. <i>Journal of Telemedicine and Telecare</i> , 2004, 10, 34-38. | 1.4 | 46 |
| 48 | Sentinel node biopsy procedures with an analysis of recurrence patterns and prognosis in melanoma patients: technical advantages using computer-assisted gamma probe with adjustable collimation. <i>Melanoma Research</i> , 2004, 14, 311-319. | 0.6 | 25 |
| 49 | Is Melanoma In Situ Really an In Situ Neoplasm?. <i>American Journal of Dermatopathology</i> , 2004, 26, 342-343. | 0.3 | 2 |
| 50 | Microsatellite analysis in cutaneous malignant melanoma. <i>Melanoma Research</i> , 2002, 12, 577-584. | 0.6 | 9 |
| 51 | Superpulsed CO2 Laser Treatment of Basal Cell Carcinoma With Intraoperative Histopathologic and Cytologic Examination. <i>Dermatologic Surgery</i> , 2002, 28, 909-912. | 0.4 | 41 |
| 52 | Pseudoinfiltration: An Underrecognized Feature in Melanocytic Lesions. <i>American Journal of Dermatopathology</i> , 2002, 24, 183-184. | 0.3 | 10 |
| 53 | Pagetoid Infiltration and Pseudoinfiltration Another Point of View. <i>American Journal of Dermatopathology</i> , 2002, 24, 451-452. | 0.3 | 0 |
| 54 | Carcinomas of Sweat Glands. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 498-505. | 1.2 | 123 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Common and Dysplastic Nevi: A New Diagnostic Approach is Possible. American Journal of Dermatopathology, 2001, 23, 160-161. | 0.3 | 0 |
| 56 | The Different Originality of Homer and Thucydides. American Journal of Dermatopathology, 2001, 23, 274-275. | 0.3 | 0 |
| 57 | Atypical Histologic Features in Melanocytic Nevi. American Journal of Dermatopathology, 2000, 22, 391-396. | 0.3 | 27 |
| 58 | Radioisotopic Lymphatic Mapping of the Sentinel Node in Melanoma: Importance of Immunohistochemistry. Tumori, 2000, 86, 346-348. | 0.6 | 9 |
| 59 | Sclerosing Adenosis-Like Lesion of Sweat Glands. American Journal of Dermatopathology, 2000, 22, 561-563. | 0.3 | 6 |
| 60 | Primary Cutaneous Adenoid Cystic Carcinoma. American Journal of Dermatopathology, 1999, 21, 400. | 0.3 | 8 |
| 61 | Prognostic significance of c-erbB-2 oncoprotein expression in intestinal-type adenocarcinoma of the sinonasal tract. , 1998, 20, 224-231. | | 27 |
| 62 | Multiple cutaneous melanoma metastases. International Journal of Dermatology, 1997, 36, 136-138. | 0.5 | 3 |
| 63 | Acne-Like Eruption Caused by Amineptine. International Journal of Dermatology, 1996, 35, 892-893. | 0.5 | 10 |
| 64 | An Inquiry on Philoctetes's Disease. American Journal of Dermatopathology, 1996, 18, 326-329. | 0.3 | 6 |
| 65 | CUTANEOUS METASTASIS FROM VULVAR ADENOCARCINOMA. International Journal of Dermatology, 1994, 33, 723-724. | 0.5 | 3 |
| 66 | Histologic Spectrum of Carcinomas with Eccrine Ductal Differentiation (Sweat-Gland Ductal) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 1 | 0.3 | 52 |
| 67 | Intestinal-Type Adenocarcinoma of the Sinonasal Tract: A Clinicopathologic Study of 18 Cases. Tumori, 1993, 79, 205-210. | 0.6 | 23 |
| 68 | Eccrine Epithelioma. American Journal of Dermatopathology, 1992, 14, 179. | 0.3 | 7 |
| 69 | Adenoid Cystic Carcinoma of Sweat Glands: Report of two Cases. Tumori, 1991, 77, 264-267. | 0.6 | 12 |
| 70 | The Author's Reply. American Journal of Dermatopathology, 1991, 13, 318. | 0.3 | 2 |
| 71 | Histological Analysis of Intraepidermal Proliferations of Atypical Melanocytes. American Journal of Dermatopathology, 1990, 12, 750-755. | 0.3 | 22 |
| 72 | On the Terminology of Cutaneous Melanoma. American Journal of Dermatopathology, 1989, 11, 93. | 0.3 | 0 |