

Teppei Okamoto

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4191483/teppey-okamoto-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

307
citations

11
h-index

15
g-index

42
ext. papers

398
ext. citations

2.7
avg, IF

3.2
L-index

#	Paper	IF	Citations
40	Effect of advanced glycation end products on nocturia or sleep disorders: A longitudinal study.. <i>BJUI Compass</i> , 2022 , 3, 162-168	0.9	
39	Associations of impaired grip strength and gait function with the severity of erectile dysfunction in men undergoing dialysis: a cross-sectional study.. <i>Aging Male</i> , 2022 , 25, 1-7	2.1	
38	The influence of gut microbiome on progression of overactive bladder symptoms: a community-based 3-year longitudinal study in Aomori, Japan. <i>International Urology and Nephrology</i> , 2021 , 1	2.3	3
37	A Longitudinal Study of Bidirectional Relationships between Sleep Disorder and Frequency of Nocturia: Results from the Iwaki Health Promotion Project. <i>Urologia Internationalis</i> , 2021 , 105, 232-239	1.9	2
36	Prognostic significance of total plasma cell-free DNA level and androgen receptor amplification in castration-resistant prostate cancer. <i>World Journal of Urology</i> , 2021 , 39, 3265-3271	4	0
35	Relationship of frailty with treatment modality selection in patients with muscle-invasive bladder cancer (FRART-BC study). <i>Translational Andrology and Urology</i> , 2021 , 10, 1143-1151	2.3	4
34	Impact of pretreatment anemia on upfront abiraterone acetate therapy for metastatic hormone-sensitive prostate cancer: a multicenter retrospective study. <i>BMC Cancer</i> , 2021 , 21, 605	4.8	1
33	Association between female urinary urgency and aponeurotic ptosis: Results from a community-based cross-sectional study in Japan. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1678-1685	2.3	
32	The association between serum serotonin levels and overactive bladder: results from a community-based cross-sectional study in Japan. <i>World Journal of Urology</i> , 2021 , 39, 169-175	4	3
31	Altered gut microbiome associated with overactive bladder and daily urinary urgency. <i>World Journal of Urology</i> , 2021 , 39, 847-853	4	6
30	Overactive bladder and sleep disturbance have a significant effect on indoor falls: Results from the community health survey in Japan. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2021 , 13, 56-63	1.9	2
29	Effect of frailty and comorbidity on surgical contraindication in patients with localized prostate cancer (FRART-PC Study). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 191.e1-191.e8	2.8	5
28	The effect of frailty on the quality of life and lower urinary symptoms following robot-assisted radical prostatectomy: A longitudinal analysis (FRARP-QL Study). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 192.e7-192.e14	2.8	3
27	Association between the baseline frailty and quality of life in patients with prostate cancer (FRAQ-PC study). <i>International Journal of Clinical Oncology</i> , 2021 , 26, 199-206	4.2	7
26	Butyrylcholinesterase level as an independent prognostic factor for overall survival in patients on maintenance hemodialysis: a single-center retrospective study. <i>Clinical and Experimental Nephrology</i> , 2021 , 1	2.5	
25	Oncologic and patient-reported outcomes after robot-assisted radical prostatectomy in men aged ≥5 years. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 729.e17-729.e25	2.8	3
24	Association of tumor burden with the eligibility of upfront intensification therapy in metastatic castration-sensitive prostate cancer: A multicenter retrospective study. <i>International Journal of Urology</i> , 2020 , 27, 610-617	2.3	8

23	Frailty is significantly associated with the type of urinary diversion in patients with muscle-invasive bladder cancer. <i>International Journal of Urology</i> , 2020 , 27, 649-654	2.3	10
22	Geriatric screening of frailty in patients with prostate cancer. <i>International Journal of Urology</i> , 2020 , 27, 642-648	2.3	16
21	Pre-dialysis serum creatinine as an independent predictor of responsiveness to zinc supplementation among patients on hemodialysis. <i>Clinical and Experimental Nephrology</i> , 2020 , 24, 955-962	2.5	4
20	The association between gut microbiome and erectile dysfunction: a community-based cross-sectional study in Japan. <i>International Urology and Nephrology</i> , 2020 , 52, 1421-1428	2.3	2
19	STone Episode Prediction: Development and validation of the prediction nomogram for urolithiasis. <i>International Journal of Urology</i> , 2020 , 27, 344-349	2.3	4
18	The impact of microalbuminuria on overactive bladders: Results from a community-based four-year longitudinal study in Japan. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1567-1575	2.3	1
17	Influence of pretreatment quality of life on prognosis in patients with urothelial carcinoma. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 362-369	4.2	2
16	Relationship between frailty and lower urinary tract symptoms among community-dwelling adults. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2020 , 12, 128-136	1.9	20
15	Validation and development of the CHARTED criteria in patients with hormone-naïve metastatic prostate cancer: A multi-institutional retrospective study in Japan. <i>International Journal of Urology</i> , 2020 , 27, 90-91	2.3	14
14	Comparison of zinc acetate hydrate and polaprezinc for zinc deficiency in patients on maintenance hemodialysis: A single-center, open-label, prospective randomized study. <i>Therapeutic Apheresis and Dialysis</i> , 2020 , 24, 568-577	1.9	6
13	Frailty is a predictor of moderate to severe pain after robot-assisted laparoscopic prostatectomy: A case-control study (FRAP study).. <i>BJUI Compass</i> , 2020 , 1, 100-107	0.9	4
12	Utility of plasma cell-free DNA in metastatic castration-resistant prostate cancer. <i>IJU Case Reports</i> , 2020 , 3, 141-144	0.5	1
11	Multicenter prospective study validating the efficacy of a quantitative assessment tool for frailty in patients with urological cancers. <i>Medical Oncology</i> , 2019 , 36, 88	3.7	16
10	The Relationship Between Gait Function and Erectile Dysfunction: Results from a Community-Based Cross-Sectional Study in Japan. <i>Journal of Sexual Medicine</i> , 2019 , 16, 1922-1929	1.1	4
9	Impact of nutritional status on the prognosis of patients with metastatic hormone-naïve prostate cancer: a multicenter retrospective cohort study in Japan. <i>World Journal of Urology</i> , 2019 , 37, 1827-1835	4	31
8	The relationship between poor nutritional status and progression of aortic calcification in patients on maintenance hemodialysis. <i>BMC Nephrology</i> , 2018 , 19, 71	2.7	13
7	Butyrylcholinesterase level as an independent factor of erythropoiesis-stimulating agent resistance in patients on maintenance hemodialysis: a single-center cross-sectional study. <i>Clinical and Experimental Nephrology</i> , 2018 , 22, 1174-1181	2.5	4
6	Low serum butyrylcholinesterase is independently related to low fetuin-A in patients on hemodialysis: a cross-sectional study. <i>International Urology and Nephrology</i> , 2018 , 50, 1713-1720	2.3	6

5	Clinical implication of a quantitative frailty assessment tool for prognosis in patients with urological cancers. <i>Oncotarget</i> , 2018 , 9, 17396-17405	3.3	17
4	Proton pump inhibitor as an independent factor of progression of abdominal aortic calcification in patients on maintenance hemodialysis. <i>PLoS ONE</i> , 2018 , 13, e0199160	3.7	11
3	The influence of serum uric acid on renal function in patients with calcium or uric acid stone: A population-based analysis. <i>PLoS ONE</i> , 2017 , 12, e0182136	3.7	11
2	Slow Gait Speed and Rapid Renal Function Decline Are Risk Factors for Postoperative Delirium after Urological Surgery. <i>PLoS ONE</i> , 2016 , 11, e0153961	3.7	26
1	Core2 O-glycan-expressing prostate cancer cells are resistant to NK cell immunity. <i>Molecular Medicine Reports</i> , 2013 , 7, 359-64	2.9	37