
## Sandra A V Eremia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4191952/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dataset on large area nano-crystalline graphite film (NCG) grown on SiO2 using plasma-enhanced chemical vapour deposition. Data in Brief, 2019, 24, 103923.	0.5	6
2	Nano-crystalline graphite film on SiO2: Electrochemistry and electro-analytical application. Electrochimica Acta, 2019, 303, 284-292.	2.6	13
3	Tunable photoluminescence from interconnected graphene network with potential to enhance the efficiency of a hybrid Si nanowire solar cell. Physical Chemistry Chemical Physics, 2019, 21, 9564-9573.	1.3	3
4	High-performance solid state supercapacitors assembling graphene interconnected networks in porous silicon electrode by electrochemical methods using 2,6-dihydroxynaphthalen. Scientific Reports, 2018, 8, 9654.	1.6	43
5	Characterization of the Phenolics and Free Radical Scavenging of Romanian Red Wine. Analytical Letters, 2017, 50, 591-606.	1.0	11
6	Phenolic and Anthocyanin Profile of Valea Calugareasca Red Wines by HPLC-PDA-MS and MALDI-TOF Analysis. Food Analytical Methods, 2016, 9, 300-310.	1.3	23
7	Molybdenum disulphide and graphene quantum dots as electrode modifiers for laccase biosensor. Biosensors and Bioelectronics, 2016, 75, 232-237.	5.3	104
8	Application of an optimized electrochemical sensor for monitoring astaxanthin antioxidant properties against lipoperoxidation. New Journal of Chemistry, 2015, 39, 6428-6436.	1.4	7
9	Probiotic Strains Influence on Infant Microbiota in the In Vitro Colonic Fermentation Model GIS1. Indian Journal of Microbiology, 2015, 55, 423-429.	1.5	13
10	Disposable dual sensor array for simultaneous determination of chlorogenic acid and caffeine from coffee. RSC Advances, 2015, 5, 261-268.	1.7	39
11	Determination of the antiradical properties of olive oils using an electrochemical method based on DPPH radical. Food Chemistry, 2015, 166, 324-329.	4.2	25
12	The Use of Oxygen Radical Absorbance Capacity (ORAC) and Trolox Equivalent Antioxidant Capacity (TEAC) Assays in the Assessment of Beverages' Antioxidant Properties. , 2014, , 245-251.		10
13	Monitoring of Rosmarinic Acid Accumulation in Sage Cell Cultures using Laccase Biosensor. Phytochemical Analysis, 2013, 24, 53-58.	1.2	10
14	l-Lactic acid biosensor based on multi-layered graphene. Journal of Applied Electrochemistry, 2013, 43, 985-994.	1.5	11
15	Rapid HPLC method for the determination of ascorbic acid in grape samples. Analytical Methods, 2013, 5, 4675.	1.3	6
16	Lipid hydroxide determination on a ferrocenemethanol modified electrode. Analytical Methods, 2013, 5, 2013.	1.3	5
17	Development of a nanocomposite system and its application in biosensors construction. Open Chemistry, 2013, 11, 968-978.	1.0	9
18	Disposable biosensor based on platinum nanoparticles-reduced graphene oxide-laccase biocomposite for the determination of total polyphenolic content. Talanta, 2013, 110, 164-170.	2.9	62

SANDRA A V EREMIA

#	Article	IF	CITATIONS
19	Electrochemical investigation of a glassy carbon electrode modified with carbon nanotubes decorated with (poly)crystalline gold. Mikrochimica Acta, 2011, 175, 97-104.	2.5	5
20	Biosensors for the Determination of Phenolic Metabolites. Advances in Experimental Medicine and Biology, 2010, 698, 234-240.	0.8	21
21	Laccase-Nafion Based Biosensor for the Determination of Polyphenolic Secondary Metabolites. Analytical Letters, 2010, 43, 1089-1099.	1.0	25
22	Methods for the Determination of Antioxidant Capacity in Food and Raw Materials. Advances in Experimental Medicine and Biology, 2010, 698, 241-249.	0.8	32
23	Optimization of hydroxyl radical formation using TiO2 as photocatalyst by response surface methodology. Talanta, 2008, 77, 858-862.	2.9	61
24	Inhibition of Low-Density Lipoprotein Peroxidation by BHA Use: Fluorimetric Assay. Analytical Letters, 2008, 41, 3253-3263.	1.0	1