
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4192425/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Quantitative Evaluation of Liver Function with Use of Gadoxetate Disodium–enhanced MR Imaging. Radiology, 2011, 260, 727-733.	3.6	168
2	Characteristic findings in images of extra-pancreatic lesions associated with autoimmune pancreatitis. European Journal of Radiology, 2010, 76, 228-238.	1.2	167
3	Japanese Clinical Guidelines for Autoimmune Pancreatitis. Pancreas, 2009, 38, 849-866.	0.5	142
4	Bony Landmarks of the Anterior Cruciate Ligament Tibial Footprint. American Journal of Sports Medicine, 2014, 42, 1433-1440.	1.9	81
5	Clinical features of a new disease concept, IgG4-related thyroiditis. Scandinavian Journal of Rheumatology, 2013, 42, 325-330.	0.6	78
6	Japanese Clinical Diagnostic Criteria for Autoimmune Pancreatitis, 2018. Pancreas, 2020, 49, e13-e14.	0.5	73
7	Clinical features of IgG4-related periaortitis/periarteritis based on the analysis of 179 patients with IgG4-related disease: a case–control study. Arthritis Research and Therapy, 2017, 19, 223.	1.6	67
8	Preoperative Differential Diagnosis of Minimal Deviation Adenocarcinoma and Lobular Endocervical Glandular Hyperplasia of the Uterine Cervix. International Journal of Gynecological Cancer, 2011, 21, 1.	1.2	51
9	Radial volumetric imaging breath-hold examination (VIBE) with k-space weighted image contrast (KWIC) for dynamic gadoxetic acid (Gd-EOB-DTPA)-enhanced MRI of the liver: advantages over Cartesian VIBE in the arterial phase. European Radiology, 2014, 24, 1290-1299.	2.3	41
10	Chronic Gastritis in the Setting of Autoimmune Pancreatitis. American Journal of Surgical Pathology, 2010, 34, 1241-1249.	2.1	40
11	Characteristic magnetic resonance features of focal autoimmune pancreatitis useful for differentiation from pancreatic cancer. Japanese Journal of Radiology, 2012, 30, 296-309.	1.0	40
12	Use of a Catheter with a Large Side Hole for Selective Catheterization of the Inferior Phrenic Artery. Journal of Vascular and Interventional Radiology, 2001, 12, 497-499.	0.2	37
13	MR features of primary and secondary malignant lymphoma of the pancreas: a pictorial review. Insights Into Imaging, 2013, 4, 321-329.	1.6	37
14	Amendment of the Japanese Consensus Guidelines for Autoimmune Pancreatitis, 2013 II. Extrapancreatic lesions, differential diagnosis. Journal of Gastroenterology, 2014, 49, 765-784.	2.3	36
15	Clinical and Pathological Characteristics of IgG4-Related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts' Diagnosis. Annals of Vascular Diseases, 2019, 12, 460-472.	0.2	36
16	Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020. Journal of Gastroenterology, 2022, 57, 225-245.	2.3	35
17	Infraorbital nerve swelling associated with autoimmune pancreatitis. Japanese Journal of Radiology, 2011, 29, 194-201.	1.0	33
18	Accurate and simple method for quantification of hepatic fat content using magnetic resonance imaging: a prospective study in biopsy-proven nonalcoholic fatty liver disease. Journal of Gastroenterology, 2010, 45, 1263-1271.	2.3	32

#	Article	IF	CITATIONS
19	IgG4-related periaortitis/periarteritis: An under-recognized condition that is potentially life-threatening. Modern Rheumatology, 2019, 29, 240-250.	0.9	31
20	Detection of Hepatic Metastases From Colorectal Carcinoma. Journal of Clinical Gastroenterology, 2007, 41, 789-795.	1.1	30
21	Role of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced Magnetic Resonance Imaging in the Management of Hepatocellular Carcinoma: Consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan. Oncology, 2013, 84, 21-27.	0.9	30
22	Schwannoma in the sublingual space. Dentomaxillofacial Radiology, 2004, 33, 259-261.	1.3	29
23	Effect of early administration of alendronate after surgery for distal radial fragility fracture on radiological fracture healing time. Bone and Joint Journal, 2013, 95-B, 1544-1550.	1.9	29
24	Biochemical and Clinical Predictive Approach and Time Point Analysis of Hepatobiliary Phase Liver Enhancement on Gd-EOB-DTPA–enhanced MR Images: A Multicenter Study. Radiology, 2016, 281, 474-483.	3.6	29
25	Diagnostic imaging guide for autoimmune pancreatitis. Japanese Journal of Radiology, 2020, 38, 591-612.	1.0	28
26	Reappraisal of the Immunophenotype of Pancreatic Intraductal Papillary Mucinous Neoplasms (IPMNs)—Gastric Pyloric and Small Intestinal Immunophenotype Expression in Gastric and Intestinal Type IPMNs—. Acta Histochemica Et Cytochemica, 2014, 47, 45-57.	0.8	27
27	Usefulness of free-breathing readout-segmented echo-planar imaging (RESOLVE) for detection of malignant liver tumors: Comparison with single-shot echo-planar imaging (SS-EPI). European Journal of Radiology, 2014, 83, 1728-1733.	1.2	26
28	Urachal Mucinous Cystadenocarcinoma with a Cystic Ovarian Metastasis. American Journal of Roentgenology, 2003, 180, 1183-1184.	1.0	21
29	Usefulness of a management protocol for patients with cervical multicystic lesions: A retrospective analysis of 94 cases and the significance of GNAS mutation. Journal of Obstetrics and Gynaecology Research, 2016, 42, 1588-1598.	0.6	20
30	Improved Reliability in Skeletal Age Assessment using a Pediatric Hand MR Scanner with a 0.3T Permanent Magnet. Magnetic Resonance in Medical Sciences, 2014, 13, 215-219.	1.1	17
31	Diffusion-Weighted Imaging and Diffusion Tensor Imaging of Asymptomatic Lumbar Disc Herniation. Journal of Medical Investigation, 2014, 61, 197-203.	0.2	16
32	Usefulness of breath-hold compressed sensing accelerated three-dimensional magnetic resonance cholangiopancreatography (MRCP) added to respiratory-gating conventional MRCP. European Journal of Radiology, 2020, 122, 108765.	1.2	16
33	Evaluation of splenic perfusion and spleen size using dynamic computed tomography: Usefulness in assessing degree of liver fibrosis. Hepatology Research, 2018, 48, 87-93.	1.8	14
34	Dynamic contrast-enhanced computed tomography diagnosis of primary liver cancers using transfer learning of pretrained convolutional neural networks: Is registration of multiphasic images necessary?. International Journal of Computer Assisted Radiology and Surgery, 2019, 14, 1295-1301.	1.7	14
35	Dynamic MR imaging for diagnosis of lesions adjacent to pituitary gland. European Journal of Radiology, 2005, 53, 159-167.	1.2	12
36	Prediction of macroscopic findings of hepatocellular carcinoma on hepatobiliary phase of gadoliniumâ€ethoxybenzylâ€diethylenetriamine pentaacetic acidâ€enhanced magnetic resonance imaging: Correlation with pathology. Hepatology Research, 2013, 43, 488-494.	1.8	12

#	Article	IF	CITATIONS
37	Signal intensity of the pancreas on magnetic resonance imaging:ÂPrediction of postoperative pancreatic fistula after aÂdistalÂpancreatectomy using a triple-row stapler. Pancreatology, 2015, 15, 380-386.	0.5	12
38	Contrast-enhancement ratio on multiphase enhanced computed tomography predicts recurrence of pancreatic neuroendocrine tumor after curative resection. Pancreatology, 2016, 16, 397-402.	0.5	12
39	Advantages of radial volumetric breath-hold examination (VIBE) with k-space weighted image contrast reconstruction (KWIC) over Cartesian VIBE in liver imaging of volunteers simulating inadequate or no breath-holding ability. European Radiology, 2016, 26, 2790-2797.	2.3	12
40	Autoimmune Pancreatitis and Diagnostic Criteria. Current Immunology Reviews, 2011, 7, 144-161.	1.2	12
41	Effect of hepatobiliary uptake of Gd-EOB-DTPA on the hepatic venous phase of dynamic magnetic resonance imaging on a 3.0-T apparatus: comparison between Gd-EOB-DTPA and Gd-DTPA. Japanese Journal of Radiology, 2011, 29, 695-700.	1.0	11
42	Quantitative measurement of femoral condyle cartilage in the knee by MRI: Validation study by multireaders. Journal of Magnetic Resonance Imaging, 2014, 39, 972-977.	1.9	11
43	Uterine cervical adenocarcinoma associated with lobular endocervical glandular hyperplasia: Radiologic–pathologic correlation. Journal of Obstetrics and Gynaecology Research, 2018, 44, 312-322.	0.6	10
44	Two patients with TAFRO syndrome exhibiting strikingly similar anterior mediastinal lesions with predominantly fat attenuation on chest computed tomography. Respiratory Investigation, 2017, 55, 176-180.	0.9	9
45	Aberrant gastric venous drainage into the medial segment[ql of the liver: demonstration by color Doppler sonography. Abdominal Imaging, 1997, 22, 502-505.	2.0	8
46	Usefulness of three-dimensional magnetic resonance cholangiopancreatography with partial maximum intensity projection for diagnosing autoimmune pancreatitis. Pancreatology, 2017, 17, 567-571.	0.5	8
47	A comparison of the features of fluorine-18 fluorodeoxyglucose-positron emission tomography (FDC-PET) between IgG4-related disease with bilateral hilar lymphadenopathy and sarcoidosis. Nagoya Journal of Medical Science, 2020, 82, 101-111.	0.6	8
48	Olivary degeneration after intracranial haemorrhage or trauma: follow-up MRI. Neuroradiology, 1999, 41, 9-12.	1.1	7
49	CT and MRI features of unclassifiable pancreatic anomaly with superior mesenteric vein running through the pancreatic parenchyma. European Journal of Radiology Extra, 2005, 54, 59-61.	0.1	6
50	Comparison of the chemokine profiles in the bronchoalveolar lavage fluid between IgG4-related respiratory disease and sarcoidosis: CC-chemokine ligand 1 might be involved in the pathogenesis of sarcoidosis. Cytokine, 2019, 120, 125-129.	1.4	6
51	Radiologic Findings of IgG4-Related Disease. Current Immunology Reviews, 2011, 7, 186-203.	1.2	6
52	Clinical and Pathological Characteristics of IgG4-related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts' Diagnosis. The Journal of Japanese College of Angiology, 2018, 58, 117-129.	0.1	6
53	Usefulness of the â€~cosmos pattern' for differentiating between cervical gastricâ€type mucinâ€positive lesions and other benign cervical cystic lesions in magnetic resonance images. Journal of Obstetrics and Gynaecology Research, 2021, 47, 745-756.	0.6	6
54	Epithelioid trophoblastic tumor of the uterus: A case report with radiologic-pathologic correlation. Journal of Obstetrics and Gynaecology Research, 2017, 43, 1360-1365.	0.6	5

#	Article	IF	CITATIONS
55	Pneumolabyrinth, intracochlear and vestibular fluid loss after cochlear implantation. Auris Nasus Larynx, 2018, 45, 1116-1120.	0.5	5
56	IL1R1 gene variants associate with disease susceptibility to IgG4-related periaortitis/periarteritis in IgG4-related disease. Gene, 2022, 820, 146212.	1.0	5
57	Quantitative estimation of progression of chronic liver disease using gadoxetate disodiumâ€enhanced magnetic resonance imaging. Hepatology Research, 2018, 48, 735-745.	1.8	4
58	Correlation of Pancreatic T1 Values Using Modified Look-Locker Inversion Recovery Sequence (MOLLI) with Pancreatic Exocrine and Endocrine Function. Journal of Clinical Medicine, 2020, 9, 1805.	1.0	4
59	Semiquantitative measurement of pulmonary hilar gallium-67 uptake using single photon emission computed tomography/computed tomography for the diagnosis of autoimmune pancreatitis. Japanese Journal of Radiology, 2010, 28, 733-739.	1.0	3
60	Time-intensity curve in the abdominal aorta on dynamic contrast-enhanced MRI with high temporal and spatial resolution: Gd-EOB-DTPA versus Gd-DTPA in vivo. Japanese Journal of Radiology, 2013, 31, 166-171.	1.0	3
61	Useful preoperative examination findings to classify the grade of ovarian primaryÂmucinous tumor. Abdominal Radiology, 2021, 46, 2393-2402.	1.0	3
62	Compartment model analysis of intravenous contrastâ€enhanced dynamic computed tomography in hepatic hemodynamics: A validation study using intraâ€arterial contrastâ€enhanced computed tomography. Hepatology Research, 2018, 48, 829-838.	1.8	2
63	Evaluation of hemodynamic imaging findings of hypervascular hepatocellular carcinoma: comparison between dynamic contrast-enhanced magnetic resonance imaging using radial volumetric imaging breath-hold examination with k-space-weighted image contrast reconstruction and dynamic computed tomography during hepatic arteriography. Japanese Journal of Radiology. 2018, 36, 295-302.	1.0	2
64	Prevalence of Elevated Serum IgG4 Level among Patients Diagnosed or Suspected with Cardiovascular Disorders. Annals of Vascular Diseases, 2018, 11, 496-502.	0.2	2
65	High-resolution three-dimensional T1-weighted hepatobiliary MR cholangiography using Gd-EOB-DTPA for assessment of biliary tree anatomy: Parallel imaging versus compressed sensing. European Journal of Radiology, 2021, 136, 109515.	1.2	2
66	Prevalence of Elevated Serum IgG4 Level among Patients Diagnosed or Suspected with Cardiovascular Disorders. The Journal of Japanese College of Angiology, 2017, 57, 91-98.	0.1	2
67	Evaluation of user input methods for manipulating a tablet personal computer in sterile techniques. International Journal of Computer Assisted Radiology and Surgery, 2017, 12, 339-349.	1.7	1
68	Improvement in radiological reading efficiency and residents' education and clinical contribution using the modified reading system "Triage Reader― Japanese Journal of Radiology, 2018, 36, 649-660.	1.0	1
69	The peritumoral hypointense rim around hepatocellular carcinoma on T2*-weighted magnetic resonance imaging: radiologic–pathologic correlation. World Journal of Surgical Oncology, 2021, 19, 41.	0.8	1
70	Diagnostic imaging of liver disease: Recent advance and future view. 4. MRI: Imaging and diagnostic imaging findings Acta Hepatologica Japonica, 2006, 47, 195-202.	0.0	1
71	Percutaneous Transhepatic Portal Vein Angioplasty for Portal Vein Stricture after Living Donor Liver Transplantation. Transplantation, 2018, 102, S874.	0.5	0
72	Ten-Year Experience of Stereotactic Body Radiotherapy at a Single Institution: Impact of Technological Development on the Outcome of Patients With Early Lung Cancer. Technology in Cancer Research and Treatment, 2020, 19, 153303382097916.	0.8	0

#	Article	IF	CITATIONS
73	Other Urogenital Lesions (Testis, Paratesticular Lesion, Bladder, Prostate etc.). , 2016, , 173-185.		0
74	The Concept of IgG4-related Disease and Clinical Significance of IgG4-related Cardiovascular Disease. The Journal of Japanese College of Angiology, 2017, 57, 81-89.	0.1	0
75	The levels of IL-1β and soluble IL-1 receptors in patients with IgG4-related periaortitis/periarteritis. Advances in Medical Sciences, 2022, 67, 257-261.	0.9	0