

# Yasunari Fujinaga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4192425/publications.pdf>

Version: 2024-02-01

75  
papers

1,792  
citations

236833

25  
h-index

289141

40  
g-index

77  
all docs

77  
docs citations

77  
times ranked

2049  
citing authors

#	ARTICLE	IF	CITATIONS
1	IL1R1 gene variants associate with disease susceptibility to IgG4-related periaortitis/periarteritis in IgG4-related disease. <i>Gene</i> , 2022, 820, 146212.	1.0	5
2	Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020. <i>Journal of Gastroenterology</i> , 2022, 57, 225-245.	2.3	35
3	The levels of IL-1 $\beta$ and soluble IL-1 receptors in patients with IgG4-related periaortitis/periarteritis. <i>Advances in Medical Sciences</i> , 2022, 67, 257-261.	0.9	0
4	Useful preoperative examination findings to classify the grade of ovarian primary mucinous tumor. <i>Abdominal Radiology</i> , 2021, 46, 2393-2402.	1.0	3
5	The peritumoral hypointense rim around hepatocellular carcinoma on T2*-weighted magnetic resonance imaging: radiologic-pathologic correlation. <i>World Journal of Surgical Oncology</i> , 2021, 19, 41.	0.8	1
6	High-resolution three-dimensional T1-weighted hepatobiliary MR cholangiography using Gd-EOB-DTPA for assessment of biliary tree anatomy: Parallel imaging versus compressed sensing. <i>European Journal of Radiology</i> , 2021, 136, 109515.	1.2	2
7	Usefulness of the "cosmos pattern"™ for differentiating between cervical gastric-type mucin-positive lesions and other benign cervical cystic lesions in magnetic resonance images. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 745-756.	0.6	6
8	Usefulness of breath-hold compressed sensing accelerated three-dimensional magnetic resonance cholangiopancreatography (MRCP) added to respiratory-gating conventional MRCP. <i>European Journal of Radiology</i> , 2020, 122, 108765.	1.2	16
9	Japanese Clinical Diagnostic Criteria for Autoimmune Pancreatitis, 2018. <i>Pancreas</i> , 2020, 49, e13-e14.	0.5	73
10	Ten-Year Experience of Stereotactic Body Radiotherapy at a Single Institution: Impact of Technological Development on the Outcome of Patients With Early Lung Cancer. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382097916.	0.8	0
11	Correlation of Pancreatic T1 Values Using Modified Look-Locker Inversion Recovery Sequence (MOLLI) with Pancreatic Exocrine and Endocrine Function. <i>Journal of Clinical Medicine</i> , 2020, 9, 1805.	1.0	4
12	Diagnostic imaging guide for autoimmune pancreatitis. <i>Japanese Journal of Radiology</i> , 2020, 38, 591-612.	1.0	28
13	A comparison of the features of fluorine-18 fluorodeoxyglucose-positron emission tomography (FDG-PET) between IgG4-related disease with bilateral hilar lymphadenopathy and sarcoidosis. <i>Nagoya Journal of Medical Science</i> , 2020, 82, 101-111.	0.6	8
14	Dynamic contrast-enhanced computed tomography diagnosis of primary liver cancers using transfer learning of pretrained convolutional neural networks: Is registration of multiphasic images necessary?. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2019, 14, 1295-1301.	1.7	14
15	Comparison of the chemokine profiles in the bronchoalveolar lavage fluid between IgG4-related respiratory disease and sarcoidosis: CC-chemokine ligand 1 might be involved in the pathogenesis of sarcoidosis. <i>Cytokine</i> , 2019, 120, 125-129.	1.4	6
16	Clinical and Pathological Characteristics of IgG4-Related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts™ Diagnosis. <i>Annals of Vascular Diseases</i> , 2019, 12, 460-472.	0.2	36
17	IgG4-related periaortitis/periarteritis: An under-recognized condition that is potentially life-threatening. <i>Modern Rheumatology</i> , 2019, 29, 240-250.	0.9	31
18	Compartment model analysis of intravenous contrast-enhanced dynamic computed tomography in hepatic hemodynamics: A validation study using intra-arterial contrast-enhanced computed tomography. <i>Hepatology Research</i> , 2018, 48, 829-838.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Quantitative estimation of progression of chronic liver disease using gadoxetate disodium-enhanced magnetic resonance imaging. <i>Hepatology Research</i> , 2018, 48, 735-745.	1.8	4
20	Evaluation of hemodynamic imaging findings of hypervascular hepatocellular carcinoma: comparison between dynamic contrast-enhanced magnetic resonance imaging using radial volumetric imaging breath-hold examination with k-space-weighted image contrast reconstruction and dynamic computed tomography during hepatic arteriography. <i>Japanese Journal of Radiology</i> , 2018, 36, 295-302.	1.0	2
21	Pneumolabyrinth, intracochlear and vestibular fluid loss after cochlear implantation. <i>Auris Nasus Larynx</i> , 2018, 45, 1116-1120.	0.5	5
22	Evaluation of splenic perfusion and spleen size using dynamic computed tomography: Usefulness in assessing degree of liver fibrosis. <i>Hepatology Research</i> , 2018, 48, 87-93.	1.8	14
23	Uterine cervical adenocarcinoma associated with lobular endocervical glandular hyperplasia: Radiologic-pathologic correlation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 312-322.	0.6	10
24	Percutaneous Transhepatic Portal Vein Angioplasty for Portal Vein Stricture after Living Donor Liver Transplantation. <i>Transplantation</i> , 2018, 102, S874.	0.5	0
25	Prevalence of Elevated Serum IgG4 Level among Patients Diagnosed or Suspected with Cardiovascular Disorders. <i>Annals of Vascular Diseases</i> , 2018, 11, 496-502.	0.2	2
26	Improvement in radiological reading efficiency and residents'™ education and clinical contribution using the modified reading system -Triage Reader- Japanese Journal of Radiology, 2018, 36, 649-660.	1.0	1
27	Clinical and Pathological Characteristics of IgG4-related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts'™ Diagnosis. <i>The Journal of Japanese College of Angiology</i> , 2018, 58, 117-129.	0.1	6
28	Two patients with TAFRO syndrome exhibiting strikingly similar anterior mediastinal lesions with predominantly fat attenuation on chest computed tomography. <i>Respiratory Investigation</i> , 2017, 55, 176-180.	0.9	9
29	Evaluation of user input methods for manipulating a tablet personal computer in sterile techniques. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2017, 12, 339-349.	1.7	1
30	Epithelioid trophoblastic tumor of the uterus: A case report with radiologic-pathologic correlation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1360-1365.	0.6	5
31	Clinical features of IgG4-related periaortitis/periarteritis based on the analysis of 179 patients with IgG4-related disease: a case-control study. <i>Arthritis Research and Therapy</i> , 2017, 19, 223.	1.6	67
32	Usefulness of three-dimensional magnetic resonance cholangiopancreatography with partial maximum intensity projection for diagnosing autoimmune pancreatitis. <i>Pancreatology</i> , 2017, 17, 567-571.	0.5	8
33	Prevalence of Elevated Serum IgG4 Level among Patients Diagnosed or Suspected with Cardiovascular Disorders. <i>The Journal of Japanese College of Angiology</i> , 2017, 57, 91-98.	0.1	2
34	The Concept of IgG4-related Disease and Clinical Significance of IgG4-related Cardiovascular Disease. <i>The Journal of Japanese College of Angiology</i> , 2017, 57, 81-89.	0.1	0
35	Usefulness of a management protocol for patients with cervical multicystic lesions: A retrospective analysis of 94 cases and the significance of GNAS mutation. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1588-1598.	0.6	20
36	Biochemical and Clinical Predictive Approach and Time Point Analysis of Hepatobiliary Phase Liver Enhancement on Gd-EOB-DTPA-enhanced MR Images: A Multicenter Study. <i>Radiology</i> , 2016, 281, 474-483.	3.6	29

#	ARTICLE	IF	CITATIONS
37	Contrast-enhancement ratio on multiphase enhanced computed tomography predicts recurrence of pancreatic neuroendocrine tumor after curative resection. <i>Pancreatology</i> , 2016, 16, 397-402.	0.5	12
38	Advantages of radial volumetric breath-hold examination (VIBE) with k-space weighted image contrast reconstruction (KWIC) over Cartesian VIBE in liver imaging of volunteers simulating inadequate or no breath-holding ability. <i>European Radiology</i> , 2016, 26, 2790-2797.	2.3	12
39	Other Urogenital Lesions (Testis, Paratesticular Lesion, Bladder, Prostate etc.) , 2016 , 173-185.		0
40	Signal intensity of the pancreas on magnetic resonance imaging: Prediction of postoperative pancreatic fistula after a distal pancreatectomy using a triple-row stapler. <i>Pancreatology</i> , 2015, 15, 380-386.	0.5	12
41	Improved Reliability in Skeletal Age Assessment using a Pediatric Hand MR Scanner with a 0.3T Permanent Magnet. <i>Magnetic Resonance in Medical Sciences</i> , 2014, 13, 215-219.	1.1	17
42	Diffusion-Weighted Imaging and Diffusion Tensor Imaging of Asymptomatic Lumbar Disc Herniation. <i>Journal of Medical Investigation</i> , 2014, 61, 197-203.	0.2	16
43	Bony Landmarks of the Anterior Cruciate Ligament Tibial Footprint. <i>American Journal of Sports Medicine</i> , 2014, 42, 1433-1440.	1.9	81
44	Quantitative measurement of femoral condyle cartilage in the knee by MRI: Validation study by multireaders. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 972-977.	1.9	11
45	Amendment of the Japanese Consensus Guidelines for Autoimmune Pancreatitis, 2013 II. Extrapancreatic lesions, differential diagnosis. <i>Journal of Gastroenterology</i> , 2014, 49, 765-784.	2.3	36
46	Usefulness of free-breathing readout-segmented echo-planar imaging (RESOLVE) for detection of malignant liver tumors: Comparison with single-shot echo-planar imaging (SS-EPI). <i>European Journal of Radiology</i> , 2014, 83, 1728-1733.	1.2	26
47	Radial volumetric imaging breath-hold examination (VIBE) with k-space weighted image contrast (KWIC) for dynamic gadoxetic acid (Gd-EOB-DTPA)-enhanced MRI of the liver: advantages over Cartesian VIBE in the arterial phase. <i>European Radiology</i> , 2014, 24, 1290-1299.	2.3	41
48	Reappraisal of the Immunophenotype of Pancreatic Intraductal Papillary Mucinous Neoplasms (IPMNs) "Gastric Pyloric and Small Intestinal Immunophenotype Expression in Gastric and Intestinal Type IPMNs". <i>Acta Histochemica Et Cytochemica</i> , 2014, 47, 45-57.	0.8	27
49	MR features of primary and secondary malignant lymphoma of the pancreas: a pictorial review. <i>Insights Into Imaging</i> , 2013, 4, 321-329.	1.6	37
50	Time-intensity curve in the abdominal aorta on dynamic contrast-enhanced MRI with high temporal and spatial resolution: Gd-EOB-DTPA versus Gd-DTPA in vivo. <i>Japanese Journal of Radiology</i> , 2013, 31, 166-171.	1.0	3
51	Effect of early administration of alendronate after surgery for distal radial fragility fracture on radiological fracture healing time. <i>Bone and Joint Journal</i> , 2013, 95-B, 1544-1550.	1.9	29
52	Prediction of macroscopic findings of hepatocellular carcinoma on hepatobiliary phase of gadolinium ethoxybenzyl diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging: Correlation with pathology. <i>Hepatology Research</i> , 2013, 43, 488-494.	1.8	12
53	Role of Gadolinium-Ethoxybenzyl-Diethylenetriamine Pentaacetic Acid-Enhanced Magnetic Resonance Imaging in the Management of Hepatocellular Carcinoma: Consensus at the Symposium of the 48th Annual Meeting of the Liver Cancer Study Group of Japan. <i>Oncology</i> , 2013, 84, 21-27.	0.9	30
54	Clinical features of a new disease concept, IgG4-related thyroiditis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 325-330.	0.6	78

#	ARTICLE	IF	CITATIONS
55	Characteristic magnetic resonance features of focal autoimmune pancreatitis useful for differentiation from pancreatic cancer. <i>Japanese Journal of Radiology</i> , 2012, 30, 296-309.	1.0	40
56	Preoperative Differential Diagnosis of Minimal Deviation Adenocarcinoma and Lobular Endocervical Glandular Hyperplasia of the Uterine Cervix. <i>International Journal of Gynecological Cancer</i> , 2011, 21, 1.	1.2	51
57	Infraorbital nerve swelling associated with autoimmune pancreatitis. <i>Japanese Journal of Radiology</i> , 2011, 29, 194-201.	1.0	33
58	Effect of hepatobiliary uptake of Gd-EOB-DTPA on the hepatic venous phase of dynamic magnetic resonance imaging on a 3.0-T apparatus: comparison between Gd-EOB-DTPA and Gd-DTPA. <i>Japanese Journal of Radiology</i> , 2011, 29, 695-700.	1.0	11
59	Quantitative Evaluation of Liver Function with Use of Gadoxetate Disodium-enhanced MR Imaging. <i>Radiology</i> , 2011, 260, 727-733.	3.6	168
60	Radiologic Findings of IgG4-Related Disease. <i>Current Immunology Reviews</i> , 2011, 7, 186-203.	1.2	6
61	Autoimmune Pancreatitis and Diagnostic Criteria. <i>Current Immunology Reviews</i> , 2011, 7, 144-161.	1.2	12
62	Chronic Gastritis in the Setting of Autoimmune Pancreatitis. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1241-1249.	2.1	40
63	Accurate and simple method for quantification of hepatic fat content using magnetic resonance imaging: a prospective study in biopsy-proven nonalcoholic fatty liver disease. <i>Journal of Gastroenterology</i> , 2010, 45, 1263-1271.	2.3	32
64	Semiquantitative measurement of pulmonary hilar gallium-67 uptake using single photon emission computed tomography/computed tomography for the diagnosis of autoimmune pancreatitis. <i>Japanese Journal of Radiology</i> , 2010, 28, 733-739.	1.0	3
65	Characteristic findings in images of extra-pancreatic lesions associated with autoimmune pancreatitis. <i>European Journal of Radiology</i> , 2010, 76, 228-238.	1.2	167
66	Japanese Clinical Guidelines for Autoimmune Pancreatitis. <i>Pancreas</i> , 2009, 38, 849-866.	0.5	142
67	Detection of Hepatic Metastases From Colorectal Carcinoma. <i>Journal of Clinical Gastroenterology</i> , 2007, 41, 789-795.	1.1	30
68	Diagnostic imaging of liver disease: Recent advance and future view. 4. MRI: Imaging and diagnostic imaging findings.. <i>Acta Hepatologica Japonica</i> , 2006, 47, 195-202.	0.0	1
69	Dynamic MR imaging for diagnosis of lesions adjacent to pituitary gland. <i>European Journal of Radiology</i> , 2005, 53, 159-167.	1.2	12
70	CT and MRI features of unclassifiable pancreatic anomaly with superior mesenteric vein running through the pancreatic parenchyma. <i>European Journal of Radiology Extra</i> , 2005, 54, 59-61.	0.1	6
71	Schwannoma in the sublingual space. <i>Dentomaxillofacial Radiology</i> , 2004, 33, 259-261.	1.3	29
72	Urachal Mucinous Cystadenocarcinoma with a Cystic Ovarian Metastasis. <i>American Journal of Roentgenology</i> , 2003, 180, 1183-1184.	1.0	21

#	ARTICLE	IF	CITATIONS
73	Use of a Catheter with a Large Side Hole for Selective Catheterization of the Inferior Phrenic Artery. Journal of Vascular and Interventional Radiology, 2001, 12, 497-499.	0.2	37
74	Olivary degeneration after intracranial haemorrhage or trauma: follow-up MRI. Neuroradiology, 1999, 41, 9-12.	1.1	7
75	Aberrant gastric venous drainage into the medial segment[ql of the liver: demonstration by color Doppler sonography. Abdominal Imaging, 1997, 22, 502-505.	2.0	8