

Soghra Rabizadeh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4192447/publications.pdf>

Version: 2024-02-01

30
papers

309
citations

840776

11
h-index

940533

16
g-index

32
all docs

32
docs citations

32
times ranked

427
citing authors

#	ARTICLE	IF	CITATIONS
1	Inflammatory, oxidative stress and anti-oxidative markers in patients with endometrial carcinoma and diabetes. <i>Cytokine</i> , 2019, 120, 186-190.	3.2	42
2	Cardiovascular and Renal Benefits of SGLT2 Inhibitors: A Narrative Review. <i>International Journal of Endocrinology and Metabolism</i> , 2019, In Press, e84353.	1.0	27
3	Comparative effects of metformin and pioglitazone on omentin and leptin concentrations in patients with newly diagnosed diabetes: A randomized clinical trial. <i>Regulatory Peptides</i> , 2013, 182, 1-6.	1.9	24
4	Waist-To-Height Ratio Is a More Accurate Tool for Predicting Hypertension Than Waist-To-Hip Circumference and BMI in Patients With Type 2 Diabetes: A Prospective Study. <i>Frontiers in Public Health</i> , 2021, 9, 726288.	2.7	24
5	Severe diabetic ketoacidosis and coronavirus disease 2019 (COVID-19) infection in a teenage patient with newly diagnosed diabetes. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2020, 33, 1241-1243.	0.9	22
6	Lp(a) and Apo-lipoproteins as predictors for micro- and macrovascular complications of diabetes: A case-cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1723-1731.	2.6	21
7	Advanced glycation end-products and advanced oxidation protein products levels are correlates of duration of type 2 diabetes. <i>Life Sciences</i> , 2020, 260, 118422.	4.3	19
8	Nitric oxide and TNF- α are correlates of diabetic retinopathy independent of hs-CRP and HbA1c. <i>Endocrine</i> , 2020, 69, 536-541.	2.3	19
9	LDL/apo B ratio predict coronary heart disease in Type 2 diabetes independent of ASCVD risk score: A case-cohort study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1477-1485.	2.6	16
10	Association of extracellular heat shock protein 70 and insulin resistance in type 2 diabetes; independent of obesity and C-reactive protein. <i>Cell Stress and Chaperones</i> , 2019, 24, 69-75.	2.9	15
11	Beneficial Effects of Pentoxifylline Plus Losartan Dual Therapy in Type 2 Diabetes with Nephropathy. <i>American Journal of the Medical Sciences</i> , 2018, 355, 442-448.	1.1	12
12	All-Cause and Cardiovascular Mortality following Treatment with Metformin or Glyburide in Patients with Type 2 Diabetes Mellitus. <i>Archives of Iranian Medicine</i> , 2017, 20, 141-146.	0.6	12
13	Uncontrolled hypertension in patients with type 2 diabetes: What are the correlates?. <i>Journal of Clinical Hypertension</i> , 2021, 23, 1776-1785.	2.0	8
14	Comparison of primary versus secondary prevention of cardiovascular disease in patients with type2 diabetes: Focus on achievement of ABC goals. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2019, 13, 1733-1737.	3.6	7
15	Improvement in Redox Homeostasis after Cytoreductive Surgery in Colorectal Adenocarcinoma. <i>Oxidative Medicine and Cellular Longevity</i> , 2021, 2021, 1-12.	4.0	7
16	Pulse pressure and diabetes treatments. <i>Medicine (United States)</i> , 2018, 97, e9791.	1.0	5
17	DPP4 Inhibitors in the Management of Hospitalized Patients With Type 2 Diabetes: A Systematic Review and Meta-Analysis of Randomized Clinical Trials. <i>Advances in Therapy</i> , 2020, 37, 3660-3675.	2.9	5
18	Serum HSP70 level in patients with endometrial cancer with and without diabetes. <i>Gynecological Endocrinology</i> , 2020, 36, 351-355.	1.7	4

#	ARTICLE	IF	CITATIONS
19	COVID-19 infection mortality risk in Iranian patients with type 2 diabetes, hypertension and obesity. Eastern Mediterranean Health Journal, 2022, 28, 221-224.	0.8	4
20	Ectopic cushingâ€™s syndrome due to corticotropin releasing hormone. Pituitary, 2019, 22, 561-568.	2.9	3
21	Definition of an oxidative stress status by combined assessment of Malondialdehyde and Oxidized-LDL: A study in patients with type2 diabetes and control. Meta Gene, 2019, 19, 91-97.	0.6	3
22	Barriers to initiation of insulin therapy in poorly controlled type 2 diabetes based on self-determination theory. Eastern Mediterranean Health Journal, 2020, 26, 1331-1338.	0.8	3
23	Effects of Pentoxifylline on Serum Markers of Diabetic Nephropathy in TypeÂ2 Diabetes. Diabetes Therapy, 2022, 13, 1023-1036.	2.5	3
24	Changing correlations among ADMA, NO and hs-CRP in normoalbuminuric and microalbuminuric patients with type 2 diabetes. Meta Gene, 2016, 10, 95-99.	0.6	2
25	Inadequate achievement of ABC goals (HbA1c, blood pressure, LDL-C) among patients with type 2 diabetes in an Iranian population, 2012â€“2017. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2020, 14, 619-625.	3.6	2
26	Gender difference in plasminogen activator inhibitor-1 activity in patients with type 2 diabetes with and without albuminuria, a matched case-control study. Functional Foods in Health and Disease, 2019, 9, 484.	0.6	0
27	Leptin, hs-CRP and HOMA-IR in patients with type 2 diabetes: The role of different levels of vitamin D deficiency. Functional Foods in Health and Disease, 2019, 9, 695.	0.6	0
28	Association between visit-to-visit variability of glycemic indices and lipid profile and the incidence of coronary heart disease in adults with type 2 diabetes. Journal of Diabetes and Metabolic Disorders, 2021, 20, 1715-1723.	1.9	0
29	Loss of Inverse Association between Framingham Risk Score and Estimated Glomerular Filtration Rate in Moderate to Severe Diabetic Kidney Disease. Archives of Iranian Medicine, 2019, 22, 91-98.	0.6	0
30	Response to the letter to the editor concerning the manuscript, â€œUncontrolled hypertension in patients with type 2 diabetes: What are the correlatesâ€• Journal of Clinical Hypertension, 2022, 24, 662-662.	2.0	0