

# Isabel Odriozola-Serrano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4192826/publications.pdf>

Version: 2024-02-01

48  
papers

2,996  
citations

136740

32  
h-index

233125

45  
g-index

50  
all docs

50  
docs citations

50  
times ranked

3037  
citing authors

#	ARTICLE	IF	CITATIONS
1	Encapsulation and controlled release of phycocyanin during the in vitro digestion using polysaccharide-added double emulsions (W1/O/W2). <i>Food Structure</i> , 2022, 31, 100249.	2.3	12
2	Screening the Antioxidant Activity of Thermal or Non-Thermally Treated Fruit Juices by In Vitro and In Vivo Assays. <i>Beverages</i> , 2022, 8, 36.	1.3	2
3	Delivery of $\beta$ -carotene to the in vitro intestinal barrier using nanoemulsions with lecithin or sodium caseinate as emulsifiers. <i>LWT - Food Science and Technology</i> , 2021, 135, 110059.	2.5	20
4	Development, physical stability and bioaccessibility of $\beta$ -carotene-enriched tertiary emulsions. <i>Journal of Functional Foods</i> , 2020, 64, 103615.	1.6	23
5	Nanostructured Lipid-Based Delivery Systems as a Strategy to Increase Functionality of Bioactive Compounds. <i>Foods</i> , 2020, 9, 325.	1.9	24
6	Improving the In Vitro Bioaccessibility of $\beta$ -Carotene Using Pectin Added Nanoemulsions. <i>Foods</i> , 2020, 9, 447.	1.9	21
7	Nanostructured Systems to Increase Bioavailability of Food Ingredients. , 2019, , 13-33.		3
8	Impact of emulsifier nature and concentration on the stability of $\beta$ -carotene enriched nanoemulsions during <i>in vitro</i> digestion. <i>Food and Function</i> , 2019, 10, 713-722.	2.1	41
9	The Effect of Sodium Carboxymethylcellulose on the Stability and Bioaccessibility of Anthocyanin Water-in-Oil-in-Water Emulsions. <i>Food and Bioprocess Technology</i> , 2018, 11, 2229-2241.	2.6	29
10	Influence of mandarin fiber addition on physico-chemical properties of nanoemulsions containing $\beta$ -carotene under simulated gastrointestinal digestion conditions. <i>LWT - Food Science and Technology</i> , 2017, 84, 331-337.	2.5	25
11	Effects of Pulsed Electric Fields Processing Strategies on Health-Related Compounds of Plant-Based Foods. <i>Food Engineering Reviews</i> , 2017, 9, 213-225.	3.1	25
12	Pulsed Electric Fields Effects on Health-Related Compounds and Antioxidant Capacity of Tomato Juice. , 2017, , 2225-2238.		0
13	Antioxidant activity of thermal or non-thermally treated strawberry and mango juices by <i>Saccharomyces cerevisiae</i> growth based assays. <i>LWT - Food Science and Technology</i> , 2016, 74, 55-61.	2.5	8
14	Nanoemulsion-Based Delivery Systems to Improve Functionality of Lipophilic Components. <i>Frontiers in Nutrition</i> , 2014, 1, 24.	1.6	57
15	Differences in free amino acid profile of non-thermally treated tomato and strawberry juices. <i>Journal of Food Composition and Analysis</i> , 2013, 32, 51-58.	1.9	21
16	Pulsed electric fields processing effects on quality and health-related constituents of plant-based foods. <i>Trends in Food Science and Technology</i> , 2013, 29, 98-107.	7.8	97
17	Metabolite profiling of phenolic and carotenoid contents in tomatoes after moderate-intensity pulsed electric field treatments. <i>Food Chemistry</i> , 2013, 136, 199-205.	4.2	81
18	Metabolomics for assessing safety and quality of plant-derived food. <i>Food Research International</i> , 2013, 54, 1172-1183.	2.9	86

#	ARTICLE	IF	CITATIONS
19	Impact of high-intensity pulsed electric fields on carotenoids profile of tomato juice made of moderate-intensity pulsed electric field-treated tomatoes. <i>Food Chemistry</i> , 2013, 141, 3131-3138.	4.2	68
20	Influence of alginate-based edible coating as carrier of antibrowning agents on bioactive compounds and antioxidant activity in fresh-cut Kent mangoes. <i>LWT - Food Science and Technology</i> , 2013, 50, 240-246.	2.5	166
21	Stability of health-related compounds in plant foods through the application of non thermal processes. <i>Trends in Food Science and Technology</i> , 2012, 23, 111-123.	7.8	49
22	Effects of Pulsed Electric Fields on the Bioactive Compound Content and Antioxidant Capacity of Tomato Fruit. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 3126-3134.	2.4	74
23	Fast simultaneous determination of free and conjugated isoflavones in soy milk by UHPLC-UV. <i>Food Chemistry</i> , 2012, 135, 2832-2838.	4.2	50
24	Changes in the Polyphenol Profile of Tomato Juices Processed by Pulsed Electric Fields. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 9667-9672.	2.4	73
25	Changes in bioactive composition of fresh-cut strawberries stored under superatmospheric oxygen, low-oxygen or passive atmospheres. <i>Journal of Food Composition and Analysis</i> , 2010, 23, 37-43.	1.9	54
26	Effect of minimal processing on bioactive compounds and antioxidant activity of fresh-cut "Kent" mango ( <i>Mangifera indica</i> L.). <i>Postharvest Biology and Technology</i> , 2009, 51, 384-390.	2.9	109
27	Comparative study on antioxidant properties of carrot juice stabilised by high-intensity pulsed electric fields or heat treatments. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 2636-2642.	1.7	51
28	Use of Weibull distribution for describing kinetics of antioxidant potential changes in fresh-cut watermelon. <i>Journal of Food Engineering</i> , 2009, 95, 99-105.	2.7	49
29	Influence of Storage Temperature on the Kinetics of the Changes in Anthocyanins, Vitamin C, and Antioxidant Capacity in Fresh-Cut Strawberries Stored under High-Oxygen Atmospheres. <i>Journal of Food Science</i> , 2009, 74, C184-91.	1.5	76
30	Carotenoid and phenolic profile of tomato juices processed by high intensity pulsed electric fields compared with conventional thermal treatments. <i>Food Chemistry</i> , 2009, 112, 258-266.	4.2	177
31	Effects of high-intensity pulsed electric field processing conditions on lycopene, vitamin C and antioxidant capacity of watermelon juice. <i>Food Chemistry</i> , 2009, 115, 1312-1319.	4.2	154
32	Impact of high-intensity pulsed electric fields variables on vitamin C, anthocyanins and antioxidant capacity of strawberry juice. <i>LWT - Food Science and Technology</i> , 2009, 42, 93-100.	2.5	90
33	Effect of High-Oxygen Atmospheres on the Antioxidant Potential of Fresh-Cut Tomatoes. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6603-6610.	2.4	21
34	Modeling changes in health-related compounds of tomato juice treated by high-intensity pulsed electric fields. <i>Journal of Food Engineering</i> , 2008, 89, 210-216.	2.7	55
35	Bio-preservation of fresh-cut tomatoes using natural antimicrobials. <i>European Food Research and Technology</i> , 2008, 226, 1047-1055.	1.6	73
36	Phenolic acids, flavonoids, vitamin C and antioxidant capacity of strawberry juices processed by high-intensity pulsed electric fields or heat treatments. <i>European Food Research and Technology</i> , 2008, 228, 239-248.	1.6	152

#	ARTICLE	IF	CITATIONS
37	Antioxidant properties and shelf-life extension of fresh-cut tomatoes stored at different temperatures. <i>Journal of the Science of Food and Agriculture</i> , 2008, 88, 2606-2614.	1.7	31
38	The role of peroxidase on the antioxidant potential of fresh-cut "Piel de Sapo" melon packaged under different modified atmospheres. <i>Food Chemistry</i> , 2008, 106, 1085-1092.	4.2	60
39	Inactivation of tomato juice peroxidase by high-intensity pulsed electric fields as affected by process conditions. <i>Food Chemistry</i> , 2008, 107, 949-955.	4.2	59
40	Kinetic Study of Anthocyanins, Vitamin C, and Antioxidant Capacity in Strawberry Juices Treated by High-Intensity Pulsed Electric Fields. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 8387-8393.	2.4	40
41	Changes of health-related compounds throughout cold storage of tomato juice stabilized by thermal or high intensity pulsed electric field treatments. <i>Innovative Food Science and Emerging Technologies</i> , 2008, 9, 272-279.	2.7	130
42	Effect of minimal processing on bioactive compounds and color attributes of fresh-cut tomatoes. <i>LWT - Food Science and Technology</i> , 2008, 41, 217-226.	2.5	100
43	Antioxidant Content of Fresh-Cut Pears Stored in High-O <sub>2</sub> Active Packages Compared with Conventional Low-O <sub>2</sub> Active and Passive Modified Atmosphere Packaging. <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 932-940.	2.4	40
44	Lycopene, Vitamin C, and Antioxidant Capacity of Tomato Juice as Affected by High-Intensity Pulsed Electric Fields Critical Parameters. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 9036-9042.	2.4	68
45	Comparative evaluation of UV-HPLC methods and reducing agents to determine vitamin C in fruits. <i>Food Chemistry</i> , 2007, 105, 1151-1158.	4.2	167
46	Comparative Study on Shelf Life of Whole Milk Processed by High-Intensity Pulsed Electric Field or Heat Treatment. <i>Journal of Dairy Science</i> , 2006, 89, 905-911.	1.4	61
47	Browning Evaluation of Ready-to-Eat Apples as Affected by Modified Atmosphere Packaging. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 3685-3690.	2.4	117
48	The Effects of Non-Thermal Technologies on Phytochemicals. , 0, , .		4