

Jedol Dayou, J Dayou, Dayou, J

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4192863/publications.pdf>

Version: 2024-02-01

75
papers

609
citations

687220

13
h-index

677027

22
g-index

81
all docs

81
docs citations

81
times ranked

680
citing authors

#	ARTICLE	IF	CITATIONS
1	Plasmonic effect of bimetallic TiO ₂ /Al ₂ O ₃ nanoparticles in tellurite glass for surface-enhanced Raman scattering applications. <i>Journal of Luminescence</i> , 2022, 241, 118488.	1.5	8
2	Sliding wear of electro-carburized mild steel with different microstructures. <i>Tribology - Materials, Surfaces and Interfaces</i> , 2021, 15, 213-228.	0.6	3
3	Breakdown Strength and Stability of Palm Oil Toughened with Natural Fibres as Liquid Insulation. , 2021, , .		3
4	Effect of Rice Husk Filler on the Structural and Dielectric Properties of Palm Oil as an Electrical Insulation Material. <i>Energies</i> , 2021, 14, 4921.	1.6	5
5	Synoptic analysis and mesoscale numerical modelling of heavy precipitation: a case study of flash flood event in Kota Kinabalu, Malaysia. <i>Meteorology and Atmospheric Physics</i> , 2020, 132, 181-201.	0.9	4
6	Effect of incorporating different polyanilineâ€s surface modified nanosilica content into polyurethaneâ€sbased quasiâ€solidâ€state electrolyte for dyeâ€sensitized solar cells. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49147.	1.3	5
7	Missing Value Imputation for PM10 Concentration in Sabah using Nearest Neighbour Method (NNM) and Expectation-Maximization (EM) Algorithm. <i>Asian Journal of Atmospheric Environment</i> , 2020, 14, 62-72.	0.4	7
8	Analysis and characterization of enhanced kinetic reaction on ozone generation using negative corona discharge. <i>Journal of Physics Communications</i> , 2020, 4, 075022.	0.5	2
9	Modification in Structural Properties of Erbium-doped Zinc â€ Sodium Tellurite Glass: Effect of Bimetallic Cu/Ti Nanoparticles. <i>Journal of Physics: Conference Series</i> , 2019, 1358, 012037.	0.3	0
10	<i>In situ</i> FTIR analysis in determining possible chemical reactions for peroxide crosslinked LDPE in the presence of triallylcyanurate. <i>Functional Composites and Structures</i> , 2019, 1, 025003.	1.6	9
11	Parametric Model for Estimation of Mass Concentration based on Particle Count Distribution for Ambient Air Monitoring. <i>Journal of Physics: Conference Series</i> , 2019, 1358, 012042.	0.3	4
12	Tuning Optical and Structural Properties of Composite Glass: Effect of Rice Husk Fibre. <i>Journal of Physics: Conference Series</i> , 2019, 1358, 012044.	0.3	0
13	Tailoring Structural and Optical Properties of Composite Glass with Rice Husk Fibre (RHF) as Additive Materials. <i>Journal of Physics: Conference Series</i> , 2019, 1358, 012036.	0.3	0
14	Temporal Assessment on Variation of PM10 Concentration in Kota Kinabalu using Principal Component Analysis and Fourier Analysis. <i>Current World Environment Journal</i> , 2019, 14, 400-410.	0.2	2
15	Langley Calibration of Sunphotometer using Perezâ€™s Clearness Index at Tropical Climate. <i>Aerosol and Air Quality Research</i> , 2018, 18, 1103-1117.	0.9	0
16	Analytical and experimental investigation of partially covered piezoelectric cantilever energy harvester. <i>International Journal of Precision Engineering and Manufacturing</i> , 2017, 18, 415-424.	1.1	15
17	Pathogenic Nature of <i>Ganoderma boninense</i> and Basal Stem Rot Disease. <i>SpringerBriefs in Agriculture</i> , 2017, , 5-12.	0.9	14
18	Current Detection Methods of <i>G. boninense</i> Infection in Oil Palm. <i>SpringerBriefs in Agriculture</i> , 2017, , 13-20.	0.9	2

#	ARTICLE	IF	CITATIONS
19	Control Methods of <i>G. boninense</i> in Oil Palm Industry. SpringerBriefs in Agriculture, 2017, , 21-30.	0.9	2
20	Control of <i>G. boninense</i> Using Multi-biological Agents. SpringerBriefs in Agriculture, 2017, , 31-46.	0.9	0
21	The changes of oil palm roots cell wall lipids during pathogenesis of <i>Ganoderma boninense</i> . IOP Conference Series: Earth and Environmental Science, 2017, 77, 012014.	0.2	3
22	Parameter identification of partially covered piezoelectric cantilever power scavenger based on the coupled distributed parameter solution. International Journal of Smart and Nano Materials, 2017, 8, 110-124.	2.0	27
23	Fruit based Dye Sensitized Solar Cells. IOP Conference Series: Materials Science and Engineering, 2017, 217, 012003.	0.3	11
24	Comparison of Power Output Between Fixed and Perpendicular Solar Photovoltaic PV Panel in Tropical Climate Region. Advanced Science Letters, 2017, 23, 1259-1263.	0.2	7
25	Design of High Voltage and High Frequency Pulse Generator Using DC Choke. Advanced Science Letters, 2017, 23, 11302-11305.	0.2	0
26	Development of a Quality Control and Cloud-screening Algorithm for Sun Photometry Langley Calibration. Asian Journal of Scientific Research, 2017, 11, 105-117.	0.3	0
27	COMPARATIVE STUDIES OF CELL GROWTH OF FRESHWATER MICROALGA CHLORELLA SP. IN PHOTOAUTOTROPHIC, HETEROTROPHIC AND MIXOTROPHIC CULTURES. Jurnal Teknologi (Sciences and) Tj ETQq101s0.784344 rgBT	0.3	6
28	MODELLING OF THE ELECTRICITY GENERATION FROM LIVING PLANTS. Jurnal Teknologi (Sciences and) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.3	6
29	Data Acquisition System for In Situ Monitoring of Chemoelectrical Potential in Living Plant Fuel Cells. Journal of Biophysics, 2016, 2016, 1-7.	0.8	5
30	Recent progresses in solar cells: Insight into hollow micro/nano-structures. Renewable and Sustainable Energy Reviews, 2016, 64, 543-568.	8.2	25
31	Experimental assessment of Ocean Salinity and Temperature Energy Conversion (OSTEC) full-scale prototype. , 2016, , .		2
32	A low frequency hybrid harvester with ring magnets. Sustainable Energy Technologies and Assessments, 2016, 13, 23-30.	1.7	7
33	EFFECT OF FRETTS TO SOUND FREQUENCY OF SUNDATANG. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.3	0
34	Variation over Time of the Perez Calibration Algorithm for Ground-Based Spectrometer. Acta Physica Polonica A, 2016, 130, 160-162.	0.2	0
35	Morphological changes of <i>Ganoderma boninense</i> mycelia after challenged by <i>Trichoderma</i> and <i>Bacillus</i> . AIP Conference Proceedings, 2015, , .	0.3	2
36	Vibrational Properties of Sundatang Soundboard. Archives of Acoustics, 2015, 39, 177-187.	0.9	1

#	ARTICLE	IF	CITATIONS
37	Synthesis of Pyranopyrazoles Using Magnetically Recyclable Heterogeneous Iron Oxide@Silica Core-shell Nanocatalyst. Journal of the Chinese Chemical Society, 2015, 62, 1155-1162.	0.8	14
38	Viscosity Model for Predicting the Power Output from Ocean Salinity and Temperature Energy Conversion System (OSTEC) Part 2: Computer Simulation. IOP Conference Series: Materials Science and Engineering, 2015, 88, 012067.	0.3	0
39	Review Paper on Cell Membrane Electroporation of Microalgae using Electric Field Treatment Method for Microalgae Lipid Extraction. IOP Conference Series: Materials Science and Engineering, 2015, 78, 012034.	0.3	28
40	The effects of width reduction on the damping of a cantilever beam and its application in increasing the harvesting power of piezoelectric energy harvester. Smart Materials and Structures, 2015, 24, 045006.	1.8	16
41	Fabrication and Analysis of Photoelectrochemical Properties of Dye Sensitized Solar Cell Using Local Borneon Natural Dye Extracts. Advanced Materials Research, 2015, 1107, 536-541.	0.3	3
42	The effects of width reduction on cantilever type piezoelectric energy harvesters. , 2015, , .		0
43	The Effect of Surface Modification of Silica Nanoparticles on the Morphological and Mechanical Properties of Bismaleimide/Diamine Matrices. Advances in Polymer Technology, 2015, 34, .	0.8	13
44	INVESTIGATION ON THE POSSIBILITY OF USING ENTROPY APPROACH FOR CLASSIFICATION AND IDENTIFICATION OF FROG SPECIES. Jurnal Teknologi (Sciences and Engineering), 2015, 75, .	0.3	0
45	An optimized preparation of bismaleimide@diamine co@polymer matrices. Polymers for Advanced Technologies, 2014, 25, 673-683.	1.6	13
46	Ground-Based Aerosol Optical Depth Measurement Using Sunphotometers. SpringerBriefs in Applied Sciences and Technology, 2014, , .	0.2	3
47	The effectiveness of palm oil methyl ester as lubricant additive in milling and four-ball tests. International Journal of Surface Science and Engineering, 2014, 8, 153.	0.4	16
48	Ground-Based Aerosol Optical Depth Measurements. SpringerBriefs in Applied Sciences and Technology, 2014, , 9-30.	0.2	1
49	Development of a Near-Sea-Level Calibration Algorithm for Aerosol Optical Depth Measurement Using a Ground-Based Spectrometer. Aerosol and Air Quality Research, 2014, 14, 386-395.	0.9	6
50	Implementation of Perez-Dumortier Calibration Algorithm. SpringerBriefs in Applied Sciences and Technology, 2014, , 39-56.	0.2	0
51	Near-Sea-Level Langley Calibration Algorithm. SpringerBriefs in Applied Sciences and Technology, 2014, , 31-37.	0.2	0
52	Increasing the output from piezoelectric energy harvester using width-split method with verification. International Journal of Precision Engineering and Manufacturing, 2013, 14, 2149-2155.	1.1	19
53	Frictional and Wear Behaviour of AlCrN, TiN, TiAlN Single-layer Coatings, and TiAlN/AlCrN, AlN/TiN Nano-multilayer Coatings in Dry Sliding. Procedia Engineering, 2013, 68, 512-517.	1.2	40
54	A Clamped Bar Model for the Sompoton Vibrator. Archives of Acoustics, 2013, 38, 425-432.	0.9	2

#	ARTICLE	IF	CITATIONS
55	Increasing the bandwidth of the width-split piezoelectric energy harvester. <i>Microelectronics Journal</i> , 2012, 43, 484-491.	1.1	23
56	Scaling the Operating Deflection Shapes Obtained from Scanning Laser Doppler Vibrometer. <i>Journal of Nondestructive Evaluation</i> , 2011, 30, 91-98.	1.1	14
57	Acoustic classification of Australian anurans based on hybrid spectral-entropy approach. <i>Applied Acoustics</i> , 2011, 72, 639-645.	1.7	68
58	The fixed-points theory revisited with new applications. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2010, 224, 1627-1634.	1.1	1
59	Information Theoretic Approach Based on Entropy for Classification of Bioacoustics Signals. , 2010, , .		0
60	Experimental Investigation on the Effects of Audible Sound to the Growth of <i>Aspergillus Spp.</i> <i>Modern Applied Science</i> , 2009, 3, .	0.4	2
61	Experimental Investigation on the Effects of Audible Sound to the Growth of <i>Escherichia coli.</i> <i>Modern Applied Science</i> , 2009, 3, .	0.4	8
62	Mode shape reconstruction of an impulse excited structure using continuous scanning laser Doppler vibrometer and empirical mode decomposition. <i>Review of Scientific Instruments</i> , 2008, 79, 075103.	0.6	6
63	Fixed-points theory for global vibration control using vibration neutralizer. <i>Journal of Sound and Vibration</i> , 2006, 292, 765-776.	2.1	32
64	Derivation of the Fixed-Points Theory with Some Numerical Simulations for Global Vibration Control of Structure with Closely Spaced Natural Frequencies#. <i>Mechanics Based Design of Structures and Machines</i> , 2006, 34, 49-68.	3.4	3
65	Control of kinetic energy of a one-dimensional structure using multiple vibration neutralizers. <i>Journal of Sound and Vibration</i> , 2005, 281, 323-340.	2.1	5
66	A New Application of the Fixed-Points Theory for the Control of Kinetic Energy of a Continuous Structure. <i>International Journal of Acoustics and Vibrations</i> , 2005, 10, .	0.3	1
67	Experimental verification of the optimal tuning of a tunable vibration neutralizer for global vibration control. <i>Applied Acoustics</i> , 2003, 64, 311-323.	1.7	11
68	GLOBAL CONTROL OF STRUCTURAL VIBRATION USING MULTIPLE-TUNED TUNABLE VIBRATION NEUTRALIZERS. <i>Journal of Sound and Vibration</i> , 2002, 258, 345-357.	2.1	31
69	Global Control of Vibration Using a Tunable Vibration Neutraliser. <i>Noise and Vibration Worldwide</i> , 2001, 32, 16-23.	0.4	4
70	Optimum tuning of a vibration neutralizer for global vibration control. <i>Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science</i> , 2001, 215, 933-942.	1.1	1
71	GLOBAL CONTROL OF VIBRATION USING A TUNABLE VIBRATION NEUTRALIZER. <i>Journal of Sound and Vibration</i> , 2000, 232, 585-600.	2.1	27
72	Dry Sliding Behaviour of AlCrN and TiN Coatings. <i>Advanced Materials Research</i> , 0, 576, 559-562.	0.3	6

#	ARTICLE	IF	CITATIONS
73	Sol Gel Synthesized Nanosilica as Photoanode Material for Dye Sensitized Solar Cells (DSSCs) System. Applied Mechanics and Materials, 0, 625, 110-113.	0.2	1
74	Dye Sensitized Solar Cell Based on Polyethylene Glycol/4,4'-Diphenylmethane Diisocyanate Copolymer Quasi Solid State Electrolyte. Applied Mechanics and Materials, 0, 625, 140-143.	0.2	2
75	Effect of Electrolysis Treatment Time, Field Strength and Recycling Flowrate on Ankistrodesmus sp. Lipid Extraction. ASM Science Journal, 0, 12, 1-18.	0.2	2