William D Warren

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4192869/publications.pdf

Version: 2024-02-01

all docs

22 1,461 18 22 g-index

22 22 22 22 1591

times ranked

docs citations

citing authors

#	Article	IF	CITATIONS
1	Functional Analysis of the Integrator Subunit 12 Identifies a Microdomain That Mediates Activation of the Drosophila Integrator Complex. Journal of Biological Chemistry, 2013, 288, 4867-4877.	3.4	28
2	An RNAi screen identifies additional members of the <i>Drosophila</i> Integrator complex and a requirement for cyclin C/Cdk8 in snRNA 3′-end formation. Rna, 2012, 18, 2148-2156.	3.5	59
3	A Subset of <i>Drosophila</i> Integrator Proteins Is Essential for Efficient U7 snRNA and Spliceosomal snRNA 3′-End Formation. Molecular and Cellular Biology, 2011, 31, 328-341.	2.3	82
4	Inhibition of Histone Deacetylase 3 Produces Mitotic Defects Independent of Alterations in Histone H3 Lysine 9 Acetylation and Methylation. Molecular Pharmacology, 2010, 78, 384-393.	2.3	17
5	Phenotypic analysis of <i>deflated</i> /lnts7 function in <i>Drosophila</i> development. Developmental Dynamics, 2009, 238, 1131-1139.	1.8	23
6	The <i>Drosophila</i> cohesin subunit <i>Rad21</i> is a <i>trithorax</i> group (trxG) protein. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 12405-12410.	7.1	61
7	corona Is Required for Higher-Order Assembly of Transverse Filaments into Full-Length Synaptonemal Complex in Drosophila Oocytes. PLoS Genetics, 2008, 4, e1000194.	3.5	68
8	A molecular model for sporadic human aneuploidy. Trends in Genetics, 2006, 22, 218-224.	6.7	26
9	Absence of Mouse REC8 Cohesin Promotes Synapsis of Sister Chromatids in Meiosis. Developmental Cell, 2005, 8, 949-961.	7.0	310
10	Depletion of Drad21/Scc1 in Drosophila Cells Leads to Instability of the Cohesin Complex and Disruption of Mitotic Progression. Current Biology, 2003, 13, 208-218.	3.9	96
11	Conserved Disruptions in the Predicted Coiled-Coil Domains of Eukaryotic SMC Complexes: Implications for Structure and Function. Genome Research, 2002, 12, 1201-1209.	5.5	27
12	Drad21, a Drosophila rad21 homologue expressed in S-phase cells. Gene, 2000, 250, 77-84.	2.2	24
13	Integration specificity of the hobo element of Drosophila melanogaster is dependent on sequences flanking the integration site. Genetica, 1999, 105, 133-147.	1.1	15
14	DNA methylation in mouse A-repeats in DNA methyltransferase-knockout ES cells and in normal cells determined by bisulfite genomic sequencing. Gene, 1998, 206, 63-67.	2.2	12
15	Asymmetric Methylation in the Hypermethylated CpG Promoter Region of the Human L1 Retrotransposon. Journal of Biological Chemistry, 1997, 272, 7810-7816.	3.4	143
16	Cloning and functional expression of human kynurenine 3-monooxygenase. FEBS Letters, 1997, 410, 407-412.	2.8	40
17	Drosophila melanogaster contains both X-linked and autosomal homologues of the gene encoding calcineurin B. Gene, 1996, 177, 149-153.	2.2	8
18	Molecular characterization of the cinnabar region of Drosophila melanogaster: Identification of the cinnabar transcription unit. Genetica, 1996, 98, 249-262.	1.1	47

#	Article	IF	CITATION
19	<i>Hermes</i> , a Functional Non-Drosophilid Insect Gene Vector From <i>Musca domestica</i> . Genetics, 1996, 142, 907-914.	2.9	107
20	The Australian bushfly Musca vetustissima contains a sequence related to transposons of the hobo, Ac and Tam3 family. Gene, 1995, 154, 133-134.	2.2	21
21	Interplasmid transposition of Drasopbila hobo elements in non-drosophilid insects. Molecular Genetics and Genomics, 1994, 244, 9-14.	2.4	72
22	The <i>Hermes</i> transposable element from the house fly, <i>Musca domestica</i> , is a short inverted repeat-type element of the <i>hobo, Ac</i> , and <i>Tam3</i> (<i>hAT</i>) element family. Genetical Research, 1994, 64, 87-97.	0.9	175