

Adam D Maxwell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/419287/adam-d-maxwell-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

2,011
citations

23
h-index

44
g-index

95
ext. papers

2,569
ext. citations

3.1
avg, IF

4.92
L-index

#	Paper	IF	Citations
71	Fragmentation of Stones by Burst Wave Lithotripsy in the First 19 Humans.. <i>Journal of Urology</i> , 2022 , 101097JU0000000000002446	2.5	1
70	Effect of Chilled Irrigation on Caliceal Fluid Temperature and Time to Thermal Injury Threshold During Laser Lithotripsy: Model. <i>Journal of Endourology</i> , 2021 , 35, 700-705	2.7	6
69	Treating Porcine Abscesses with Histotripsy: A Pilot Study. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 603-619	3.5	2
68	First In-Human Burst Wave Lithotripsy for Kidney Stone Comminution: Initial Two Case Studies. <i>Journal of Endourology</i> , 2021 , 35, 506-511	2.7	9
67	Design and Characterization of an Ultrasound Transducer for Combined Histotripsy-Thrombolytic Therapy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , PP,	3.2	4
66	Factors Affecting Tissue Cavitation during Burst Wave Lithotripsy. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 2286-2295	3.5	2
65	Inertial Cavitation Behaviors Induced by Nonlinear Focused Ultrasound Pulses. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , 68, 2884-2895	3.2	5
64	In Vivo Porcine Aged Deep Vein Thrombosis Model for Testing Ultrasound-based Thrombolysis Techniques. <i>Ultrasound in Medicine and Biology</i> , 2021 , 47, 3447-3457	3.5	0
63	Clot Degradation Under the Action of Histotripsy Bubble Activity and a Lytic Drug. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2021 , 68, 2942-2952	3.2	2
62	Maximizing mechanical stress in small urinary stones during burst wave lithotripsy.. <i>Journal of the Acoustical Society of America</i> , 2021 , 150, 4203	2.2	2
61	An investigation of elastic waves producing stone fracture in burst wave lithotripsy. <i>Journal of the Acoustical Society of America</i> , 2020 , 147, 1607	2.2	7
60	Modeling of photoelastic imaging of mechanical stresses in transparent solids mimicking kidney stones. <i>Journal of the Acoustical Society of America</i> , 2020 , 147, 3819	2.2	2
59	Noninvasive acoustic manipulation of objects in a living body. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 16848-16855	11.5	28
58	Evaluation of Urinary Stone Comminution with a Clinical Burst Wave Lithotripsy System. <i>Journal of Endourology</i> , 2020 , 34, 1167-1173	2.7	4
57	Focused ultrasound ablation of solid tumors: Feasibility of planning tissue-selective treatments.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e15600-e15600	2.2	
56	Defining Thermally Safe Laser Lithotripsy Power and Irrigation Parameters: Model. <i>Journal of Endourology</i> , 2020 , 34, 76-81	2.7	13
55	In Vitro Thrombolytic Efficacy of Single- and Five-Cycle Histotripsy Pulses and rt-PA. <i>Ultrasound in Medicine and Biology</i> , 2020 , 46, 336-349	3.5	10

54	Design, fabrication, and characterization of broad beam transducers for fragmenting large renal calculi with burst wave lithotripsy. <i>Journal of the Acoustical Society of America</i> , 2020 , 148, 44	2.2	4
53	A simulated model for fluid and tissue heating during pediatric laser lithotripsy. <i>Journal of Pediatric Urology</i> , 2020 , 16, 626.e1-626.e8	1.5	3
52	Evaluation of Renal Stone Comminution and Injury by Burst Wave Lithotripsy in a Pig Model. <i>Journal of Endourology</i> , 2019 , 33, 787-792	2.7	15
51	PIXUL-CHIP: integrated high-throughput sample preparation and analytical platform for epigenetic studies. <i>Nucleic Acids Research</i> , 2019 , 47, e69	20.1	7
50	For Whom the Bubble Grows: Physical Principles of Bubble Nucleation and Dynamics in Histotripsy Ultrasound Therapy. <i>Ultrasound in Medicine and Biology</i> , 2019 , 45, 1056-1080	3.5	48
49	QUANTIFICATION OF ACOUSTIC RADIATION FORCES ON SOLID OBJECTS IN FLUID. <i>Physical Review Applied</i> , 2019 , 12,	4.3	9
48	Pilot in vivo studies on transcutaneous boiling histotripsy in porcine liver and kidney. <i>Scientific Reports</i> , 2019 , 9, 20176	4.9	14
47	The Impact of Dust and Confinement on Fragmentation of Kidney Stones by Shockwave Lithotripsy in Tissue Phantoms. <i>Journal of Endourology</i> , 2019 , 33, 400-406	2.7	4
46	Simulation of Laser Lithotripsy-Induced Heating in the Urinary Tract. <i>Journal of Endourology</i> , 2019 , 33, 113-119	2.7	25
45	Combined Burst Wave Lithotripsy and Ultrasonic Propulsion for Improved Urinary Stone Fragmentation. <i>Journal of Endourology</i> , 2018 , 32, 344-349	2.7	11
44	Caliceal Fluid Temperature During High-Power Holmium Laser Lithotripsy in an In Vivo Porcine Model. <i>Journal of Endourology</i> , 2018 , 32, 724-729	2.7	62
43	Post Hoc Analysis of Passive Cavitation Imaging for Classification of Histotripsy-Induced Liquefaction in Vitro. <i>IEEE Transactions on Medical Imaging</i> , 2018 , 37, 106-115	11.7	29
42	Impact of stone characteristics on cavitation in burst wave lithotripsy. <i>Proceedings of Meetings on Acoustics</i> , 2018 , 35,	1	2
41	DESIGN OF A TRANSDUCER FOR FRAGMENTING LARGE KIDNEY STONES USING BURST WAVE LITHOTRIPSY. <i>Proceedings of Meetings on Acoustics</i> , 2018 , 35,	1	1
40	An in vivo demonstration of efficacy and acute safety of burst wave lithotripsy using a porcine model. <i>Proceedings of Meetings on Acoustics</i> , 2018 , 35,	1	1
39	Update on clinical trials of kidney stone repositioning and preclinical results of stone breaking with one system. <i>Proceedings of Meetings on Acoustics</i> , 2018 , 35,	1	6
38	Energy shielding by cavitation bubble clouds in burst wave lithotripsy. <i>Journal of the Acoustical Society of America</i> , 2018 , 144, 2952	2.2	11
37	Dependence of inertial cavitation induced by high intensity focused ultrasound on transducer -number and nonlinear waveform distortion. <i>Journal of the Acoustical Society of America</i> , 2018 , 144, 1160	2.2	10

36	Field Characterization and Compensation of Vibrational Nonuniformity for a 256-Element Focused Ultrasound Phased Array. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2018 , 65, 1618-1630	3.2	18
35	A Prototype Therapy System for Transcutaneous Application of Boiling Histotripsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017 , 64, 1542-1557	3.2	29
34	Ultrasound-Induced Bubble Clusters in Tissue-Mimicking Agar Phantoms. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 2318-2328	3.5	6
33	Detection and Evaluation of Renal Injury in Burst Wave Lithotripsy Using Ultrasound and Magnetic Resonance Imaging. <i>Journal of Endourology</i> , 2017 , 31, 786-792	2.7	17
32	Dependence of Boiling Histotripsy Treatment Efficiency on HIFU Frequency and Focal Pressure Levels. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 1975-1985	3.5	24
31	Design of HIFU Transducers for Generating Specified Nonlinear Ultrasound Fields. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2017 , 64, 374-390	3.2	43
30	Some Work on the Diagnosis and Management of Kidney Stones with Ultrasound. <i>Acoustics Today</i> , 2017 , 13, 52-59	0	2
29	Histotripsy Liquefaction of Large Hematomas. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 1491-8	3.5	21
28	Efficacy of histotripsy combined with rt-PA in vitro. <i>Physics in Medicine and Biology</i> , 2016 , 61, 5253-74	3.8	36
27	Visualizing the Histotripsy Process: Bubble Cloud-Cancer Cell Interactions in a Tissue-Mimicking Environment. <i>Ultrasound in Medicine and Biology</i> , 2016 , 42, 2466-77	3.5	42
26	Design of HIFU transducers to generate specific nonlinear ultrasound fields. <i>Physics Procedia</i> , 2016 , 87, 132-138		15
25	Cavitation-induced damage of soft materials by focused ultrasound bursts: A fracture-based bubble dynamics model. <i>Journal of the Acoustical Society of America</i> , 2016 , 140, 1374	2.2	31
24	An ultrasonic caliper device for measuring acoustic nonlinearity. <i>Physics Procedia</i> , 2016 , 87, 93-98		1
23	Effects of ultrasound frequency and tissue stiffness on the histotripsy intrinsic threshold for cavitation. <i>Ultrasound in Medicine and Biology</i> , 2015 , 41, 1651-67	3.5	80
22	Histotripsy methods in mechanical disintegration of tissue: towards clinical applications. <i>International Journal of Hyperthermia</i> , 2015 , 31, 145-62	3.7	140
21	Fragmentation of urinary calculi in vitro by burst wave lithotripsy. <i>Journal of Urology</i> , 2015 , 193, 338-44	2.5	73
20	Modeling and experimental analysis of acoustic cavitation bubbles for Burst Wave Lithotripsy. <i>Journal of Physics: Conference Series</i> , 2015 , 656,	0.3	8
19	Histotripsy beyond the intrinsic cavitation threshold using very short ultrasound pulses: microtriopsy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014 , 61, 251-65	3.2	85

18	Noninvasive ureterocele puncture using pulsed focused ultrasound: an in vitro study. <i>Journal of Endourology</i> , 2014 , 28, 342-6	2.7	2
17	Trapping of embolic particles in a vessel phantom by cavitation-enhanced acoustic streaming. <i>Physics in Medicine and Biology</i> , 2014 , 59, 4927-43	3.8	8
16	Rapid prototyping fabrication of focused ultrasound transducers. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2014 , 61, 1559-74	3.2	31
15	Probability of cavitation for single ultrasound pulses applied to tissues and tissue-mimicking materials. <i>Ultrasound in Medicine and Biology</i> , 2013 , 39, 449-65	3.5	172
14	Investigation of the mechanism of ARFI-based Color Doppler feedback of histotripsy tissue fractionation 2013 ,		1
13	Rectified growth of histotripsy bubbles. <i>Proceedings of Meetings on Acoustics</i> , 2013 , 19,	1	6
12	Disintegration of Tissue Using High Intensity Focused Ultrasound: Two Approaches That Utilize Shock Waves. <i>Acoustics Today</i> , 2012 , 8, 24	0	66
11	Real-time elastography-based monitoring of histotripsy tissue fractionation using color Doppler 2012 ,		3
10	Noninvasive treatment of deep venous thrombosis using pulsed ultrasound cavitation therapy (histotripsy) in a porcine model. <i>Journal of Vascular and Interventional Radiology</i> , 2011 , 22, 369-77	2.4	117
9	Cavitation clouds created by shock scattering from bubbles during histotripsy. <i>Journal of the Acoustical Society of America</i> , 2011 , 130, 1888-98	2.2	184
8	Why Are Short Pulses More Efficient in Tissue Erosion Using Pulsed Cavitation Ultrasound Therapy (Histotripsy)? 2010 ,		9
7	A tissue phantom for visualization and measurement of ultrasound-induced cavitation damage. <i>Ultrasound in Medicine and Biology</i> , 2010 , 36, 2132-43	3.5	81
6	Noninvasive thrombolysis using pulsed ultrasound cavitation therapy - histotripsy. <i>Ultrasound in Medicine and Biology</i> , 2009 , 35, 1982-94	3.5	159
5	In-vivo study of non-invasive thrombolysis by histotripsy in a porcine model 2009 ,		6
4	The role of compressional pressure in the formation of dense bubble clouds in histotripsy 2009 ,		13
3	Non-invasive thrombolysis induced by histotripsy pulsed cavitation ultrasound therapy 2008 ,		3
2	A mechanistic analysis of stone fracture in lithotripsy. <i>Journal of the Acoustical Society of America</i> , 2007 , 121, 1190-202	2.2	108
1	Role of Shear and Longitudinal Waves in Stone Comminution by Lithotripter Shock Waves. <i>AIP Conference Proceedings</i> , 2006 ,	0	1

