Pascal A Baltzer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4194018/pascal-a-baltzer-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

258
papers

5,764
citations

42
h-index

63
g-index

7,471
ext. papers

5,99
L-index

#	Paper	IF	Citations
258	Rectal preparation significantly improves prostate imaging quality: Assessment of the PI-QUAL score with visual grading characteristics <i>European Journal of Radiology</i> , 2022 , 147, 110145	4.7	3
257	One view or two views for wide-angle tomosynthesis with synthetic mammography in the assessment setting?. <i>European Radiology</i> , 2022 , 32, 661-670	8	0
256	Influence of aging and gadolinium exposure on T1, T2, and T2*-relaxation in healthy women with an increased risk of breast cancer with and without prior exposure to gadoterate meglumine at 3.0-T brain MR imaging. <i>European Radiology</i> , 2022 , 32, 331-345	8	O
255	Breast cancer screening in women with extremely dense breasts recommendations of the European Society of Breast Imaging (EUSOBI) <i>European Radiology</i> , 2022 , 1	8	11
254	Strukturierte Auswertung der multiparametrischen MRT der Mamma. <i>Radiologie Up2date</i> , 2022 , 22, 33	3 -49 .1	
253	Breast Lesion Classification with Multiparametric Breast MRI Using Radiomics and Machine Learning: A Comparison with Radiologists Querformance <i>Cancers</i> , 2022 , 14,	6.6	3
252	Economic potential of abbreviated breast MRI for screening women with dense breast tissue for breast cancer <i>European Radiology</i> , 2022 , 1	8	O
251	A survey by the European Society of Breast Imaging on the implementation of breast diffusion-weighted imaging in clinical practice <i>European Radiology</i> , 2022 , 1	8	2
250	Feasibility and Optimal Time Point of [68Ga]Gallium-labeled Prostate-specific Membrane Antigen Ligand Positron Emission Tomography Imaging in Patients Undergoing Cytoreductive Surgery After Systemic Therapy for Primary Oligometastatic Prostate Cancer: Implications for Patient Selection	0.9	O
249	3T MRI signal intensity profiles and thicknesses of transient zones in human fetal brain at mid-gestation. <i>European Journal of Paediatric Neurology</i> , 2021 , 35, 67-73	3.8	0
248	A Multicentric Comparison of Apparent Diffusion Coefficient Mapping and the Kaiser Score in the Assessment of Breast Lesions. <i>Investigative Radiology</i> , 2021 , 56, 274-282	10.1	3
247	Cost-Effectiveness of Digital Breast Tomosynthesis vs. Abbreviated Breast MRI for Screening Women with Intermediate Risk of Breast Cancer-How Low-Cost Must MRI Be?. <i>Cancers</i> , 2021 , 13,	6.6	4
246	An A.I. classifier derived from 4D radiomics of dynamic contrast-enhanced breast MRI data: potential to avoid unnecessary breast biopsies. <i>European Radiology</i> , 2021 , 31, 5866-5876	8	6
245	Can supplementary contrast-enhanced MRI of the breast avoid needle biopsies in suspicious microcalcifications seen on mammography? A systematic review and meta-analysis. <i>Breast</i> , 2021 , 56, 53-60	3.6	2
244	Reliability of Serial Prostate Magnetic Resonance Imaging to Detect Prostate Cancer Progression During Active Surveillance: A Systematic Review and Meta-analysis. <i>European Urology</i> , 2021 , 80, 549-56	53 ^{10.2}	10
243	Comparison of simultaneous multi-slice single-shot DWI to readout-segmented DWI for evaluation of breast lesions at 3T MRI. <i>European Journal of Radiology</i> , 2021 , 138, 109626	4.7	4
242	Applications of artificial intelligence in prostate cancer imaging. <i>Current Opinion in Urology</i> , 2021 , 31, 416-423	2.8	1

(2020-2021)

241	Correct determination of the enhancement curve is critical to ensure accurate diagnosis using the Kaiser score as a clinical decision rule for breast MRI. <i>European Journal of Radiology</i> , 2021 , 138, 109630	4.7	1
240	Radiomics and Machine Learning with Multiparametric Breast MRI for Improved Diagnostic Accuracy in Breast Cancer Diagnosis. <i>Diagnostics</i> , 2021 , 11,	3.8	9
239	Thyroid and androgen receptor signaling are antagonized by ECrystallin in prostate cancer. <i>International Journal of Cancer</i> , 2021 , 148, 731-747	7.5	4
238	Visibility of significant prostate cancer on multiparametric magnetic resonance imaging (MRI)-do we still need contrast media?. <i>European Radiology</i> , 2021 , 31, 3754-3764	8	4
237	A risk stratification algorithm for lesions of uncertain malignant potential diagnosed by vacuum-assisted breast biopsy (VABB) of mammographic microcalcifications. <i>European Journal of Radiology</i> , 2021 , 135, 109479	4.7	3
236	Supervised machine learning enables non-invasive lesion characterization in primary prostate cancer with [Ga]Ga-PSMA-11 PET/MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 48, 1795-1805	8.8	18
235	Differential impact of radiation therapy after radical prostatectomy on recurrence patterns: an assessment using [Ga]Ga-PSMA ligand PET/CT(MRI). <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 439-447	6.2	
234	Multiparametric ultrasound examination for response assessment in breast cancer patients undergoing neoadjuvant therapy. <i>Scientific Reports</i> , 2021 , 11, 2501	4.9	3
233	Axillary lymphadenopathy at the time of COVID-19 vaccination: ten recommendations from the European Society of Breast Imaging (EUSOBI). <i>Insights Into Imaging</i> , 2021 , 12, 119	5.6	15
232	AI-enhanced simultaneous multiparametric F-FDG PET/MRI for accurate breast cancer diagnosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1	8.8	3
231	Cost-Effectiveness of MR-Mammography in Breast Cancer Screening of Women With Extremely Dense Breasts After Two Rounds of Screening. <i>Frontiers in Oncology</i> , 2021 , 11, 724543	5.3	2
230	Vesical Imaging Reporting and Data System (VI-RADS): Are the individual MRI sequences equivalent in diagnostic performance of high grade NMIBC and MIBC?. <i>European Journal of Radiology</i> , 2021 , 142, 109829	4.7	3
229	Microstructural breast tissue characterization: A head-to-head comparison of Diffusion Weighted Imaging and Acoustic Radiation Force Impulse elastography with clinical implications. <i>European Journal of Radiology</i> , 2021 , 143, 109926	4.7	О
228	Diffusion-weighted Imaging Allows for Downgrading MR BI-RADS 4 Lesions in Contrast-enhanced MRI of the Breast to Avoid Unnecessary Biopsy. <i>Clinical Cancer Research</i> , 2021 , 27, 1941-1948	12.9	10
227	Knowledge-Assisted Comparative Assessment of Breast Cancer using Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>Computer Graphics Forum</i> , 2020 , 39, 13-23	2.4	1
226	Deep learning analysis provides accurate COVID-19 diagnosis on chest computed tomography. European Journal of Radiology, 2020 , 133, 109402	4.7	18
225	The Subplate Layers: The Superficial and Deep Subplate Can be Discriminated on 3 Tesla Human Fetal Postmortem MRI. <i>Cerebral Cortex</i> , 2020 , 30, 5038-5048	5.1	4
224	Diagnostic performance of breast tumor tissue selection in diffusion weighted imaging: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0232856	3.7	13

223	Response evaluation of SGLT2 inhibitor therapy in patients with type 2 diabetes mellitus using F-FDG PET/MRI. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	4
222	The Kaiser score reliably excludes malignancy in benign contrast-enhancing lesions classified as BI-RADS 4 on breast MRI high-risk screening exams. <i>European Radiology</i> , 2020 , 30, 6052-6061	8	11
221	Protocol analysis of dual-energy CT for optimization of kidney stone detection in virtual non-contrast reconstructions. <i>European Radiology</i> , 2020 , 30, 4295-4305	8	9
220	Automated volumetric radiomic analysis of breast cancer vascularization improves survival prediction in primary breast cancer. <i>Scientific Reports</i> , 2020 , 10, 3664	4.9	5
219	Low-Dose, Contrast-Enhanced Mammography Compared to Contrast-Enhanced Breast MRI: A Feasibility Study. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 52, 589-595	5.6	4
218	Clinical relevance of total choline (tCho) quantification in suspicious lesions on multiparametric breast MRI. <i>European Radiology</i> , 2020 , 30, 3371-3382	8	7
217	Substantial radiation dose reduction with consistent image quality using a novel low-dose stone composition protocol. <i>World Journal of Urology</i> , 2020 , 38, 2971-2979	4	3
216	Can second-look ultrasound downgrade MRI-detected lesions? A retrospective study. <i>European Journal of Radiology</i> , 2020 , 127, 108976	4.7	1
215	Image-guided breast biopsy and localisation: recommendations for information to women and referring physicians by the European Society of Breast Imaging. <i>Insights Into Imaging</i> , 2020 , 11, 12	5.6	46
214	External Validation of a Risk Stratification Score for B3 Breast Lesions Detected at Ultrasound Core Needle Biopsy. <i>Diagnostics</i> , 2020 , 10,	3.8	3
213	Einsatzgebiet der Magnetresonanztomografie (MRT) in der Abkl\(\textit{D}\)ung von Brustl\(\textit{B}\)ionen. Senologie - Zeitschrift F\(\textit{B}\) Mammadiagnostik Und -therapie, 2020 , 17, 238-240	0	
212	The Mantra about Low Specificity of Breast MRI 2020 , 11-21		2
211	Can the addition of clinical information improve the accuracy of PI-RADS version 2 for the diagnosis of clinically significant prostate cancer in positive MRI?. <i>Clinical Radiology</i> , 2020 , 75, 157.e1-157.e7	2.9	8
210	Response assessment using [Ga]Ga-PSMA ligand PET in patients undergoing systemic therapy for metastatic castration-resistant prostate cancer. <i>Prostate</i> , 2020 , 80, 74-82	4.2	27
209	Impact of the Kaiser score on clinical decision-making in BI-RADS 4 mammographic calcifications examined with breast MRI. <i>European Radiology</i> , 2020 , 30, 1451-1459	8	14
208	Assessment of body composition in the advanced stage of castration-resistant prostate cancer: special focus on sarcopenia. <i>Prostate Cancer and Prostatic Diseases</i> , 2020 , 23, 309-315	6.2	12
207	Diffusion-weighted imaging of the breast-a consensus and mission statement from the EUSOBI International Breast Diffusion-Weighted Imaging working group. <i>European Radiology</i> , 2020 , 30, 1436-14	45°0	108
206	Combined texture analysis and machine learning in suspicious calcifications detected by mammography: Potential to avoid unnecessary stereotactical biopsies. <i>European Journal of Radiology</i> , 2020 , 132, 109309	4.7	9

205	Non-Invasive Assessment of Hypoxia and Neovascularization with MRI for Identification of Aggressive Breast Cancer. <i>Cancers</i> , 2020 , 12,	6.6	4
204	Diagnostic performance of multidetector computed tomographic (MDCTU) in upper tract urothelial carcinoma (UTUC): a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2020 , 38, 1165-117	75 ⁴	25
203	Multiparametric F-FDG PET/MRI of the Breast: Are There Differences in Imaging Biomarkers of Contralateral Healthy Tissue Between Patients With and Without Breast Cancer?. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 20-25	8.9	7
202	Breast MRI in the era of diffusion weighted imaging: do we still need signal-intensity time curves?. <i>European Radiology</i> , 2020 , 30, 47-56	8	12
201	Assessment of the kidney function parameters split function, mean transit time, and outflow efficiency using dynamic FDG-PET/MRI in healthy subjects. <i>European Journal of Hybrid Imaging</i> , 2019 , 3, 3	1.7	1
2 00	PIK3CA Mutational Status Is Associated with High Glycolytic Activity in ER+/HER2- Early Invasive Breast Cancer: a Molecular Imaging Study Using [F]FDG PET/CT. <i>Molecular Imaging and Biology</i> , 2019 , 21, 991-1002	3.8	7
199	Multimodality Imaging of Breast Parenchymal Density and Correlation with Risk Assessment <i>Current Breast Cancer Reports</i> , 2019 , 11, 23-33	0.8	2
198	Synthetic 2-Dimensional Mammography Can Replace Digital Mammography as an Adjunct to Wide-Angle Digital Breast Tomosynthesis. <i>Investigative Radiology</i> , 2019 , 54, 83-88	10.1	10
197	A multiparametric [F]FDG PET/MRI diagnostic model including imaging biomarkers of the tumor and contralateral healthy breast tissue aids breast cancer diagnosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1878-1888	8.8	8
196	Application of Baseline Clinical and Morphological Parameters for Prediction of Late Stent Graft Related Endoleaks after Endovascular Repair of Abdominal Aortic Aneurysm. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 58, 24-32	2.3	4
195	Diffusion-Weighted MRI of Breast Cancer: Improved Lesion Visibility and Image Quality Using Synthetic b-Values. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 50, 1754-1761	5.6	12
194	Intra- and inter-observer variability in dependence of T1-time correction for common dynamic contrast enhanced MRI parameters in prostate cancer patients. <i>European Journal of Radiology</i> , 2019 , 116, 27-33	4.7	3
193	Does higher field strength translate into better diagnostic accuracy? A prospective comparison of breast MRI at 3 and 1.5 Tesla. <i>European Journal of Radiology</i> , 2019 , 114, 51-56	4.7	5
192	Can we predict lesion detection rates in second-look ultrasound of MRI-detected breast lesions? A systematic analysis. <i>European Journal of Radiology</i> , 2019 , 113, 96-100	4.7	6
191	The Efficacy of MRI in the diagnostic workup of cystic fibrosis-associated liver disease: A clinical observational cohort study. <i>European Radiology</i> , 2019 , 29, 1048-1058	8	12
190	Prospective evaluation of the performance of [Ga]Ga-PSMA-11 PET/CT(MRI) for lymph node staging in patients undergoing superextended salvage lymph node dissection after radical prostatectomy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 2169-2177	8.8	19
189	Stent-graft surface movement after endovascular aneurysm repair: baseline parameters for prediction, and association with migration and stent-graft-related endoleaks. <i>European Radiology</i> , 2019 , 29, 6385-6395	8	6
188	Consensus Meeting of Breast Imaging: BI-RADS and Beyond. <i>Breast Care</i> , 2019 , 14, 308-314	2.4	O

187	Evaluation of 3.0-T MRI Brain Signal after Exposure to Gadoterate Meglumine in Women with High Breast Cancer Risk and Screening Breast MRI. <i>Radiology</i> , 2019 , 293, 523-530	20.5	10
186	Diffusion-weighted imaging (DWI) with apparent diffusion coefficient (ADC) mapping as a quantitative imaging biomarker for prediction of immunohistochemical receptor status, proliferation rate, and molecular subtypes of breast cancer. <i>Journal of Magnetic Resonance Imaging</i> ,	5.6	33
185	Sequential [F]FDG-[F]FMISO PET and Multiparametric MRI at 3T for Insights into Breast Cancer Heterogeneity and Correlation with Patient Outcomes: First Clinical Experience. <i>Contrast Media and Molecular Imaging</i> , 2019 , 2019, 1307247	3.2	5
184	4D perfusion CT of prostate cancer for image-guided radiotherapy planning: A proof of concept study. <i>PLoS ONE</i> , 2019 , 14, e0225673	3.7	3
183	Limited role of DWI with apparent diffusion coefficient mapping in breast lesions presenting as non-mass enhancement on dynamic contrast-enhanced MRI. <i>Breast Cancer Research</i> , 2019 , 21, 136	8.3	21
182	Quantitative Multiparametric Breast Ultrasound: Application of Contrast-Enhanced Ultrasound and Elastography Leads to an Improved Differentiation of Benign and Malignant Lesions. <i>Investigative Radiology</i> , 2019 , 54, 257-264	10.1	19
181	Prognostic value of nutritional indices and body composition parameters including sarcopenia in patients treated with radiotherapy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 372-379	2.8	14
180	Response assessment using Ga-PSMA ligand PET in patients undergoing Lu-PSMA radioligand therapy for metastatic castration-resistant prostate cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1063-1072	8.8	63
179	Development of a Non-invasive Assessment of Hypoxia and Neovascularization with Magnetic Resonance Imaging in Benign and Malignant Breast Tumors: Initial Results. <i>Molecular Imaging and Biology</i> , 2019 , 21, 758-770	3.8	14
178	Impact of androgen deprivation therapy on apparent diffusion coefficient and T2w MRI for histogram and texture analysis with respect to focal radiotherapy of prostate cancer. <i>Strahlentherapie Und Onkologie</i> , 2019 , 195, 402-411	4.3	9
177	Impact of Machine Learning With Multiparametric Magnetic Resonance Imaging of the Breast for Early Prediction of Response to Neoadjuvant Chemotherapy and Survival Outcomes in Breast Cancer Patients. <i>Investigative Radiology</i> , 2019 , 54, 110-117	10.1	87
176	Breast lesion detection and characterization with contrast-enhanced magnetic resonance imaging: Prospective randomized intraindividual comparison of gadoterate meglumine (0.15 mmol/kg) and gadobenate dimeglumine (0.075 mmol/kg) at 3T. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 49, 115	5.6 5 7-116 5	8
175	Second International Consensus Conference on lesions of uncertain malignant potential in the breast (B3 lesions). <i>Breast Cancer Research and Treatment</i> , 2019 , 174, 279-296	4.4	96
174	Motion artifacts, lesion type, and parenchymal enhancement in breast MRI: what does really influence diagnostic accuracy?. <i>Acta Radiologica</i> , 2019 , 60, 19-27	2	7
173	Virtual Touch IQ elastography reduces unnecessary breast biopsies by applying quantitative "rule-in" and "rule-out" threshold values. <i>Scientific Reports</i> , 2018 , 8, 3583	4.9	6
172	How to use the Kaiser score as a clinical decision rule for diagnosis in multiparametric breast MRI: a pictorial essay. <i>Insights Into Imaging</i> , 2018 , 9, 325-335	5.6	33
171	A Simple Ultrasound Based Classification Algorithm Allows Differentiation of Benign from Malignant Breast Lesions by Using Only Quantitative Parameters. <i>Molecular Imaging and Biology</i> , 2018 , 20, 1053-1060	3.8	5
170	Diffusion-Weighted Imaging With Apparent Diffusion Coefficient Mapping for Breast Cancer Detection as a Stand-Alone Parameter: Comparison With Dynamic Contrast-Enhanced and Multiparametric Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2018 , 53, 587-595	10.1	75

169	Zukliftige Entwicklungen in der Brustbildgebung. Der Gynakologe, 2018 , 51, 362-369	0.1	
168	MRI-based quantification of residual fibroglandular tissue of the breast after conservative mastectomies. <i>European Journal of Radiology</i> , 2018 , 104, 1-7	4.7	17
167	The Assessment of Background Parenchymal Enhancement (BPE) in a High-Risk Population: What Causes BPE?. <i>Translational Oncology</i> , 2018 , 11, 243-249	4.9	6
166	Multiparametric MRI of the breast: A review. <i>Journal of Magnetic Resonance Imaging</i> , 2018 , 47, 301-315	5.6	58
165	Changes in Tumor Biology During Chemoradiation of Cervix Cancer Assessed by Multiparametric MRI and Hypoxia PET. <i>Molecular Imaging and Biology</i> , 2018 , 20, 160-169	3.8	11
164	Ga-PSMA 11 ligand PET imaging in patients with biochemical recurrence after radical prostatectomy - diagnostic performance and impact on therapeutic decision-making. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 235-242	8.8	73
163	Imaging Phenotypes in Women at High Risk for Breast Cancer on Mammography, Ultrasound, and Magnetic Resonance Imaging Using the Fifth Edition of the Breast Imaging Reporting and Data System. <i>European Journal of Radiology</i> , 2018 , 106, 150-159	4.7	15
162	Assessing the kidney function parameters glomerular filtration rate and effective renal plasma flow with dynamic FDG-PET/MRI in healthy subjects. <i>EJNMMI Research</i> , 2018 , 8, 37	3.6	14
161	PSMA Ligand PET/MRI for Primary Prostate Cancer: Staging Performance and Clinical Impact. <i>Clinical Cancer Research</i> , 2018 , 24, 6300-6307	12.9	67
160	Breast ultrasound: recommendations for information to women and referring physicians by the European Society of Breast Imaging. <i>Insights Into Imaging</i> , 2018 , 9, 449-461	5.6	49
159	3 Tesla breast MR imaging as a problem-solving tool: Diagnostic performance and incidental lesions. <i>PLoS ONE</i> , 2018 , 13, e0190287	3.7	10
158	A survey by the European Society of Breast Imaging on the utilisation of breast MRI in clinical practice. <i>European Radiology</i> , 2018 , 28, 1909-1918	8	62
157	Breast lesions classified as probably benign (BI-RADS 3) on magnetic resonance imaging: a systematic review and meta-analysis. <i>European Radiology</i> , 2018 , 28, 1919-1928	8	15
156	Potential of Noncontrast Magnetic Resonance Imaging With Diffusion-Weighted Imaging in Characterization of Breast Lesions: Intraindividual Comparison With Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2018 , 53, 229-235	10.1	57
155	Is breast MRI a helpful additional diagnostic test in suspicious mammographic microcalcifications?. <i>Magnetic Resonance Imaging</i> , 2018 , 46, 70-74	3.3	18
154	3D T2-weighted imaging to shorten multiparametric prostate MRI protocols. <i>European Radiology</i> , 2018 , 28, 1634-1641	8	21
153	Automated Detection and Segmentation of Nonmass-Enhancing Breast Tumors with Dynamic Contrast-Enhanced Magnetic Resonance Imaging. <i>Contrast Media and Molecular Imaging</i> , 2018 , 2018, 5308517	3.2	10
152	Quantitative Apparent Diffusion Coefficient Derived From Diffusion-Weighted Imaging Has the Potential to Avoid Unnecessary MRI-Guided Biopsies of mpMRI-Detected PI-RADS 4 and 5 Lesions. <i>Investigative Radiology</i> , 2018 , 53, 736-741	10.1	15

151	Density and tailored breast cancer screening: practice and prediction - an overview. <i>Acta Radiologica Open</i> , 2018 , 7, 2058460118791212	1.2	2
150	Apparent diffusion coefficient values obtained by unenhanced MRI predicts disease-specific survival in bladder cancer. <i>Clinical Radiology</i> , 2018 , 73, 881-885	2.9	4
149	Clinical application of Acoustic Radiation Force Impulse Imaging with Virtual Touch IQ in breast ultrasound: diagnostic performance and reproducibility of a new technique. <i>Acta Radiologica</i> , 2017 , 58, 140-147	2	25
148	Differentiation of ductal carcinoma in situ versus fibrocystic changes by magnetic resonance imaging: are there pathognomonic imaging features?. <i>Acta Radiologica</i> , 2017 , 58, 1206-1214	2	3
147	A simple classification system (the Tree flowchart) for breast MRI can reduce the number of unnecessary biopsies in MRI-only lesions. <i>European Radiology</i> , 2017 , 27, 3799-3809	8	29
146	Early response evaluation using CT-perfusion one day after transarterial chemoembolization for HCC predicts treatment response and long-term disease control. <i>European Journal of Radiology</i> , 2017 , 90, 73-80	4.7	17
145	Respiratory motion artifacts during arterial phase imaging with gadoxetic acid: Can the injection protocol minimize this drawback?. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 46, 1107-1114	5.6	22
144	Comparison of FDG-PET/CT and contrast-enhanced CT for monitoring therapy response in patients with metastatic breast cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017 , 44, 1428-1437	8.8	41
143	A new method to reduce false positive results in breast MRI by evaluation of multiple spectral regions in proton MR-spectroscopy. <i>European Journal of Radiology</i> , 2017 , 92, 51-57	4.7	9
142	Accuracy of fully automated, quantitative, volumetric measurement of the amount of fibroglandular breast tissue using MRI: correlation with anthropomorphic breast phantoms. <i>NMR in Biomedicine</i> , 2017 , 30, e3705	4.4	10
141	MRI for the assessment of malignancy in BI-RADS 4 mammographic microcalcifications. <i>PLoS ONE</i> , 2017 , 12, e0188679	3.7	19
140	Differentiation of Intrahepatic Cholangiocellular Carcinoma from Hepatocellular Carcinoma in the Cirrhotic Liver Using Contrast-enhanced MR Imaging. <i>Academic Radiology</i> , 2017 , 24, 1491-1500	4.3	9
139	New diagnostic tools for breast cancer. <i>Memo - Magazine of European Medical Oncology</i> , 2017 , 10, 175-1	80 3	20
138	Automated Semi-Quantitative Analysis of Breast MRI: Potential Imaging Biomarker for the Prediction of Tissue Response to Neoadjuvant Chemotherapy. <i>Breast Care</i> , 2017 , 12, 231-236	2.4	6
137	Impact of hybrid PET/MR technology on multiparametric imaging and treatment response assessment of cervix cancer. <i>Radiotherapy and Oncology</i> , 2017 , 125, 420-425	5.3	18
136	The breast lesion excision system (BLES) under stereotactic guidance cannot be used as a therapeutic tool in the excision of small areas of microcalcifications in the breast. <i>European Journal of Radiology</i> , 2017 , 93, 252-257	4.7	8
135	Malignancy rates and diagnostic performance of the Bosniak classification for the diagnosis of cystic renal lesions in computed tomography - a systematic review and meta-analysis. <i>European Radiology</i> , 2017 , 27, 2239-2247	8	55
134	MR Imaging for Diagnosis of Malignancy in Mammographic Microcalcifications: A Systematic Review and Meta-Analysis. <i>Radiology</i> , 2017 , 283, 692-701	20.5	76

(2016-2017)

133	Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland,	8	88
132	reland, Italy, Israel, Lithuania, Moldova, The Netherlands, Norway, Poland, Portugal, Romania, Diffusion-weighted-imaging of breast lesions: Region-of-interest placement and different ADC 43 parameters influence apparent diffusion coefficient values. <i>European Radiology</i> , 2017 , 27, 1883-1892	8	58
131	Impact of post-processing methods on apparent diffusion coefficient values. <i>European Radiology</i> , 2017 , 27, 946-955	8	14
130	Multiparametric [11C]Acetate positron emission tomography-magnetic resonance imaging in the assessment and staging of prostate cancer. <i>PLoS ONE</i> , 2017 , 12, e0180790	3.7	6
129	Prognostic Value of "Prepectoral Edema" in MR-mammography. <i>Anticancer Research</i> , 2017 , 37, 1989-1	995 3	13
128	Use Case III: Imaging Biomarkers in Breast Tumours. Development and Clinical Integration 2017 , 195-2	:51	
127	MRT einschließch Intervention 2017 , 159-175		
126	BI-RADS 3 Lesions on MRI 2017 , 267-281		
125	Zuklīftige Entwicklungen in der Bildgebung 2017 , 201-218		
124	Markers of sarcopenia quantified by computed tomography predict adverse long-term outcome in patients with resected oesophageal or gastro-oesophageal junction cancer. <i>European Radiology</i> , 2016 , 26, 1359-67	8	140
123	Multiparametric MRI of the prostate at 3IT: limited value of 3D (1)H-MR spectroscopy as a fourth parameter. <i>World Journal of Urology</i> , 2016 , 34, 649-56	4	15
122	Combined reading of Contrast Enhanced and Diffusion Weighted Magnetic Resonance Imaging by using a simple sum score. <i>European Radiology</i> , 2016 , 26, 884-91	8	61
121	Diffusion-weighted MRI of breast lesions: a prospective clinical investigation of the quantitative imaging biomarker characteristics of reproducibility, repeatability, and diagnostic accuracy. <i>NMR in Biomedicine</i> , 2016 , 29, 1445-53	4.4	35
120	Reply to "Breast MRI background parenchymal enhancement (BPE) correlates with the risk of breast cancer". <i>Magnetic Resonance Imaging</i> , 2016 , 34, 1337-1338	3.3	5
119	Quantitative Assessment of Breast Parenchymal Uptake on 18F-FDG PET/CT: Correlation with Age, Background Parenchymal Enhancement, and Amount of Fibroglandular Tissue on MRI. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 1518-1522	8.9	16
118	Inter-observer variation and diagnostic efficacy of apparent diffusion coefficient (ADC) measurements obtained by diffusion-weighted imaging (DWI) in small renal masses. <i>Acta Radiologica</i> , 2016 , 57, 1014-20	2	9
	Inter- and intra-observer agreement of BI-RADS-based subjective visual estimation of amount of		
117	fibroglandular breast tissue with magnetic resonance imaging: comparison to automated quantitative assessment. <i>European Radiology</i> , 2016 , 26, 3917-3922	8	16

115	The prognostic role of preoperative serum C-reactive protein in predicting the biochemical recurrence in patients treated with radical prostatectomy. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 163-7	6.2	8
114	Is there a systematic bias of apparent diffusion coefficient (ADC) measurements of the breast if measured on different workstations? An inter- and intra-reader agreement study. <i>European Radiology</i> , 2016 , 26, 2291-6	8	29
113	MR-guided vacuum-assisted breast biopsy of MRI-only lesions: a single center experience. <i>European Radiology</i> , 2016 , 26, 3908-3916	8	27
112	A simple scoring system for breast MRI interpretation: does it compensate for reader experience?. <i>European Radiology</i> , 2016 , 26, 2529-37	8	35
111	Diffusion-weighted imaging of breast tumours at 3 Tesla and 7 Tesla: a comparison. <i>European Radiology</i> , 2016 , 26, 1466-73	8	15
110	Diagnostic Performance of Breast Magnetic Resonance Imaging in Non-Calcified Equivocal Breast Findings: Results from a Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0160346	3.7	78
109	MRI Background Parenchymal Enhancement Is Not Associated with Breast Cancer. <i>PLoS ONE</i> , 2016 , 11, e0158573	3.7	28
108	Multiparametric [18F]Fluorodeoxyglucose/ [18F]Fluoromisonidazole Positron Emission Tomography/ Magnetic Resonance Imaging of Locally Advanced Cervical Cancer for the Non-Invasive Detection of Tumor Heterogeneity: A Pilot Study. <i>PLoS ONE</i> , 2016 , 11, e0155333	3.7	35
107	Influence of fat-water separation and spatial resolution on automated volumetric MRI measurements of fibroglandular breast tissue. <i>NMR in Biomedicine</i> , 2016 , 29, 702-8	4.4	7
106	Head-to-head comparison of PI-RADS v2 and PI-RADS v1. European Journal of Radiology, 2016 , 85, 1125	-3 ₄ 1 ₇	81
105	Work-up of the Incidental Adrenal Mass. European Urology Focus, 2016, 1, 217-222	5.1	3
104	Diagnostic performance of digital breast tomosynthesis with a wide scan angle compared to full-field digital mammography for the detection and characterization of microcalcifications. <i>European Journal of Radiology</i> , 2016 , 85, 2161-2168	4.7	27
103	Perirenal Edema as a potential hint towards primary hypertension-Preliminary findings in MRI breast cancer staging. <i>European Journal of Radiology Open</i> , 2016 , 3, 123-6	2.6	
102	Focal transitional mastitis in MR-Mammography: Preliminary findings. <i>European Journal of Radiology Open</i> , 2016 , 3, 117-22	2.6	
101	The value of "constant sharpness" as a diagnostic sign in MR-Mammography. <i>European Journal of Radiology Open</i> , 2016 , 3, 236-8	2.6	
100	DCE-MRI of the breast in a stand-alone setting outside a complementary strategy - results of the TK-study. <i>European Radiology</i> , 2015 , 25, 1793-800	8	14
99	Multiparametric MR Imaging with High-Resolution Dynamic Contrast-enhanced and Diffusion-weighted Imaging at 7 T Improves the Assessment of Breast Tumors: A Feasibility Study. <i>Radiology</i> , 2015 , 276, 360-70	20.5	35
98	Is "prepectoral edema" a morphologic sign for malignant breast tumors?. <i>Academic Radiology</i> , 2015 , 22, 684-9	4.3	9

97	Dixon imaging-based partial volume correction improves quantification of choline detected by breast 3D-MRSI. <i>European Radiology</i> , 2015 , 25, 830-6	8	2
96	Introduction of an automated user-independent quantitative volumetric magnetic resonance imaging breast density measurement system using the Dixon sequence: comparison with mammographic breast density assessment. <i>Investigative Radiology</i> , 2015 , 50, 73-80	10.1	26
95	Quantitative apparent diffusion coefficient as a noninvasive imaging biomarker for the differentiation of invasive breast cancer and ductal carcinoma in situ. <i>Investigative Radiology</i> , 2015 , 50, 95-100	10.1	67
94	Diagnostic accuracy of (18)F-FDG PET/CT compared with that of contrast-enhanced MRI of the breast at 3 T. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 1656-1665	8.8	19
93	Lesion type and reader experience affect the diagnostic accuracy of breast MRI: a multiple reader ROC study. <i>European Journal of Radiology</i> , 2015 , 84, 86-91	4.7	26
92	Breast MRI used as a problem-solving tool reliably excludes malignancy. <i>European Journal of Radiology</i> , 2015 , 84, 61-64	4.7	42
91	Diagnosis of renal tumors by in vivo proton magnetic resonance spectroscopy. <i>World Journal of Urology</i> , 2015 , 33, 17-23	4	9
90	Magnetic resonance imaging of intraductal papillomas: typical findings and differential diagnosis. Journal of Computer Assisted Tomography, 2015 , 39, 176-84	2.2	7
89	Breast MRI: EUSOBI recommendations for women@information. European Radiology, 2015, 25, 3669-78	8 8	237
88	4D co-registration of X-ray and MR-mammograms: initial clinical results and potential incremental diagnostic value. <i>Clinical Imaging</i> , 2015 , 39, 225-30	2.7	
87	Bilateral diffusion-weighted MR imaging of breast tumors with submillimeter resolution using readout-segmented echo-planar imaging at 7 T. <i>Radiology</i> , 2015 , 274, 74-84	20.5	53
86	Benign (BI-RADS 2) lesions in breast MRI. <i>Clinical Radiology</i> , 2015 , 70, 395-9	2.9	2
85	PET/MRI in cervical cancer: Insights into tumor biology Journal of Clinical Oncology, 2015, 33, 5597-559	PZ.2	1
84	Three-Tesla dynamic contrast-enhanced MRI: a critical assessment of its use for differentiation of renal lesion subtypes. <i>World Journal of Urology</i> , 2014 , 32, 215-20	4	5
83	Diagnostic utility of second-look US for breast lesions identified at MR imaging: systematic review and meta-analysis. <i>Radiology</i> , 2014 , 273, 401-9	20.5	112
82	Improved differentiation of benign and malignant breast tumors with multiparametric 18fluorodeoxyglucose positron emission tomography magnetic resonance imaging: a feasibility study. <i>Clinical Cancer Research</i> , 2014 , 20, 3540-9	12.9	64
81	Prospective evaluation of diffusion-weighted MRI of the bladder as a biomarker for prediction of bladder cancer aggressiveness. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 1166-	7 ^{2.8}	28
80	Molecular imaging for the characterization of breast tumors. <i>Expert Review of Anticancer Therapy</i> , 2014 , 14, 711-22	3.5	6

79	Clinical application of bilateral high temporal and spatial resolution dynamic contrast-enhanced magnetic resonance imaging of the breast at 7 T. European Radiology, 2014 , 24, 913-20	8	42
78	MRI-only lesions: application of diffusion-weighted imaging obviates unnecessary MR-guided breast biopsies. <i>European Radiology</i> , 2014 , 24, 1204-10	8	73
77	Fat saturation in dynamic breast MRI at 3 Tesla: is the Dixon technique superior to spectral fat saturation? A visual grading characteristics study. <i>European Radiology</i> , 2014 , 24, 2213-9	8	29
76	Rate of malignancy in MRI-detected probably benign (BI-RADS 3) lesions. <i>American Journal of Roentgenology</i> , 2014 , 202, 684-9	5.4	23
75	Dynamic contrast-enhanced magnetic resonance imaging of breast tumors at 3 and 7 T: a comparison. <i>Investigative Radiology</i> , 2014 , 49, 354-62	10.1	23
74	Breast pathology after cryotherapy. Histological regression of breast cancer after cryotherapy. <i>Polish Journal of Pathology</i> , 2014 , 65, 20-8	0.9	7
73	Improved diagnostic accuracy with multiparametric magnetic resonance imaging of the breast using dynamic contrast-enhanced magnetic resonance imaging, diffusion-weighted imaging, and 3-dimensional proton magnetic resonance spectroscopic imaging. <i>Investigative Radiology</i> , 2014 , 49, 421	10.1 -30	89
72	Utility and limitations of 3-Tesla diffusion-weighted magnetic resonance imaging for differentiation of renal tumors. <i>European Journal of Radiology</i> , 2014 , 83, 909-913	4.7	39
71	Quantitative apparent diffusion coefficient measurements obtained by 3-Tesla MRI are correlated with biomarkers of bladder cancer proliferative activity. <i>PLoS ONE</i> , 2014 , 9, e106866	3.7	25
70	Effect of multiparametric MRI of the breast on diagnostic accuracy <i>Journal of Clinical Oncology</i> , 2014 , 32, 11009-11009	2.2	
69	A simple and robust classification tree for differentiation between benign and malignant lesions in MR-mammography. <i>European Radiology</i> , 2013 , 23, 2051-60	8	51
68	Automatic multimodal 2D/3D breast image registration using biomechanical FEM models and intensity-based optimization. <i>Medical Image Analysis</i> , 2013 , 17, 209-18	15.4	54
67	Diagnosis of focal liver lesions suspected of metastases by diffusion-weighted imaging (DWI): systematic comparison favors free-breathing technique. <i>Clinical Imaging</i> , 2013 , 37, 97-103	2.7	10
66	Breast lesions: diagnosis by using proton MR spectroscopy at 1.5 and 3.0 Tsystematic review and meta-analysis. <i>Radiology</i> , 2013 , 267, 735-46	20.5	93
65	Association between survival in patients with primary invasive breast cancer and computer aided MRI. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 146-55	5.6	22
64	Effect of contrast agent on the results of in vivo IH MRS of breast tumors - is it clinically significant?. <i>NMR in Biomedicine</i> , 2012 , 25, 67-74	4.4	18
63	MR spectroscopy in the breast clinic is improving. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S104	l-6 .7	1
62	Co-registration of MR-mammography and X-ray mammography. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S27-9	4.7	1

61	L-COSY of breast cancer at 3T. European Journal of Radiology, 2012, 81 Suppl 1, S129-31	4.7	
60	MR-spectroscopy at 1.5 tesla and 3 tesla. Useful? A systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S6-9	4.7	13
59	MR-mammography: high sensitivity but low specificity? New thoughts and fresh data on an old mantra. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S30-2	4.7	9
58	Potential of MR-mammography for identification of intraductual papillomas. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S33-4	4.7	3
57	A systematic comparison of two pulse sequences for edema assessment in MR-mammography. <i>European Journal of Radiology</i> , 2012 , 81, 1500-3	4.7	9
56	Artificial Neural Networks for differential diagnosis of breast lesions in MR-Mammography: a systematic approach addressing the influence of network architecture on diagnostic performance using a large clinical database. <i>European Journal of Radiology</i> , 2012 , 81, 1508-13	4.7	16
55	Diffusion weighted imaging of liver lesions suspect for metastases: Apparent diffusion coefficient (ADC) values and lesion contrast are independent from Gd-EOB-DTPA administration. <i>European Journal of Radiology</i> , 2012 , 81, e849-53	4.7	16
54	Imaging of lamination patterns of the adult human olfactory bulb and tract: in vitro comparison of standard- and high-resolution 3T MRI, and MR microscopy at 9.4 T. <i>NeuroImage</i> , 2012 , 60, 1662-70	7.9	10
53	Kinetic characterization of non-mass lesions on breast MRI using manual and computer assisted methods. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S177-8	4.7	1
52	A simple and robust classification tree for differentiation between benign and malignant lesions in MR-mammography. <i>European Journal of Radiology</i> , 2012 , 81 Suppl 1, S4-5	4.7	1
51	2D/3D image fusion of X-ray mammograms with breast MRI: visualizing dynamic contrast enhancement in mammograms. <i>International Journal of Computer Assisted Radiology and Surgery</i> , 2012 , 7, 339-48	3.9	22
50	Computer assisted analysis of MR-mammography reveals association between contrast enhancement and occurrence of distant metastasis. <i>Technology in Cancer Research and Treatment</i> , 2012 , 11, 553-60	2.7	17
49	Diagnostik: Magnet-Resonanz-Mammografie - MR-Mammografie jenseits von Differentialdiagnose und lokalem Staging - Ist eine Einsatz-Abschtzung des Gradings m\(\mathbf{g}\)lich?. Senologie - Zeitschrift F\(\mathbf{D}\) Mammadiagnostik Und -therapie, 2012 , 8, 10-13	O	
48	Application of classification trees for the qualitative differentiation of focal liver lesions suspicious for metastasis in gadolinium-EOB-DTPA-enhanced liver MR imaging. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2012 , 184, 788-94	2.3	0
47	Combined staging at one stop using MR mammography: evaluation of an extended protocol to screen for distant metastasis in primary breast cancer - initial results and diagnostic accuracy in a prospective study. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden	2.3	6
46	Verfahren, 2012 , 184, 618-23 Reproducibility and repeatability of volumetric measurements for olfactory bulb volumetry: which method is appropriate? An update using 3 Tesla MRI. <i>Academic Radiology</i> , 2011 , 18, 842-9	4.3	9
45	Assessing the degree of collinearity among the lesion features of the MRI BI-RADS lexicon. <i>European Journal of Radiology</i> , 2011 , 80, e322-4	4.7	13
44	Fusion of dynamic contrast-enhanced magnetic resonance mammography at 3.0T with X-ray mammograms: pilot study evaluation using dedicated semi-automatic registration software. European Journal of Radiology, 2011 , 79, e98-e102	4.7	6

43	Olfactory bulb ventricles as a frequent findinga myth or reality? Evaluation using high resolution 3 Tesla magnetic resonance imaging. <i>Neuroscience</i> , 2011 , 172, 547-53	3.9	6
42	Nonmass lesions in magnetic resonance imaging of the breast: additional T2-weighted images improve diagnostic accuracy. <i>Journal of Computer Assisted Tomography</i> , 2011 , 35, 361-6	2.2	29
41	Diffusion tensor magnetic resonance imaging of the breast: a pilot study. <i>European Radiology</i> , 2011 , 21, 1-10	8	79
40	Combined magnetic resonance imaging of deep venous thrombosis and pulmonary arteries after a single injection of a blood pool contrast agent. <i>European Radiology</i> , 2011 , 21, 318-25	8	37
39	Kinetic analysis of lesions without mass effect on breast MRI using manual and computer-assisted methods. <i>European Radiology</i> , 2011 , 21, 893-8	8	12
38	Evaluation of the early phase of Bell@palsy using 3[T MRI. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011 , 268, 1493-500	3.5	24
37	Resolving arterial phase and temporal enhancement characteristics in DCE MRM at high spatial resolution with TWIST acquisition. <i>Journal of Magnetic Resonance Imaging</i> , 2011 , 34, 973-82	5.6	42
36	Visual grading characteristics (VGC) analysis of diagnostic image quality for high resolution 3 Tesla MRI volumetry of the olfactory bulb. <i>Academic Radiology</i> , 2011 , 18, 634-9	4.3	17
35	In vitro comparison of water displacement method and 3 Tesla MRI for MR-volumetry of the olfactory bulb: which sequence is appropriate?. <i>Academic Radiology</i> , 2011 , 18, 1233-40	4.3	6
34	Application of MR mammography beyond local staging: is there a potential to accurately assess axillary lymph nodes? evaluation of an extended protocol in an initial prospective study. <i>American Journal of Roentgenology</i> , 2011 , 196, W641-7	5.4	82
33	Clinical MR mammography: impact of hormonal status on background enhancement and diagnostic accuracy. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2011 , 183, 441-7	2.3	40
32	Potential of MR mammography to predict tumor grading of invasive breast cancer. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2011 , 183, 826-33	2.3	11
31	Magnetic resonance mammography in small vs. advanced breast lesions - systematic comparison reveals significant impact of lesion size on diagnostic accuracy in 936 histologically verified breast lesions. RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren,	2.3	17
30	2011, 183, 126-35 Identification of the nervus intermedius using 3T MR imaging. <i>American Journal of Neuroradiology</i> , 2011, 32, 460-4	4.4	22
29	The adjacent vessel sign on breast MRI: new data and a subgroup analysis for 1,084 histologically verified cases. <i>Korean Journal of Radiology</i> , 2010 , 11, 178-86	6.9	27
28	Kinetic characteristics of ductal carcinoma in situ (DCIS) in dynamic breast MRI using computer-assisted analysis. <i>Acta Radiologica</i> , 2010 , 51, 955-61	2	15
27	The hook sign for differential diagnosis of malignant from benign lesions in magnetic resonance mammography: experience in a study of 1084 histologically verified cases. <i>Acta Radiologica</i> , 2010 , 51, 137-43	2	11
26	Application of artificial neural networks for the prediction of lymph node metastases to the ipsilateral axilla - initial experience in 194 patients using magnetic resonance mammography. <i>Acta Radiologica</i> 2010 51, 851-8	2	17

(2009-2010)

25	Application of breast MRI for prediction of lymph node metastases - systematic approach using 17 individual descriptors and a dedicated decision tree. <i>Acta Radiologica</i> , 2010 , 51, 885-94	2	25
24	Breast MRI as an adjunct to mammography: Does it really suffer from low specificity? A retrospective analysis stratified by mammographic BI-RADS classes. <i>Acta Radiologica</i> , 2010 , 51, 715-21	2	52
23	Can color-coded parametric maps improve dynamic enhancement pattern analysis in MR mammography?. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2010 , 182, 254-60	2.3	12
22	False-positive findings at contrast-enhanced breast MRI: a BI-RADS descriptor study. <i>American Journal of Roentgenology</i> , 2010 , 194, 1658-63	5.4	136
21	Value of ductal obstruction sign in the differentiation of benign and malignant breast lesions at MR imaging. <i>European Journal of Radiology</i> , 2010 , 75, e18-21	4.7	6
20	Differential diagnosis of breast lesions 5 mm or less: is there a role for magnetic resonance imaging?. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 456-64	2.2	22
19	Magnetic resonance mammography of invasive lobular versus ductal carcinoma: systematic comparison of 811 patients reveals high diagnostic accuracy irrespective of typing. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 587-95	2.2	25
18	Sensitivity and specificity of unenhanced MR mammography (DWI combined with T2-weighted TSE imaging, ueMRM) for the differentiation of mass lesions. <i>European Radiology</i> , 2010 , 20, 1101-10	8	104
17	Computer-aided interpretation of dynamic magnetic resonance imaging reflects histopathology of invasive breast cancer. <i>European Radiology</i> , 2010 , 20, 1563-71	8	33
16	The contralateral synchronous breast carcinoma: a comparison of histology, localization, and magnetic resonance imaging characteristics with the primary index cancer. <i>Breast Cancer Research and Treatment</i> , 2010 , 120, 449-59	4.4	20
15	An exception to tumour neoangiogenesis in a malignant breast-lesion. <i>Breast Journal</i> , 2010 , 16, 197-8	1.2	6
14	Sensitivity and specificity of unilateral edema on T2w-TSE sequences in MR-Mammography considering 974 histologically verified lesions. <i>Breast Journal</i> , 2010 , 16, 233-9	1.2	47
13	The necrosis sign in magnetic resonance-mammography: diagnostic accuracy in 1,084 histologically verified breast lesions. <i>Breast Journal</i> , 2010 , 16, 603-8	1.2	8
12	Breast screening programs using MRI: is there a role for computer-aided diagnosis?. <i>Imaging in Medicine</i> , 2010 , 2, 659-673	1	7
11	Diffusion-weighted imaging (DWI) in MR mammography (MRM): clinical comparison of echo planar imaging (EPI) and half-Fourier single-shot turbo spin echo (HASTE) diffusion techniques. <i>European Radiology</i> , 2009 , 19, 1612-20	8	93
10	Application of computer-aided diagnosis (CAD) in MR-mammography (MRM): do we really need whole lesion time curve distribution analysis?. <i>Academic Radiology</i> , 2009 , 16, 435-42	4.3	27
9	Clinical MR-mammography: are computer-assisted methods superior to visual or manual measurements for curve type analysis? A systematic approach. <i>Academic Radiology</i> , 2009 , 16, 1070-6	4.3	38
8	Improvement of visualization of the intermediofacial nerve in the temporal bone using 3T magnetic resonance imaging: part 1: the facial nerve. <i>Journal of Computer Assisted Tomography</i> , 2009 , 33, 782-8	2.2	9

7	Surgical management of multiple bilateral fibroadenoma of the breast: the Ribeiro technique modified by Rezai. <i>Anticancer Research</i> , 2009 , 29, 2823-6	2.3	8	
6	Diagnosis of ductal carcinoma in situ using contrast-enhanced magnetic resonance mammography compared with conventional mammography. <i>Clinical Imaging</i> , 2008 , 32, 438-42	2.7	13	
5	Inflammatory breast carcinoma in magnetic resonance imaging: a comparison with locally advanced breast cancer. <i>Academic Radiology</i> , 2008 , 15, 209-21	4.3	33	
4	Three-dimensional imaging of active and passive middle ear prostheses using multislice computed tomography. <i>Journal of Computer Assisted Tomography</i> , 2008 , 32, 304-12	2.2	3	
3	MRI-guided interventions of the breast. Journal of Magnetic Resonance Imaging, 2008, 27, 347-55	5.6	33	
2	Magnetic resonance imaging of inflammatory breast carcinoma and acute mastitis. A comparative study. <i>European Radiology</i> , 2008 , 18, 2370-80	8	58	
1	Is the "blooming sign" a promising additional tool to determine malignancy in MR mammography?. <i>European Radiology</i> , 2004 , 14, 394-401	8	51	