Ruth A Lanius

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4195251/ruth-a-lanius-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

212	11,441	55	101
papers	citations	h-index	g-index
247	13,440 ext. citations	5	6.38
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
212	Well-being of Canadian Veterans during the COVID-19 pandemic: cross-sectional results from the COVID-19 Veteran well-being study <i>Hgre Utbildning</i> , 2022 , 13, 2012374	5	1
211	Moral wounds run deep: exaggerated midbrain functional network connectivity across the default mode network in posttraumatic stress disorder <i>Journal of Psychiatry and Neuroscience</i> , 2022 , 47, E56-E	= 66 5	O
210	A systematic review of the neural correlates of sexual minority stress: towards an intersectional minority mosaic framework with implications for a future research agenda <i>European Journal of Psychotraumatology</i> , 2022 , 13, 2002572		3
209	Dissociative symptomatology mediates the relation between posttraumatic stress disorder severity and alcohol-related problems <i>Alcoholism: Clinical and Experimental Research</i> , 2022 , 46, 289-299	3.7	2
208	Impacts of morally distressing experiences on the mental health of Canadian health care workers during the COVID-19 pandemic. <i>H</i> gre Utbildning, 2021 , 12, 1984667	5	6
207	Mental health symptoms in Public Safety Personnel: Examining the effects of adverse childhood experiences and moral injury. <i>Child Abuse and Neglect</i> , 2021 , 123, 105394	4.3	4
206	Mapping alexithymia: Level of emotional awareness differentiates emotion-specific somatosensory maps. <i>Child Abuse and Neglect</i> , 2021 , 113, 104919	4.3	2
205	How Processing of Sensory Information From the Internal and External Worlds Shape the Perception and Engagement With the World in the Aftermath of Trauma: Implications for PTSD. <i>Frontiers in Neuroscience</i> , 2021 , 15, 625490	5.1	4
204	Examining the associations among moral injury, difficulties with emotion regulation, and symptoms of PTSD, depression, anxiety, and stress among Canadian military members and Veterans: A preliminary study. <i>Journal of Military, Veteran and Family Health</i> , 2021 , 7, 71-80	0.7	2
203	Altered basal forebrain BOLD signal variability at rest in posttraumatic stress disorder: A potential candidate vulnerability mechanism for neurodegeneration in PTSD. <i>Human Brain Mapping</i> , 2021 , 42, 35	6 1 -357	75 ⁴
202	Altered white matter microstructural organization in posttraumatic stress disorder across 3047 adults: results from the PGC-ENIGMA PTSD consortium. <i>Molecular Psychiatry</i> , 2021 , 26, 4315-4330	15.1	33
201	Dissociative symptoms predict severe illness presentation in Canadian public safety personnel with presumptive post-traumatic stress disorder (PTSD). <i>Hgre Utbildning</i> , 2021 , 12, 1953789	5	O
200	Predictors of real-time fMRI neurofeedback performance and improvement - A machine learning mega-analysis. <i>NeuroImage</i> , 2021 , 237, 118207	7.9	2
199	Exploring the Well-being of Health Care Workers During the COVID-19 Pandemic: Protocol for a Prospective Longitudinal Study. <i>JMIR Research Protocols</i> , 2021 , 10, e32663	2	1
198	Shame on the brain: Neural correlates of moral injury event recall in posttraumatic stress disorder. <i>Depression and Anxiety</i> , 2021 , 38, 596-605	8.4	6
197	Healthcare Workers and COVID-19-Related Moral Injury: An Interpersonally-Focused Approach Informed by PTSD <i>Frontiers in Psychiatry</i> , 2021 , 12, 784523	5	1
196	Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups <i>Brain and Behavior</i> , 2021 , e2413	3.4	3

(2020-2021)

195	Differential mechanisms of posterior cingulate cortex downregulation and symptom decreases in posttraumatic stress disorder and healthy individuals using real-time fMRI neurofeedback <i>Brain and Behavior</i> , 2021 , e2441	3.4	2
194	Regulating posttraumatic stress disorder symptoms with neurofeedback: Regaining control of the mind. <i>Journal of Military, Veteran and Family Health</i> , 2020 , 6, 3-15	0.7	7
193	Going to Wart Military Approach as the Antidote to Defeating COVID-19. <i>Military Behavioral Health</i> , 2020 , 8, 243-247	0.6	5
192	Classifying heterogeneous presentations of PTSD via the default mode, central executive, and salience networks with machine learning. <i>NeuroImage: Clinical</i> , 2020 , 27, 102262	5.3	20
191	Proof of Concept of an Eclectic, Integrative Therapeutic Approach to Mental Health and Well-Being Through Virtual Reality Technology. <i>Frontiers in Psychology</i> , 2020 , 11, 858	3.4	5
190	Consensus on the reporting and experimental design of clinical and cognitive-behavioural neurofeedback studies (CRED-nf checklist). <i>Brain</i> , 2020 , 143, 1674-1685	11.2	93
189	Uncovering the heterogeneity of posttraumatic stress disorder: Towards a personalized medicine approach for military members and Veterans. <i>Journal of Military, Veteran and Family Health</i> , 2020 , 6, 68-79	0.7	4
188	The economic burden of dissociative disorders: A qualitative systematic review of empirical studies. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020 , 12, 730-738	7.8	6
187	Moral injury in Canadian military members and Veterans: Implications for military and healthcare sector response during the COVID-19 pandemic. <i>Journal of Military, Veteran and Family Health</i> , 2020 , COVID-19, Author's origin	0.7	1
186	The contributions of emotion regulation difficulties and dissociative symptoms to functional impairment among civilian inpatients with posttraumatic stress symptoms. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020 , 12, 739-749	7.8	4
185	Meditating in virtual reality: Proof-of-concept intervention for posttraumatic stress. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2020 , 12, 847-858	7.8	6
184	PTSD and its dissociative subtype through the lens of the insula: Anterior and posterior insula resting-state functional connectivity and its predictive validity using machine learning. <i>Psychophysiology</i> , 2020 , 57, e13472	4.1	18
183	The neural correlates of trauma-related autobiographical memory in posttraumatic stress disorder: A meta-analysis. <i>Depression and Anxiety</i> , 2020 , 37, 321-345	8.4	20
182	The sense of self in the aftermath of trauma: lessons from the default mode network in posttraumatic stress disorder. <i>H</i> gre <i>Utbildning</i> , 2020 , 11, 1807703	5	13
181	A randomized, controlled trial of alpha-rhythm EEG neurofeedback in posttraumatic stress disorder: A preliminary investigation showing evidence of decreased PTSD symptoms and restored default mode and salience network connectivity using fMRI. <i>NeuroImage: Clinical</i> , 2020 , 28, 102490	5.3	12
180	Processing of Positive Visual Stimuli Before and After Symptoms Provocation in Posttraumatic Stress Disorder - A Functional Magnetic Resonance Imaging Study of Trauma-Affected Male Refugees. <i>Chronic Stress</i> , 2020 , 4, 2470547020917623	3	2
179	The hijacked self: Disrupted functional connectivity between the periaqueductal gray and the default mode network in posttraumatic stress disorder using dynamic causal modeling. Neurolmage: Clinical, 2020, 27, 102345	5.3	8
178	Peripersonal Space and Bodily Self-Consciousness: Implications for Psychological Trauma-Related Disorders. <i>Frontiers in Neuroscience</i> , 2020 , 14, 586605	5.1	1

177	The Threatful Self: Midbrain Functional Connectivity to Cortical Midline and Parietal Regions During Subliminal Trauma-Related Processing in PTSD. <i>Chronic Stress</i> , 2019 , 3, 2470547019871369	3	7
176	Trauma- and Stressor-Related History and Symptoms Predict Distress Experienced during a Brief Mindfulness Meditation Sitting: Moving toward Trauma-Informed Care in Mindfulness-Based Therapy. <i>Mindfulness</i> , 2019 , 10, 1985-1996	2.9	9
175	The Dissociative Subtype of PTSD Interview (DSP-I): Development and Psychometric Properties. Journal of Trauma and Dissociation, 2019 , 20, 564-581	2.8	11
174	Lifetime traumatic stressors and adverse childhood experiences uniquely predict concurrent PTSD, complex PTSD, and dissociative subtype of PTSD symptoms whereas recent adult non-traumatic stressors do not: results from an online survey study. <i>Hgre Utbildning</i> , 2019 , 10, 1606625	5	35
173	Assessing Post-Traumatic Tonic Immobility Responses: The Scale for Tonic Immobility Occurring Post-Trauma. <i>Chronic Stress</i> , 2019 , 3, 2470547018822492	3	3
172	The Innate Alarm System and Subliminal Threat Presentation in Posttraumatic Stress Disorder: Neuroimaging of the Midbrain and Cerebellum. <i>Chronic Stress</i> , 2019 , 3, 2470547018821496	3	14
171	Overlapping frontoparietal networks in response to oculomotion and traumatic autobiographical memory retrieval: implications for eye movement desensitization and reprocessing. <i>Hgre Utbildning</i> , 2019 , 10, 1586265	5	6
170	An Online Educational Program for Individuals With Dissociative Disorders and Their Clinicians: 1-Year and 2-Year Follow-Up. <i>Journal of Traumatic Stress</i> , 2019 , 32, 156-166	3.8	22
169	The Innate Alarm System: A Translational Approach 2019 , 197-212		3
168	An Open-Label Feasibility Trial Examining the Effectiveness of a Cognitive Training Program, Goal Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 24705	54 3 019	8 <i>4</i> 1599
168 167	An Open-Label Feasibility Trial Examining the Effectiveness of a Cognitive Training Program, Goal Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1110-1140	54 7 019 4·4	8 ₹ 1599
	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 2470. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray.		
167	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1110-1140. Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD.	4.4	23
167 166	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1110-1140 Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD and its Dissociative Subtype. <i>Chronic Stress</i> , 2019 , 3, 2470547019873663 The relation between adverse childhood experiences and moral injury in the Canadian Armed	4.4	23
167 166 165	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019 , 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019 , 97, 1110-1140 Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD and its Dissociative Subtype. <i>Chronic Stress</i> , 2019 , 3, 2470547019873663 The relation between adverse childhood experiences and moral injury in the Canadian Armed Forces. <i>Journal of Military, Veteran and Family Health</i> , 2019 , 5, 4-5 The relation between adverse childhood experiences and moral injury in the Canadian Armed	4.4 3 0.7	23
167 166 165	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019, 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019, 97, 1110-1140 Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD and its Dissociative Subtype. <i>Chronic Stress</i> , 2019, 3, 2470547019873663 The relation between adverse childhood experiences and moral injury in the Canadian Armed Forces. <i>Journal of Military, Veteran and Family Health</i> , 2019, 5, 4-5 The relation between adverse childhood experiences and moral injury in the Canadian Armed Forces. <i>H@re Utbildning</i> , 2019, 10, 1546084 A decennial review of psychotraumatology: what did we learn and where are we going?. <i>H@re</i>	4.4 3 0.7	23 3
167 166 165 164	Management Training, in Individuals With Posttraumatic Stress Disorder. <i>Chronic Stress</i> , 2019, 3, 24705. The effects of trauma on brain and body: A unifying role for the midbrain periaqueductal gray. <i>Journal of Neuroscience Research</i> , 2019, 97, 1110-1140 Back to the Basics: Resting State Functional Connectivity of the Reticular Activation System in PTSD and its Dissociative Subtype. <i>Chronic Stress</i> , 2019, 3, 2470547019873663 The relation between adverse childhood experiences and moral injury in the Canadian Armed Forces. <i>Journal of Military, Veteran and Family Health</i> , 2019, 5, 4-5 The relation between adverse childhood experiences and moral injury in the Canadian Armed Forces. <i>Hgre Utbildning</i> , 2019, 10, 1546084 A decennial review of psychotraumatology: what did we learn and where are we going?. <i>Hgre Utbildning</i> , 2019, 10, 1672948 Blunted Nocturnal Salivary Melatonin Secretion Profiles in Military-Related Posttraumatic Stress	4·4 3 0·7 5	23 3 15 33

159	The cerebellum after trauma: Resting-state functional connectivity of the cerebellum in posttraumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 3354-3374	5.9	45
158	Resting-state functional connectivity of the bed nucleus of the stria terminalis in post-traumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 1367-1379	5.9	33
157	Neural and behavioural correlates of autobiographical memory retrieval in patients with major depressive disorder and a history of trauma exposure. <i>Neuropsychologia</i> , 2018 , 110, 148-158	3.2	7
156	Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study: Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. <i>Biological Psychiatry</i> , 2018 , 83, 244-253	7.9	192
155	Altered Sense of Body Ownership and Agency in Posttraumatic Stress Disorder and Its Dissociative Subtype: A Rubber Hand Illusion Study. <i>Frontiers in Human Neuroscience</i> , 2018 , 12, 163	3.3	11
154	Intrinsic connectivity network dynamics in PTSD during amygdala downregulation using real-time fMRI neurofeedback: A preliminary analysis. <i>Human Brain Mapping</i> , 2018 , 39, 4258-4275	5.9	29
153	Resting-state pulvinar-posterior parietal decoupling in PTSD and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 4228-4240	5.9	19
152	51. Investigating Endocannabinoid Mechanisms in Posttraumatic Stress Disorder: Neuroimaging Studies With the Novel Fatty Acid Amide Hydrolase Probe, [11C]CURB. <i>Biological Psychiatry</i> , 2018 , 83, S21	7.9	2
151	Superior colliculus resting state networks in post-traumatic stress disorder and its dissociative subtype. <i>Human Brain Mapping</i> , 2018 , 39, 563-574	5.9	19
150	A Review of the Neurobiological Basis of Trauma-Related Dissociation and Its Relation to Cannabinoid- and Opioid-Mediated Stress Response: a Transdiagnostic, Translational Approach. <i>Current Psychiatry Reports</i> , 2018 , 20, 118	9.1	42
149	Trauma-related altered states of consciousness in post-traumatic stress disorder patients with or without comorbid dissociative disorders. <i>Hgre Utbildning</i> , 2018 , 9, 1544025	5	4
148	Psychotic-Like Symptoms and the Temporal Lobe in Trauma-Related Disorders: Diagnosis, Treatment, and Assessment of Potential Malingering. <i>Chronic Stress</i> , 2018 , 2, 2470547018797046	3	5
147	Mindfulness-based treatments for posttraumatic stress disorder: a review of the treatment literature and neurobiological evidence. <i>Journal of Psychiatry and Neuroscience</i> , 2018 , 43, 7-25	4.5	124
146	Dissociative symptoms mediate the relation between PTSD symptoms and functional impairment in a sample of military members, veterans, and first responders with PTSD. Higre Utbildning, 2018, 9, 1463	794	26
145	The innate alarm system in PTSD: conscious and subconscious processing of threat. <i>Current Opinion in Psychology</i> , 2017 , 14, 109-115	6.2	55
144	Relation between patterns of intrinsic network connectivity, cognitive functioning, and symptom presentation in trauma-exposed patients with major depressive disorder. <i>Brain and Behavior</i> , 2017 , 7, e00664	3.4	12
143	Trauma-related altered states of consciousness (TRASC) in an online community sample: Further support for the 4-D model of trauma-related dissociation <i>Psychology of Consciousness: Theory Research, and Practice,</i> 2017 , 4, 92-114	1.8	16
142	Neurofeedback Tunes Scale-Free Dynamics in Spontaneous Brain Activity. <i>Cerebral Cortex</i> , 2017 , 27, 49	1 ţ. 492	230

141	Sensory overload and imbalance: Resting-state vestibular connectivity in PTSD and its dissociative subtype. <i>Neuropsychologia</i> , 2017 , 106, 169-178	3.2	20
140	Neural correlates of heart rate variability in PTSD during sub- and supraliminal processing of trauma-related cues. <i>Human Brain Mapping</i> , 2017 , 38, 4898-4907	5.9	17
139	Neuroimaging the traumatized self: fMRI reveals altered response in cortical midline structures and occipital cortex during visual and verbal self- and other-referential processing in women with PTSD. <i>H</i> gre <i>Utbildning</i> , 2017 , 8, 1314164	5	14
138	Six-year follow-up of the treatment of patients with dissociative disorders study. <i>Hgre Utbildning</i> , 2017 , 8, 1344080	5	13
137	Desynchronization of autonomic response and central autonomic network connectivity in posttraumatic stress disorder. <i>Human Brain Mapping</i> , 2017 , 38, 27-40	5.9	51
136	The neurobiology of emotion regulation in posttraumatic stress disorder: Amygdala downregulation via real-time fMRI neurofeedback. <i>Human Brain Mapping</i> , 2017 , 38, 541-560	5.9	130
135	Dynamic causal modeling in PTSD and its dissociative subtype: Bottom-up versus top-down processing within fear and emotion regulation circuitry. <i>Human Brain Mapping</i> , 2017 , 38, 5551-5561	5.9	65
134	A review of the relation between dissociation, memory, executive functioning and social cognition in military members and civilians with neuropsychiatric conditions. <i>Neuropsychologia</i> , 2016 , 90, 210-34	3.2	44
133	EEG neurofeedback as adjunct to psychotherapy for complex developmental trauma-related disorders: Case study and treatment rationale <i>Traumatology</i> , 2016 , 22, 255-260	2.3	10
132	Structural brain aberrations associated with the dissociative subtype of post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 133, 232-40	6.5	28
131	The innate alarm circuit in post-traumatic stress disorder: Conscious and subconscious processing of fear- and trauma-related cues. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 248, 142-50	2.9	44
130	Aberrant Functional Connectivity of the Amygdala Complexes in PTSD during Conscious and Subconscious Processing of Trauma-Related Stimuli. <i>PLoS ONE</i> , 2016 , 11, e0163097	3.7	21
129	Dissociative symptoms are associated with reduced neuropsychological performance in patients with recurrent depression and a history of trauma exposure. <i>Hgre Utbildning</i> , 2016 , 7, 29061	5	31
128	Moral reasoning in women with posttraumatic stress disorder related to childhood abuse. <i>Hgre Utbildning</i> , 2016 , 7, 31028	5	6
127	"I can't tell whether it's my hand": a pilot study of the neurophenomenology of body representation during the rubber hand illusion in trauma-related disorders. <i>Hgre Utbildning</i> , 2016 , 7, 32918	5	13
126	fMRI functional connectivity of the periaqueductal gray in PTSD and its dissociative subtype. <i>Brain and Behavior</i> , 2016 , 6, e00579	3.4	67
125	Unique insula subregion resting-state functional connectivity with amygdala complexes in posttraumatic stress disorder and its dissociative subtype. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 250, 61-72	2.9	70
124	Alpha oscillation neurofeedback modulates amygdala complex connectivity and arousal in posttraumatic stress disorder. <i>NeuroImage: Clinical</i> , 2016 , 12, 506-516	5.3	45

(2014-2016)

123	Parental bonding and neuropsychological performance are associated with episodic simulation of future events in trauma-exposed patients with major depressive disorder. <i>Brain and Behavior</i> , 2016 , 6, e00474	3.4	5
122	Trauma-related dissociation and altered states of consciousness: a call for clinical, treatment, and neuroscience research. <i>Hgre Utbildning</i> , 2015 , 6, 27905	5	61
121	Dissociation in borderline personality disorder: Disturbed cognitive and emotional inhibition and its neural correlates. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 339-51	2.9	34
120	Effect of direct eye contact in women with PTSD related to interpersonal trauma: Psychophysiological interaction analysis of connectivity of an innate alarm system. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 232, 162-7	2.9	27
119	Effects of electroconvulsive therapy on cognitive functioning in patients with depression: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2015 , 5, e006966	3	15
118	Mindfulness and Metta-based Trauma Therapy (MMTT): Initial Development and Proof-of-Concept of an Internet Resource. <i>Mindfulness</i> , 2015 , 6, 1322-1334	2.9	19
117	The Dissociative Subtype of Posttraumatic Stress Disorder: Unique Resting-State Functional Connectivity of Basolateral and Centromedial Amygdala Complexes. <i>Neuropsychopharmacology</i> , 2015 , 40, 2317-26	8.7	108
116	Intrinsic Connectivity Networks in post-traumatic stress disorder during sub- and supraliminal processing of threat-related stimuli. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 365-78	6.5	47
115	Comprehension of affective prosody in women with post-traumatic stress disorder related to childhood abuse. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 131, 342-9	6.5	20
114	Trauma-Related Altered States of Consciousness (TRASC) and Functional Impairment I: Prospective Study in Acutely Traumatized Persons. <i>Journal of Trauma and Dissociation</i> , 2015 , 16, 500-19	2.8	11
113	Post-traumatic stress disorder. <i>Nature Reviews Disease Primers</i> , 2015 , 1, 15057	51.1	322
112	Restoring large-scale brain networks in PTSD and related disorders: a proposal for neuroscientifically-informed treatment interventions. <i>Hgre Utbildning</i> , 2015 , 6, 27313	5	115
111	Latent profile analysis and principal axis factoring of the DSM-5 dissociative subtype. <i>Hgre Utbildning</i> , 2015 , 6, 26406	5	53
110	Trauma and PTSD: setting the research agenda. <i>Hgre Utbildning</i> , 2015 , 6, 28092	5	7
109	Distinct intrinsic network connectivity patterns of post-traumatic stress disorder symptom clusters. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 29-38	6.5	87
108	Role of morality in the experience of guilt and shame within the armed forces. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 4-19	6.5	50
107	Treatment of complex dissociative disorders: a comparison of interventions reported by community therapists versus those recommended by experts. <i>Journal of Trauma and Dissociation</i> , 2015 , 16, 51-67	2.8	15
106	Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 123-36	6.5	107

105	Alterations in empathic responding among women with posttraumatic stress disorder associated with childhood trauma. <i>Brain and Behavior</i> , 2014 , 4, 381-9	3.4	40
104	Effect of direct eye contact in PTSD related to interpersonal trauma: an fMRI study of activation of an innate alarm system. <i>Social Cognitive and Affective Neuroscience</i> , 2014 , 9, 88-97	4	70
103	Trauma-related altered states of consciousness in women with BPD with or without co-occurring PTSD. <i>H</i> gre <i>Utbildning</i> , 2014 , 5,	5	7
102	Resting-state neuroimaging studies: a new way of identifying differences and similarities among the anxiety disorders?. <i>Canadian Journal of Psychiatry</i> , 2014 , 59, 294-300	4.8	108
101	Trauma-related altered states of consciousness: exploring the 4-D model. <i>Journal of Trauma and Dissociation</i> , 2014 , 15, 436-56	2.8	43
100	Association of trauma exposure with proinflammatory activity: a transdiagnostic meta-analysis. <i>Translational Psychiatry</i> , 2014 , 4, e413	8.6	126
99	Chronic complex dissociative disorders and borderline personality disorder: disorders of emotion dysregulation?. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2014 , 1, 13	4.9	25
98	Altered connectivity within the salience network during direct eye gaze in PTSD. <i>Borderline Personality Disorder and Emotion Dysregulation</i> , 2014 , 1, 17	4.9	15
97	Tuning pathological brain oscillations with neurofeedback: a systems neuroscience framework. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 1008	3.3	110
96	Theory of mind performance in women with posttraumatic stress disorder related to childhood abuse. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 193-201	6.5	70
95	Intrinsic network abnormalities in posttraumatic stress disorder: Research directions for the next decade <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2013 , 5, 142-148	7.8	11
94	Dissociative disorders in DSM-5. Annual Review of Clinical Psychology, 2013, 9, 299-326	20.5	97
93	Mind over chatter: plastic up-regulation of the fMRI salience network directly after EEG neurofeedback. <i>NeuroImage</i> , 2013 , 65, 324-35	7.9	146
92	Development of a Childhood Attachment and Relational Trauma Screen (CARTS): a relational-socioecological framework for surveying attachment security and childhood trauma history. <i>Hgre Utbildning</i> , 2013 , 4,	5	12
91	Gray matter volume alterations related to trait dissociation in PTSD and traumatized controls. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 222-33	6.5	45
90	A longitudinal naturalistic study of patients with dissociative disorders treated by community clinicians <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2013 , 5, 301-308	7.8	75
89	Memory as a new therapeutic target. <i>Dialogues in Clinical Neuroscience</i> , 2013 , 15, 475-86	5.7	36
88	Neural correlates of self-reflection in post-traumatic stress disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 238-46	6.5	33

(2011-2012)

87	Disturbances of emotional awareness and expression in posttraumatic stress disorder: Meta-mood, emotion regulation, mindfulness, and interference of emotional expressiveness <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2012 , 4, 152-161	7.8	47
86	A survey of practices and recommended treatment interventions among expert therapists treating patients with dissociative identity disorder and dissociative disorder not otherwise specified <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2012 , 4, 490-500	7.8	42
85	The dissociative subtype of posttraumatic stress disorder: rationale, clinical and neurobiological evidence, and implications. <i>Depression and Anxiety</i> , 2012 , 29, 701-8	8.4	257
84	Evidence for a dissociative subtype of PTSD by latent profile and confirmatory factor analyses in a civilian sample. <i>Depression and Anxiety</i> , 2012 , 29, 689-700	8.4	125
83	An exploration of young adults' progress in treatment for dissociative disorder. <i>Journal of Trauma and Dissociation</i> , 2012 , 13, 582-95	2.8	13
82	Assessment of anhedonia in psychological trauma: psychometric and neuroimaging perspectives. Hgre Utbildning, 2012, 3,	5	53
81	Biological and clinical framework for posttraumatic stress disorder. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2012 , 106, 291-342	3	21
80	Perceived causal relations: novel methodology for assessing client attributions about causal associations between variables including symptoms and functional impairment. <i>Assessment</i> , 2012 , 19, 480-93	3.7	28
79	Assessment of anhedonia in psychological trauma: development of the Hedonic Deficit and Interference Scale. <i>Hgre Utbildning</i> , 2012 , 3,	5	51
78	Where are we going? An update on assessment, treatment, and neurobiological research in dissociative disorders as we move toward the DSM-5. <i>Journal of Trauma and Dissociation</i> , 2012 , 13, 9-31	2.8	60
77	Alterations in default mode network connectivity during pain processing in borderline personality disorder. <i>Archives of General Psychiatry</i> , 2012 , 69, 993-1002		63
76	Neural correlates and predictive power of trait resilience in an acutely traumatized sample: a pilot investigation. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 327-32	4.6	39
75	Emotional numbing in posttraumatic stress disorder: a functional magnetic resonance imaging study. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 431-6	4.6	28
74	Neural and behavioral correlates of peritraumatic dissociation in an acutely traumatized sample. <i>Journal of Clinical Psychiatry</i> , 2012 , 73, 420-6	4.6	32
73	Self-referential processing in women with PTSD: Affective and neural response <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2011 , 3, 318-328	7.8	18
72	How understanding the neurobiology of complex post-traumatic stress disorder can inform clinical practice: a social cognitive and affective neuroscience approach. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 331-48	6.5	100
71	P11 expression and PET in bipolar disorders. <i>Journal of Psychiatric Research</i> , 2011 , 45, 1426-31	5.2	16
70	Default network connectivity during a working memory task. <i>Human Brain Mapping</i> , 2011 , 32, 1029-35	5.9	73

69	Neuroimaging social emotional processing in women: fMRI study of script-driven imagery. <i>Social Cognitive and Affective Neuroscience</i> , 2011 , 6, 375-92	4	35
68	Cognitive distortions in an acutely traumatized sample: an investigation of predictive power and neural correlates. <i>Psychological Medicine</i> , 2011 , 41, 2149-57	6.9	14
67	Effects of trauma-related cues on pain processing in posttraumatic stress disorder: an fMRI investigation. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 6-14	4.5	66
66	Default mode alterations in posttraumatic stress disorder related to early-life trauma: a developmental perspective. <i>Journal of Psychiatry and Neuroscience</i> , 2011 , 36, 56-9	4.5	46
65	Default mode network connectivity as a predictor of post-traumatic stress disorder symptom severity in acutely traumatized subjects. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 33-40	6.5	206
64	Fear conditioning and early life vulnerabilities: two distinct pathways of emotional dysregulation and brain dysfunction in PTSD. <i>Hgre Utbildning</i> , 2010 , 1,	5	88
63	Switching between executive and default mode networks in posttraumatic stress disorder: alterations in functional connectivity. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 258-66	4.5	98
62	Pain sensitivity and neural processing during dissociative states in patients with borderline personality disorder with and without comorbid posttraumatic stress disorder: a pilot study. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 177-84	4.5	86
61	Does neuroimaging research examining the pathophysiology of posttraumatic stress disorder require medication-free patients?. <i>Journal of Psychiatry and Neuroscience</i> , 2010 , 35, 80-9	4.5	32
60	Emotion modulation in PTSD: Clinical and neurobiological evidence for a dissociative subtype. <i>American Journal of Psychiatry</i> , 2010 , 167, 640-7	11.9	660
59	Social emotions and emotional valence during imagery in women with PTSD: Affective and neural correlates <i>Psychological Trauma: Theory, Research, Practice, and Policy,</i> 2010 , 2, 145-157	7.8	29
58	Neuroimaging Studies of Psychological Interventions for Mood and Anxiety Disorders: Empirical and Methodological Review. <i>Focus (American Psychiatric Publishing)</i> , 2010 , 8, 92-109	1.1	22
57	Individual differences in trait mindfulness predict dorsomedial prefrontal and amygdala response during emotional imagery: An fMRI study. <i>Personality and Individual Differences</i> , 2010 , 49, 479-484	3.3	44
56	Non-Idiographic Emotional Script-Driven Imagery in Posttraumatic Stress Disorder. <i>Zeitschrift Fuer Psychologie Mit Zeitschrift Fuer Angewandte Psychologie</i> , 2010 , 218, 89-95		4
55	The role of beta-endorphin in the pathophysiology of major depression. <i>Neuropeptides</i> , 2009 , 43, 341-5	33.3	73
54	Retrosplenial cortex connectivity in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2009 , 174, 17-23	3 2.9	62
53	Reformulating PTSD for DSM-V: life after Criterion A. <i>Journal of Traumatic Stress</i> , 2009 , 22, 366-73	3.8	225
52	Resting state default-mode network connectivity in early depression using a seed region-of-interest analysis: decreased connectivity with caudate nucleus. <i>Psychiatry and Clinical Neurosciences</i> , 2009 , 63, 754-61	6.2	222

(2004-2009)

51	Alterations in default network connectivity in posttraumatic stress disorder related to early-life trauma. <i>Journal of Psychiatry and Neuroscience</i> , 2009 , 34, 187-94	4.5	257
50	Neuroimaging studies of psychological interventions for mood and anxiety disorders: empirical and methodological review. <i>Clinical Psychology Review</i> , 2008 , 28, 228-46	10.8	154
49	Neural correlates of levels of emotional awareness during trauma script-imagery in posttraumatic stress disorder. <i>Psychosomatic Medicine</i> , 2008 , 70, 27-31	3.7	77
48	Clinical and neural correlates of alexithymia in posttraumatic stress disorder. <i>Journal of Abnormal Psychology</i> , 2008 , 117, 171-81	7	117
47	Default mode network connectivity: effects of age, sex, and analytic approach. <i>NeuroReport</i> , 2008 , 19, 887-91	1.7	165
46	Meta-analysis of alexithymia in posttraumatic stress disorder. <i>Journal of Traumatic Stress</i> , 2008 , 21, 243	- 6 .8	147
45	Neural correlates of reexperiencing, avoidance, and dissociation in PTSD: symptom dimensions and emotion dysregulation in responses to script-driven trauma imagery. <i>Journal of Traumatic Stress</i> , 2007 , 20, 713-25	3.8	270
44	Neural correlates of trauma script-imagery in posttraumatic stress disorder with and without comorbid major depression: a functional MRI investigation. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 45-56	2.9	91
43	The Responses to Script-Driven Imagery Scale (RSDI): Assessment of State Posttraumatic Symptoms for Psychobiological and Treatment Research. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2007 , 29, 249-268	2	38
42	Scientific study of the dissociative disorders. <i>Psychotherapy and Psychosomatics</i> , 2007 , 76, 400-1; author reply 401-3	9.4	13
41	Spontaneous low-frequency fluctuations in the BOLD signal in schizophrenic patients: anomalies in the default network. <i>Schizophrenia Bulletin</i> , 2007 , 33, 1004-12	1.3	456
40	A review of neuroimaging studies in PTSD: heterogeneity of response to symptom provocation. Journal of Psychiatric Research, 2006 , 40, 709-29	5.2	268
39	Neurobiology of dissociation: unity and disunity in mind-body-brain. <i>Psychiatric Clinics of North America</i> , 2006 , 29, 113-28, ix	3.1	40
38	Toward a psychobiology of posttraumatic self-dysregulation: reexperiencing, hyperarousal, dissociation, and emotional numbing. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 110-24	6.5	198
37	Alexithymia in PTSD: psychometric and FMRI studies. <i>Annals of the New York Academy of Sciences</i> , 2006 , 1071, 397-400	6.5	51
36	Psychologic trauma, posttraumatic stress disorder, and dermatology. <i>Dermatologic Clinics</i> , 2005 , 23, 649	9 _z 5 €	27
35	Functional connectivity of dissociative responses in posttraumatic stress disorder: a functional magnetic resonance imaging investigation. <i>Biological Psychiatry</i> , 2005 , 57, 873-84	7.9	194
34	The nature of traumatic memories: a 4-T FMRI functional connectivity analysis. <i>American Journal of Psychiatry</i> , 2004 , 161, 36-44	11.9	186

33	Functional magnetic resonance imaging: application to posttraumatic stress disorder. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2003 , 15, 125-9	2.7	7
32	Stage-oriented trauma treatment using dialectical behaviour therapy. <i>Canadian Journal of Psychiatry</i> , 2003 , 48, 126-7	4.8	12
31	Recall of emotional states in posttraumatic stress disorder: an fMRI investigation. <i>Biological Psychiatry</i> , 2003 , 53, 204-10	7.9	264
30	Individual differences in a husband and wife who developed PTSD after a motor vehicle accident: a functional MRI case study. <i>American Journal of Psychiatry</i> , 2003 , 160, 667-9	11.9	60
29	Brain activation during script-driven imagery induced dissociative responses in PTSD: a functional magnetic resonance imaging investigation. <i>Biological Psychiatry</i> , 2002 , 52, 305-11	7.9	390
28	Neural correlates of traumatic memories in posttraumatic stress disorder: a functional MRI investigation. <i>American Journal of Psychiatry</i> , 2001 , 158, 1920-2	11.9	414
27	Protein kinase C activity and protein levels in Alzheimer's disease. <i>Brain Research</i> , 1997 , 764, 75-80	3.7	15
26	Amyotrophic lateral sclerosis: the involvement of intracellular Ca2+ and protein kinase C. <i>Trends in Pharmacological Sciences</i> , 1996 , 17, 114-20	13.2	65
25	A role for amplified protein kinase C activity in the pathogenesis of amyotrophic lateral sclerosis. Journal of Neurochemistry, 1995 , 65, 927-30	6	28
24	Characterization, distribution, and protein kinase C-mediated regulation of [355]glutathione binding sites in mouse and human spinal cord. <i>Journal of Neurochemistry</i> , 1994 , 63, 155-60	6	22
23	The origin of synaptic neuroplasticity: crucial molecules or a dynamical cascade?. <i>Brain Research Reviews</i> , 1994 , 19, 241-63		39
22	High-affinity kainate binding sites in living slices of rat neocortex: characterization and regulation. <i>Neuroscience</i> , 1993 , 55, 139-45	3.9	5
21	gamma-Aminobutyric acidA receptor regulation by a chloride-dependent kinase and a sodium-dependent phosphatase. <i>Molecular Brain Research</i> , 1993 , 20, 192-8		16
20	Increased [35S]glutathione binding sites in spinal cords from patients with sporadic amyotrophic lateral sclerosis. <i>Neuroscience Letters</i> , 1993 , 163, 89-92	3.3	43
19	Age-dependent expression, phosphorylation and function of neurotransmitter receptors: pharmacological implications. <i>Trends in Pharmacological Sciences</i> , 1993 , 14, 403-8	13.2	16
18	A novel mechanism of AMPA receptor regulation: ionically triggered kinases and phosphatases. <i>NeuroReport</i> , 1993 , 4, 795-8	1.7	11
17	Regulation of GABAA and AMPA receptors by agonist and depolarizing stimulation requires phosphatase or kinase activity. <i>NeuroReport</i> , 1993 , 4, 447-50	1.7	18
16	Activation of PKC reverses apparent NMDA receptor reduction in ALS. <i>NeuroReport</i> , 1993 , 4, 931-4	1.7	16

LIST OF PUBLICATIONS

15	Characterization and regulation of a high affinity [3H]CNQX labelled AMPA receptor in rat neocortex. <i>Molecular Brain Research</i> , 1992 , 15, 256-62		8
14	Cortical AMPA receptors: age-dependent regulation by cellular depolarization and agonist stimulation. <i>Developmental Brain Research</i> , 1992 , 68, 225-31		19
13	Reversible kinase and phosphatase regulation of brain amino acid receptors in postnatal development. <i>Developmental Brain Research</i> , 1992 , 70, 153-61		12
12	Reinforcing and punishing consequences of kindling. <i>Epilepsy Research</i> , 1992 , 13, 179-86	3	11
11	Long-lasting effects of childhood abuse on neurobiology166-177		2
10	Historical themes in the study of recovered and false memories of trauma25-32		1
9	Neurobiological factors underlying psychosocial moderators of childhood stress and trauma189-199		1
8	Biological framework for traumatic dissociation related to early life trauma178-188		8
7	Towards a developmental trauma disorder diagnosis for childhood interpersonal trauma57-68		22
6	Memory and trauma: examining disruptions in implicit, explicit and autobiographical memory217-224		2
5	Attachment dysregulation as hidden trauma in infancy: early stress, maternal buffering and psychiatric morbidity in young adulthood48-56		9
4	Determinants of Real-Time fMRI Neurofeedback Performance and Improvement 🗈 Machine Learning Mega-Analysis		2
3	Hippocampal subfield volumes are uniquely affected in PTSD and depression: International analysis of 31 cohorts from the PGC-ENIGMA PTSD Working Group		2
2	Contributions of Traumatic Stress Studies to the Neurobiology of Dissociation and Dissociative Disorders: Implications for Schizophrenia221-238		
1	Examining the 4-D Model in Persons Enrolled in the Top DD Internet Intervention. <i>Journal of Trauma and Dissociation</i> ,1-19	2.8	