Rafael Golpe

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4195927/rafael-golpe-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 ext. papers

1,588 20 38 g-index

2,58 2.8 4.31 L-index

#	Paper	IF	Citations
86	Systemic Inflammatory Biomarkers Define Specific Clusters in Patients with Bronchiectasis: A Large-Cohort Study <i>Biomedicines</i> , 2022 , 10,	4.8	1
85	Blood Neutrophil Counts Define Specific Clusters of Bronchiectasis Patients: A Hint to Differential Clinical Phenotypes. <i>Biomedicines</i> , 2022 , 10, 1044	4.8	1
84	[Translated article] Relationship Between the GesEPOC 2021 Classification of Risk Levels and Phenotypes and the Incidence of Adverse Events <i>Archivos De Bronconeumologia</i> , 2022 , 58, T451-T451	0.7	
83	A new, three-dimensional approach to the GOLD COPD assessment tool <i>Respiratory Medicine and Research</i> , 2021 , 81, 100879	1.4	0
82	Should pulse oximeter saturations be included in the risk stratification for chronic obstructive pulmonary disease proposed by GesEPOC?. <i>Archivos De Bronconeumologia</i> , 2021 , 57, 774-774	0.7	
81	COVID-19 pneumonia in Galicia (Spain): Impact of prognostic factors and therapies on mortality and need for mechanical ventilation. <i>PLoS ONE</i> , 2021 , 16, e0253465	3.7	1
80	Differences in Nutritional Status and Inflammatory Biomarkers between Female and Male Patients with Bronchiectasis: A Large-Cohort Study. <i>Biomedicines</i> , 2021 , 9,	4.8	2
79	Long-term effectiveness of CPAP in patients with severe obesity-hypoventilation syndrome. <i>Sleep and Breathing</i> , 2021 , 25, 947-950	3.1	2
78	RIBRON: The spanish Online Bronchiectasis Registry. Characterization of the First 1912 Patients. <i>Archivos De Bronconeumologia</i> , 2021 , 57, 28-35	0.7	17
77	Phenotypic Clustering in Non-Cystic Fibrosis Bronchiectasis Patients: The Role of Eosinophils in Disease Severity. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
76	Need for Epidemiological Studies on Chronic Obstructive Pulmonary Disease in Rural Spain. <i>Archivos De Bronconeumologia</i> , 2021 , 57, 614-614	0.7	O
75	Need for Epidemiological Studies on Chronic Obstructive Pulmonary Disease in Rural Spain. <i>Archivos De Bronconeumologia</i> , 2021 , 57, 614-615	0.7	
74	C-Reactive Protein Concentration in Steady-State Bronchiectasis: Prognostic Value of Future Severe Exacerbations. Data From the Spanish Registry of Bronchiectasis (RIBRON). <i>Archivos De Bronconeumologia</i> , 2021 , 57, 21-27	0.7	11
73	Relationship Between the GesEPOC 2021 Classification of Risk Levels and Phenotypes and the Incidence of Adverse Events <i>Archivos De Bronconeumologia</i> , 2021 , 58, 451-451	0.7	0
72	Risk of severe COVID-19 in hypertensive patients treated with renin-angiotensin-aldosterone system inhibitors. <i>Medicina Claica (English Edition)</i> , 2020 , 155, 488-490	0.3	2
71	Information Needs in COPD After an Educational Programme: Influence in Exacerbations and Admissions. <i>International Journal of COPD</i> , 2020 , 15, 2663-2671	3	0
70	[Risk of severe COVID-19 in hypertensive patients treated with renin-angiotensin-aldosterone system inhibitors]. <i>Medicina Clūica</i> , 2020 , 155, 488-490	1	12

(2018-2020)

69	Factors Associated to Hospital Admission in a Care Protocol in COVID-19. <i>Archivos De Bronconeumologia</i> , 2020 , 56, 676-677	0.7	1
68	Long-term Noninvasive Ventilation in Obesity Hypoventilation Syndrome Without Severe OSA: The Pickwick Randomized Controlled Trial. <i>Chest</i> , 2020 , 158, 1176-1186	5.3	5
67	The Effect of Hospital Discharge with Empiric Noninvasive Ventilation on Mortality in Hospitalized Patients with Obesity Hypoventilation Syndrome. An Individual Patient Data Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2020 , 17, 627-637	4.7	8
66	Should Pulse Oximeter Saturations Be Included in the Risk Stratification for Chronic Obstructive Pulmonary Disease Proposed by GesEPOC?. <i>Archivos De Bronconeumologia</i> , 2020 , 57, 774-774	0.7	
65	Factors Associated to Hospital Admission in a Care Protocol in COVID-19. <i>Archivos De Bronconeumologia</i> , 2020 , 56, 676-677	0.7	1
64	Plasma Eosinophil Count and Patient-Centered Events in Chronic Obstructive Pulmonary Disease in Real-Life Clinical Practice. <i>Archivos De Bronconeumologia</i> , 2020 , 56, 129-130	0.7	9
63	Echocardiographic Changes with Positive Airway Pressure Therapy in Obesity Hypoventilation Syndrome. Long-Term Pickwick Randomized Controlled Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 586-597	10.2	20
62	Plasma eosinophil count and patient-centered events in chronic obstructive pulmonary disease in real-life clinical practice. <i>Archivos De Bronconeumologia</i> , 2020 , 56, 129-130	0.7	4
61	Impact of diabetes mellitus on the risk of severe exacerbation in patients with chronic obstructive pulmonary disease. <i>Clinical Respiratory Journal</i> , 2020 , 14, 1208-1211	1.7	2
60	A Proposed Approach to Chronic Airway Disease (CAD) Using Therapeutic Goals and Treatable Traits: A Look to the Future. <i>International Journal of COPD</i> , 2020 , 15, 2091-2100	3	17
59	Should Lung Function be Included in the Risk Stratification of Chronic Obstructive Pulmonary Disease Proposed by GesEPOC?. <i>Archivos De Bronconeumologia</i> , 2019 , 55, 436-437	0.7	1
58	Long-term clinical effectiveness of continuous positive airway pressure therapy versus non-invasive ventilation therapy in patients with obesity hypoventilation syndrome: a multicentre, open-label, randomised controlled trial. <i>Lancet, The</i> , 2019 , 393, 1721-1732	40	69
57	Comparison of the prognostic capability of two comorbidity indices in patients with chronic obstructive pulmonary disease, in real-life clinical practice. <i>Clinical Respiratory Journal</i> , 2019 , 13, 404-40	7 ^{1.7}	7
56	Should Lung Function Be Included in the Risk Stratification of Chronic Obstructive Pulmonary Disease Proposed by GesEPOC?. <i>Archivos De Bronconeumologia</i> , 2019 , 55, 436-437	0.7	7
55	Risk Stratification in Chronic Obstructive Pulmonary Disease. Can the Spanish Guidelines be Improved?. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 533-535	0.7	5
54	Cardiovascular Studies in Patients with Chronic Obstructive Pulmonary Disease Due to Biomass Smoke or Tobacco. <i>Lung</i> , 2018 , 196, 195-200	2.9	4
53	Octogenarian patients with chronic obstructive pulmonary disease: Characteristics and usefulness of prognostic indexes. <i>Medicina Claica</i> , 2018 , 151, 53-58	1	4
52	Changes and Clinical Consequences of Smoking Cessation in Patients With COPD: A Prospective Analysis From the CHAIN Cohort. <i>Chest</i> , 2018 , 154, 274-285	5.3	5

51	Mortality in COPD patients according to clinical phenotypes. <i>International Journal of COPD</i> , 2018 , 13, 1433-1439	3	28
50	Risk Stratification in Chronic Obstructive Pulmonary Disease: Can the Spanish Guidelines be Improved?. <i>Archivos De Bronconeumologia</i> , 2018 , 54, 533-535	0.7	
49	Octogenarian patients with chronic obstructive pulmonary disease: Characteristics and usefulness of prognostic indexes. <i>Medicina Claica (English Edition)</i> , 2018 , 151, 53-58	0.3	
48	Subclinical Carotid Atherosclerosis in COPD Cases and Control Smokers: Analysis in Relation with COPD Exacerbations and Exacerbation-like Episodes. <i>Lung</i> , 2017 , 195, 185-191	2.9	4
47	Prevalence of Major Comorbidities in Chronic Obstructive Pulmonary Disease Caused by Biomass Smoke or Tobacco. <i>Respiration</i> , 2017 , 94, 38-44	3.7	15
46	Intolerance to roflumilast in real-life clinical practice. <i>European Journal of Internal Medicine</i> , 2017 , 43, e28-e29	3.9	5
45	Biomass Burning as a Risk Factor for Chronic Obstructive Pulmonary Disease in Spain. <i>Archivos De Bronconeumologia</i> , 2017 , 53, 289	0.7	1
44	Differences in systemic inflammation between cigarette and biomass smoke-induced COPD. <i>International Journal of COPD</i> , 2017 , 12, 2639-2646	3	34
43	Biomass Burning as a Risk Factor for Chronic Obstructive Pulmonary Disease in Spain. <i>Archivos De Bronconeumologia</i> , 2017 , 53, 289	0.7	2
42	Farmer's lung disease: Analysis of 75 cases. <i>Medicina Clūica</i> , 2017 , 149, 429-435	1	6
41	Prevalence of persistent blood eosinophilia: relation to outcomes in patients with COPD. <i>European Respiratory Journal</i> , 2017 , 50,	13.6	84
40	Clinical significance of the oral corticosteroid reversibility test in asthma with fixed airflow obstruction. <i>Archivos De Bronconeumologia</i> , 2017 , 53, 40	0.7	
39	Are the Diagnostic Criteria for Asthma-COPD Overlap Syndrome Appropriate in Biomass Smoke-Induced chronic obstructive pulmonary disease?. <i>Archivos De Bronconeumologia</i> , 2016 , 52, 110	0.7	5
38	Mid- and Long-Term Efficacy of Non-Invasive Ventilation in Obesity Hypoventilation Syndrome: The Pickwick's Study. <i>Archivos De Bronconeumologia</i> , 2016 , 52, 158-65	0.7	7
37	Are the Diagnostic Criteria for Asthmal OPD Overlap Syndrome Appropriate in Biomass Smoke-induced Chronic Obstructive Pulmonary Disease?. <i>Archivos De Bronconeumologia</i> , 2016 , 52, 110	0.7	
36	Protective Cardiovascular Effect of Sleep Apnea Severity in Obesity Hypoventilation Syndrome. <i>Chest</i> , 2016 , 150, 68-79	5.3	47
35	Blood Pressure Profile and Hypertensive Organ Damage in COPD Patients and Matched Controls. The RETAPOC Study. <i>PLoS ONE</i> , 2016 , 11, e0157932	3.7	7
34	Non-invasive ventilation in obesity hypoventilation syndrome without severe obstructive sleep apnoea. <i>Thorax</i> , 2016 , 71, 899-906	7.3	61

(2010-2016)

33	Inhaled Corticosteroids, Eosinophils and Chronic Obstructive Pulmonary Disease Exacerbations. <i>Archivos De Bronconeumologia</i> , 2016 , 52, 540	0.7	1
32	Inhaled corticosteroids, eosinophils and chronic obstructive pulmonary disease exacerbations. <i>Archivos De Bronconeumologia</i> , 2016 , 52, 540	0.7	2
31	Prognostic Indices and Mortality Prediction in COPD Caused by Biomass Smoke Exposure. <i>Lung</i> , 2015 , 193, 497-503	2.9	13
30	Cortico-dependent Asthma: Our Clinical Experience. <i>Archivos De Bronconeumologia</i> , 2015 , 51, 660-1	0.7	
29	Obesity-hypoventilation syndrome: increased risk of death over sleep apnea syndrome. <i>PLoS ONE</i> , 2015 , 10, e0117808	3.7	98
28	Differential Effect of Modified Medical Research Council Dyspnea, COPD Assessment Test, and Clinical COPD Questionnaire for Symptoms Evaluation Within the New GOLD Staging and Mortality in COPD. <i>Chest</i> , 2015 , 148, 159-168	5.3	71
27	Prognostic value of multidimensional indices in ambulatory COPD patients. <i>European Journal of Internal Medicine</i> , 2015 , 26, e38-9	3.9	4
26	Prognostic significance of six-minute walk test in non-group 1 pulmonary hypertension. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014 , 43, 72-6	2.6	12
25	Distribution of clinical phenotypes in patients with chronic obstructive pulmonary disease caused by biomass and tobacco smoke. <i>Archivos De Bronconeumologia</i> , 2014 , 50, 318-24	0.7	67
24	Reply: To PMID 22897169. <i>Respirology</i> , 2013 , 18, 386	3.6	
24	Reply: To PMID 22897169. <i>Respirology</i> , 2013 , 18, 386 Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34	3.6 2.1	33
	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test	2.1	33
23	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34	2.1	33 4 49
23	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34 Prognostic value of the Charlson comorbidity index in pulmonary embolism. <i>Respiration</i> , 2013 , 85, 438 Haemodynamic effects of non-invasive ventilation in patients with obesity-hypoventilation	2.1	4
23 22 21	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34 Prognostic value of the Charlson comorbidity index in pulmonary embolism. <i>Respiration</i> , 2013 , 85, 438 Haemodynamic effects of non-invasive ventilation in patients with obesity-hypoventilation syndrome. <i>Respirology</i> , 2012 , 17, 1269-74 Long-term outcome of patients with persistent vascular obstruction on computed tomography	2.1 3.7 3.6	49
23 22 21 20	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34 Prognostic value of the Charlson comorbidity index in pulmonary embolism. <i>Respiration</i> , 2013 , 85, 438 Haemodynamic effects of non-invasive ventilation in patients with obesity-hypoventilation syndrome. <i>Respirology</i> , 2012 , 17, 1269-74 Long-term outcome of patients with persistent vascular obstruction on computed tomography pulmonary angiography 6 months after acute pulmonary embolism. <i>Acta Radiologica</i> , 2012 , 53, 728-31 Central thromboembolism as a predictor of right ventricle dysfunction in hemodynamically stable	2.1 3.7 3.6	49
23 22 21 20	Prognostic value of walk distance, work, oxygen saturation, and dyspnea during 6-minute walk test in COPD patients. <i>Respiratory Care</i> , 2013 , 58, 1329-34 Prognostic value of the Charlson comorbidity index in pulmonary embolism. <i>Respiration</i> , 2013 , 85, 438 Haemodynamic effects of non-invasive ventilation in patients with obesity-hypoventilation syndrome. <i>Respirology</i> , 2012 , 17, 1269-74 Long-term outcome of patients with persistent vascular obstruction on computed tomography pulmonary angiography 6 months after acute pulmonary embolism. <i>Acta Radiologica</i> , 2012 , 53, 728-31 Central thromboembolism as a predictor of right ventricle dysfunction in hemodynamically stable pulmonary embolism. <i>Thrombosis Research</i> , 2011 , 127, 386	2.1 3.7 3.6 2 8.2	49

15	Exhaled nitric oxide predicts control in patients with difficult-to-treat asthma. <i>European Respiratory Journal</i> , 2010 , 35, 1221-7	13.6	50
14	Right ventricle dysfunction and pulmonary hypertension in hemodynamically stable pulmonary embolism. <i>Respiratory Medicine</i> , 2010 , 104, 1370-6	4.6	40
13	Clinical heterogeneity among patients with obesity hypoventilation syndrome: therapeutic implications. <i>Respiration</i> , 2008 , 75, 34-9	3.7	60
12	Short-term and long-term effects of nasal intermittent positive pressure ventilation in patients with obesity-hypoventilation syndrome. <i>Chest</i> , 2005 , 128, 587-94	5.3	218
11	Effect of body position on gas exchange after bronchoalveolar lavage. <i>Respiratory Medicine</i> , 2005 , 99, 1061-3	4.6	2
10	Aspergillus pacemaker endocarditis presenting as pulmonary embolism. <i>Respirology</i> , 2005 , 10, 396-8	3.6	6
9	Obstructive sleep apnea: a complication in cirrhotic patients with ascites?. <i>American Journal of Gastroenterology</i> , 2005 , 100, 1421-3; author reply 1423; author reply 1423	0.7	2
8	Rifampicin induced pneumonitis or bronchogenic spread of tuberculous empyema through a bronchopleural fistula?. <i>Thorax</i> , 2003 , 58, 910; author reply 910	7.3	
7	Multiple pulmonary nodules in a patient with Crohn' disease. Respiration, 2003, 70, 306-9	3.7	21
6	Supplemental oxygen during flexible bronchoscopy. <i>Chest</i> , 2002 , 121, 663-4	5.3	10
5	Home sleep studies in the assessment of sleep apnea/hypopnea syndrome. <i>Chest</i> , 2002 , 122, 1156-61	5.3	75
4	Diurnal hypercapnia in patients with obstructive sleep apnea syndrome. <i>Chest</i> , 2002 , 122, 1100-1; author reply 1101	5.3	25
3	Lemierre syndrome (necrobacillosis). <i>Postgraduate Medical Journal</i> , 1999 , 75, 141-4	2	139
2	Utility of Home Oximetry as a Screening Test for Patients with Moderate to Severe Symptoms of Obstructive Sleep Apnea. <i>Sleep</i> , 1999 ,	1.1	1
1	Primary pulmonary hypertension associated with human immunodeficiency virus infection. Postgraduate Medical Journal, 1998, 74, 400-4	2	14