

Burt M Sharp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4198977/publications.pdf>

Version: 2024-02-01

127
papers

5,606
citations

76326
40
h-index

91884
69
g-index

132
all docs

132
docs citations

132
times ranked

3851
citing authors

#	ARTICLE	IF	CITATIONS
1	Content-rich biological network constructed by mining PubMed abstracts. BMC Bioinformatics, 2004, 5, 147.	2.6	281
2	Morphine promotes the growth of HIV-1 in human peripheral blood mononuclear cell cocultures. Aids, 1990, 4, 869-874.	2.2	231
3	Tumor Necrosis Factor- α is a Potent ACTH Secretagogue: Comparison to Interleukin-1 β . Endocrinology, 1989, 124, 3131-3133.	2.8	219
4	Basolateral amygdala and stress-induced hyperexcitability affect motivated behaviors and addiction. Translational Psychiatry, 2017, 7, e1194-e1194.	4.8	177
5	OPIOID PEPTIDES RAPIDLY STIMULATE SUPEROXIDE PRODUCTION BY HUMAN POLYMORPHONUCLEAR LEUKOCYTES AND MACROPHAGES. Endocrinology, 1985, 117, 793-795.	2.8	174
6	Evidence for opioid receptors on cells involved in host defense and the immune system. Journal of Neuroimmunology, 1998, 83, 45-56.	2.3	173
7	Opioid-mediated suppression of interferon-gamma production by cultured peripheral blood mononuclear cells.. Journal of Clinical Investigation, 1987, 80, 824-831.	8.2	170
8	Regulation of the Messenger Ribonucleic Acid for Corticotropin-Releasing Factor in the Paraventricular Nucleus and Other Brain Sites of the Rat*. Endocrinology, 1988, 123, 2117-2123.	2.8	167
9	Multiple opioid receptors on immune cells modulate intracellular signaling. Brain, Behavior, and Immunity, 2006, 20, 9-14.	4.1	138
10	Response of the hypothalamo-pituitary-adrenal axis to nicotine. Psychoneuroendocrinology, 1998, 23, 103-113.	2.7	130
11	Self-administration in rats allowed unlimited access to nicotine. Psychopharmacology, 1997, 133, 300-304.	3.1	120
12	Nicotine administration enhances NPY expression in the rat hypothalamus. Brain Research, 2000, 867, 157-164.	2.2	111
13	Acquisition of Nicotine Self-Administration in Adolescent Rats Given Prolonged Access to the Drug. Neuropsychopharmacology, 2007, 32, 700-709.	5.4	100
14	Up-Regulation of Brain Nicotinic Acetylcholine Receptors in the Rat during Long-Term Self-Administration of Nicotine: Disproportionate Increase of the $\alpha 6$ Subunit. Molecular Pharmacology, 2004, 65, 611-622.	2.3	98
15	Region-specific transcriptional response to chronic nicotine in rat brain. Brain Research, 2001, 909, 194-203.	2.2	96
16	The Adrenocorticotropin Response to Interleukin-1 β Instilled into the Rat Median Eminence Depends on the Local Release of Catecholamines*. Endocrinology, 1990, 127, 2175-2182.	2.8	92
17	Upregulation of Ionotropic Glutamate Receptor Subunits within Specific Mesocorticolimbic Regions during Chronic Nicotine Self-Administration. Neuropsychopharmacology, 2007, 32, 103-109.	5.4	89
18	β -Endorphin in male rat reproductive organs. Biochemical and Biophysical Research Communications, 1980, 95, 618-623.	2.1	80

#	ARTICLE	IF	CITATIONS
19	CSF $\hat{1}^2$ -endorphin-immunoreactivity in normal, schizophenic, depressed, manic and anorexic subjects. Brain Research, 1982, 237, 244-247.	2.2	79
20	Rat strain differences in nicotine self-administration using an unlimited access paradigm. Brain Research, 2002, 930, 12-20.	2.2	79
21	Suppression of Human Peripheral Blood Mononuclear Cell Function by Methadone and Morphine. Journal of Infectious Diseases, 1989, 159, 480-487.	4.0	70
22	A Central Mechanism Is Involved in the Secretion of ACTH in Response to IL-6 in Rats: Comparison to and Interaction with IL- $\hat{1}^2$. Neuroendocrinology, 1992, 56, 516-525.	2.5	70
23	Corticotropin-releasing factor in cerebellar afferent systems: a combined immunohistochemistry and retrograde transport study. Journal of Neuroscience, 1988, 8, 543-554.	3.6	69
24	Gestational nicotine exposure reduces nicotinic cholinergic receptor (nAChR) expression in dopaminergic brain regions of adolescent rats. European Journal of Neuroscience, 2005, 22, 380-388.	2.6	69
25	$\hat{1}^2$ -ENDORPHIN ₆₁₋₉₁ AND OTHER $\hat{1}^2$ -ENDORPHIN-IMMUNOREACTIVE PEPTIDES IN HUMAN SEMEN. Journal of Clinical Endocrinology and Metabolism, 1981, 52, 586-588.	3.6	68
26	Gestational Nicotine Exposure Attenuates Nicotine-Stimulated Dopamine Release in the Nucleus Accumbens Shell of Adolescent Lewis Rats. Journal of Pharmacology and Experimental Therapeutics, 2004, 308, 521-528.	2.5	63
27	Local $\hat{1}^2$ -bungarotoxin-sensitive nicotinic receptors in the nucleus accumbens modulate nicotine-stimulated dopamine secretion in vivo. Neuroscience, 2000, 101, 369-375.	2.3	62
28	Norepinephrine Secretion in the Hypothalamic Paraventricular Nucleus of Rats during Unlimited Access to Self-Administered Nicotine: An <i>In Vivo</i> Microdialysis Study. Journal of Neuroscience, 2001, 21, 8979-8989.	3.6	59
29	Chronic Nicotine Self-Administration Augments Hypothalamic-Pituitary-Adrenal Responses to Mild Acute Stress. Neuropsychopharmacology, 2008, 33, 721-730.	5.4	55
30	Effect of Domperidone, an Extracerebral Inhibitor of Dopamine Receptors, on Thyrotropin, Prolactin, Renin, Aldosterone, and 18-Hydroxycorticosterone Secretion in Man. Journal of Clinical Endocrinology and Metabolism, 1982, 54, 869-871.	3.6	54
31	Nicotine Enhances the Biosynthesis and Secretion of Transthyretin from the Choroid Plexus in Rats: Implications for $\hat{1}^2$ -Amyloid Formation. Journal of Neuroscience, 2000, 20, 1318-1323.	3.6	52
32	Peripherally Administered $\hat{1}^2$ -Endorphin Increases Cerebrospinal Fluid Endorphin Immunoreactivity*. Journal of Clinical Endocrinology and Metabolism, 1982, 55, 358-360.	3.6	51
33	Murine Splenocytes Express a Naloxone-Insensitive Binding Site for $\hat{1}^2$ -Endorphin*. Endocrinology, 1990, 126, 1442-1448.	2.8	49
34	The role of opiates and endogenous opioid peptides in the regulation of rat TSH secretion. Brain Research, 1981, 219, 335-344.	2.2	47
35	Prostaglandins Mediate the ACTH Response to Interleukin-1-Beta Instilled into the Hypothalamic Median Eminence. Neuroendocrinology, 1994, 60, 426-435.	2.5	46
36	Social Interaction Promotes Nicotine Self-Administration with Olfactogustatory Cues in Adolescent Rats. Neuropsychopharmacology, 2011, 36, 2629-2638.	5.4	46

#	ARTICLE	IF	CITATIONS
37	High concentrations of p-Glu-His-Pro-NH ₂ (Thyrotropin-releasing hormone) occur in rat prostate. Peptides, 1983, 4, 915-919.	2.4	45
38	Dual signal transduction through delta opioid receptors in a transfected human T-cell line.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 8294-8299.	7.1	45
39	Treatment of Hyperthyroidism with Sodium Iodate (Oragrafin) in Addition to Propylthiouracil and Propranolol*. Journal of Clinical Endocrinology and Metabolism, 1981, 53, 622-625.	3.6	43
40	Nicotine-Induced Norepinephrine Release in Hypothalamic Paraventricular Nucleus and Amygdala Is Mediated by N-Methyl-d-aspartate Receptors and Nitric Oxide in the Nucleus Tractus Solitarius. Journal of Pharmacology and Experimental Therapeutics, 2007, 320, 837-844.	2.5	42
41	Î ² -Endorphin Immunoreactivity and Acute Behavioral Distress in Children with Leukemia. Journal of Nervous and Mental Disease, 1982, 170, 72-77.	1.0	41
42	Immunofluorescence Detection of Î ¹ Opioid Receptors (DOR) on Human Peripheral Blood CD4+ T Cells and DOR-Dependent Suppression of HIV-1 Expression. Journal of Immunology, 2001, 167, 1097-1102.	0.8	41
43	Î ² -Endorphin Binding to Naloxone-Insensitive Sites on a Human Mononuclear Cell Line (U937): Effects of Cations and Guanosine Triphosphate*. Endocrinology, 1990, 126, 3006-3015.	2.8	39
44	Catecholamines Mediate Nicotine-Induced Adrenocorticotropin Secretion via α-Adrenergic Receptors*. Endocrinology, 1990, 127, 1646-1655.	2.8	39
45	Adrenocorticotropin Response and Nicotine-Induced Norepinephrine Secretion in the Rat Paraventricular Nucleus Are Mediated through Brainstem Receptors*. Endocrinology, 1997, 138, 1935-1943.	2.8	38
46	Î ¹ -Opioid Suppression of Human Immunodeficiency Virus-1 Expression in T Cells (Jurkat). Biochemical Pharmacology, 1998, 56, 289-292.	4.4	36
47	Morphine and Naloxone: Effects on Î ² -Endorphin Immunoreactivity in Canine Plasma and Secretions from Rat Pituitaries*. Endocrinology, 1981, 109, 146-151.	2.8	34
48	Detection of basal levels and induction of delta opioid receptor mRNA in murine splenocytes. Journal of Neuroimmunology, 1997, 78, 198-202.	2.3	34
49	Genetic Factors Control Nicotine Self-Administration in Isogenic Adolescent Rat Strains. PLoS ONE, 2012, 7, e44234.	2.5	34
50	Endemic Goiter in Vietnam*. Journal of Clinical Endocrinology and Metabolism, 1983, 57, 243-249.	3.6	33
51	Regulation of delta opioid receptor expression by anti-CD3-Î ^μ , PMA, and ionomycin in murine splenocytes and T cells. Journal of Leukocyte Biology, 1999, 65, 707-714.	3.3	33
52	Neurotransmitter control of hypothalamic-pituitary-thyroid functions in rats. European Journal of Pharmacology, 1981, 70, 263-271.	3.5	32
53	DOPAMINE REGULATES CANINE PLASMA Î ² -ENDORPHIN-IMMUNOREACTIVITY LEVELS. Endocrinology, 1982, 110, 1828-1830.	2.8	31
54	Nicotinic Agonists Administered into the Fourth Ventricle Stimulate Norepinephrine Secretion in the Hypothalamic Paraventricular Nucleus: An in vivo Microdialysis Study. Neuroendocrinology, 1995, 61, 383-392.	2.5	31

#	ARTICLE	IF	CITATIONS
55	Nicotinic activation of CRH neurons in extrahypothalamic regions of the rat brain. <i>Endocrine</i> , 1997, 7, 245-253.	2.2	31
56	Chronic Self-Administration of Nicotine in Rats Impairs T Cell Responsiveness. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 302, 935-939.	2.5	31
57	Induction of the Messenger Ribonucleic Acid for Proenkephalin A in Cultured Murine CD4-Positive Thymocytes*. <i>Endocrinology</i> , 1991, 128, 717-724.	2.8	30
58	Genome-wide gene expression profiling of nucleus accumbens neurons projecting to ventral pallidum using both microarray and transcriptome sequencing. <i>Frontiers in Neuroscience</i> , 2011, 5, 98.	2.8	30
59	Pain killers of the immune system. <i>Nature Medicine</i> , 1997, 3, 831-832.	30.7	29
60	Delta opioid receptors expressed by stably transfected jurkat cells signal through the map kinase pathway in a ras-independent manner. <i>Journal of Neuroimmunology</i> , 1999, 94, 48-57.	2.3	29
61	Inhibition of nicotine-induced hippocampal norepinephrine release in rats by alpha-conotoxins MII and AulB microinjected into the locus coeruleus. <i>Neuroscience Letters</i> , 1999, 266, 113-116.	2.1	29
62	Norepinephrine release in amygdala of rats during chronic nicotine self-administration: an in vivo microdialysis study. <i>Neuropharmacology</i> , 2003, 45, 514-523.	4.1	28
63	Opioid receptor expression and intracellular signaling by cells involved in host defense and immunity. <i>Advances in Experimental Medicine and Biology</i> , 2003, 521, 98-105.	1.6	28
64	Interleukin-1 β and Interleukin-1 β Stimulate Adrenocorticotropin Secretion in the Rat through a Similar Hypothalamic Receptor(s): Effects of Interleukin-1 Receptor Antagonist Protein. <i>Neuroendocrinology</i> , 1993, 57, 14-22.	2.5	27
65	Induction and Desensitization of the c-Fos mRNA Response to Nicotine in Rat Brain. <i>Molecular and Cellular Neurosciences</i> , 1993, 4, 199-208.	2.2	26
66	δ Opioid Receptors Stimulate Akt-Dependent Phosphorylation of c-jun in T Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 933-939.	2.5	26
67	Nicotine Self-Administration Differentially Regulates Hypothalamic Corticotropin-Releasing Factor and Arginine Vasopressin mRNAs and Facilitates Stress-Induced Neuronal Activation. <i>Journal of Neuroscience</i> , 2008, 28, 2773-2782.	3.6	26
68	Severe Hypertension Induced by Naloxone. <i>American Journal of the Medical Sciences</i> , 1985, 290, 70-72.	1.1	26
69	N-Acetyl- β -endorphin β 31 antagonizes the suppressive effect of β -endorphin β 31 on murine splenocyte proliferation via A naloxone-resistant receptor. <i>Biochemical and Biophysical Research Communications</i> , 1991, 175, 936-942.	2.1	25
70	Nicotine activates NPY and catecholaminergic neurons in brainstem regions involved in ACTH secretion. <i>Brain Research</i> , 1997, 759, 259-269.	2.2	25
71	Adrenocorticotropin Response and Nicotine-Induced Norepinephrine Secretion in the Rat Paraventricular Nucleus Are Mediated through Brainstem Receptors. <i>Endocrinology</i> , 1997, 138, 1935-1943.	2.8	25
72	Distribution of nicotinic binding sites with respect to CRF and neurophysin immunoreactive perikarya within the rat hypothalamus. <i>Brain Research</i> , 1987, 422, 361-366.	2.2	24

#	ARTICLE	IF	CITATIONS
73	Expression of Delta Opioid Receptors by Splenocytes from SEB-Treated Mice and Effects on Phosphorylation of MAP Kinase. <i>Cellular Immunology</i> , 2000, 205, 84-93.	3.0	24
74	Metoclopramide, a dopamine antagonist, stimulates aldosterone secretion in rhesus monkeys but not in dogs or rabbits. <i>Life Sciences</i> , 1981, 29, 2171-2175.	4.3	23
75	Somatostatin-14 and -28 in the male rat reproductive system. <i>Life Sciences</i> , 1984, 34, 939-945.	4.3	23
76	Nicotine regulates nicotinic cholinergic receptors and subunit mRNAs in PC 12 cells through protein kinase A. <i>Molecular Brain Research</i> , 1995, 32, 143-150.	2.3	23
77	Effects of Galantamine, a Nicotinic Allosteric Potentiating Ligand, on Nicotine-Induced Catecholamine Release in Hippocampus and Nucleus Accumbens of Rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004, 309, 1116-1123.	2.5	23
78	Modulatory effects of $\hat{\imath}^2$ -endorphin on interferon- $\hat{\imath}^3$ production by cultured peripheral blood mononuclear cells: Heterogeneity among donors and the influence of culture medium. <i>Brain, Behavior, and Immunity</i> , 1988, 2, 187-197.	4.1	22
79	Characterization of a naloxone-insensitive $\hat{\imath}^2$ -endorphin receptor on murine peritoneal macrophages. <i>Life Sciences</i> , 1997, 60, 573-586.	4.3	22
80	Basolateral amygdala and ventral hippocampus in stress-induced amplification of nicotine self-administration during reacquisition in rat. <i>Psychopharmacology</i> , 2015, 232, 2741-2749.	3.1	22
81	Domperidone elevates rat plasma $\hat{\imath}^2$ -endorphin-immunoreactivity when administered peripherally but not intracerebroventricularly. <i>Life Sciences</i> , 1982, 31, 981-985.	4.3	21
82	Adrenocortical response to corticotropin is inhibited by $\hat{\imath}^3$ -MSH antisera in normotensive and spontaneously hypertensive rats. <i>Biochemical and Biophysical Research Communications</i> , 1983, 110, 357-363.	2.1	21
83	$\hat{\imath}^2$ -Endorphin Attenuates the Serum Cortisol Response to Exogenous Adrenocorticotropin. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 62, 808-811.	3.6	21
84	Basolateral amygdala, nicotinic cholinergic receptors, and nicotine: Pharmacological effects and addiction in animal models and humans. <i>European Journal of Neuroscience</i> , 2019, 50, 2247-2254.	2.6	21
85	Neurogenetic determinants and mechanisms of addiction to nicotine and smoked tobacco. <i>European Journal of Neuroscience</i> , 2019, 50, 2164-2179.	2.6	21
86	Signaling through Delta Opioid Receptors on Murine Splenic T Cells and Stably Transfected Jurkat Cells. <i>Annals of the New York Academy of Sciences</i> , 1998, 840, 420-424.	3.8	20
87	Oliz, a suite of Perl scripts that assist in the design of microarrays using 50mer oligonucleotides from the 3' untranslated region. <i>BMC Bioinformatics</i> , 2002, 3, 27.	2.6	20
88	Opioid receptor expression and function. <i>Journal of Neuroimmunology</i> , 2004, 147, 3-5.	2.3	20
89	Thyrotropin-releasing hormone levels decrease in hypothalamus of aging rats. <i>Neurobiology of Aging</i> , 1984, 5, 221-226.	3.1	19
90	Effects of immobilization stress on the pathogenesis of acute murine toxoplasmosis. <i>Brain, Behavior, and Immunity</i> , 1990, 4, 162-169.	4.1	19

#	ARTICLE	IF	CITATIONS
91	Phosphorylation of activating transcription factor in murine splenocytes through delta opioid receptors. <i>Cellular Immunology</i> , 2003, 221, 122-127.	3.0	19
92	Expression of Delta Opioid Receptors and Transcripts by Splenic T Cells. <i>Annals of the New York Academy of Sciences</i> , 2000, 917, 764-770.	3.8	18
93	Neuroadaptive changes in the mesocortical glutamatergic system during chronic nicotine self-administration and after extinction in rats. <i>Journal of Neurochemistry</i> , 2008, 106, 943-956.	3.9	18
94	Nicotine self-administration diminishes stress-induced norepinephrine secretion but augments adrenergic responsiveness in the hypothalamic paraventricular nucleus and enhances adrenocorticotrophic hormone and corticosterone release. <i>Journal of Neurochemistry</i> , 2010, 112, 1327-1337.	3.9	18
95	Gene expression in accumbens GABA neurons from inbred rats with different drug-taking behavior. <i>Genes, Brain and Behavior</i> , 2011, 10, 778-788.	2.2	18
96	Nicotine self-administration differentially modulates glutamate and GABA transmission in hypothalamic paraventricular nucleus to enhance the hypothalamic-pituitary-adrenal response to stress. <i>Journal of Neurochemistry</i> , 2010, 113, 919-929.	3.9	17
97	Stromal cell-derived factor 1- β (SDF)-induced human T cell chemotaxis becomes phosphoinositide 3-kinase (PI3K)-independent: role of PKC- β . <i>Journal of Leukocyte Biology</i> , 2008, 83, 663-671.	3.3	16
98	Thyrotropin-releasing hormone and a homologous peptide in the reproductive system of the female rat and pig. <i>Biochemical and Biophysical Research Communications</i> , 1981, 99, 73-80.	2.1	14
99	Studies of naloxone-induced secretion of β -endorphin immunoreactivity in dogs. <i>Life Sciences</i> , 1984, 35, 1535-1545.	4.3	14
100	Expression of naloxone-resistant β -endorphin binding sites on A20 cells: effects of concanavalin A and dexamethasone. <i>Immunopharmacology</i> , 1994, 28, 183-192.	2.0	14
101	Full-gestational exposure to nicotine and ethanol augments nicotine self-administration by altering ventral tegmental dopaminergic function due to NMDA receptors in adolescent rats. <i>Journal of Neurochemistry</i> , 2014, 128, 701-712.	3.9	14
102	Desensitization and resensitization of norepinephrine release in the rat hippocampus with repeated nicotine administration. <i>Neuroscience Letters</i> , 1998, 241, 147-150.	2.1	13
103	Amplified reacquisition of nicotine self-administration in rats by repeated stress during abstinence. <i>Psychopharmacology</i> , 2014, 231, 3189-3195.	3.1	13
104	Nicotine modulates multiple regions in the limbic stress network regulating activation of hypophysiotrophic neurons in hypothalamic paraventricular nucleus. <i>Journal of Neurochemistry</i> , 2012, 122, 628-640.	3.9	12
105	Protection Genes in Nucleus Accumbens Shell Affect Vulnerability to Nicotine Self-Administration across Isogenic Strains of Adolescent Rat. <i>PLoS ONE</i> , 2014, 9, e86214.	2.5	10
106	The β -opioid receptor antagonist, 7-benzylspiroindanyl naltrexone, prolongs renal allograft survival in a rat model. <i>European Journal of Pharmacology</i> , 1998, 354, R3-R5.	3.5	9
107	Cellular Mechanisms Involved in the Modulation of the Immune System by Drugs of Abuse. <i>Advances in Experimental Medicine and Biology</i> , 1998, 437, 1-12.	1.6	9
108	Failure to Confirm Consistent Stimulation of Growth Hormone by Diazepam. <i>Hormone Research</i> , 1984, 19, 86-90.	1.8	8

#	ARTICLE	IF	CITATIONS
109	Expression of opioid receptor by immune cells. Journal of Neuroimmunology, 1996, 69, 3-13.	2.3	8
110	Fostering itself increases nicotine self-administration in young adult male rats. Psychopharmacology, 2013, 229, 227-234.	3.1	8
111	Endogenous Opioid Peptides: Do They Mediate the Acute Antihypertensive Action of Clonidine in Humans?. Hormone Research, 1986, 23, 193-199.	1.8	7
112	Brain nicotinic receptors isolated by a monospecific antibody against a synthetic α -3 subunit receptor peptide compared to a monoclonal anti-idiotypic (to nicotine) antibody. Biochemical and Biophysical Research Communications, 1992, 182, 1303-1308.	2.1	7
113	Effects of Morphine Addiction on the Pathogenesis of Murine Toxoplasmosis. Advances in Experimental Medicine and Biology, 1991, 288, 223-227.	1.6	7
114	Radioimmunoassay detection of endorphins from long-term culture of human pituitary tumour cells. European Journal of Endocrinology, 1982, 99, 174-178.	3.7	5
115	Monospecific antibodies against a synthetic peptide predicted from the alpha-3 nicotinic receptor cDNA inhibit binding of [3H]nicotine to rat brain nicotinic cholinergic receptor. Biochemical and Biophysical Research Communications, 1989, 165, 151-157.	2.1	5
116	Sex and heredity are determinants of drug intake in a novel model of rat oral oxycodone self-administration. Genes, Brain and Behavior, 2021, 20, e12770.	2.2	5
117	Activation of the Hypothalamic-Pituitary-Adrenal Axis by Nicotine: Neurochemical and Neuroanatomical Substrates. , 1995, , 159-166.		2
118	An analysis of total RNA translation products of rat liver during regeneration with a comparison to fetal liver. Cell Differentiation and Development, 1989, 28, 119-128.	0.4	1
119	Immunofluorescence Detection of Anti-CD3- μ -Induced Delta Opioid Receptors by Murine Splenic T Cells. , 2005, , 141-147.		1
120	Allosteric Modulation of GABA _A Receptors in Rat Basolateral Amygdala Blocks Stress-Enhanced Reacquisition of Nicotine Self-Administration. ACS Pharmacology and Translational Science, 2020, 3, 1158-1164.	4.9	1
121	Rapid Recovery from Adrenal Insufficiency due to Bilateral Adrenal Hemorrhage. , 1995, 5, 312-315.		0
122	Neuroimmune circuits and infectious disease: Proceedings of the 9th Conference of the Society on NeuroImmune Pharmacology. Journal of Neuroimmunology, 2004, 147, 2.	2.3	0
123	Local immune response to tissue and nerve injury mediates opioid antinociception. Brain, Behavior, and Immunity, 2010, 24, 1043-1044.	4.1	0
124	Establishing a protocol for single cell transcriptome sequencing of the rat brain. BMC Bioinformatics, 2014, 15, .	2.6	0
125	Opioid Receptors and HIV Infection. , 2004, , 693-706.		0
126	Biochemical Characterization of Naloxone-Resistant Receptors for B-Endorphin on a Human Mononuclear Cell Line (U937) and Murine Splenocytes. Advances in Experimental Medicine and Biology, 1991, 288, 215-222.	1.6	0

#	ARTICLE	IF	CITATIONS
127	Allosteric Modulation of GABA Receptors in Rat Basolateral Amygdala Blocks Stress-Enhanced Reacquisition of Nicotine Self-Administration. ACS Pharmacology and Translational Science, 2020, 3, 1158-1164.	4.9	0