

Harry W Schroeder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4199793/publications.pdf>

Version: 2024-02-01

107
papers

6,223
citations

94269

37
h-index

71532

76
g-index

110
all docs

110
docs citations

110
times ranked

7109
citing authors

#	ARTICLE	IF	CITATIONS
1	Structure and function of immunoglobulins. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, S41-S52.	1.5	1,322
2	Use and interpretation of diagnostic vaccination in primary immunodeficiency: A working group report of the Basic and Clinical Immunology Interest Section of the American Academy of Allergy, Asthma & Immunology. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, S1-S24.	1.5	379
3	The pathogenesis of chronic lymphocytic leukemia: analysis of the antibody repertoire. <i>Trends in Immunology</i> , 1994, 15, 288-294.	7.5	352
4	A Genomewide Screen in Multiplex Rheumatoid Arthritis Families Suggests Genetic Overlap with Other Autoimmune Diseases. <i>American Journal of Human Genetics</i> , 2001, 68, 927-936.	2.6	338
5	Expressed Murine and Human CDR-H3 Intervals of Equal Length Exhibit Distinct Repertoires that Differ in their Amino Acid Composition and Predicted Range of Structures. <i>Journal of Molecular Biology</i> , 2003, 334, 733-749.	2.0	323
6	High throughput sequencing reveals a complex pattern of dynamic interrelationships among human T cell subsets. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1518-1523.	3.3	279
7	Screening the genome for rheumatoid arthritis susceptibility genes: A replication study and combined analysis of 512 multicase families. <i>Arthritis and Rheumatism</i> , 2003, 48, 906-916.	6.7	216
8	Structure and evolution of mammalian VH families. <i>International Immunology</i> , 1990, 2, 41-50.	1.8	183
9	Similarity and divergence in the development and expression of the mouse and human antibody repertoires. <i>Developmental and Comparative Immunology</i> , 2006, 30, 119-135.	1.0	151
10	The Extended Clinical Phenotype of 26 Patients with Chronic Mucocutaneous Candidiasis due to Gain-of-Function Mutations in STAT1. <i>Journal of Clinical Immunology</i> , 2016, 36, 73-84.	2.0	124
11	Susceptibility Locus for IgA Deficiency and Common Variable Immunodeficiency in the HLA-DR3, -B8, -A1 Haplotypes. <i>Molecular Medicine</i> , 1998, 4, 72-86.	1.9	118
12	Antibody structure and the evolution of immunoglobulin V gene segments. <i>Seminars in Immunology</i> , 1994, 6, 347-360.	2.7	112
13	Comparison of the efficacy of IGIV-C, 10% (caprylate/chromatography) and IGIV-SD, 10% as replacement therapy in primary immune deficiency. <i>International Immunopharmacology</i> , 2003, 3, 1325-1333.	1.7	110
14	Development of the Expressed Ig CDR-H3 Repertoire Is Marked by Focusing of Constraints in Length, Amino Acid Use, and Charge That Are First Established in Early B Cell Progenitors. <i>Journal of Immunology</i> , 2005, 174, 7773-7780.	0.4	110
15	Developmental Regulation of the Human Antibody Repertoire. <i>Annals of the New York Academy of Sciences</i> , 1995, 764, 242-260.	1.8	95
16	The human cord blood antibody repertoire. Frequent usage of the VH7 gene family. <i>European Journal of Immunology</i> , 1992, 22, 241-245.	1.6	93
17	Forced usage of positively charged amino acids in immunoglobulin CDR-H3 impairs B cell development and antibody production. <i>Journal of Experimental Medicine</i> , 2006, 203, 1567-1578.	4.2	91
18	Clinical consequences of defects in B-cell development. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 778-787.	1.5	70

#	ARTICLE	IF	CITATIONS
19	The human immunoglobulin VH7 gene family consists of a small, polymorphic group of six to eight gene segments dispersed throughout the VH locus. <i>European Journal of Immunology</i> , 1993, 23, 832-839.	1.6	63
20	Regulation and Chance in the Ontogeny of B and T Cell Antigen Receptor Repertoires. <i>Immunologic Research</i> , 2002, 26, 265-278.	1.3	62
21	Differences in the Composition of the Human Antibody Repertoire by B Cell Subsets in the Blood. <i>Frontiers in Immunology</i> , 2014, 5, 96.	2.2	62
22	The immunoglobulin kappa light chain repertoire expressed in the synovium of a patient with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1992, 35, 905-913.	6.7	61
23	Heterosubtypic Immunity to Influenza A Virus Infection Requires a Properly Diversified Antibody Repertoire. <i>Journal of Virology</i> , 2007, 81, 9331-9338.	1.5	58
24	Categorical selection of the antibody repertoire in splenic B cells. <i>European Journal of Immunology</i> , 2007, 37, 1010-1021.	1.6	58
25	Slow, programmed maturation of the immunoglobulin HCDR3 repertoire during the third trimester of fetal life. <i>Blood</i> , 2001, 98, 2745-2751.	0.6	54
26	Genetic Control of DH Reading Frame and Its Effect on B-Cell Development and Antigen-Specific Antibody Production. <i>Critical Reviews in Immunology</i> , 2010, 30, 327-344.	1.0	52
27	The link between antibodies to OxLDL and natural protection against pneumococci depends on DH gene conservation. <i>Journal of Experimental Medicine</i> , 2013, 210, 875-890.	4.2	50
28	Regulation of Repertoire Development through Genetic Control of DH Reading Frame Preference. <i>Journal of Immunology</i> , 2008, 181, 8416-8424.	0.4	49
29	IgA Response in Preterm Neonates Shows Little Evidence of Antigen-Driven Selection. <i>Journal of Immunology</i> , 2012, 189, 5449-5456.	0.4	48
30	Safety, Efficacy and Pharmacokinetics of a New 10% Liquid Intravenous Immunoglobulin (IVIg) in Patients with Primary Immunodeficiency. <i>Journal of Clinical Immunology</i> , 2012, 32, 663-669.	2.0	48
31	Nonstereotyped Lymphoma B Cell Receptors Recognize Vimentin as a Shared Autoantigen. <i>Journal of Immunology</i> , 2013, 190, 4887-4898.	0.4	45
32	A Single DH Gene Segment Creates Its Own Unique CDR-H3 Repertoire and Is Sufficient for B cell Development and Immune Function. <i>Journal of Immunology</i> , 2005, 175, 6624-6632.	0.4	44
33	Regulation of the antibody repertoire through control of HCDR3 diversity. <i>Vaccine</i> , 1998, 16, 1383-1390.	1.7	43
34	Early expression of μ , CD23 (Fc μ RII), IL-4R α , and IgE in the human fetus. <i>Journal of Allergy and Clinical Immunology</i> , 2000, 106, 911-917.	1.5	42
35	Despite extensive similarity in germline DH and JH sequence, the adult Rhesus macaque CDR-H3 repertoire differs from human. <i>Molecular Immunology</i> , 2005, 42, 943-955.	1.0	41
36	An Immune Defect Causing Dominant Chronic Mucocutaneous Candidiasis and Thyroid Disease Maps to Chromosome 2p in a Single Family. <i>American Journal of Human Genetics</i> , 2001, 69, 791-803.	2.6	40

#	ARTICLE	IF	CITATIONS
37	The Complex Genetics of Common Variable Immunodeficiency. <i>Journal of Investigative Medicine</i> , 2004, 52, 90-103.	0.7	40
38	Effects of Chronic Stress and Interleukin-10 Gene Polymorphisms on Antibody Response to Tetanus Vaccine in Family Caregivers of Patients With Alzheimer's Disease. <i>Psychosomatic Medicine</i> , 2007, 69, 551-559.	1.3	31
39	The sequences encoded by immunoglobulin diversity (D _H) gene segments play key roles in controlling B cell development, antigen-binding site diversity, and antibody production. <i>Immunological Reviews</i> , 2018, 284, 106-119.	2.8	31
40	Preferential Use of DH Reading Frame 2 Alters B Cell Development and Antigen-Specific Antibody Production. <i>Journal of Immunology</i> , 2008, 181, 8409-8415.	0.4	29
41	VpreB serves as an invariant surrogate antigen for selecting immunoglobulin antigen-binding sites. <i>Science Immunology</i> , 2016, 1, .	5.6	29
42	Immune Responses to pneumococcal vaccines in children and adults: Rationale for age-specific vaccination. , 2012, 3, 51-67.		29
43	Ribosome binding site analysis of ovalbumin messenger ribonucleic acid. <i>Biochemistry</i> , 1979, 18, 5798-5808.	1.2	28
44	Nucleotide sequence of the intron of the germline human immunoglobulin gene connecting the J and C regions reveals a matrix association region (MAR) next to the enhancer. <i>Nucleic Acids Research</i> , 1992, 20, 4929-4930.	6.5	28
45	Absorbance summation: A novel approach for analyzing high-throughput ELISA data in the absence of a standard. <i>PLoS ONE</i> , 2018, 13, e0198528.	1.1	27
46	Violation of an Evolutionarily Conserved Immunoglobulin Diversity Gene Sequence Preference Promotes Production of dsDNA-Specific IgG Antibodies. <i>PLoS ONE</i> , 2015, 10, e0118171.	1.1	27
47	Recirculating bone marrow B cells in C57BL/6 mice are more tolerant of highly hydrophobic and highly charged CDR _H 3s than those in BALB/c mice. <i>European Journal of Immunology</i> , 2013, 43, 629-640.	1.6	25
48	The Rhesus monkey immunoglobulin IGHD and IGHJ germline repertoire. <i>Immunogenetics</i> , 2002, 54, 240-250.	1.2	24
49	Analysis of immunoglobulin gamma heavy chain expression in synovial tissue of a patient with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1993, 36, 631-641.	6.7	23
50	CD8 T-cell immune phenotype of successful aging. <i>Mechanisms of Ageing and Development</i> , 2006, 127, 231-239.	2.2	22
51	The Peritoneal Cavity B-2 Antibody Repertoire Appears To Reflect Many of the Same Selective Pressures That Shape the B-1a and B-1b Repertoires. <i>Journal of Immunology</i> , 2010, 185, 6085-6095.	0.4	22
52	A previously unrecognized 22q13.2 microdeletion syndrome that encompasses <i>TCF20</i> and <i>TNFRSF13C</i> . <i>American Journal of Medical Genetics, Part A</i> , 2018, 176, 2791-2797.	0.7	22
53	Peripheral CD4 T follicular cells induced by a conjugated pneumococcal vaccine correlate with enhanced opsonophagocytic antibody responses in younger individuals. <i>Vaccine</i> , 2020, 38, 1778-1786.	1.7	22
54	Clonal Progression during the T Cell-Dependent B Cell Antibody Response Depends on the Immunoglobulin DH Gene Segment Repertoire. <i>Frontiers in Immunology</i> , 2014, 5, 385.	2.2	21

#	ARTICLE	IF	CITATIONS
55	A rheumatoid factor from a normal individual encoded by VH2 and VkII gene segments. <i>Arthritis and Rheumatism</i> , 1992, 35, 900-904.	6.7	20
56	Adult lupus-prone MRL/MpJ2+ mice express a primary antibody repertoire that differs in CDR-H3 length distribution and hydrophobicity from that expressed in the C3H parental strain. <i>Molecular Immunology</i> , 2005, 42, 789-798.	1.0	20
57	Structure-Function Studies of Human Monoclonal Antibodies to Pneumococcus Type 3 Polysaccharide. <i>Annals of the New York Academy of Sciences</i> , 1995, 764, 370-373.	1.8	20
58	Clonally-related Immunoglobulin VH Domains and Nonrandom Use of DH Gene Segments in Rheumatoid Arthritis Synovium. <i>Molecular Medicine</i> , 1998, 4, 240-257.	1.9	19
59	The Evolution and Development of the Antibody Repertoire. <i>Frontiers in Immunology</i> , 2015, 6, 33.	2.2	18
60	HIV-1 gp140 epitope recognition is influenced by immunoglobulin DH gene segment sequence. <i>Immunogenetics</i> , 2016, 68, 145-155.	1.2	18
61	Increased frequency of HLA-B44 in recurrent sinopulmonary infections (RESPI). <i>Clinical Immunology</i> , 2006, 119, 346-350.	1.4	17
62	Genetics of IgA Deficiency and Common Variable Immunodeficiency. <i>Clinical Reviews in Allergy and Immunology</i> , 2000, 19, 127-140.	2.9	15
63	The CDR-H3 Repertoire from TdT-Deficient Adult Bone Marrow Is a Close, but Not Exact, Homologue of the CDR-H3 Repertoire from Perinatal Liver. <i>Journal of Immunology</i> , 2010, 185, 6075-6084.	0.4	13
64	Analysis of TACI mutations in CVID & RESPI patients who have inherited HLA B*44 or HLA*B8. <i>BMC Medical Genetics</i> , 2009, 10, 100.	2.1	11
65	DH and JH usage in murine fetal liver mirrors that of human fetal liver. <i>Immunogenetics</i> , 2010, 62, 653-666.	1.2	11
66	Absence of N addition facilitates B cell development, but impairs immune responses. <i>Immunogenetics</i> , 2011, 63, 599-609.	1.2	10
67	Constraints on the Hydrophobicity and Sequence Composition of HCDR3 are Conserved Across Evolution. , 2002, , 43-67.		10
68	3 Normal B lymphocyte differentiation. <i>Best Practice and Research: Clinical Haematology</i> , 1993, 6, 785-806.	1.1	9
69	Clues to the etiology of autoimmune diseases through analysis of immunoglobulin genes. <i>Arthritis Research</i> , 2002, 4, 80.	2.0	9
70	Limiting CDR-H3 Diversity Abrogates the Antibody Response to the Bacterial Polysaccharide Î± 1â€™3 Dextran. <i>Journal of Immunology</i> , 2011, 187, 879-886.	0.4	9
71	Immunoglobulin class switching appears to be regulated by <sc>B</sc>-cell antigen receptor- specific <sc>T</sc>-cell action. <i>European Journal of Immunology</i> , 2012, 42, 1016-1029.	1.6	9
72	Analysis of Immunoglobulin Gamma Heavy Chains from Rheumatoid Arthritis Synovium Evidence of Antigen-Driven Selection. <i>Annals of the New York Academy of Sciences</i> , 1995, 764, 450-460.	1.8	8

#	ARTICLE	IF	CITATIONS
73	The role of evolutionarily conserved germâ€line D_H sequence in Bâ€1 cell development and natural antibody production. Annals of the New York Academy of Sciences, 2015, 1362, 48-56.	1.8	8
74	Development and Function of B Cell Subsets. , 2015, , 99-119.		8
75	Killer cell immunoglobulin-like receptors are associated with common variable immune deficiency pathogenesis. Journal of Allergy and Clinical Immunology, 2016, 138, 1495-1498.	1.5	8
76	CDR3 Fingerprinting of Immunoglobulin Kappa Light Chains Expressed in Rheumatoid Arthritis Evidence of Antigenic Selection or Dysregulation of Gene Rearrangement in B Cells. Annals of the New York Academy of Sciences, 1997, 815, 423-426.	1.8	7
77	Antibody Repertoire in a Mouse with a Simplified D_H Locus: The Dâ€limited Mouse. Annals of the New York Academy of Sciences, 2003, 987, 262-265.	1.8	7
78	Clonal Hematopoiesis and Acquired Thalassemia in Common Variable Immunodeficiency. Molecular Medicine, 1994, 1, 56-61.	1.9	6
79	Marriage, divorce, and promiscuity in human B cells. Nature Immunology, 2000, 1, 187-188.	7.0	6
80	B-cell numbers in the blood of patients with non-HLA*B8 or non-HLA*B44 common variable immunodeficiency. Annals of Allergy, Asthma and Immunology, 2007, 98, 163-167.	0.5	6
81	The Global Self-Reactivity Profile of the Natural Antibody Repertoire Is Largely Independent of Germline DH Sequence. Frontiers in Immunology, 2016, 7, 296.	2.2	6
82	Disruption of the preB Cell Receptor Complex Leads to Decreased Bone Mass. Frontiers in Immunology, 2019, 10, 2063.	2.2	6
83	A Single D<sub>H</sub> Gene Segment Is Sufficient for the Establishment of an Asthma Phenotype in a Murine Model of Allergic Airway Inflammation. International Archives of Allergy and Immunology, 2011, 156, 247-258.	0.9	5
84	B-cell differentiation in humans. , 1995, , 3-31.		5
85	In situ hybridization analysis of immunoglobulin heavy chain variable gene expression with family specific oligonucleotide probes. Journal of Immunological Methods, 1998, 218, 31-52.	0.6	4
86	In the Absence of Central pre-B Cell Receptor Selection, Peripheral Selection Attempts to Optimize the Antibody Repertoire by Enriching for CDR-H3 Y101. Frontiers in Immunology, 2018, 9, 120.	2.2	4
87	Preimmune Control of the Variance of TCR CDR-B3: Insights Gained From Germline Replacement of a TCR DÎ² Gene Segment With an Ig DH Gene Segment. Frontiers in Immunology, 2020, 11, 2079.	2.2	4
88	Alterations in B cell development, CDR-H3 repertoire and dsDNA-binding antibody production among C57BL/6 Î”Dâ”iD mice congenic for the lupus susceptibility loci sle1, sle2 or sle3. Autoimmunity, 2017, 50, 42-51.	1.2	3
89	Primary antibody deficiencies. , 2008, , 513-529.		3
90	Antigen receptor genes, gene products, and co-receptors. , 2008, , 53-77.		2

#	ARTICLE	IF	CITATIONS
91	A role for maternal IgG in protecting infants from allergen-specific IgE sensitization. Journal of Allergy and Clinical Immunology, 2019, 144, 410-412.	1.5	2
92	Recognition reversal in a spineless scrounger. Nature Immunology, 2006, 7, 797-798.	7.0	1
93	B-cell development and differentiation. , 2008, , 113-125.		1
94	Primary Antibody Deficiencies. , 2019, , 471-487.e1.		1
95	Use of FEF25â€“75% to Guide IgG Dosing to Protect Pulmonary Function in COVID. Journal of Clinical Immunology, 2020, 40, 310-320.	2.0	1
96	Replacement of TCR DÎ² With Immunoglobulin DH DSP2.3 Imposes a Tyrosine-Enriched TCR Repertoire and Adversely Affects T Cell Development. Frontiers in Immunology, 2020, 11, 573413.	2.2	1
97	Attenuated asthma phenotype in mice with a fetal-like antigen receptor repertoire. Scientific Reports, 2021, 11, 14199.	1.6	1
98	Immunoglobulin Gene Expression in Rheumatoid Arthritis. , 1995, 47, 23-35.		1
99	<i>In Situ</i> Hybridization Analysis of Immunoglobulin V_H Gene Family Expression in Rheumatoid Arthritis. Annals of the New York Academy of Sciences, 1995, 764, 453-456.	1.8	0
100	B-cell development and differentiation. , 2013, , 90-101.		0
101	Susceptibility Loci in C57BL/6 sle1, sle2 and sle3 Contain Genes that Alter Peripheral Selection of the CDR-H3 Sequences Enriched for Arginine. Journal of Clinical & Cellular Immunology, 2018, 09, .	1.5	0
102	Mixing the Old with the New: Drug Repurposing for Immune Deficiency in the Era of Precision Medicine and Pediatric Genomics. Journal of Allergy and Clinical Immunology: in Practice, 2018, 6, 2168-2169.	2.0	0
103	Antigen Receptor Genes, Gene Products, and Coreceptors. , 2019, , 55-77.e1.		0
104	The Many Gaps in Our Knowledge of the Etiology, Pathogenesis, Complications, and Prognosis of Hypogammaglobulinemia and Common Variable Immune Deficiency. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1285-1286.	2.0	0
105	TCR DÎ² sequence dictates the amino acid composition of CDRÎ²3 in mature T cells. FASEB Journal, 2008, 22, 849.5.	0.2	0
106	Antigen receptor genes, gene products, and co-receptors. , 2013, , 47-67.		0
107	Primary antibody deficiencies. , 2013, , 421-436.		0