

Gregory C Welch

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4200384/gregory-c-welch-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

10,582
citations

44
h-index

102
g-index

163
ext. papers

11,479
ext. citations

7.6
avg, IF

6.55
L-index

#	Paper	IF	Citations
144	Reversible, metal-free hydrogen activation. <i>Science</i> , 2006 , 314, 1124-6	33.3	1552
143	Solution-processed small-molecule solar cells with 6.7% efficiency. <i>Nature Materials</i> , 2011 , 11, 44-8	27	1359
142	Facile heterolytic cleavage of dihydrogen by phosphines and boranes. <i>Journal of the American Chemical Society</i> , 2007 , 129, 1880-1	16.4	699
141	Metal-free catalytic hydrogenation. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 8050-3	16.4	520
140	Design and synthesis of molecular donors for solution-processed high-efficiency organic solar cells. <i>Accounts of Chemical Research</i> , 2014 , 47, 257-70	24.3	428
139	Reactivity of "frustrated Lewis pairs": three-component reactions of phosphines, a borane, and olefins. <i>Angewandte Chemie - International Edition</i> , 2007 , 46, 4968-71	16.4	356
138	Recent advances of non-fullerene, small molecular acceptors for solution processed bulk heterojunction solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 1201-1213	13	337
137	Solar cell efficiency, self-assembly, and dipole-dipole interactions of isomorphous narrow-band-gap molecules. <i>Journal of the American Chemical Society</i> , 2012 , 134, 16597-606	16.4	272
136	Metal-free catalytic hydrogenation of polar substrates by frustrated Lewis pairs. <i>Inorganic Chemistry</i> , 2011 , 50, 12338-48	5.1	271
135	Tuning Lewis acidity using the reactivity of "frustrated Lewis pairs": facile formation of phosphine-boranes and cationic phosphonium-boranes. <i>Dalton Transactions</i> , 2007 , 3407-14	4.3	250
134	Regioregular pyridal[2,1,3]thiadiazole π -conjugated copolymers. <i>Journal of the American Chemical Society</i> , 2011 , 133, 18538-41	16.4	191
133	Lewis acid adducts of narrow band gap conjugated polymers. <i>Journal of the American Chemical Society</i> , 2011 , 133, 4632-44	16.4	182
132	A modular molecular framework for utility in small-molecule solution-processed organic photovoltaic devices. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12700		169
131	Synthesis, Self-Assembly, and Solar Cell Performance of N-Annulated Perylene Diimide Non-Fullerene Acceptors. <i>Chemistry of Materials</i> , 2016 , 28, 7098-7109	9.6	166
130	Key components to the recent performance increases of solution processed non-fullerene small molecule acceptors. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 16393-16408	13	151
129	Pyridal-thiadiazole-based narrow band gap chromophores. <i>Journal of the American Chemical Society</i> , 2012 , 134, 3766-79	16.4	147
128	A New Chelating Anilido-Imine Donor Related to β -Diketiminato Ligands for Stabilization of Organoyttrium Cations. <i>Organometallics</i> , 2003 , 22, 1577-1579	3.8	145

127	Photoinduced charge generation in a molecular bulk heterojunction material. <i>Journal of the American Chemical Society</i> , 2012 , 134, 19828-38	16.4	131
126	Band gap control in conjugated oligomers via Lewis acids. <i>Journal of the American Chemical Society</i> , 2009 , 131, 10802-3	16.4	126
125	Improvement of interfacial contacts for new small-molecule bulk-heterojunction organic photovoltaics. <i>Advanced Materials</i> , 2012 , 24, 5368-73	24	123
124	Optimization of energy levels by molecular design: evaluation of bis-diketopyrrolopyrrole molecular donor materials for bulk heterojunction solar cells. <i>Energy and Environmental Science</i> , 2013 , 6, 952	35.4	109
123	Impact of regiochemistry and isoelectronic bridgehead substitution on the molecular shape and bulk organization of narrow bandgap chromophores. <i>Journal of the American Chemical Society</i> , 2013 , 135, 2298-305	16.4	101
122	Color tuning in polymer light-emitting diodes with Lewis acids. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 7495-8	16.4	99
121	Phosphonium-borate zwitterions, anionic phosphines, and dianionic phosphonium-dialkoxides via tetrahydrofuran ring-opening reactions. <i>Inorganic Chemistry</i> , 2006 , 45, 478-80	5.1	98
120	Simply Complex: The Efficient Synthesis of an Intricate Molecular Acceptor for High-Performance Air-Processed and Air-Tested Fullerene-Free Organic Solar Cells. <i>Chemistry of Materials</i> , 2017 , 29, 1309-1314	9.6	82
119	Reactions of phosphines with electron deficient boranes. <i>Dalton Transactions</i> , 2009 , 1559-70	4.3	81
118	Role of trace impurities in the photovoltaic performance of solution processed small-molecule bulk heterojunction solar cells. <i>Chemical Science</i> , 2012 , 3, 2103	9.4	80
117	Electron deficient diketopyrrolopyrrole dyes for organic electronics: synthesis by direct arylation, optoelectronic characterization, and charge carrier mobility. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 4198-4207	13	75
116	Heterolytic cleavage of disulfides by frustrated Lewis pairs. <i>Inorganic Chemistry</i> , 2009 , 48, 9910-7	5.1	74
115	Pyridine and phosphine reactions with [CPh ₃][B(C ₆ F ₅) ₄]. <i>Inorganica Chimica Acta</i> , 2006 , 359, 3066-3071	2.7	68
114	Applying direct heteroarylation synthesis to evaluate organic dyes as the core component in PDI-based molecular materials for fullerene-free organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 11623-11633	13	58
113	Phthalimide-based conjugated small molecules with tailored electronic energy levels for use as acceptors in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 8904-8915	7.1	57
112	The Role of Solvent Additive Processing in High Performance Small Molecule Solar Cells. <i>Chemistry of Materials</i> , 2014 , 26, 6531-6541	9.6	54
111	Thermal rearrangement of phosphine-B(C ₆ F ₅) ₃ adducts. <i>Inorganic Chemistry</i> , 2008 , 47, 1904-6	5.1	53
110	N-Annulated perylene diimide dimers: acetylene linkers as a strategy for controlling structural conformation and the impact on physical, electronic, optical and photovoltaic properties. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 2074-2083	7.1	52

109	Fullerene-free polymer solar cells processed from non-halogenated solvents in air with PCE of 4.8. <i>Chemical Communications</i> , 2017 , 53, 1164-1167	5.8	52
108	Utility of a heterogeneous palladium catalyst for the synthesis of a molecular semiconductor via Stille, Suzuki, and direct heteroarylation cross-coupling reactions. <i>RSC Advances</i> , 2015 , 5, 26097-26106	3.7	50
107	A Combined Experimental and Theoretical Study of Conformational Preferences of Molecular Semiconductors. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 15610-15623	3.8	50
106	Understanding the Role of Thermal Processing in High Performance Solution Processed Small Molecule Bulk Heterojunction Solar Cells. <i>Advanced Energy Materials</i> , 2013 , 3, 356-363	21.8	49
105	Neutral and Cationic Organoaluminum Complexes Utilizing a Novel AnilidoPhosphinimine Ancillary Ligand. <i>Organometallics</i> , 2004 , 23, 1811-1818	3.8	48
104	Effect of Bridging Atom Identity on the Morphological Behavior of Solution-Processed Small Molecule Bulk Heterojunction Photovoltaics. <i>Chemistry of Materials</i> , 2013 , 25, 1688-1698	9.6	47
103	Perylene diimide based all small-molecule organic solar cells: Impact of branched-alkyl side chains on solubility, photophysics, self-assembly, and photovoltaic parameters. <i>Organic Electronics</i> , 2016 , 35, 151-157	3.5	46
102	Combining Facile Synthetic Methods with Greener Processing for Efficient Polymer-Perylene Diimide Based Organic Solar Cells. <i>Small Methods</i> , 2018 , 2, 1800081	12.8	44
101	Ab Initio Study of a Molecular Crystal for Photovoltaics: Light Absorption, Exciton and Charge Carrier Transport. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 4920-4930	3.8	44
100	An electron-deficient small molecule accessible from sustainable synthesis and building blocks for use as a fullerene alternative in organic photovoltaics. <i>ChemPhysChem</i> , 2015 , 16, 1190-202	3.2	43
99	The structural evolution of an isoindigo-based non-fullerene acceptor for use in organic photovoltaics. <i>RSC Advances</i> , 2015 , 5, 80098-80109	3.7	40
98	Influence of Processing Additives on Charge-Transfer Time Scales and Sound Velocity in Organic Bulk Heterojunction Films. <i>Journal of Physical Chemistry Letters</i> , 2012 , 3, 1253-7	6.4	35
97	Indoor Photovoltaics: Photoactive Material Selection, Greener Ink Formulations, and Slot-Die Coated Active Layers. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46017-46025	9.5	34
96	Design and computational characterization of non-fullerene acceptors for use in solution-processable solar cells. <i>Journal of Physical Chemistry A</i> , 2014 , 118, 7939-51	2.8	33
95	Color Tuning in Polymer Light-Emitting Diodes with Lewis Acids. <i>Angewandte Chemie</i> , 2012 , 124, 7613-7616	9.16	32
94	A non-fullerene acceptor with a diagnostic morphological handle for streamlined screening of donor materials in organic solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 16907-16913	13	31
93	Insights into π -conjugated small molecule neat films and blends as determined through photoconductivity. <i>ACS Nano</i> , 2012 , 6, 8735-45	16.7	31
92	The Optimization of Direct Heteroarylation and Sonogashira Cross-Coupling Reactions as Efficient and Sustainable Synthetic Methods To Access π -Conjugated Materials with Near-Infrared Absorption. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 3504-3517	8.3	30

91	Borane Incorporation in a Non-Fullerene Acceptor To Tune Steric and Electronic Properties and Improve Organic Solar Cell Performance. <i>ACS Applied Energy Materials</i> , 2019 , 2, 1229-1240	6.1	30
90	N-annulated perylene diimide dimers: the effect of thiophene bridges on physical, electronic, optical, and photovoltaic properties. <i>Sustainable Energy and Fuels</i> , 2017 , 1, 1137-1147	5.8	29
89	Dithienophosphole-based molecular electron acceptors constructed using direct (hetero)arylation cross-coupling methods. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 2148-2154	7.1	29
88	Formation of interfacial traps upon surface protonation in small molecule solution processed bulk heterojunctions probed by photoelectron spectroscopy. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6223	7.1	29
87	Solution processed red organic light-emitting-diodes using an N-annulated perylene diimide fluorophore. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 2314-2319	7.1	29
86	Synthesis of a Perylene Diimide Dimer with Pyrrolic NH Bonds and N-Functionalized Derivatives for Organic Field-Effect Transistors and Organic Solar Cells. <i>European Journal of Organic Chemistry</i> , 2018 , 2018, 4592-4599	3.2	28
85	Understanding the morphology of solution processed fullerene-free small molecule bulk heterojunction blends. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 12476-85	3.6	26
84	Synthesis and structure-property relationships of phthalimide and naphthalimide based organic π -conjugated small molecules. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 14709-19	3.6	26
83	Towards environmentally friendly processing of molecular semiconductors. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11117	13	25
82	Ni, Pd, Pt, and Ru complexes of phosphine-borate ligands. <i>Inorganic Chemistry</i> , 2012 , 51, 4711-21	5.1	25
81	Perylene Diimide Based Organic Photovoltaics with Slot-Die Coated Active Layers from Halogen-Free Solvents in Air at Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 39010-39017	9.5	24
80	Facile synthesis of unsymmetrical and π -extended furan-diketopyrrolopyrrole derivatives through C-H direct (hetero)arylation using a heterogeneous catalyst system. <i>New Journal of Chemistry</i> , 2015 , 39, 6714-6717	3.6	24
79	Phthalimide-thiophene-based conjugated organic small molecules with high electron mobility. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 2612-2621	7.1	24
78	An unsymmetrical non-fullerene acceptor: synthesis via direct heteroarylation, self-assembly, and utility as a low energy absorber in organic photovoltaic cells. <i>Chemical Communications</i> , 2017 , 53, 10168-10171	5.8	24
77	Direct (Hetero)Arylation for the Synthesis of Molecular Materials: Coupling Thieno[3,4-c]pyrrole-4,6-dione with Perylene Diimide to Yield Novel Non-Fullerene Acceptors for Organic Solar Cells. <i>Molecules</i> , 2018 , 23,	4.8	23
76	A dithienosilole-benzooxadiazole donor-acceptor copolymer for utility in organic solar cells. <i>Small</i> , 2011 , 7, 1422-6	11	23
75	Ternary organic solar cells: using molecular donor or acceptor third components to increase open circuit voltage. <i>New Journal of Chemistry</i> , 2019 , 43, 10442-10448	3.6	22
74	Synthesis of an H-aggregated thiophene-phthalimide based small molecule via microwave assisted direct arylation coupling reactions. <i>Dyes and Pigments</i> , 2014 , 102, 204-209	4.6	22

73	Effect of side chains on the electronic and photovoltaic properties of diketopyrrolopyrrole-based molecular acceptors. <i>Organic Electronics</i> , 2016 , 37, 479-484	3.5	22
72	Donor or Acceptor? How Selection of the Rylene Imide End Cap Impacts the Polarity of EConjugated Molecules for Organic Electronics. <i>ACS Applied Energy Materials</i> , 2018 , 1, 4906-4916	6.1	21
71	Interfacial ZnO Modification Using a Carboxylic Acid Functionalized N-Annulated Perylene Diimide for Inverted Type Organic Photovoltaics. <i>ACS Applied Electronic Materials</i> , 2019 , 1, 1590-1596	4	21
70	Toward a Universally Compatible Non-Fullerene Acceptor: Multi-Gram Synthesis, Solvent Vapor Annealing Optimization, and BDT-Based Polymer Screening. <i>Solar Rrl</i> , 2018 , 2, 1800143	7.1	21
69	A tetrameric perylene diimide non-fullerene acceptor via unprecedented direct (hetero)arylation cross-coupling reactions. <i>Chemical Communications</i> , 2018 , 54, 11443-11446	5.8	20
68	Optimized synthesis of Eextended squaraine dyes relevant to organic electronics by direct (hetero)arylation and Sonogashira coupling reactions. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 3310-3319	3.9	19
67	Thiophene vs thiazole: Effect of the Econnector on the properties of phthalimide end-capped diketopyrrolopyrrole based molecular acceptors for organic photovoltaics. <i>Dyes and Pigments</i> , 2017 , 137, 576-583	4.6	19
66	Unusual loss of electron mobility upon furan for thiophene substitution in a molecular semiconductor. <i>Organic Electronics</i> , 2015 , 18, 118-125	3.5	19
65	Self-vertical phase separation study of nanoparticle/polymer solar cells by introducing fluorinated small molecules. <i>Chemical Communications</i> , 2012 , 48, 7250-2	5.8	19
64	High open-circuit voltage roll-to-roll compatible processed organic photovoltaics. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13430-13438	7.1	18
63	Slot-Die-Coated Ternary Organic Photovoltaics for Indoor Light Recycling. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 43684-43693	9.5	17
62	Perylene diimide based non-fullerene acceptors: top performers and an emerging class featuring N-annulation. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 6775-6789	13	17
61	Electrocatalytic CO ₂ Reduction at Lower Overpotentials Using Iron(III) Tetra(meso-thienyl)porphyrins. <i>ACS Applied Energy Materials</i> , 2019 , 2, 4022-4026	6.1	16
60	A direct comparison of monomeric vs. dimeric and non-annulated vs. N-annulated perylene diimide electron acceptors for organic photovoltaics. <i>New Journal of Chemistry</i> , 2019 , 43, 5187-5195	3.6	16
59	A tetrachlorinated molecular non-fullerene acceptor for high performance near-IR absorbing organic solar cells. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 9060-9064	7.1	16
58	A narrow band gap isoindigo based molecular donor for solution processed organic solar cells. <i>New Journal of Chemistry</i> , 2015 , 39, 5075-5079	3.6	15
57	Acid dyeing for green solvent processing of solvent resistant semiconducting organic thin films. <i>Materials Horizons</i> , 2020 , 7, 2959-2969	14.4	15
56	A ring fused N-annulated PDI non-fullerene acceptor for high open circuit voltage solar cells processed from non-halogenated solvents. <i>Synthetic Metals</i> , 2019 , 250, 55-62	3.6	14

55	Spectroscopic Engineering toward Near-Infrared Absorption of Materials Containing Perylene Diimide. <i>ChemPlusChem</i> , 2017 , 82, 1359-1364	2.8	14
54	Interlayer Engineering of Flexible and Large-Area Red Organic-Light-Emitting Diodes Based on an N-Annulated Perylene Diimide Dimer. <i>ACS Applied Electronic Materials</i> , 2020 , 2, 48-55	4	14
53	Indoloquinoline as a terminal building block for the construction of π -conjugated small molecules relevant to organic electronics. <i>Dyes and Pigments</i> , 2015 , 123, 139-146	4.6	13
52	Screening Quinoxaline-Type Donor Polymers for Roll-to-Roll Processing Compatible Organic Photovoltaics. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 2168-2176	4.3	13
51	Boron-nitrogen substituted dihydroindeno[1,2-b]fluorene derivatives as acceptors in organic solar cells. <i>Chemical Communications</i> , 2019 , 55, 11095-11098	5.8	12
50	Benzyl and fluorinated benzyl side chains for perylene diimide non-fullerene acceptors. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 2272-2276	7.8	12
49	Development of Organic Dye-Based Molecular Materials for Use in Fullerene-Free Organic Solar Cells. <i>Chemical Record</i> , 2019 , 19, 989-1007	6.6	11
48	Pivotal factors in solution-processed, non-fullerene, all small-molecule organic solar cell device optimization. <i>Organic Electronics</i> , 2015 , 27, 197-201	3.5	11
47	Water Compatible Direct (Hetero)arylation Polymerization of PPDT2FBT: A Pathway Towards Large-Scale Production of Organic Solar Cells. <i>Asian Journal of Organic Chemistry</i> , 2020 , 9, 1318-1325	3	11
46	Significant Photostability Enhancement of Inverted Organic Solar Cells by Inserting an N-Annulated Perylene Diimide (PDIN-H) between the ZnO Electron Extraction Layer and the Organic Active Layer. <i>ACS Applied Energy Materials</i> , 2020 , 3, 11655-11665	6.1	11
45	Sterically hindered phosphine and phosphonium-based activators and additives for olefin polymerization. <i>Dalton Transactions</i> , 2009 , 8555-61	4.3	10
44	Atomic Precision Graphene Model Compound for Bright Electrochemiluminescence and Organic Light-Emitting Diodes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 51736-51743	9.5	10
43	Additive induced crystallization of a twisted perylene diimide dimer within a polymer matrix. <i>Soft Matter</i> , 2019 , 15, 5138-5146	3.6	9
42	Direct (Hetero)Arylation Polymerization of a Spirobifluorene and a Dithienyl-Diketopyrrolopyrrole Derivative: New Donor Polymers for Organic Solar Cells. <i>Molecules</i> , 2018 , 23,	4.8	9
41	Development of low band gap molecular donors with phthalimide terminal groups for use in solution processed organic solar cells. <i>Dyes and Pigments</i> , 2016 , 132, 369-377	4.6	9
40	Harnessing Direct (Hetero)Arylation in Pursuit of a Saddle-Shaped Perylene Diimide Tetramer. <i>ACS Applied Energy Materials</i> , 2019 , 2, 8939-8945	6.1	9
39	Bromination of the benzothioxanthene Bloc: toward new π -conjugated systems for organic electronic applications. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 761-766	7.1	8
38	Zinc Oxide-Perylene Diimide Hybrid Electron Transport Layers for Air-Processed Inverted Organic Photovoltaic Devices. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 49096-49103	9.5	8

37	Control and Characterization of Organic Solar Cell Morphology Through Variable-Pressure Solvent Vapor Annealing. <i>ACS Applied Energy Materials</i> , 2018 ,	6.1	8
36	Near-IR absorption and photocurrent generation using a first-of-its-kind boron difluoride formazanate non-fullerene acceptor. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 1643-1647	7.8	7
35	A N π functionalized perylene diimide with strong red-light absorption for green solvent processed organic electronics. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9811-9815	7.1	7
34	Improved performance of solution processed OLEDs using N-annulated perylene diimide emitters with bulky side-chains. <i>Materials Advances</i> , 2021 , 2, 933-936	3.3	7
33	Synthesis of Molecular Dyads and Triads Based Upon N-Annulated Perylene Diimide Monomers and Dimers. <i>European Journal of Organic Chemistry</i> , 2018 , 2018, 6933-6943	3.2	7
32	Synthesis of aromatic imide tetramers relevant to organic electronics by direct (hetero)arylation. <i>New Journal of Chemistry</i> , 2019 , 43, 9333-9337	3.6	6
31	Indeno[1,2-b]thiophene End-capped Perylene Diimide: Should the 1,6-Regioisomers be systematically considered as a byproduct?. <i>Scientific Reports</i> , 2020 , 10, 3262	4.9	6
30	Development of simple hole-transporting materials for perovskite solar cells. <i>Canadian Journal of Chemistry</i> , 2016 , 94, 352-359	0.9	6
29	Slot-Die Coating of All Organic/Polymer Layers for Large-Area Flexible OLEDs: Improved Device Performance with Interlayer Modification. <i>Advanced Materials Technologies</i> , 2021 , 6, 2100264	6.8	6
28	Thienoisindigo end-capped molecular donors for organic photovoltaics: Effect of the central π -conjugated connector. <i>Dyes and Pigments</i> , 2017 , 145, 7-11	4.6	5
27	Ligand-centered electrochemical processes enable CO ₂ reduction with a nickel bis(triazapentadienyl) complex. <i>Sustainable Energy and Fuels</i> , 2019 , 3, 1172-1181	5.8	5
26	Synthesis, self-assembly, and air-stable radical anions of unconventional 6,7-bis-nitrated N-annulated perylene diimides. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 1181-1185	4.6	5
25	Organic solar cells based on anthracene-containing PPE π PPVs and non-fullerene acceptors. <i>Chemical Papers</i> , 2018 , 72, 1769-1778	1.9	5
24	Hafnium β phosphinimide complexes. <i>Canadian Journal of Chemistry</i> , 2009 , 87, 1163-1172	0.9	5
23	Exploiting direct heteroarylation polymerization homocoupling defects for the synthesis of a molecular dimer. <i>New Journal of Chemistry</i> , 2018 , 42, 1617-1621	3.6	5
22	Diketopyrrolopyrrole Derivatives Functionalized with N-Annulated PDI and Se-Annulated PDI by Direct (Hetero)Arylation Methods. <i>Asian Journal of Organic Chemistry</i> , 2020 , 9, 1291-1300	3	4
21	High open circuit voltage organic solar cells based upon fullerene free bulk heterojunction active layers. <i>Canadian Journal of Chemistry</i> , 2014 , 92, 932-939	0.9	4
20	Ambient Condition, Three-Layer Slot-Die Coated Organic Photovoltaics with PCE of 10%. <i>Advanced Materials Interfaces</i> , 2101418	4.6	4

19	Synthesis, characterization and use of benzothioxanthene imide based dimers. <i>Chemical Communications</i> , 2020 , 56, 10131-10134	5.8	4
18	Side-chain engineering of perylene diimide dimers: Impact on morphology and photovoltaic performance. <i>Nano Select</i> , 2020 , 1, 388-394	3.1	4
17	A triazatruxene-based molecular dyad for single-component organic solar cells ^{2, 3}		3
16	Organic light emitting diodes (OLEDs) with slot-die coated functional layers. <i>Materials Advances</i> , 2021 , 2, 628-645	3.3	3
15	Lowering Electrocatalytic CO Reduction Overpotential Using N-Annulated Perylene Diimide Rhenium Bipyridine Dyads with Variable Tether Length. <i>Journal of the American Chemical Society</i> , 2021 , 143, 16849-16864	16.4	3
14	Air-Processed Organic Photovoltaics for Outdoor and Indoor Use Based upon a Tin Oxide-Perylene Diimide Electron Transporting Bilayer. <i>Advanced Materials Interfaces</i> , 2022 , 9, 2101918	4.6	3
13	Inverted P3HT:PC61BM organic solar cells incorporating a Extended squaraine dye with H- and (or) J-aggregation. <i>Canadian Journal of Chemistry</i> , 2018 , 96, 703-711	0.9	2
12	Sidechain engineering of N-annulated perylene diimide molecules. <i>New Journal of Chemistry</i> , 2021 , 45, 21001-21005	3.6	2
11	Green Solvent-Processible N-H-Functionalized Perylene Diimide Materials for Scalable Organic Photovoltaics.. <i>ACS Applied Materials & Interfaces</i> , 2022 , 14, 3103-3110	9.5	2
10	Photodeposited Polyamorphous CuOx Hole-Transport Layers in Organic Photovoltaics. <i>ACS Applied Energy Materials</i> ,	6.1	2
9	Light manipulation using organic semiconducting materials for enhanced photosynthesis. <i>Cell Reports Physical Science</i> , 2021 , 2, 100390	6.1	2
8	Promoting photocatalytic CO reduction through facile electronic modification of N-annulated perylene diimide rhenium bipyridine dyads.. <i>Chemical Science</i> , 2022 , 13, 1049-1059	9.4	1
7	Uphill and downhill charge generation from charge transfer to charge separated states in organic solar cells. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 14463-14489	7.1	1
6	Impact of Ring-Fusion on the Excited State Decay Pathways of N-Annulated Perylene Diimides. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 10500-10515	3.8	1
5	Slot-Die Coated Organic UV Indicators and Filters Processed from Green Solvents. <i>Advanced Sustainable Systems</i> , 2100055	5.9	1
4	An air-stable n-type bay-and-headland substituted bis-cyano N ^H functionalized perylene diimide for printed electronics. <i>Journal of Materials Chemistry C</i> ,	7.1	1
3	Hybrid Tetrameric Perylene Diimide Assemblies. <i>ChemSusChem</i> , 2021 , 14, 3511-3519	8.3	1
2	Optoelectronic engineering with organic dyes: utilizing squaraine and perylene diimide to access an electron-deficient molecule with near-IR absorption. <i>Chemical Papers</i> , 2018 , 72, 1629-1634	1.9	1

1 3D Nanoscale Morphology Characterization of Ternary Organic Solar Cells.. *Small Methods*, **2022**, 6, e2100986 1