
## Evan Atlantis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/420054/publications.pdf Version: 2024-02-01



FUAN ATLANTIC

#	Article	IF	CITATIONS
1	Obesity effects on depression: systematic review of epidemiological studies. International Journal of Obesity, 2008, 32, 881-891.	1.6	303
2	Bidirectional Association Between Depression and Sexual Dysfunction: A Systematic Review and Meta-Analysis. Journal of Sexual Medicine, 2012, 9, 1497-1507.	0.3	289
3	Bidirectional Associations Between Clinically Relevant Depression or Anxiety and COPD. Chest, 2013, 144, 766-777.	0.4	259
4	Inverse associations between muscle mass, strength, and the metabolic syndrome. Metabolism: Clinical and Experimental, 2009, 58, 1013-1022.	1.5	218
5	Efficacy of exercise for treating overweight in children and adolescents: a systematic review. International Journal of Obesity, 2006, 30, 1027-1040.	1.6	180
6	An effective exercise-based intervention for improving mental health and quality of life measures: a randomized controlled trial. Preventive Medicine, 2004, 39, 424-434.	1.6	166
7	Multi-modal exercise programs for older adults. Age and Ageing, 2007, 36, 375-381.	0.7	156
8	Association between weight perception and psychological distress. International Journal of Obesity, 2008, 32, 715-721.	1.6	153
9	Collaborative care for comorbid depression and diabetes: a systematic review and meta-analysis. BMJ Open, 2014, 4, e004706.	0.8	139
10	Safety and efficacy of progressive resistance training in breast cancer: a systematic review and meta-analysis. Breast Cancer Research and Treatment, 2014, 148, 249-268.	1.1	111
11	Effect of Progressive Resistance Training on Measures of Skeletal Muscle Hypertrophy, Muscular Strength and Health-Related Quality of Life in Patients with Chronic Kidney Disease: A Systematic Review and Meta-Analysis. Sports Medicine, 2014, 44, 1125-1138.	3.1	96
12	Muscle grip strength predicts incident type 2 diabetes: Population-based cohort study. Metabolism: Clinical and Experimental, 2016, 65, 883-892.	1.5	94
13	Weight status and perception barriers to healthy physical activity and diet behavior. International Journal of Obesity, 2008, 32, 343-352.	1.6	87
14	Predictors of Sexual Dysfunction Incidence and Remission in Men. Journal of Sexual Medicine, 2014, 11, 1136-1147.	0.3	79
15	Worksite intervention effects on physical health: a randomized controlled trial. Health Promotion International, 2006, 21, 191-200.	0.9	71
16	A Review of the Association Between Depression and Insulin Resistance: Pitfalls of Secondary Analyses or a Promising New Approach to Prevention of Type 2 Diabetes?. Current Psychiatry Reports, 2012, 14, 8-14.	2.1	69
17	Lifestyle factors associated with age-related differences in body composition: the Florey Adelaide Male Aging Study. American Journal of Clinical Nutrition, 2008, 88, 95-104.	2.2	68
18	Efficacy and Feasibility of a Novel Tri-Modal Robust Exercise Prescription in a Retirement Community: A Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2007, 55, 1-10.	1.3	63

#	Article	IF	CITATIONS
19	Cohort Profile: The Men Androgen Inflammation Lifestyle Environment and Stress (MAILES) Study. International Journal of Epidemiology, 2014, 43, 1040-1053.	0.9	53
20	Diabetes incidence associated with depression and antidepressants in the Melbourne Longitudinal Studies on Healthy Ageing (MELSHA). International Journal of Geriatric Psychiatry, 2010, 25, 688-696.	1.3	51
21	The feasibility and effectiveness of high-intensity boxing training versus moderate-intensity brisk walking in adults with abdominal obesity: a pilot study. BMC Sports Science, Medicine and Rehabilitation, 2015, 7, 3.	0.7	46
22	Psychological outcomes after hysterectomy for benign conditions: a systematic review and meta-analysis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 174, 5-19.	0.5	45
23	Endogenous testosterone level and testosterone supplementation therapy in chronic obstructive pulmonary disease (COPD): a systematic review and meta-analysis. BMJ Open, 2013, 3, e003127.	0.8	44
24	Lower Urinary Tract Symptoms, Depression, Anxiety and Systemic Inflammatory Factors in Men: A Population-Based Cohort Study. PLoS ONE, 2015, 10, e0137903.	1.1	43
25	Demographic, physical and lifestyle factors associated with androgen status: the Florey Adelaide Male Ageing Study (FAMAS). Clinical Endocrinology, 2009, 71, 261-272.	1.2	41
26	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 615-625.	1.6	40
27	Common mental disorders associated with 2-year diabetes incidence: The Netherlands Study of Depression and Anxiety (NESDA). Journal of Affective Disorders, 2012, 142, S30-S35.	2.0	39
28	Chronic disease trends due to excess body weight in Australia. Obesity Reviews, 2009, 10, 543-553.	3.1	36
29	Worksite intervention effects on sleep quality: A randomized controlled trial Journal of Occupational Health Psychology, 2006, 11, 291-304.	2.3	34
30	Body mass index and unintentional weight change associated with all-cause mortality in older Australians: the Melbourne Longitudinal Studies on Healthy Ageing (MELSHA). Age and Ageing, 2010, 39, 559-565.	0.7	34
31	Predictive value of serum testosterone for type 2 diabetes risk assessment in men. BMC Endocrine Disorders, 2016, 16, 26.	0.9	31
32	Obesity and depression or anxiety. BMJ: British Medical Journal, 2009, 339, b3868-b3868.	2.4	29
33	Usefulness of the Edmonton Obesity Staging System for stratifying the presence and severity of weightâ€related health problems in clinical and community settings: A rapid review of observational studies. Obesity Reviews, 2020, 21, e13120.	3.1	28
34	Magnesium Intake and Sleep Disorder Symptoms: Findings from the Jiangsu Nutrition Study of Chinese Adults at Five-Year Follow-Up. Nutrients, 2018, 10, 1354.	1.7	27
35	Specific medical conditions associated with clinically significant depressive symptoms in men. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 1303-1312.	1.6	26
36	Clinical and Biopsychosocial Determinants of Sexual Dysfunction in Middleâ€Aged and Older Australian Men. Journal of Sexual Medicine, 2012, 9, 2093-2103.	0.3	26

#	Article	IF	CITATIONS
37	Clinical Obesity Services in Public Hospitals in Australia: a position statement based on expert consensus. Clinical Obesity, 2018, 8, 203-210.	1.1	26
38	Testosterone therapy to prevent type 2 diabetes mellitus in atâ€risk men (T4DM): Design and implementation of a doubleâ€blind randomized controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 772-780.	2.2	25
39	Changes in the prevalence of psychological distress and use of antidepressants or anti-anxiety medications associated with comorbid chronic diseases in the adult Australian population, 2001–2008. Australian and New Zealand Journal of Psychiatry, 2012, 46, 445-456.	1.3	23
40	Effect of audience response system technology on learning outcomes in health students and professionals. International Journal of Evidence-Based Healthcare, 2015, 13, 3-8.	0.1	21
41	Dietary patterns associated with obesity outcomes in adults: an umbrella review of systematic reviews. Public Health Nutrition, 2021, 24, 6390-6414.	1.1	21
42	A Novel Multidisciplinary Intervention for Long-Term Weight Loss and Glycaemic Control in Obese Patients with Diabetes. Journal of Diabetes Research, 2015, 2015, 1-7.	1.0	20
43	Trends in health-related quality of life and health service use associated with body mass index and comorbid major depression in South Australia, 1998–2008. Quality of Life Research, 2012, 21, 1695-1704.	1.5	19
44	Trends in health-related quality of life and health service use associated with comorbid diabetes and major depression in South Australia, 1998–2008. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 871-877.	1.6	17
45	SSRI antidepressant use potentiates weight gain in the context of unhealthy lifestyles: results from a 4-year Australian follow-up study. BMJ Open, 2017, 7, e016224.	0.8	17
46	Obesity and increased risk of type 2 diabetes mellitus: The aetiological role of depression. Obesity Research and Clinical Practice, 2012, 6, e175-e177.	0.8	16
47	Mental health nurses' attitudes, experience, and knowledge regarding routine physical healthcare: systematic, integrative review of studies involving 7,549 nurses working in mental health settings. BMC Nursing, 2019, 18, 16.	0.9	15
48	Excess burden of type 1 and type 2 diabetes due to psychopathology. Journal of Affective Disorders, 2012, 142, S36-S41.	2.0	14
49	The association of dietary intake and supplementation of specific polyunsaturated fatty acids with inflammation and functional capacity in chronic obstructive pulmonary disease. International Journal of Evidence-Based Healthcare, 2016, 14, 53-63.	0.1	14
50	Testosterone and modifiable risk factors associated with diabetes in men. Maturitas, 2011, 68, 279-285.	1.0	13
51	Physical capacity outcomes in patients with severe obesity after 12 months of physicianâ€led multidisciplinary team care: A case series from a public hospital clinical obesity service. Clinical Obesity, 2019, 9, e12337.	1.1	13
52	Acute effects of advertisements on children's choices, preferences, and ratings of liking for physical activities and sedentary behaviours: A randomised controlled pilot study. Journal of Science and Medicine in Sport, 2008, 11, 553-557.	0.6	10
53	Implementation challenges in delivering team-based care (â€~TEAMcare') for patients with chronic obstructive pulmonary disease in a public hospital setting: a mixed methods approach. BMC Health Services Research, 2016, 16, 347.	0.9	9
54	Comparing the predictive ability of the Edmonton Obesity Staging System with the body mass index for use of health services and pharmacotherapies in Australian adults: A nationally representative crossâ€sectional study. Clinical Obesity, 2020, 10, e12368.	1.1	9

#	Article	IF	CITATIONS
55	Elucidating the Biological Mechanisms Linking Depressive Symptoms With Type 2 Diabetes in Men. Psychosomatic Medicine, 2016, 78, 221-232.	1.3	8
56	Cardiovascular disease and death associated with depression and antidepressants in the Melbourne Longitudinal Studies on Healthy Ageing (MELSHA). International Journal of Geriatric Psychiatry, 2011, 26, 341-350.	1.3	7
57	Changes in cardiovascular disease burden associated with psychopathology in Australian adults 2004–2008. General Hospital Psychiatry, 2012, 34, 345-351.	1.2	7
58	Unhealthy Diet Pattern Mediates the Disproportionate Prevalence of Obesity among Adults with Socio-Economic Disadvantage: An Australian Representative Cross-Sectional Study. Nutrients, 2021, 13, 1363.	1.7	7
59	Weight Gain and Lifestyle Risk Factors for Developing Metabolic Syndrome. Circulation Journal, 2014, 78, 1066-1068.	0.7	6
60	Association of husbands' education status with unintended pregnancy in their wives in southern Ethiopia: A cross-sectional study. PLoS ONE, 2020, 15, e0235675.	1.1	6
61	The performance of mid-upper arm circumference for identifying children and adolescents with overweight and obesity: a systematic review and meta-analysis. Public Health Nutrition, 2022, 25, 607-616.	1.1	6
62	Patterns and trends of potentially inappropriate high-density lipoprotein cholesterol testing in Australian adults at high risk of cardiovascular disease from 2008 to 2014: analysis of linked individual patient data from the Australian Medicare Benefits Schedule and Pharmaceutical Benefits Scheme. BMJ Open, 2018, 8, e019041.	0.8	5
63	The effectiveness of patient-centred medical home model versus standard primary care in chronic disease management: protocol for a systematic review and meta-analysis of randomised and non-randomised controlled trials. Systematic Reviews, 2018, 7, 215.	2.5	5
64	Clinical Use of the Edmonton Obesity Staging System for the Assessment of Weight Management Outcomes in People with Class 3 Obesity. Nutrients, 2022, 14, 967.	1.7	5
65	Standard baseline data collections in obesity management clinics: A Delphi study with recommendations from an expert panel. Clinical Obesity, 2019, 9, e12301.	1.1	4
66	Clinical usefulness of brief screening tool for activating weight management discussions in primary cARE (AWARE): A nationwide mixed methods pilot study. PLoS ONE, 2021, 16, e0259220.	1.1	4
67	Empirically Derived Dietary Patterns and Hypertension. Current Nutrition Reports, 2012, 1, 73-86.	2.1	3
68	Measuring and Assessing Depression in People with Diabetes: Implications for Clinical Practice. , 2013, , 199-209.		3
69	Incremental predictive value of screening for anxiety and depression beyond current type 2 diabetes risk models: a prospective cohort study. BMJ Open, 2018, 8, e018255.	0.8	2
70	Psychiatric Disorders and COPD: Response. Chest, 2013, 144, 1084-1085.	0.4	1
71	A predictive model for non-completion of an intensive specialist obesity service in a public hospital: a case-control study. BMC Health Services Research, 2019, 19, 748.	0.9	1
72	The association of dietary intake and supplementation of specific polyunsaturated fatty acids with inflammation and functional capacity outcomes in chronic obstructive pulmonary disease: a systematic review protocol. JBI Database of Systematic Reviews and Implementation Reports, 2014, 12, 197-211.	1.7	1

#	Article	IF	CITATIONS
73	Is the Mediterranean Diet Pattern Associated with Weight Related Health Complications in Adults? A Cross-Sectional Study of Australian Health Survey. Nutrients, 2021, 13, 3905.	1.7	1
74	FC21-07 - Trends in health-related quality of life and health service use associated with comorbid diabetes and major depression in South Australia, 1998–2008. European Psychiatry, 2011, 26, 1933-1933.	0.1	0
75	Chronic medical conditions mediate the association between depression and cardiovascular disease mortality. European Psychiatry, 2011, 26, 511-511.	0.1	0
76	433 – Common mental disorders associated with 2-year diabetes incidence: the netherlands study of depression and anxiety (nesda). European Psychiatry, 2013, 28, 1.	0.1	0
77	Dietary magnesium-to-iron intake ratios and risk of impaired fasting glucose in Chinese adults: The prospective Jiangsu Nutrition Study (JIN). Journal of Nutrition & Intermediary Metabolism, 2018, 14, 22-28.	1.7	0
78	Feasibility and Effectiveness of High-Intensity Boxing Training Versus Moderate-Intensity Brisk Walking in Obese Adults. Medicine and Science in Sports and Exercise, 2015, 47, 235-236.	0.2	0
79	Development and internal validation of the Edmonton Obesity Staging System-2 Risk screening Tool (EOSS-2 Risk Tool) for weight-related health complications: a case-control study in a representative sample of Australian adults with overweight and obesity. BMJ Open, 2022, 12, e061251.	0.8	0