Tri Yogi Yuwono

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4201081/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Improving the performance of Savonius wind turbine by installation of a circular cylinder upstream of returning turbine blade. AEJ - Alexandria Engineering Journal, 2020, 59, 4923-4932.	6.4	26
2	The effect of along blade surface discretization on the Savonius hydrokinetic turbine performance by using Myring formula for n = 1. AIP Conference Proceedings, 2020, , .	0.4	0
3	Reduction of Cd in circular cylinder using three passive control at Re=500. Journal of Physics: Conference Series, 2019, 1218, 012052.	0.4	0
4	Experimental studies on the effect of obstacle upstream of a Savonius wind turbine. SN Applied Sciences, 2019, 1, 1.	2.9	16
5	The interactions of I-65Ű type cylinder and Savonius wind turbine for performance improvement. AlP Conference Proceedings, 2019, , .	0.4	0
6	Force coefficient characteristics on a four circular cylinders in an in-line square configuration near a plane wall at "small gap― AIP Conference Proceedings, 2019, , .	0.4	0
7	Numerical investigation of the flow around circular cylinder with two passive controls. Journal of Physics: Conference Series, 2018, 974, 012011.	0.4	1
8	Numerical simulation of cross flow around four circular cylinders in an in-line square configuration with the critical spacing ratio "L/D―near a plane wall. AIP Conference Proceedings, 2018, , .	0.4	2
9	Reduction of <i>C_d</i> in circular cylinder using two passive control at <i>R_e</i> = 1000 and 5000. Journal of Physics: Conference Series, 2018, 974, 012002.	0.4	2
10	Mathematical Modeling of Drag Coefficient Reduction in Circular Cylinder Using Two Passive Controls at Re = 1000. Mathematical and Computational Applications, 2018, 23, 2.	1.3	1
11	Numerical simulation of cross-flow around four circular cylinders in-line square configuration near a plane wall at supercritical Reynolds number. AIP Conference Proceedings, 2018, , .	0.4	1
12	The effect of width of single curtain on the performance of Savonius wind turbine. AIP Conference Proceedings, 2018, , .	0.4	4
13	Numerical study on the effect of width of single curtain on the performance of Savonius wind turbine. MATEC Web of Conferences, 2018, 154, 01110.	0.2	3
14	The effectiveness of passive control to reduce the drag coefficient. Journal of Physics: Conference Series, 2017, 890, 012044.	0.4	2
15	The Influence of distance between passive control and circular cylinder on wake. Journal of Physics: Conference Series, 2017, 890, 012053.	0.4	2
16	FLOW AROUND TWO SIDE-BY-SIDE CIRCULAR CYLINDERS WITH INTERMEDIATE SPACED NEAR A PLANE WALL. Advances and Applications in Fluid Mechanics, 2015, 18, 277-290.	0.1	3
17	Plane Wall Effect of Flow around Two Circular Cylinders in Tandem Arrangement. IPTEK: the Journal for Technology and Science, 2013, 22, .	0.3	2
18	Reducing the drag on a circular cylinder by upstream installation of an I-type bluff body as passive control. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2009, 223, 2291-2296.	2.1	17

#	Article	IF	CITATIONS
19	Flow Characteristics around Four Circular Cylinders in Equispaced Arrangement near a Plane Wall. Applied Mechanics and Materials, 0, 493, 245-250.	0.2	4
20	Numerical simulation on improvement of a Savonius vertical axis water turbine performance to advancing blade side with a circular cylinder diameter variations. IOP Conference Series: Earth and Environmental Science, 0, 200, 012029.	0.3	6
21	Numerical simulation of fluid flow around circular and I-shape cylinder in a tandem configuration. Applied Mathematical Sciences, 0, 7, 5657-5666.	0.1	8