Hasan M Al-Dorzi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4202277/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Permissive Underfeeding or Standard Enteral Feeding in Critically Ill Adults. New England Journal of Medicine, 2015, 372, 2398-2408.	13.9	455
2	How the COVID-19 pandemic will change the future of critical care. Intensive Care Medicine, 2021, 47, 282-291.	3.9	132
3	Permissive Underfeeding or Standard Enteral Feeding in High– and Low–Nutritional-Risk Critically Ill Adults. <i>Post Hoc</i> Analysis of the PermiT Trial. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 652-662.	2.5	115
4	Impact of an Intensivist-Led Multidisciplinary Extended Rapid Response Team on Hospital-Wide Cardiopulmonary Arrests and Mortality*. Critical Care Medicine, 2013, 41, 506-517.	0.4	112
5	Time-Limited Trials of Intensive Care for Critically Ill Patients With Cancer. JAMA Oncology, 2016, 2, 76.	3.4	83
6	Even Mild Hyperlactatemia Is Associated with Increased Mortality in Critically Ill Patients. Critical Care, 2013, 17, R197.	2.5	65
7	The critical care response to a hospital outbreak of Middle East respiratory syndrome coronavirus (MERS-CoV) infection: an observational study. Annals of Intensive Care, 2016, 6, 101.	2.2	65
8	The impact of implementing multifaceted interventions on the prevention of ventilator-associated pneumonia. American Journal of Infection Control, 2016, 44, 320-326.	1.1	63
9	Structure, Organization, and Delivery of Critical Care in Asian ICUs*. Critical Care Medicine, 2016, 44, e940-e948.	0.4	55
10	Lower versus higher dose of enteral caloric intake in adult critically ill patients: a systematic review and meta-analysis. Critical Care, 2016, 20, 358.	2.5	53
11	The results of a 6-year epidemiologic surveillance for ventilator-associated pneumonia at a tertiary care intensive care unit in Saudi Arabia. American Journal of Infection Control, 2012, 40, 794-799.	1.1	50
12	Acinetobacter is the most common pathogen associated with late-onset and recurrent ventilator-associated pneumonia in an adult intensive care unit in Saudi Arabia. International Journal of Infectious Diseases, 2013, 17, e696-e701.	1.5	49
13	Diagnostic accuracy of a screening electronic alert tool for severe sepsis and septic shock in the emergency department. BMC Medical Informatics and Decision Making, 2014, 14, 105.	1.5	45
14	The impact of a multifaceted intervention including sepsis electronic alert system and sepsis response team on the outcomes of patients with sepsis and septic shock. Annals of Intensive Care, 2017, 7, 57.	2.2	37
15	Invasive Candidiasis in Critically III Patients: A Prospective Cohort Study in Two Tertiary Care Centers. Journal of Intensive Care Medicine, 2020, 35, 542-553.	1.3	36
16	Association between aspirin therapy and the outcome in critically ill patients: a nested cohort study. BMC Pharmacology & Toxicology, 2016, 17, 5.	1.0	29
17	Antibiotic therapy of pneumonia in the obese patient. Current Opinion in Infectious Diseases, 2014, 27, 165-173.	1.3	27
18	Impact of computerized physician order entry (CPOE) system on the outcome of critically ill adult patients: a before-after study. BMC Medical Informatics and Decision Making, 2011, 11, 71.	1.5	26

#	Article	IF	CITATIONS
19	Incidence, risk factors and outcomes of seizures occurring after craniotomy for primary brain tumor resection. Journal of King Abdulaziz University, Islamic Economics, 2017, 22, 107-113.	0.5	26
20	Critically ill patients with Middle East respiratory syndrome coronavirus infection. Critical Care, 2016, 20, 65.	2.5	25
21	Characteristics, management and outcomes of critically ill patients who are 80 years and older: a retrospective comparative cohort study. BMC Anesthesiology, 2014, 14, 126.	0.7	21
22	Managing critical care during COVID-19 pandemic: The experience of an ICU of a tertiary care hospital. Journal of Infection and Public Health, 2021, 14, 1635-1641.	1.9	21
23	Venous Thromboembolism in Critically III Cirrhotic Patients: Practices of Prophylaxis and Incidence. Thrombosis, 2013, 2013, 1-7.	1.4	21
24	The impact of onset time on the isolated pathogens and outcomes in ventilator associated pneumonia. Journal of Infection and Public Health, 2016, 9, 161-171.	1.9	20
25	Thromboprophylaxis and mortality among patients who developed venous thromboembolism in seven major hospitals in Saudi Arabia. Annals of Thoracic Medicine, 2017, 12, 282.	0.7	20
26	Advantages and Disadvantages of Etomidate Use for Intubation of Patients with Sepsis. Pharmacotherapy, 2012, 32, 475-482.	1.2	19
27	Association between phosphate disturbances and mortality among critically ill patients with sepsis or septic shock. BMC Pharmacology & amp; Toxicology, 2021, 22, 30.	1.0	19
28	Drug-resistant ventilator associated pneumonia in a tertiary care hospital in Saudi Arabia. Annals of Thoracic Medicine, 2014, 9, 104.	0.7	18
29	Association of protein intake with the outcomes of critically ill patients: a post hoc analysis of the PermiT trial. American Journal of Clinical Nutrition, 2018, 108, 988-996.	2.2	17
30	Permissive underfeeding versus target enteral feeding in adult critically ill patients (PermiT Trial): a study protocol of a multicenter randomized controlled trial. Trials, 2012, 13, 191.	0.7	16
31	Renal failure as a risk factor for venous thromboembolism in critically Ill patients: A cohort study. Thrombosis Research, 2013, 132, 671-675.	0.8	16
32	The Saudi clinical practice guideline for the diagnosis of the first deep venous thrombosis of the lower extremity. Annals of Thoracic Medicine, 2015, 10, 3-15.	0.7	16
33	Characteristics and predictors of mortality of patients with hematologic malignancies requiring invasive mechanical ventilation. Annals of Thoracic Medicine, 2017, 12, 259.	0.7	16
34	Rapid response systems in acute hospital care. Annals of Thoracic Medicine, 2010, 5, 1.	0.7	15
35	Intra-abdominal pressure and abdominal perfusion pressure in cirrhotic patients with septic shock. Annals of Intensive Care, 2012, 2, S4.	2.2	15
36	Risk factors, management and outcomes of patients admitted with near fatal asthma to a tertiary care hospital in Riyadh. Annals of Thoracic Medicine, 2014, 9, 33.	0.7	15

#	Article	IF	CITATIONS
37	The effect of a continuing medical education program on Venous thromboembolism prophylaxis utilization and mortality in a tertiary-care hospital. Thrombosis Journal, 2014, 12, 9.	0.9	15
38	Middle East respiratory syndrome coronavirus on inanimate surfaces: A risk for health care transmission. American Journal of Infection Control, 2016, 44, 1387-1389.	1.1	15
39	End-of-Life Practices in a Tertiary Intensive Care Unit in Saudi Arabia. Anaesthesia and Intensive Care, 2012, 40, 137-141.	0.2	14
40	Anemia and Blood Transfusion in Patients with Isolated Traumatic Brain Injury. Critical Care Research and Practice, 2015, 2015, 1-7.	0.4	14
41	The Saudi Clinical Practice Guideline for the treatment of venous thromboembolism. Journal of King Abdulaziz University, Islamic Economics, 2015, 36, 1004-1010.	0.5	14
42	Prophylaxis and treatment of venous thromboembolism in patients with cancer: the Saudi clinical practice guideline. Annals of Saudi Medicine, 2015, 35, 95-106.	0.5	14
43	Enteral Nutrition Safety With Advanced Treatments: Extracorporeal Membrane Oxygenation, Prone Positioning, and Infusion of Neuromuscular Blockers. Nutrition in Clinical Practice, 2021, 36, 88-97.	1.1	13
44	Nutrition support for critically ill patients. Journal of Parenteral and Enteral Nutrition, 2021, 45, 47-59.	1.3	13
45	A multifaceted approach to improve hand hygiene practices in the adult intensive care unit of a tertiary-care center. Journal of Infection and Public Health, 2014, 7, 360-364.	1.9	12
46	Determinants of functional status among survivors of severe sepsis and septic shock: One-year follow-up. Annals of Thoracic Medicine, 2015, 10, 132.	0.7	12
47	Free Fatty Acids' Level and Nutrition in Critically III Patients and Association with Outcomes: A Prospective Sub-Study of PermiT Trial. Nutrients, 2019, 11, 384.	1.7	12
48	Leptin, Ghrelin, and Leptin/Ghrelin Ratio in Critically Ill Patients. Nutrients, 2020, 12, 36.	1.7	12
49	Knowledge of thromboprophylaxis guidelines pre- and post-didactic lectures during a venous thromboembolism awareness day at a tertiary-care hospital. Annals of Thoracic Medicine, 2013, 8, 165.	0.7	11
50	Protein intake and outcome in critically ill patients. Current Opinion in Clinical Nutrition and Metabolic Care, 2020, 23, 51-58.	1.3	11
51	Dosing errors of empirical antibiotics in critically ill patients with severe sepsis or septic shock: A prospective observational study. International Journal of Health Sciences, 2019, 13, 48-55.	0.4	11
52	The Saudi clinical practice guideline for the prophylaxis of venous thromboembolism in long-distance travelers. Journal of King Abdulaziz University, Islamic Economics, 2017, 38, 101-107.	0.5	10
53	Trophic or full nutritional support?. Current Opinion in Critical Care, 2018, 24, 262-268.	1.6	10
54	Impact of empirical antimicrobial therapy on the outcome of critically ill patients with Acinetobacter bacteremia. Annals of Thoracic Medicine, 2015, 10, 256-62.	0.7	9

#	Article	IF	CITATIONS
55	Prevalence and predictors of out-of-range cuff pressure of endotracheal and tracheostomy tubes: a prospective cohort study in mechanically ventilated patients. BMC Anesthesiology, 2015, 15, 147.	0.7	8
56	The Saudi clinical practice guideline for the prophylaxis of venous thromboembolism in medical and critically ill patients. Journal of King Abdulaziz University, Islamic Economics, 2016, 37, 1279-1293.	0.5	8
57	Replacing protein via enteral nutrition in a stepwise approach in critically ill patients: A pilot randomized controlled trial (REPLENISH pilot trial). Clinical Nutrition ESPEN, 2021, 44, 166-172.	0.5	8
58	Outbreaks in the adult ICUs. Current Opinion in Infectious Diseases, 2017, 30, 432-439.	1.3	7
59	The Performance of Equations That Estimate Glomerular Filtration Rate against Measured Urinary Creatinine Clearance in Critically III Patients. Critical Care Research and Practice, 2021, 2021, 1-11.	0.4	7
60	Electronic early notification of sepsis in hospitalized ward patients: a study protocol for a stepped-wedge cluster randomized controlled trial. Trials, 2021, 22, 695.	0.7	6
61	Helmet noninvasive ventilation for COVID-19 patients (Helmet-COVID): statistical analysis plan for a randomized controlled trial. Trials, 2022, 23, 105.	0.7	6
62	Life-threatening Infections in Medically Immunocompromised Patients. Critical Care Clinics, 2013, 29, 807-826.	1.0	5
63	Prevention of gastrointestinal bleeding in critically ill patients. Current Opinion in Critical Care, 2021, 27, 177-182.	1.6	5
64	Association between β-blocker use and mortality in critically ill patients: a nested cohort study. BMC Pharmacology & Toxicology, 2018, 19, 22.	1.0	4
65	Oxidative stress, caloric intake and outcomes of critically ill patients. Clinical Nutrition ESPEN, 2019, 29, 103-111.	0.5	4
66	Permissive underfeeding, cytokine profiles and outcomes in critically ill patients. PLoS ONE, 2019, 14, e0209669.	1.1	4
67	Anemia, Blood Transfusion, and Filter Life Span in Critically Ill Patients Requiring Continuous Renal Replacement Therapy for Acute Kidney Injury: A Case-Control Study. Critical Care Research and Practice, 2019, 2019, 1-7.	0.4	4
68	Vancomycin in ICU Patients with Gram-Positive Infections: Initial Trough Levels and Mortality. Therapeutics and Clinical Risk Management, 2020, Volume 16, 979-987.	0.9	4
69	Helmet Non-Invasive Ventilation for COVID-19 Patients (Helmet-COVID): study protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e052169.	0.8	4
70	Design of nutrition trials in critically ill patients: food for thought. Annals of Translational Medicine, 2016, 4, 186-186.	0.7	4
71	Relative Adrenal Insufficiency in Patients With Chronic Liver Disease. Clinical Pulmonary Medicine, 2010, 17, 232-238.	0.3	3
72	Demographics and outcomes of critically ill patients transferred from other hospitals to a tertiary care academic referral center in Saudi Arabia. Annals of Intensive Care, 2013, 3, 26.	2.2	3

#	Article	IF	CITATIONS
73	Megacolon due to Chronic Schistosomiasis: A Case Report and Review of Literature. Case Reports in Surgery, 2019, 2019, 1-3.	0.2	3
74	Caloric intake and the fat-to-carbohydrate ratio in hypercapnic acute respiratory failure: Post-hoc analysis of the PermiT trial. Clinical Nutrition ESPEN, 2019, 29, 175-182.	0.5	3
75	Prevalence, Risk Factors, and Outcomes of Platelet Transfusion Refractoriness in Critically Ill Patients: A Retrospective Cohort Study. Critical Care Research and Practice, 2021, 2021, 1-11.	0.4	3
76	Critically ill patients with diabetes and Middle East respiratory syndrome: a multi-center observational study. BMC Infectious Diseases, 2021, 21, 84.	1.3	3
77	Information technology to improve patient safety: A round table discussion from the 5thInternational Patient Safety Forum, Riyadh, Saudi Arabia, April 14–16, 2015. Annals of Thoracic Medicine, 2016, 11, 219.	0.7	3
78	Serum Procalcitonin in Cirrhotic Patients with Septic Shock: Relationship with Adrenal Insufficiency and Clinical Outcomes. Clinical Laboratory, 2014, 60, 1105-14.	0.2	3
79	Middle East respiratory syndrome coronavirus. , 0, , 21-34.		3
80	The association between statin therapy during intensive care unit stay and the incidence of venous thromboembolism: a propensity score-adjusted analysis. BMC Pharmacology & Toxicology, 2013, 14, 57.	1.0	2
81	Treatment of ventilator-associated pneumonia and ventilator-associated tracheobronchitis in the intensive care unit. Journal of King Abdulaziz University, Islamic Economics, 2015, 36, 1453-1462.	0.5	2
82	Differential Gene Expression in Peripheral White Blood Cells with Permissive Underfeeding and Standard Feeding in Critically III Patients: A Descriptive Sub-study of the PermiT Randomized Controlled Trial. Scientific Reports, 2018, 8, 17984.	1.6	2
83	High-Flow Nasal Oxygen and Noninvasive Ventilation for COVID-19. Critical Care Clinics, 2022, 38, 601-621.	1.0	2
84	Nutrition priorities in obese critically ill patients. Current Opinion in Clinical Nutrition and Metabolic Care, 2022, 25, 99-109.	1.3	2
85	Cold agglutinin disease: an unusual cause of shock in the ICU. Intensive Care Medicine, 2017, 43, 927-928.	3.9	1
86	Statistical analysis plan for the Stepped-wedge Cluster Randomized trial of Electronic Early Notification of sepsis in hospitalized ward patients (SCREEN). Trials, 2021, 22, 828.	0.7	1
87	Noninvasive Positive Pressure Ventilation in the Postextubation Period. , 2010, , 295-304.		0
88	The authors reply. Critical Care Medicine, 2013, 41, e98.	0.4	0
89	Noninvasive Mechanical Ventilation in Transfusion-Related Acute Lung Injury. , 2016, , 419-424.		0
90	Update in Critical Care 2019. American Journal of Respiratory and Critical Care Medicine, 2020, 201, 1050-1057.	2.5	0

#	Article	IF	CITATIONS
91	Outcomes of cirrhotic patients admitted to the intensive care unit after a successful cardiac arrest resuscitation. Journal of King Abdulaziz University, Islamic Economics, 2021, 42, 1320-1324.	0.5	о
92	Severe hypoglycemia in peritoneal dialysis patients due to overestimation of blood glucose by the point-of-care glucometer. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2011, 22, 764-8.	0.4	0