

Gurjeet Gill

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4202713/gurjeet-gill-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45
papers

818
citations

15
h-index

27
g-index

46
ext. papers

956
ext. citations

2.7
avg, IF

4.36
L-index

#	Paper	IF	Citations
45	Alternative Herbicides for Controlling Herbicide-Resistant Annual Bluegrass (<i>Poa annua</i> L.) in Turf. <i>Agronomy</i> , 2021 , 11, 2148	3.6	0
44	Can rotations improve management of herbicide-resistant annual sowthistle (<i>Sonchus oleraceus</i>) and prickly lettuce (<i>Lactuca serriola</i>) in lentil production systems of southern Australia?. <i>Weed Technology</i> , 2021 , 35, 532-538	1.4	0
43	Stability of EPSPS gene copy number in <i>Hordeum glaucum</i> Steud (barley grass) in the presence and absence of glyphosate selection. <i>Pest Management Science</i> , 2021 , 77, 3080-3087	4.6	1
42	Non-Mendelian inheritance of gene amplification-based resistance to glyphosate in <i>Hordeum glaucum</i> (barley grass) from South Australia. <i>Pest Management Science</i> , 2021 , 77, 4298-4302	4.6	1
41	Resistance to bixlozone and clomazone in cross-resistant rigid ryegrass (<i>Lolium rigidum</i>) populations from southern Australia. <i>Weed Science</i> , 2021 , 69, 284-289	2	1
40	Rate of Nitrogen Rather Than Timing of Application Influence Yield and NUE of Canola in South Australian Mediterranean Environments. <i>Agronomy</i> , 2020 , 10, 1505	3.6	5
39	EPSPS gene amplification confers resistance to glyphosate resistant populations of <i>Hordeum glaucum</i> Stued (northern barley grass) in South Australia. <i>Pest Management Science</i> , 2020 , 76, 1214-1224	4.6	12
38	Incidence of multiple herbicide resistance in annual bluegrass (<i>Poa annua</i>) across southeastern Australia. <i>Weed Science</i> , 2020 , 68, 340-347	2	1
37	Different Post-Sowing Nitrogen Management Approaches Required to Improve Nitrogen and Water Use Efficiency of Canola and Mustard. <i>Frontiers in Plant Science</i> , 2020 , 11, 1111	6.2	4
36	Control of thiocarbamate-resistant rigid ryegrass (<i>Lolium rigidum</i>) in wheat in southern Australia. <i>Weed Technology</i> , 2020 , 34, 19-24	1.4	4
35	Varying responses of field-selected herbicide-resistant rigid ryegrass (<i>Lolium rigidum</i>) populations to combinations of phorate with PPI herbicides. <i>Weed Science</i> , 2020 , 68, 367-372	2	5
34	No apparent fitness costs associated with phytoene desaturase mutations conferred resistance to diflufenican and picolinafen in oriental mustard (<i>Sisymbrium orientale</i> L.). <i>Pesticide Biochemistry and Physiology</i> , 2019 , 155, 51-57	4.9	2
33	Resistance to very-long-chain fatty-acid (VLCFA)-inhibiting herbicides in multiple field-selected rigid ryegrass (<i>Lolium rigidum</i>) populations. <i>Weed Science</i> , 2019 , 67, 267-272	2	13
32	Cross-resistance to diflufenican and picolinafen and its inheritance in oriental mustard (<i>Sisymbrium orientale</i> L.). <i>Pest Management Science</i> , 2019 , 75, 195-203	4.6	5
31	Reduced translocation in 2,4-D-resistant oriental mustard populations (<i>Sisymbrium orientale</i> L.) from Australia. <i>Pest Management Science</i> , 2018 , 74, 1524-1532	4.6	14
30	Seed Germination and Seedling Recruitment Behavior of Winged Sea Lavender (<i>Limonium lobatum</i>) in Southern Australia. <i>Weed Science</i> , 2018 , 66, 485-493	2	4
29	The mechanism of diflufenican resistance and its inheritance in oriental mustard (<i>Sisymbrium orientale</i> L.) from Australia. <i>Pest Management Science</i> , 2018 , 74, 1279-1285	4.6	6

28	Target-site mutations conferring resistance to glyphosate in feathertop Rhodes grass (<i>Chloris virgata</i>) populations in Australia. <i>Pest Management Science</i> , 2018 , 74, 1094-1100	4.6	28
27	EPSPS gene amplification conferring resistance to glyphosate in windmill grass (<i>Chloris truncata</i>) in Australia. <i>Pest Management Science</i> , 2018 , 74, 1101-1108	4.6	44
26	Factors Affecting the Selection of Information Sources of Sustainable Agricultural Practices by Malaysian Vegetable Farmers. <i>Journal of Agricultural and Food Information</i> , 2018 , 19, 162-175	1	1
25	Target-Site Point Mutation Conferring Resistance to Trifluralin in Rigid Ryegrass (<i>Lolium rigidum</i>). <i>Weed Science</i> , 2018 , 66, 246-253	2	14
24	Resistance to Multiple PRE Herbicides in a Field-evolved Rigid Ryegrass (<i>Lolium rigidum</i>) Population. <i>Weed Science</i> , 2018 , 66, 581-585	2	15
23	Plant Development and Seed Biology of Windmillgrass (<i>Chloris truncata</i>) in Southern Australia. <i>Weed Science</i> , 2017 , 65, 395-405	2	8
22	Growth, Development, and Seed Biology of Feather Fingergrass (<i>Chloris virgata</i>) in Southern Australia. <i>Weed Science</i> , 2017 , 65, 413-425	2	9
21	Inheritance of evolved clethodim resistance in <i>Lolium rigidum</i> populations from Australia. <i>Pest Management Science</i> , 2017 , 73, 1604-1610	4.6	8
20	Basis of ACCase and ALS inhibitor resistance in <i>Hordeum glaucum</i> Steud. <i>Pest Management Science</i> , 2017 , 73, 1638-1647	4.6	12
19	Identification of a target-site mutation conferring resistance to triazine herbicides in oriental mustard (<i>Sisymbrium orientale</i> L.) from Australia. <i>Weed Biology and Management</i> , 2017 , 17, 153-160	1.4	6
18	Effect of Post-Sowing Nitrogen Management on Canola and Mustard: I. Yield Responses. <i>Agronomy Journal</i> , 2017 , 109, 2266-2277	2.2	3
17	Persistence of Resistance Alleles 1781, 2041, and 2078 in the Absence of Herbicide Selection. <i>Agronomy Journal</i> , 2017 , 109, 1806-1810	2.2	
16	Management of ACCase-Inhibiting Herbicide-Resistant Smooth Barley (<i>Hordeum glaucum</i>) in Field Pea with Alternative Herbicides. <i>Weed Technology</i> , 2016 , 30, 441-447	1.4	7
15	Target-Site Point Mutations Conferring Resistance to ACCase-Inhibiting Herbicides in Smooth Barley (<i>Hordeum glaucum</i>) and Hare Barley (<i>Hordeum leporinum</i>). <i>Weed Science</i> , 2015 , 63, 408-415	2	15
14	Incidence of Herbicide Resistance, Seedling Emergence, and Seed Persistence of Smooth Barley (<i>Hordeum glaucum</i>) in South Australia. <i>Weed Technology</i> , 2015 , 29, 782-792	1.4	11
13	Target Enzyme-Based Resistance to Clethodim in <i>Lolium rigidum</i> Populations in Australia. <i>Weed Science</i> , 2015 , 63, 946-953	2	12
12	Reduced Glyphosate Translocation in Two Glyphosate-Resistant Populations of Rigid Ryegrass (<i>Lolium rigidum</i>) from Fence Lines in South Australia. <i>Weed Science</i> , 2014 , 62, 4-10	2	19
11	Seed Dormancy and Seedling Recruitment in Smooth Barley (<i>Hordeum murinum</i> ssp. <i>glaucum</i>) Populations in Southern Australia. <i>Weed Science</i> , 2012 , 60, 394-400	2	26

10	Factors affecting turnipweed (<i>Rapistrum rugosum</i>) seed germination in southern Australia. <i>Weed Science</i> , 2006 , 54, 1032-1036	2	25
9	Influence of environmental factors on seed germination and seedling emergence of Oriental mustard (<i>Sisymbrium orientale</i>). <i>Weed Science</i> , 2006 , 54, 1025-1031	2	28
8	Influence of environmental factors on seed germination and seedling emergence of rigid ryegrass (<i>Lolium rigidum</i>). <i>Weed Science</i> , 2006 , 54, 1004-1012	2	63
7	Seedling recruitment pattern and depth of recruitment of 10 weed species in minimum tillage and no-till seeding systems. <i>Weed Science</i> , 2006 , 54, 658-668	2	62
6	Factors affecting seed germination of little mallow (<i>Malva parviflora</i>) in southern Australia. <i>Weed Science</i> , 2006 , 54, 1045-1050	2	24
5	African mustard (<i>Brassica tournefortii</i>) germination in southern Australia. <i>Weed Science</i> , 2006 , 54, 891-897		57
4	Factors affecting seed germination of annual sowthistle (<i>Sonchus oleraceus</i>) in southern Australia. <i>Weed Science</i> , 2006 , 54, 854-860	2	90
3	Influence of tillage systems on vertical distribution, seedling recruitment and persistence of rigid ryegrass (<i>Lolium rigidum</i>) seed bank. <i>Weed Science</i> , 2006 , 54, 669-676	2	124
2	Factors affecting seed germination of threehorn bedstraw (<i>Galium tricornutum</i>) in Australia. <i>Weed Science</i> , 2006 , 54, 471-477	2	28
1	Inheritance of evolved thiocarbamate resistance in rigid ryegrass (<i>Lolium rigidum</i>) populations from Australia. <i>Weed Science</i> , 1-6	2	