

Makoto Daimon

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4203374/publications.pdf>

Version: 2024-02-01

184
papers

5,607
citations

125106

35
h-index

100535

70
g-index

187
all docs

187
docs citations

187
times ranked

11171
citing authors

#	ARTICLE	IF	CITATIONS
1	Interrelations between Gut Microbiota Composition, Nutrient Intake and Diabetes Status in an Adult Japanese Population. <i>Journal of Clinical Medicine</i> , 2022, 11, 3216.	1.0	1
2	Neprilysin Inhibitor May Increase Urinary C-Peptide Excretion. <i>Diabetes Care</i> , 2022, 45, e122-e123.	4.3	2
3	Involvement of histone deacetylase 1/2 in adrenocorticotrophic hormone synthesis and proliferation of corticotroph tumor AtT-20 cells. <i>Peptides</i> , 2021, 136, 170441.	1.2	5
4	Differential effects of \hat{I}^2 -arrestin1 and \hat{I}^2 -arrestin2 on somatostatin receptors in murine AtT-20 corticotroph tumor cells. <i>Endocrine Journal</i> , 2021, 68, 163-170.	0.7	1
5	Islet microangiopathy and augmented \hat{I}^2 cell loss in Japanese nonobese type 2 diabetes patients who died of acute myocardial infarction. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2149.	1.1	4
6	Differential Effects of FKBP4 and FKBP5 on Regulation of the Proopiomelanocortin Gene in Murine AtT-20 Corticotroph Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5724.	1.8	10
7	Inhibitory effects of xanthine oxidase inhibitor, topiroxostat, on development of neuropathy in db/db mice. <i>Neurobiology of Disease</i> , 2021, 155, 105392.	2.1	10
8	Hypothalamic Regulation of Corticotropin-Releasing Factor under Stress and Stress Resilience. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12242.	1.8	28
9	Procedures for the diagnosis of macro-follicle stimulating hormone (FSH) in a patient with high serum FSH concentrations. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e40-e43.	1.4	3
10	Ubiquitin-specific protease 8 inhibitor suppresses adrenocorticotrophic hormone production and corticotroph tumor cell proliferation. <i>Endocrine Journal</i> , 2020, 67, 177-184.	0.7	22
11	Two Cases of Hypopituitarism Caused by Intrasellar Aneurysm. <i>Internal Medicine</i> , 2020, 59, 677-681.	0.3	2
12	Presence of aberrant adrenocorticotrophic hormone precursors in two cases of McCune-Albright syndrome. <i>Endocrine Journal</i> , 2020, 67, 353-359.	0.7	2
13	FIB-4 index is a marker for a subsequent decrease in insulin secretion in a non-diabetic Japanese population. <i>Scientific Reports</i> , 2020, 10, 15814.	1.6	1
14	Coping styles associated with glucose control in individuals with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1215-1221.	1.1	8
15	Increased Oxidative Stress Underlies Abnormal Pain Threshold in a Normoglycemic Japanese Population. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8306.	1.8	3
16	Nutrient consumption-dependent association of a glucagon-like peptide-1 receptor gene polymorphism with insulin secretion. <i>Scientific Reports</i> , 2020, 10, 16382.	1.6	5
17	The activation of G protein-coupled receptor 30 increases pro-opiomelanocortin gene expression through cAMP/PKA/NR4A pathway in mouse pituitary corticotroph AtT-20 cells. <i>Neuroscience Letters</i> , 2020, 739, 135468.	1.0	3
18	Secondary oxalosis induced by xylitol concurrent with lithium-induced nephrogenic diabetes insipidus: a case report. <i>BMC Nephrology</i> , 2020, 21, 157.	0.8	2

#	ARTICLE	IF	CITATIONS
19	Exacerbation of Hyperparathyroidism, Secondary to a Reduction in Kidney Function, in Individuals With Vitamin D Deficiency. <i>Frontiers in Medicine</i> , 2020, 7, 221.	1.2	3
20	Association between higher urinary normetanephrine and insulin resistance in a Japanese population. <i>PLoS ONE</i> , 2020, 15, e0228787.	1.1	5
21	Personality Traits Do Not Have Influence on Glycemic Control in Outpatients with Type 2 Diabetes Mellitus. <i>Psychiatry Investigation</i> , 2020, 17, 78-84.	0.7	6
22	Continuous Glucose Monitoring in the Management of Pancreatic Diabetes Complicated by Pancreatic Insufficiency. <i>Suizo</i> , 2020, 35, 145-152.	0.1	0
23	1575-P: Health-Related Quality of Life in Patients with Type 2 Diabetes: A Case-Control Study. <i>Diabetes</i> , 2020, 69, 1575-P.	0.3	0
24	1403-P: Glycemic Control Levels Are Not Major Determinants of Accumulation of AGE. <i>Diabetes</i> , 2020, 69, 1403-P.	0.3	0
25	1659-P: Nutrients Consumption Dependent Association of the Glucagon-Like Peptide-1 Receptor Gene Polymorphism with Insulin Secretion. <i>Diabetes</i> , 2020, 69, 1659-P.	0.3	0
26	1412-P: Change in Insulin Secretion Along with Aging in a General Japanese Population. <i>Diabetes</i> , 2020, 69, .	0.3	0
27	1578-P: Differences in Gut Microbiota between Diabetic and Nondiabetic Subjects. <i>Diabetes</i> , 2020, 69, .	0.3	0
28	Clinically encountered problems associated with pancreatic diabetes. <i>Suizo</i> , 2020, 35, 153-161.	0.1	0
29	SUN-291 Presence of Aberrant Adrenocorticotrophic Hormone Precursors in Two Cases of McCune-Albright Syndrome. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.1	0
30	Association between higher urinary normetanephrine and insulin resistance in a Japanese population. , 2020, 15, e0228787.		0
31	Association between higher urinary normetanephrine and insulin resistance in a Japanese population. , 2020, 15, e0228787.		0
32	Association between higher urinary normetanephrine and insulin resistance in a Japanese population. , 2020, 15, e0228787.		0
33	Association between higher urinary normetanephrine and insulin resistance in a Japanese population. , 2020, 15, e0228787.		0
34	O-linked β -N-acetylglucosamine transferase is involved in pro-opiomelanocortin gene expression in mouse pituitary corticotroph AtT-20 cells. <i>Neuroscience Letters</i> , 2019, 711, 134407.	1.0	2
35	Coping behaviors and depressive status in individuals with type 2 diabetes mellitus. <i>Annals of General Psychiatry</i> , 2019, 18, 11.	1.2	17
36	World Health Organization cardiovascular disease risk charts: revised models to estimate risk in 21 global regions. <i>The Lancet Global Health</i> , 2019, 7, e1332-e1345.	2.9	554

#	ARTICLE	IF	CITATIONS
37	Progression of Hypopituitarism and Hypothyroidism after Treatment with Pembrolizumab in a Patient with Adrenal Metastasis from Non-small-cell Lung Cancer. <i>Internal Medicine</i> , 2019, 58, 3557-3562.	0.3	14
38	<p>Personality associated with depressive status in individuals with type 2 diabetes mellitus</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2019, Volume 15, 1133-1139.	1.0	7
39	Lapatinib decreases the ACTH production and proliferation of corticotroph tumor cells. <i>Endocrine Journal</i> , 2019, 66, 515-522.	0.7	16
40	Cutaneous microangiopathy in patients with type 2 diabetes: Impaired vascular endothelial growth factor expression and its correlation with neuropathy, retinopathy and nephropathy. <i>Journal of Diabetes Investigation</i> , 2019, 10, 1318-1331.	1.1	9
41	Association between insomnia and personality traits among Japanese patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2019, 10, 484-490.	1.1	13
42	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019, 40, 621-631.	1.0	97
43	Relaxin-3 regulates corticotropin-releasing factor gene expression in cultured rat hypothalamic 4B cells. <i>Neuroscience Letters</i> , 2019, 692, 137-142.	1.0	0
44	SUN-239 A Case with Elevated Serum Follicle-Stimulating-Hormone (FSH) Concentrations Due to Macro-FSH. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	0
45	827-P: Prevalence and Clinical Characteristics of Sleep Disorders in Japanese Patients with Type 2 Diabetes: A Case-Control Study. <i>Diabetes</i> , 2019, 68, 827-P.	0.3	0
46	1452-P: Association between Aging and Insulin Resistance and Secretion in a General Nondiabetic Population. <i>Diabetes</i> , 2019, 68, 1452-P.	0.3	1
47	1555-P: Differences in Oral Microbiota as Risk Factors for Periodontal Disease in Diabetic Subjects. <i>Diabetes</i> , 2019, 68, 1555-P.	0.3	1
48	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599 912 current drinkers in 83 prospective studies. <i>Lancet</i> , 2018, 391, 1513-1523.	6.3	858
49	Gender differences in the impact of anemia on subclinical myocardial damage and cardiovascular mortality in the general population: The Yamagata (Takahata) study. <i>International Journal of Cardiology</i> , 2018, 252, 207-212.	0.8	9
50	Possible Insulinotropic Action of Apolipoprotein A ¹ Through the ABCA1/Cdc42/cAMP/PKA Pathway in MIN6 Cells. <i>Frontiers in Endocrinology</i> , 2018, 9, 645.	1.5	4
51	A Case of Thyrotoxicosis due to Simultaneous Occurrence of Subacute Thyroiditis and Graves TM Disease. <i>Case Reports in Endocrinology</i> , 2018, 2018, 1-3.	0.2	2
52	Lower serum calcium levels are a risk factor for a decrease in eGFR in a general non-chronic kidney disease population. <i>Scientific Reports</i> , 2018, 8, 14213.	1.6	8
53	Evaluation of growth hormone-releasing peptide-2 for diagnosis of thyrotropin-producing pituitary adenomas. <i>Endocrine Journal</i> , 2018, 65, 1049-1054.	0.7	0
54	Association between insomnia and coping style in Japanese patients with type 2 diabetes mellitus. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 1803-1809.	1.0	9

#	ARTICLE	IF	CITATIONS
55	Adherence and Associated Follow-Ups for Diabetic Eye Examinations in Japan. <i>Diabetes</i> , 2018, 67, .	0.3	0
56	The Postprandial C-peptideâ€“toâ€“Glucose Ratio Correlated with Beta-Cell Function in Japanese Patients with Type 2 Diabetes Mellitus. <i>Diabetes</i> , 2018, 67, .	0.3	0
57	Association of Urinary Normetanephrine Levels with Increased Insulin Resistance in a General Population. <i>Diabetes</i> , 2018, 67, 1655-P.	0.3	0
58	Prevalence and Factors Associated with Sleep Disorders in Japanese Patients with Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, .	0.3	0
59	Nutrient-Dependent Association of Cdk5 Regulatory Associated Protein 1-Like 1 Gene with Insulin Secretion. <i>Diabetes</i> , 2018, 67, 1605-P.	0.3	0
60	Adipsic hypernatremia without hypothalamic lesions accompanied by autoantibodies to subfornical organ. <i>Brain Pathology</i> , 2017, 27, 323-331.	2.1	29
61	Regulation of gonadotropins by urocortin 2 in gonadotropic tumor LÎ²T2 cells. <i>Neuroscience Letters</i> , 2017, 660, 63-67.	1.0	3
62	Effect of an intensified multifactorial intervention on cardiovascular outcomes and mortality in type 2 diabetes (J-DOIT3): an open-label, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 951-964.	5.5	228
63	Dominance of the hypothalamus-pituitary-adrenal axis over the renin-angiotensin-aldosterone system is a risk factor for decreased insulin secretion. <i>Scientific Reports</i> , 2017, 7, 11360.	1.6	12
64	Impact of restrictive lung disorder on cardiovascular mortality in a general population: The Yamagata (Takahata) study. <i>International Journal of Cardiology</i> , 2017, 241, 395-400.	0.8	18
65	Inhibitory effects of a selective Jak2 inhibitor on adrenocorticotrophic hormone production and proliferation of corticotroph tumor AtT20 cells. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 4329-4338.	1.0	11
66	A Case of Hyperparathyroidism due to a Large Intrathyroid Parathyroid Adenoma with Recurrent Episodes of Acute Pancreatitis. <i>Case Reports in Endocrinology</i> , 2017, 2017, 1-5.	0.2	3
67	Post-Saline Infusion Plasma Aldosterone Concentrations are Well Correlated with the Lateralized Ratio of Adrenal Venous Sampling in Patients of Primary Aldosteronism. <i>Journal of Steroids & Hormonal Science</i> , 2017, 08, .	0.1	0
68	Association between serum prolactin levels and insulin resistance in non-diabetic men. <i>PLoS ONE</i> , 2017, 12, e0175204.	1.1	39
69	Acute mesenteric ischemia and hepatic infarction after treatment of ectopic Cushingâ€™s syndrome. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2017, 2017, .	0.2	2
70	The evaluation and treatment of pancreatic endocrine insufficiency in pancreatic disease. <i>Suizo</i> , 2017, 32, 679-686.	0.1	1
71	Clinical Significance of Determining Plasma MicroRNA33b in Type 2 Diabetic Patients with Dyslipidemia. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1276-1285.	0.9	13
72	A Case of Acute Suppurative Thyroiditis Accompanied by Transient Abducens Nerve Palsy. <i>AACE Clinical Case Reports</i> , 2016, 2, e110-e112.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Association of the Aspartate Aminotransferase to Alanine Aminotransferase Ratio with BNP Level and Cardiovascular Mortality in the General Population: The Yamagata Study 10-Year Follow-Up. <i>Disease Markers</i> , 2016, 2016, 1-9.	0.6	59
74	Association between Higher Serum Cortisol Levels and Decreased Insulin Secretion in a General Population. <i>PLoS ONE</i> , 2016, 11, e0166077.	1.1	65
75	The Evaluation of Adrenal Function in Two Cases of Hypocortisolism Accompanied by Liver Cirrhosis. <i>Internal Medicine</i> , 2016, 55, 765-768.	0.3	0
76	Transient Worsening of Photosensitivity due to Cholelithiasis in a Variegate Porphyria Patient. <i>Internal Medicine</i> , 2016, 55, 2965-2969.	0.3	2
77	A case of peripheral T-cell lymphoma of the thyroid gland with Hashimoto's disease. <i>Annals of Oncology</i> , 2016, 27, vii107.	0.6	0
78	Combination of liraglutide and sitagliptin therapy improves glycemic control in Japanese patients with type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S101.	1.1	0
79	The effect of SGLT2 inhibitors on drug-naïve obese type 2 diabetes mellitus patients. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, S103.	1.1	0
80	Regulation of the expression of corticotropin-releasing factor gene by pyroglutamylated RFamide peptide in rat hypothalamic 4B cells. <i>Endocrine Journal</i> , 2016, 63, 919-927.	0.7	9
81	Predictors for mortality from respiratory failure in a general population. <i>Scientific Reports</i> , 2016, 6, 26053.	1.6	5
82	Association Between Pituitary-Adrenal Axis Dominance Over the Renin-Angiotensin-Aldosterone System and Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 889-897.	1.8	36
83	Gene-environment interactions in obesity: implication for future applications in preventive medicine. <i>Journal of Human Genetics</i> , 2016, 61, 317-322.	1.1	23
84	Evaluation of the (1 α - ²⁴) adrenocorticotropin stimulation test for the diagnosis of primary aldosteronism. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016, 17, 147032031562570.	1.0	5
85	The Impact of Superoxide Dismutase-1 Genetic Variation on Cardiovascular and All-Cause Mortality in a Prospective Cohort Study: The Yamagata (Takahata) Study. <i>PLoS ONE</i> , 2016, 11, e0164732.	1.1	18
86	Aphidicolin inhibits cell proliferation & via the p53-GADD45β pathway in AtT-20 cells. <i>Endocrine Journal</i> , 2015, 62, 645-654.	0.7	9
87	Inhibitory effects of trichostatin A on adrenocorticotrophic hormone production and proliferation of corticotroph tumor AtT-20 cells. <i>Endocrine Journal</i> , 2015, 62, 1083-1090.	0.7	12
88	Association of Treatment for Hyperlipidemia with Decreased Total Mortality in Japanese Individuals: the Yamagata (Takahata) Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2015, 22, 1030-1039.	0.9	11
89	Fulminant Type 1 Diabetes in an 81-Year-Old Male with Rhabdomyolysis-Induced Acute Kidney Injury Successfully Withdrawn from Hemodialysis: A Case Report. <i>AACE Clinical Case Reports</i> , 2015, 1, e208-e211.	0.4	0
90	Inhibition of heat shock protein 90 decreases ACTH production and cell proliferation in AtT-20 cells. <i>Pituitary</i> , 2015, 18, 542-553.	1.6	20

#	ARTICLE	IF	CITATIONS
91	Is fatty liver indicative of a risk of metabolic syndrome among non-obese subjects?. <i>Diabetology International</i> , 2015, 6, 188-189.	0.7	0
92	Isolated low-HDL cholesterol in Japanese patients with type 2 diabetes. <i>Diabetology International</i> , 2015, 6, 290-299.	0.7	0
93	Impact of classical risk factors of type 2 diabetes among Asian Indian, Chinese and Japanese populations. <i>Diabetes and Metabolism</i> , 2015, 41, 401-409.	1.4	19
94	Lower aldosterone-renin ratio is a risk factor for total and cancer death in Japanese individuals: the Takahata study. <i>Clinical Endocrinology</i> , 2015, 82, 489-496.	1.2	1
95	A Novel Deletion Mutation in the Men1 Gene in a Patient with Prolactinoma and a Family History of Pancreatic Tumors. <i>Endocrine Practice</i> , 2014, 20, e162-e165.	1.1	0
96	FTO genetic variants, dietary intake and body mass index: insights from 177 330 individuals. <i>Human Molecular Genetics</i> , 2014, 23, 6961-6972.	1.4	143
97	PO413 ADMINISTRATION OF SGLT-2 INHIBITOR IPRAGLIFROZIN IMPROVES GLYCEMIC CONTROL AND REDUCES THE BODY WEIGHT AND BODY FAT MASS IN OBESE JAPANESE PATIENTS WITH TYPE 2 DIABETES MELLITUS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S256.	1.1	1
98	PO186 THE EFFICACY OF SITAGLIPTIN ON INSULIN TREATMENT FOR JAPANESE PATIENTS WITH TYPE 2 DIABETES MELLITUS. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S142.	1.1	0
99	Glycated Hemoglobin Measurement and Prediction of Cardiovascular Disease. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 1225.	3.8	179
100	Multivariate meta-analysis of the association of G-protein beta 3 gene (GNB3) haplotypes with cardiovascular phenotypes. <i>Molecular Biology Reports</i> , 2014, 41, 3113-3125.	1.0	7
101	Stimulation of corticotropin-releasing factor gene expression by FosB in rat hypothalamic 4B cells. <i>Peptides</i> , 2014, 51, 59-64.	1.2	11
102	Inhibitory effects of SOM230 on adrenocorticotrophic hormone production and corticotroph tumor cell proliferation in vitro and in vivo. <i>Molecular and Cellular Endocrinology</i> , 2014, 394, 37-46.	1.6	16
103	Ultraviolet B radiation-stimulated urocortin 1 is involved in tyrosinase-related protein 1 production in human melanoma HMV-II cells. <i>Peptides</i> , 2014, 61, 93-97.	1.2	2
104	Pathophysiology and treatment of subclinical Cushing's disease and pituitary silent corticotroph adenomas [Review]. <i>Endocrine Journal</i> , 2014, 61, 941-948.	0.7	11
105	Likelihood ratio-based integrated personal risk assessment of type 2 diabetes. <i>Endocrine Journal</i> , 2014, 61, 967-988.	0.7	1
106	Association of Heart-Type Fatty Acid-Binding Protein with Cardiovascular Risk Factors and All-Cause Mortality in the General Population: The Takahata Study. <i>PLoS ONE</i> , 2014, 9, e94834.	1.1	41
107	A case of ectopic ACTH syndrome treated with intermittent administration of dopamine agonists. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2014, 2014, 140001.	0.2	2
108	Five-year incidence of branch retinal vein occlusion and its systemic and retinal risk associations: The Funagata study. <i>Acta Ophthalmologica</i> , 2014, 92, 0-0.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Regulation of corticotropin-releasing factor and urocortin 2/3 mRNA by leptin in hypothalamic N39 cells. <i>Peptides</i> , 2013, 50, 1-7.	1.2	10
110	Albuminuria is an independent predictor of all-cause and cardiovascular mortality in the Japanese population: the Takahata study. <i>Clinical and Experimental Nephrology</i> , 2013, 17, 805-810.	0.7	35
111	A novel G168X mutation and a recurrent 730-731delCT mutation of the porphobilinogen deaminase gene in Japanese patients with acute intermittent porphyria. <i>Blood Cells, Molecules, and Diseases</i> , 2013, 51, 130-131.	0.6	1
112	Lower physical activity is a risk factor for a clustering of metabolic risk factors in non-obese and obese Japanese subjects: The Takahata study. <i>Endocrine Journal</i> , 2013, 60, 617-628.	0.7	9
113	A Lower Level of Forced Expiratory Volume in 1 Second Is a Risk Factor for All-Cause and Cardiovascular Mortality in a Japanese Population: The Takahata Study. <i>PLoS ONE</i> , 2013, 8, e83725.	1.1	38
114	Thyroid Dysfunction in Patients Treated with Tyrosine Kinase Inhibitors, Sunitinib, Sorafenib and Axitinib, for Metastatic Renal Cell Carcinoma. <i>Japanese Journal of Clinical Oncology</i> , 2012, 42, 742-747.	0.6	39
115	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 1419-1433.	0.9	230
116	Serum Glycerophosphate Levels are Increased in Japanese Men with Type 2 Diabetes. <i>Internal Medicine</i> , 2012, 51, 545-551.	0.3	8
117	Higher plasma renin activity is a risk factor for total mortality in older Japanese individuals: the Takahata study. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 504-511.	1.5	19
118	Determinants and Risk Factors for Central Corneal Thickness in Japanese Persons: The Funagata Study. <i>Ophthalmic Epidemiology</i> , 2011, 18, 244-249.	0.8	33
119	Is retinal vasculature change associated with risk of obesity? Longitudinal cohort study in Japanese adults: The Funagata study. <i>Journal of Diabetes Investigation</i> , 2011, 2, 225-232.	1.1	9
120	Plasma Fibrinogen, Global Cognitive Function, and Cerebral Small Vessel Disease: Results of a Cross-Sectional Study in Community-Dwelling Japanese Elderly. <i>Internal Medicine</i> , 2011, 50, 999-1007.	0.3	28
121	Impaired Glucose Metabolism Slows Executive Function Independent of Cerebral Ischemic Lesions in Japanese Elderly: The Takahata Study. <i>Internal Medicine</i> , 2011, 50, 1671-1678.	0.3	8
122	Association of the clusterin gene polymorphisms with type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 815-822.	1.5	46
123	Assessment of plasma glucose cutoff values to predict the development of type 2 diabetes in a Japanese sample: the Funagata Study. <i>Diabetology International</i> , 2011, 2, 26-31.	0.7	2
124	Association of the Common Fat Mass and Obesity Associated (FTO) Gene Polymorphism with Obesity in a Japanese Population. <i>Endocrine Journal</i> , 2010, 57, 293-301.	0.7	55
125	Retinal Arteriolar Narrowing Predicts 5-Year Risk of Hypertension in Japanese People: The Funagata Study. <i>Microcirculation</i> , 2010, 17, 94-102.	1.0	61
126	Relationship between Alcohol Consumption and Serum Adiponectin Levels: The Takahata Study—a Cross-Sectional Study of a Healthy Japanese Population. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 3828-3835.	1.8	22

#	ARTICLE	IF	CITATIONS
127	Hemoglobin A1c in predicting progression to diabetes. <i>Diabetes Research and Clinical Practice</i> , 2010, 87, 126-131.	1.1	25
128	Association of the Ser326Cys polymorphism in the OGG1 gene with type 2 DM. <i>Biochemical and Biophysical Research Communications</i> , 2009, 386, 26-29.	1.0	28
129	Asymptomatic ventriculomegaly with features of idiopathic normal pressure hydrocephalus on MRI (AVIM) in the elderly: A prospective study in a Japanese population. <i>Journal of the Neurological Sciences</i> , 2009, 277, 54-57.	0.3	157
130	Impact of metabolic syndrome on elevated serum alanine aminotransferase levels in the Japanese population. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1067-1075.	1.5	27
131	Association of an intronic haplotype of the LIPC gene with hyperalphalipoproteinemia in two independent populations. <i>Journal of Human Genetics</i> , 2008, 53, 193-200.	1.1	12
132	Cerebral small vessel disease and C-reactive protein: Results of a cross-sectional study in community-based Japanese elderly. <i>Journal of the Neurological Sciences</i> , 2008, 264, 43-49.	0.3	41
133	Cerebral small vessel disease and chronic kidney disease (CKD): Results of a cross-sectional study in community-based Japanese elderly. <i>Journal of the Neurological Sciences</i> , 2008, 272, 36-42.	0.3	93
134	Impaired glucose tolerance is a risk factor for stroke in a Japanese sample—the Funagata study. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 333-338.	1.5	45
135	Prevalence and Risk Factors for Age-Related Macular Degeneration in an Adult Japanese Population. <i>Ophthalmology</i> , 2008, 115, 1376-1381.e2.	2.5	121
136	Ghrelin infused into the portal vein inhibits glucose-stimulated insulin secretion in Wistar rats. <i>Peptides</i> , 2008, 29, 1241-1246.	1.2	32
137	Association of the PIK3C2G gene polymorphisms with type 2 DM in a Japanese population. <i>Biochemical and Biophysical Research Communications</i> , 2008, 365, 466-471.	1.0	52
138	A functional polymorphism of the TNF- β gene that is associated with type 2 DM. <i>Biochemical and Biophysical Research Communications</i> , 2008, 369, 943-947.	1.0	22
139	Salt consumption-dependent association of the GNB3 gene polymorphism with type 2 DM. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 576-580.	1.0	22
140	A novel 12-base pair deletion mutation in exon 15 of the porphobilinogen deaminase gene in a Taiwanese patient with acute intermittent porphyria. <i>Blood Cells, Molecules, and Diseases</i> , 2008, 41, 202.	0.6	1
141	Genetic Association between Aldehyde Dehydrogenase 2 (ALDH2) Variation and High-Density Lipoprotein Cholesterol (HDL-C) Among Non-Drinkers in Two Large Population Samples in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2008, 15, 179-184.	0.9	30
142	A Palatinose-Based Balanced Formula Improves Glucose Tolerance, Serum Free Fatty Acid Levels and Body Fat Composition. <i>Tohoku Journal of Experimental Medicine</i> , 2007, 212, 91-99.	0.5	28
143	Combined Use of Fasting Plasma Glucose and Glycated Hemoglobin A1c in a Stepwise Fashion to Detect Undiagnosed Diabetes Mellitus. <i>Tohoku Journal of Experimental Medicine</i> , 2007, 213, 25-32.	0.5	3
144	Is the measurement of glycated hemoglobin A1c alone an efficient screening test for undiagnosed diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 251-256.	1.1	63

#	ARTICLE	IF	CITATIONS
145	Microalbuminuria is a risk factor for cerebral small vessel disease in community-based elderly subjects. <i>Journal of the Neurological Sciences</i> , 2007, 255, 27-34.	0.3	100
146	Correlation between change in body weight rather than current body weight and change in serum adiponectin levels in a Japanese population—the Funagata study. <i>Metabolism: Clinical and Experimental</i> , 2006, 55, 324-330.	1.5	16
147	Cardiovascular Risk Factors and Retinal Microvascular Signs in an Adult Japanese Population: The Funagata Study. <i>Ophthalmology</i> , 2006, 113, 1378-1384.	2.5	81
148	A Proposal for the Cutoff Point of Waist Circumference for the Diagnosis of Metabolic Syndrome in the Japanese Population. <i>Circulation Journal</i> , 2006, 70, 1663.	0.7	10
149	The Role of G-Protein-Coupled Receptor Kinase 5 in Pathogenesis of Sporadic Parkinson's Disease. <i>Journal of Neuroscience</i> , 2006, 26, 9227-9238.	1.7	116
150	Association of the ABCA1 gene polymorphisms with type 2 DM in a Japanese population. <i>Biochemical and Biophysical Research Communications</i> , 2005, 329, 205-210.	1.0	36
151	Insulin inhibits glucagon-induced glycogenolysis normally in perivenous hepatocytes of Wistar fatty rats. <i>Diabetes Research and Clinical Practice</i> , 2005, 69, 120-123.	1.1	1
152	Association of decrease in serum dehydroepiandrosterone sulfate levels with the progression to type 2 diabetes in men of a Japanese population: The Funagata Study. <i>Metabolism: Clinical and Experimental</i> , 2005, 54, 669-676.	1.5	34
153	A human granin-like neuroendocrine peptide precursor (proSAAS) immunoreactivity in tau inclusions of Alzheimer's disease and parkinsonism—dementia complex on Guam. <i>Neuroscience Letters</i> , 2004, 356, 49-52.	1.0	25
154	Large-scale search of SNPs for type 2 DM susceptibility genes in a Japanese population. <i>Biochemical and Biophysical Research Communications</i> , 2003, 302, 751-758.	1.0	34
155	An N-terminal fragment of ProSAAS (a granin-like neuroendocrine peptide precursor) is associated with tau inclusions in Pick's disease. <i>Biochemical and Biophysical Research Communications</i> , 2003, 308, 646-654.	1.0	26
156	Decreased Serum Levels of Adiponectin Are a Risk Factor for the Progression to Type 2 Diabetes in the Japanese Population: The Funagata study. <i>Diabetes Care</i> , 2003, 26, 2015-2020.	4.3	326
157	The D Allele of the Angiotensin-Converting Enzyme Insertion/Deletion (I/D) Polymorphism is a Risk Factor for Type 2 Diabetes in a Population-Based Japanese Sample. <i>Endocrine Journal</i> , 2003, 50, 393-398.	0.7	42
158	Increased Urinary Levels of Pentosidine, Pyrraline and Acrolein Adduct in Type 2 Diabetes. <i>Endocrine Journal</i> , 2003, 50, 61-67.	0.7	70
159	The Long, but not the Short, Presequence of Human Coproporphyrinogen Oxidase is Essential for Its Import and Sorting to Mitochondria. <i>Tohoku Journal of Experimental Medicine</i> , 2003, 200, 39-45.	0.5	4
160	Heme inhibits the mitochondrial import of coproporphyrinogen oxidase. <i>Blood</i> , 2002, 100, 4678-4678.	0.6	7
161	Calpain 10 gene polymorphisms are related, not to type 2 diabetes, but to increased serum cholesterol in Japanese. <i>Diabetes Research and Clinical Practice</i> , 2002, 56, 147-152.	1.1	61
162	Galectin-1 Is a Component of Neurofilamentous Lesions in Sporadic and Familial Amyotrophic Lateral Sclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2001, 282, 166-172.	1.0	35

#	ARTICLE	IF	CITATIONS
163	Characterization of an inhibitory effect of pioglitazone on balloon-injured vascular smooth muscle cell growth. <i>Metabolism: Clinical and Experimental</i> , 2001, 50, 955-962.	1.5	32
164	Neonatal-onset hereditary coproporphyria with male pseudohermaphrodisism. <i>Blood</i> , 2001, 98, 3871-3873.	0.6	6
165	Hypoceruloplasminemia in Neurological Diseases. <i>Internal Medicine</i> , 2001, 40, 548-549.	0.3	2
166	Candesartan Inhibits Carotid Intimal Thickening and Ameliorates Insulin Resistance in Balloon-Injured Diabetic Rats. <i>Hypertension</i> , 2001, 38, 1255-1259.	1.3	35
167	A Novel Mutation of the Ceruloplasmin Gene in a Patient with Heteroallelic Ceruloplasmin Gene Mutation (HypoCPGM). <i>Tohoku Journal of Experimental Medicine</i> , 2000, 191, 119-125.	0.5	27
168	Thiazolidinediones Exert Different Effects on Insulin Resistance between Dexamethasone-Treated Rats and Wistar Fatty Rats.. <i>Endocrine Journal</i> , 2000, 47, 21-28.	0.7	7
169	Increase in Serum Ceruloplasmin with Aging is not Observed in Type 2 Diabetes.. <i>Endocrine Journal</i> , 2000, 47, 215-219.	0.7	3
170	Fine Structure of the Human Translocation Protein 1 (HTP1/TLOC1) Gene. <i>IUBMB Life</i> , 1999, 48, 619-624.	1.5	1
171	Identification of a novel mutation of the CPO gene in a Japanese hereditary coproporphyria family. , 1998, 80, 204-206.		3
172	Impaired vagus nerve-mediated control of insulin secretion in Wistar fatty rats. <i>Metabolism: Clinical and Experimental</i> , 1998, 47, 1167-1173.	1.5	17
173	Increased Epinephrine-Induced cAMP Response in Severely Diabetic BB/W Rat Liver.. <i>Endocrine Journal</i> , 1997, 44, 725-732.	0.7	1
174	Antibodies to the HIV-1 p17 Protein Cross-React with Human Superoxide Dismutase-2. <i>Biochemical and Biophysical Research Communications</i> , 1997, 230, 184-187.	1.0	5
175	Identification of a Human cDNA Homologue to the <i>Drosophila</i> Translocation Protein 1 (Dtrp1). <i>Biochemical and Biophysical Research Communications</i> , 1997, 230, 100-104.	1.0	17
176	Islet changes in hereditary ceruloplasmin deficiency. <i>Human Pathology</i> , 1997, 28, 499-502.	1.1	18
177	Hereditary ceruloplasmin deficiency: A cerebro-retino-diabetic disease. <i>Neuropathology</i> , 1997, 17, 71-75.	0.7	2
178	A novel autoantibody in paraneoplastic sensory-dominant neuropathy. <i>Neuropathology</i> , 1997, 17, 89-93.	0.7	4
179	EFFECT OF GLUCAGON-LIKE PEPTIDE 1 (7-37) ON<i> IN VIVO</i> INSULIN SENSITIVITY IN RATS . <i>Biomedical Research</i> , 1996, 17, 323-326.	0.3	0
180	Insulin-Like Growth Factor I Resistance in Peripheral Tissue but not in Liver in Streptozotocin-Induced Diabetic Rats.. <i>Endocrine Journal</i> , 1995, 42, 397-403.	0.7	4

#	ARTICLE	IF	CITATIONS
181	Thiazolidinediones (AD-4833 and CS-045) Improve Hepatic Insulin Resistance in Streptozotocin-Induced Diabetic Rats.. Endocrine Journal, 1993, 40, 343-349.	0.7	49
182	Differences in glucagon-like peptide-1 and GIP responses following sucrose ingestion. Diabetes Research and Clinical Practice, 1992, 15, 187-195.	1.1	54
183	Sepsis inhibits insulin-stimulated glucose transport in isolated rat adipocytes. Diabetes Research and Clinical Practice, 1992, 15, 213-218.	1.1	16
184	Changes of aldolase A and B messenger RNA levels in rat liver during azo-dye-induced hepatocarcinogenesis. Biochemical and Biophysical Research Communications, 1984, 124, 337-343.	1.0	11