

Ali Rıza Demir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4203789/publications.pdf>

Version: 2024-02-01

60
papers

262
citations

1163117

8
h-index

1125743

13
g-index

61
all docs

61
docs citations

61
times ranked

332
citing authors

#	ARTICLE	IF	CITATIONS
1	Conscious sedation versus general anesthesia for transcatheter aortic valve implantation in patients with severe chronic obstructive pulmonary disease. <i>Perfusion (United Kingdom)</i> , 2023, 38, 186-192.	1.0	1
2	C-reactive protein to albumin ratio provides important long-term prognostic information in patients undergoing endovascular abdominal aortic repair. <i>Vascular</i> , 2023, 31, 270-278.	0.9	1
3	A simplified acute kidney injury predictor following endovascular aortic repair: ACEF score. <i>Vascular</i> , 2022, , 170853812110594.	0.9	0
4	Electrocardiographic changes after breast reduction surgery. <i>Journal of Plastic Surgery and Hand Surgery</i> , 2022, , 1-4.	0.8	0
5	Assessment of treatment patterns and patient awareness in atrial fibrillation patients using non-vitamin K antagonist oral anticoagulants (ASPECT-NOAC). <i>IJC Heart and Vasculature</i> , 2022, 39, 100989.	1.1	0
6	Association of red blood cell distribution width, systemic-immune-inflammation index and poor cardiovascular outcomes in patients with newly diagnosed hypertension. <i>Clinical and Experimental Hypertension</i> , 2022, 44, 530-538.	1.3	14
7	Malnutrition provides important long-term prognostic information in patients undergoing endovascular abdominal aortic aneurysm repair. <i>Vascular</i> , 2021, 29, 330-339.	0.9	3
8	The predictive value of CHADS2 score for subclinical cerebral ischemia after carotid artery stenting (from the PREVENT-2 CAS trial). <i>Catheterization and Cardiovascular Interventions</i> , 2021, 97, 301-309.	1.7	2
9	Clinical efficacy and safety of the PRO-glide device as a suture-mediated ClosurE in Thoracic EndoVascular Aortic Repair in patients with previous groin intervention (from the PRODUCE-TEVAR) <i>TJ ETQq1 1 0.764314 rgBT /Overl</i>	1.4	1
10	Utility of logistic clinical SYNTAX score in prediction of in-hospital mortality in ST-elevation myocardial infarction patients undergoing emergent coronary artery bypass graft surgery. <i>Journal of Cardiac Surgery</i> , 2021, 36, 857-863.	0.7	0
11	Determination of Cerebrovascular Accident Predictors in Patients with New-Onset Atrial Fibrillation After Coronary Artery Bypass Graft Surgery. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021, 30, 105591.	1.6	1
12	Detection of a rare cause of pulmonary hypertension by multimodality imaging: Left ventricular endomyocardial fibrosis. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 520-524.	0.8	1
13	Epicardial adipose tissue volume predicts long term major adverse cardiovascular events in patients with Type 2 diabetes. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2021, 49, 127-134.	0.5	11
14	Predictors of long-term mortality in acute ST-elevation myocardial infarction patients undergoing emergent coronary artery bypass graft surgery. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2021, 49, 191-197.	0.5	1
15	Impact of different degrees of computed tomography-based oversizing on clinical outcomes after transcatheter aortic valve implantation using the Portico system. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2021, 49, 180-190.	0.5	0
16	A simplified acute kidney injury predictor following transcatheter aortic valve implantation: the ACEF score. <i>Kardiologia Polska</i> , 2021, 79, 662-668.	0.6	5
17	Which is responsible for target organ damage in masked hypertension? Is it an increase in blood pressure or a disruption of the circadian rhythm?. <i>Clinical and Experimental Hypertension</i> , 2021, 43, 579-585.	1.3	3
18	Determination of Predictors of Acute Kidney Injury in Patients with Coronary Bifurcation Lesions Revascularized with the Two-Stent Strategy. <i>KoÅuyolu Heart Journal</i> , 2021, 24, 15-24.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Does patent foramen ovale presence procure favourable outcomes in patients with severe rheumatic mitral stenosis?. <i>International Journal of Cardiovascular Imaging</i> , 2021, 37, 2871-2879.	1.5	2
20	Acute effects of inhaled iloprost on intracardiac conduction in patients with pulmonary arterial hypertension. <i>Herz</i> , 2021, , 1.	1.1	0
21	RelaÅšão entre o Realce Tardio pelo GadolÃnio e os ParÃmetros de RepolarizaÅšão Ventricular em Pacientes com InsuficiÃncia CardÃaca com FraÅšÃo de EjeÅšÃo Reduzida. <i>Arquivos Brasileiros De Cardiologia</i> , 2021, 117, 678-687.	0.8	2
22	Association Between Nutritional Indices and Long-Term Outcomes in Patients Undergoing Isolated Coronary Artery Bypass Grafting. <i>Cureus</i> , 2021, 13, e16567.	0.5	7
23	Predicting long-term cardiovascular outcomes in myocardial infarction survivors using multiple biomarkers. <i>Biomarkers in Medicine</i> , 2021, 15, 899-910.	1.4	3
24	The relationship between plasma proadrenomedullin level and severity of the disease in patients with isolated rheumatic mitral stenosis. , 2021, 49, 522-532.		0
25	Novel markers of ventricular repolarization are associated with mortality in patients undergoing surgical aortic valve replacement for severe aortic stenosis. <i>Journal of Cardiac Surgery</i> , 2021, 36, 4591-4596.	0.7	0
26	The role of three dimensional transesophageal echocardiography novel-score in the success of redo percutaneous balloon mitral valvuloplasty. <i>International Journal of Cardiovascular Imaging</i> , 2021, , 1.	1.5	0
27	Association Between Bifurcation Angle and Coronary No-reflow Following Primary Percutaneous Coronary Intervention in Patients. <i>Bagcilar Medical Bulletin</i> , 2021, .	0.1	0
28	Role of N-terminal pro-B-type natriuretic peptide and troponin T in predicting right ventricular recovery in myocardial infarction. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2021, .	0.7	1
29	Decreased neurotensin levels as a biomarker in resistant hypertension. <i>Clinical and Experimental Hypertension</i> , 2020, 42, 266-270.	1.3	2
30	Comparison between Percutaneous and surgical femoral access for endovascular aortic repair in patients with type III aortic dissection (PRECLOSE Trial). <i>Vascular</i> , 2020, 29, 170853812096531.	0.9	4
31	The effect of Ramadan fasting on ambulatory blood pressure in treated hypertensive patients using diuretics. <i>Blood Pressure Monitoring</i> , 2020, 25, 195-200.	0.8	5
32	The prognostic value of fQRSTa in patients with aortic stenosis undergoing surgical aortic valve replacement. <i>Journal of Cardiac Surgery</i> , 2020, 35, 2627-2632.	0.7	2
33	Effect of lung resection on electrocardiography. <i>Journal of Electrocardiology</i> , 2020, 62, 155-160.	0.9	1
34	Evaluation of early electrocardiographic changes after successful percutaneous stent implantation to isolated coarctation of aorta. <i>Journal of Electrocardiology</i> , 2020, 63, 124-128.	0.9	0
35	Echocardiographic detection of left atrium and left ventricle tumoral invasion via the left upper pulmonary vein, leading to the diagnosis of lung cancer. <i>Journal of Clinical Ultrasound</i> , 2020, 48, 565-568.	0.8	0
36	Predicting long-term cardiovascular outcomes of patients with acute myocardial infarction using soluble ST2. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2020, 41, .	0.7	4

#	ARTICLE	IF	CITATIONS
37	The prognostic value of elevated matrix metalloproteinase-9 in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction: A two-year prospective study. <i>Revista Portuguesa De Cardiologia</i> , 2020, 39, 267-276.	0.5	9
38	Improvement of the frontal QRS-T angle after successful percutaneous coronary revascularization in patients with chronic total occlusion. <i>Coronary Artery Disease</i> , 2020, 31, 716-721.	0.7	4
39	The Prognostic Value of C-reactive Protein to Albumin Ratio in Patients with Isolated Degenerative Aortic Valve Stenosis Undergoing Surgical Aortic Valve Replacement. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2020, 35, 299-306.	0.6	14
40	Usefulness of membranous septum length in the prediction of major conduction disturbances in patients undergoing transcatheter aortic valve replacement with different devices. <i>Kardiologia Polska</i> , 2020, 78, 1020-1028.	0.6	3
41	A rare cause of mitral regurgitation after aortic valve replacement: iatrogenic mitral valve perforation. <i>Anatolian Journal of Cardiology</i> , 2020, 25, 53-54.	0.9	0
42	Right Atrial Mass In A Patient With Hepatocellular Carcinoma and Budd-Chiari Syndrome. <i>Ä°stanbul Kuzey Klinikleri</i> , 2020, 7, 292-293.	0.3	0
43	The impact of coronary artery disease severity on long term outcomes in unprotected left main coronary artery revascularization. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2020, 49, 8-21.	0.5	1
44	Perceived stress level is associated with coronary artery disease severity in patients with ST segment elevation myocardial infarction. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2020, 48, 494-503.	0.5	7
45	CHA2DS2-VASc score as a predictor of no-reflow phenomenon after saphenous vein graft percutaneous coronary intervention in patients with non-Ä°ST-segment elevation acute coronary syndromes. <i>Kardiologia Polska</i> , 2020, 78, 1129-1136.	0.6	4
46	The prognostic value of frontal QRS-T angle in patients undergoing transcatheter aortic valve implantation. <i>Journal of Electrocardiology</i> , 2019, 55, 97-101.	0.9	8
47	The relationship between myocardial fibrosis detected by cardiac magnetic resonance and Tp-e interval, 5-Ä°year sudden cardiac death risk score in hypertrophic cardiomyopathy patients. <i>Annals of Noninvasive Electrocardiology</i> , 2019, 24, e12672.	1.1	5
48	The Elevated Soluble ST2 Predicts No-Reflow Phenomenon in ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 970-978.	2.0	22
49	Usefulness of plateletcrit in the prediction of major adverse cardiac and cerebrovascular events in patients with carotid artery stenosis. <i>Vascular</i> , 2019, 27, 479-486.	0.9	9
50	MicroRNA 199a Is Downregulated in Patients After Coronary Artery Bypass Graft Surgery and Is Associated with Increased Levels of Sirtuin 1 (SIRT 1) Protein and Major Adverse Cardiovascular Events at 3-Year Follow-Up. <i>Medical Science Monitor</i> , 2018, 24, 6245-6254.	1.1	18
51	Evaluation of Tp-e interval, Tp-e/QT and Tp-e/QTc ratio in aortic valve stenosis before and after transcatheter aortic valve implantation. <i>Journal of Electrocardiology</i> , 2018, 51, 949-954.	0.9	8
52	The Relationship Between Aspirin Resistance and Carotid Imaging in Young Patients With ST-Segment Elevated Myocardial Infarction: A Cross-Sectional Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018, 24, 1358-1364.	1.7	0
53	Long Term Cardiovascular Outcome Based on Aspirin and Clopidogrel Responsiveness Status in Young ST-Elevated Myocardial Infarction Patients. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 112, 138-146.	0.8	2
54	Microvolt T-wave alternans in young myocardial infarction patients with preserved cardiac function treated with single-vessel primary percutaneous coronary intervention. <i>Archives of Medical Sciences Atherosclerotic Diseases</i> , 2016, 1, 68-74.	1.0	1

#	ARTICLE	IF	CITATIONS
55	Rise of serum troponin levels following uncomplicated elective percutaneous coronary interventions in patients without clinical and procedural signs suggestive of myocardial necrosis. <i>Postępy W Kardiologii Interwencyjnej</i> , 2016, 1, 41-48.	0.2	6
56	Elective percutaneous coronary intervention leads to significant changes in serum resistin, leptin, and adiponectin levels regardless of periprocedural myocardial injury: an observational study. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 940-946.	0.9	3
57	Long-term prognostic value of elevated pentraxin 3 in patients undergoing primary angioplasty for ST-elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2015, 26, 592-597.	0.7	22
58	Impact of increased admission lipid levels on periprocedural myocardial injury following an elective percutaneous coronary intervention. <i>Coronary Artery Disease</i> , 2015, 26, 333-340.	0.7	5
59	Predictive Value of a Fragmented QRS Complex in Patients Undergoing Primary Angioplasty for ST Elevation Myocardial Infarction. <i>Annals of Noninvasive Electrocardiology</i> , 2015, 20, 263-272.	1.1	31
60	TAPSE/sPAP predicts the long-term prognosis in pulmonary arterial hypertension patients. <i>KoÅŸuyolu Heart Journal</i> , 0, , .	0.1	1