
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4204398/publications.pdf Version: 2024-02-01



ΙΙΔΝΙ ΗΙΙΔ

| #  | Article   | lF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Reduction of the canonical function of a glycolytic enzyme enolase triggers immune responses that further affect metabolism and growth in Arabidopsis. Plant Cell, 2022, 34, 1745-1767.                           | 3.1 | 15        |
| 2  | N4-acetyldeoxycytosine DNA modification marks euchromatin regions in Arabidopsis thaliana. Genome<br>Biology, 2022, 23, 5.  | 3.8 | 14        |
| 3  | In situ deletions reveal regulatory components for expression of an intracellular immune receptor gene and its coâ€expressed genes in Arabidopsis. Plant, Cell and Environment, 2022, , .                         | 2.8 | 2         |
| 4  | Heterologous expression of the Haynaldia villosa pattern-recognition receptor CERK1-V in wheat increases resistance to three fungal diseases. Crop Journal, 2022, 10, 1733-1745.                                  | 2.3 | 7         |
| 5  | Dehydration-Responsive Element Binding Protein 1C, 1E, and 1G Promote Stress Tolerance to Chilling,<br>Heat, Drought, and Salt in Rice. Frontiers in Plant Science, 2022, 13, .                                   | 1.7 | 10        |
| 6  | Arabidopsis immune-associated nucleotide-binding genes repress heat tolerance at the reproductive stage by inhibiting the unfolded protein response and promoting cell death. Molecular Plant, 2021, 14, 267-284. | 3.9 | 15        |
| 7  | Polymorphisms in <i>cis</i> â€elements confer <i>SAUR26</i> gene expression difference for thermoâ€response natural variation in Arabidopsis. New Phytologist, 2021, 229, 2751-2764.                              | 3.5 | 19        |
| 8  | A Meta-Analysis Reveals Opposite Effects of Biotic and Abiotic Stresses on Transcript Levels of<br>Arabidopsis Intracellular Immune Receptor Genes. Frontiers in Plant Science, 2021, 12, 625729.                 | 1.7 | 12        |
| 9  | Identification and expression analysis of chloroplast ribonucleoproteins (cpRNPs) in Arabidopsis and rice. Genome, 2021, 64, 515-524.   | 0.9 | 4         |
| 10 | HsfA1d promotes hypocotyl elongation under chilling via enhancing expression of ribosomal protein<br>genes in Arabidopsis. New Phytologist, 2021, 231, 646-660.   | 3.5 | 11        |
| 11 | Tissue-level transcriptomic responses to local and distal chilling reveal potential chilling survival mechanisms in maize. Journal of Experimental Botany, 2021, , .  | 2.4 | 4         |
| 12 | ISWI chromatin remodeling factors repress PAD4-mediated plant immune responses in Arabidopsis.<br>Biochemical and Biophysical Research Communications, 2021, 583, 63-70.  | 1.0 | 5         |
| 13 | HOS15 and HDA9 negatively regulate immunity through histone deacetylation of intracellular immune receptor NLR genes in Arabidopsis. New Phytologist, 2020, 226, 507-522.   | 3.5 | 48        |
| 14 | BONZAI Proteins Control Global Osmotic Stress Responses in Plants. Current Biology, 2020, 30,<br>4815-4825.e4.  | 1.8 | 39        |
| 15 | CYCLIC NUCLEOTIDE-GATED ION CHANNELs 14 and 16 Promote Tolerance to Heat and Chilling in Rice.<br>Plant Physiology, 2020, 183, 1794-1808.   | 2.3 | 93        |
| 16 | Nuclear pore complex components have temperatureâ€influenced roles in plant growth and immunity.<br>Plant, Cell and Environment, 2020, 43, 1452-1466.   | 2.8 | 20        |
| 17 | Interactive Effects of Light Quality and Temperature on Arabidopsis Growth and Immunity. Plant and<br>Cell Physiology, 2020, 61, 933-941.   | 1.5 | 10        |
| 18 | Low Temperature Enhances Plant Immunity via Salicylic Acid Pathway Genes That Are Repressed by<br>Ethylene. Plant Physiology, 2020, 182, 626-639.   | 2.3 | 40        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Cell autonomous and non-autonomous functions of plant intracellular immune receptors in stomatal defense andÂapoplastic defense. PLoS Pathogens, 2019, 15, e1008094.                        | 2.1 | 11        |
| 20 | PUB25 and PUB26 Promote Plant Freezing Tolerance by Degrading the Cold Signaling Negative Regulator MYB15. Developmental Cell, 2019, 51, 222-235.e5.  | 3.1 | 105       |
| 21 | Natural variations of growth thermoâ€responsiveness determined by <scp>SAUR</scp> 26/27/28 proteins<br>in <i>Arabidopsis thaliana</i> . New Phytologist, 2019, 224, 291-305.                | 3.5 | 16        |
| 22 | Measuring Cell Ploidy Level in Arabidopsis thaliana by Flow Cytometry. Methods in Molecular Biology,<br>2019, 1991, 101-106.  | 0.4 | 11        |
| 23 | <scp>EGR</scp> 2 phosphatase regulates <scp>OST</scp> 1 kinase activity and freezing tolerance in <i>Arabidopsis</i> . EMBO Journal, 2019, 38, .  | 3.5 | 100       |
| 24 | Overlapping and differential roles of plasma membrane calcium ATPases in Arabidopsis growth and environmental responses. Journal of Experimental Botany, 2018, 69, 2693-2703.               | 2.4 | 35        |
| 25 | Rice copine genes <i>Os<scp>BON</scp>1</i> and <i>Os<scp>BON</scp>3</i> function as suppressors of broadâ€spectrum disease resistance. Plant Biotechnology Journal, 2018, 16, 1476-1487.    | 4.1 | 27        |
| 26 | Natural variation reveals that OsSAP16 controls low-temperature germination in rice. Journal of Experimental Botany, 2018, 69, 413-421.   | 2.4 | 81        |
| 27 | <scp>MOS</scp> 1 functions closely with <scp>TCP</scp> transcription factors to modulate immunity and cell cycle in Arabidopsis. Plant Journal, 2018, 93, 66-78.                            | 2.8 | 42        |
| 28 | Silencing of copine genes confers common wheat enhanced resistance to powdery mildew. Molecular<br>Plant Pathology, 2018, 19, 1343-1352.  | 2.0 | 25        |
| 29 | Genotyping-by-sequencing of Brassica oleracea vegetables reveals unique phylogenetic patterns, population structure and domestication footprints. Horticulture Research, 2018, 5, 38.       | 2.9 | 37        |
| 30 | Mapping and Cloning of Chemical Induced Mutations by Whole-Genome Sequencing of Bulked<br>Segregants. Methods in Molecular Biology, 2017, 1578, 285-289.                                    | 0.4 | 4         |
| 31 | A Role of Cytokinin Transporter in <i>Arabidopsis</i> Immunity. Molecular Plant-Microbe Interactions, 2017, 30, 325-333.  | 1.4 | 12        |
| 32 | Sumoylation E3 Ligase SIZ1 Modulates Plant Immunity Partly through the Immune Receptor Gene<br><i>SNC1</i> in <i>Arabidopsis</i> . Molecular Plant-Microbe Interactions, 2017, 30, 334-342. | 1.4 | 42        |
| 33 | Calcium Pumps and Interacting BON1 Protein Modulate Calcium Signature, Stomatal Closure, and Plant Immunity. Plant Physiology, 2017, 175, 424-437.  | 2.3 | 66        |
| 34 | The Arabidopsis Chromatin-Remodeling Factor CHR5 Regulates Plant Immune Responses and Nucleosome Occupancy. Plant and Cell Physiology, 2017, 58, 2202-2216.                                 | 1.5 | 40        |
| 35 | Defining roles of tandemly arrayed <i>CBF</i> genes in freezing tolerance with new genome editing tools. New Phytologist, 2016, 212, 301-302.   | 3.5 | 7         |
| 36 | Identification and analysis of copine/BONZAI proteins among evolutionarily diverse plant species.<br>Genome, 2016, 59, 565-573.   | 0.9 | 12        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Expression and promoter analysis of the OsHSP16.9C gene in rice. Biochemical and Biophysical Research Communications, 2016, 479, 260-265.   | 1.0 | 4         |
| 38 | Chloroplast RNA-Binding Protein RBD1 Promotes Chilling Tolerance through 23S rRNA Processing in Arabidopsis. PLoS Genetics, 2016, 12, e1006027.   | 1.5 | 45        |
| 39 | Linking the Cell Cycle with Innate Immunity in Arabidopsis. Molecular Plant, 2015, 8, 980-982.  | 3.9 | 13        |
| 40 | Opposing effects on two phases of defense responses from concerted actions of HSC70 and BON1 in Arabidopsis. Plant Physiology, 2015, 169, pp.00970.2015.  | 2.3 | 26        |
| 41 | Interaction of CPR5 with Cell Cycle Regulators UVI4 and OSD1 in Arabidopsis. PLoS ONE, 2014, 9, e100347.  | 1.1 | 24        |
| 42 | Monoubiquitination of Histone 2B at the Disease Resistance Gene Locus Regulates Its Expression and<br>Impacts Immune Responses in Arabidopsis   Â. Plant Physiology, 2014, 165, 309-318.  | 2.3 | 96        |
| 43 | Endopolyploidization and flowering time are antagonistically regulated by checkpoint component MAD1 and immunity modulator MOS1. Nature Communications, 2014, 5, 5628.  | 5.8 | 37        |
| 44 | Modulation of plant immunity by light, circadian rhythm, and temperature. Current Opinion in Plant<br>Biology, 2013, 16, 406-413.   | 3.5 | 151       |
| 45 | Perturbation of cell cycle regulation triggers plant immune response via activation of disease<br>resistance genes. Proceedings of the National Academy of Sciences of the United States of America,<br>2013, 110, 2407-2412.     | 3.3 | 50        |
| 46 | Abscisic Acid Deficiency Antagonizes High-Temperature Inhibition of Disease Resistance through<br>Enhancing Nuclear Accumulation of Resistance Proteins SNC1 and RPS4 in <i>Arabidopsis</i> . Plant<br>Cell, 2012, 24, 1271-1284. | 3.1 | 104       |
| 47 | Complex regulation of anRgeneSNC1revealed by autoimmune mutants. Plant Signaling and Behavior, 2012, 7, 213-216.  | 1.2 | 34        |
| 48 | Gene Discovery Using Mutagen-Induced Polymorphisms and Deep Sequencing: Application to Plant<br>Disease Resistance. Genetics, 2012, 192, 139-146.   | 1.2 | 59        |
| 49 | The Fâ€box protein CPR1/CPR30 negatively regulates R protein SNC1 accumulation. Plant Journal, 2012, 69, 411-420.   | 2.8 | 128       |
| 50 | Induction of <i>BAP1</i> by a Moderate Decrease in Temperature Is Mediated by <i>ICE1</i> in Arabidopsis. Plant Physiology, 2011, 155, 580-588.   | 2.3 | 31        |
| 51 | Requirement of Calcium Binding, Myristoylation, and Protein-Protein Interaction for the Copine BON1<br>Function in Arabidopsis. Journal of Biological Chemistry, 2010, 285, 29884-29891.  | 1.6 | 23        |
| 52 | Temperature Modulates Plant Defense Responses through NB-LRR Proteins. PLoS Pathogens, 2010, 6, e1000844.   | 2.1 | 256       |
| 53 | Analysis of Temperature Modulation of Plant Defense Against Biotrophic Microbes. Molecular<br>Plant-Microbe Interactions, 2009, 22, 498-506.  | 1.4 | 251       |
| 54 | From freezing to scorching, transcriptional responses to temperature variations in plants. Current<br>Opinion in Plant Biology, 2009, 12, 568-573.  | 3.5 | 113       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | A moderate decrease in temperature induces <i>COR15a</i> expression through the CBF signaling cascade and enhances freezing tolerance. Plant Journal, 2009, 60, 340-349. | 2.8 | 54        |
| 56 | Multiple <i>R</i> -Like Genes Are Negatively Regulated by <i>BON1</i> and <i>BON3</i> in <i>Arabidopsis</i> . Molecular Plant-Microbe Interactions, 2009, 22, 840-848.   | 1.4 | 51        |
| 57 | The Arabidopsis <i>BAP1</i> and <i>BAP2</i> Genes Are General Inhibitors of Programmed Cell Death.<br>Plant Physiology, 2007, 145, 135-146.                              | 2.3 | 98        |
| 58 | The TIR-NB-LRR Gene SNC1 Is Regulated at the Transcript Level by Multiple Factors. Molecular<br>Plant-Microbe Interactions, 2007, 20, 1449-1456.                         | 1.4 | 59        |
| 59 | The C2 domain protein BAP1 negatively regulates defense responses in Arabidopsis. Plant Journal, 2006,<br>48, 238-248.   | 2.8 | 134       |
| 60 | TheBON/CPNgene family represses cell death and promotes cell growth in Arabidopsis. Plant Journal, 2006, 45, 166-179.  | 2.8 | 101       |
| 61 | A Haplotype-Specific Resistance Gene Regulated by BONZAI1 Mediates Temperature-Dependent Growth<br>Control in Arabidopsis. Plant Cell, 2004, 16, 1060-1071.              | 3.1 | 292       |