

Ibrahim Develi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/420589/ibrahim-develi-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

360
citations

10
h-index

15
g-index

72
ext. papers

428
ext. citations

2.3
avg, IF

3.9
L-index

#	Paper	IF	Citations
54	Effects of GSM 1800 band radiation on composition, structure and bioactivity of exopolysaccharides produced by yoghurt starter cultures. <i>Archives of Microbiology</i> , 2021 , 203, 1697-1706 ²		
53	Joint Impact of I/Q Imbalance and Imperfect CSI on SM-MIMO Systems Over Generalized Beckmann Fading Channels: Optimal Detection and Cramer-Rao Bound. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 3034-3046	9.6	8
52	Spectrum sensing in cognitive radio networks: threshold optimization and analysis. <i>Eurasip Journal on Wireless Communications and Networking</i> , 2020 , 2020,	3.2	5
51	. <i>IEEE Transactions on Communications</i> , 2019 , 67, 3154-3166	6.9	19
50	Application of best relay selection approach to cooperative DF IDMA systems over Rayleigh/Weibull fading channels. <i>International Journal of Communication Systems</i> , 2018 , 31, e3506	1.7	2
49	A comprehensive performance analysis of relay-aided CDMA communications over dissimilar fading channels. <i>AEU - International Journal of Electronics and Communications</i> , 2018 , 83, 339-347	2.8	7
48	Imperfect CSI and Improper Gaussian Noise Effects on SSK: Optimal Detection and Error Analysis 2018 ,		2
47	Spatial Modulation in the Presence of I/Q Imbalance: Optimal Detector & Performance Analysis. <i>IEEE Communications Letters</i> , 2018 , 22, 1572-1575	3.8	16
46	Average symbol error rate and outage probability of DS-CDMA systems with AF relaying over asymmetric fading channels. <i>Physical Communication</i> , 2017 , 23, 76-83	2.2	6
45	Cooperative IDMA systems with regenerative relays over Weibull fading channels: outage probability and error analysis. <i>IET Communications</i> , 2017 , 11, 993-999	1.3	11
44	Outage performance of cooperative DS-CDMA systems with best path selection over fading channels. <i>Electronics Letters</i> , 2017 , 53, 752-754	1.1	10
43	BER analysis of SM-MIMO systems with MRC detectors over Weibull fading channels 2017 ,		1
42	Proposal of an experimental data and image transmission system and its possible application for remote monitoring smart grids. <i>Journal of Applied Research and Technology</i> , 2017 , 15, 303-310	1.7	1
41	How to prepare head tissue-equivalent liquids for SAR calculations, dosimetry and hyperthermia researches at 900 and 1800 MHz GSM frequencies. <i>Radiation Protection Dosimetry</i> , 2016 , 168, 365-73	0.9	0
40	A comparative simulation study on the performance of LDPC coded communication systems over Weibull fading channels. <i>Journal of Applied Research and Technology</i> , 2016 , 14, 101-107	1.7	5
39	Performance of Two-Hop DS-CDMA Systems Using Amplify-and-Forward Protocol over Different Fading Channels. <i>Elektronika Ir Elektrotehnika</i> , 2016 , 22,	1.7	3
38	A Closed-Form Approximate BEP Expression for Cooperative IDMA Systems over Multipath Nakagami- m Fading Channels. <i>IEEE Communications Letters</i> , 2016 , 20, 1599-1602	3.8	10

37	Error performance evaluation of DF cooperative IDMA systems over Weibull channels 2015 ,		1
36	A New Nakagami-m Inverse CDF Approximation Based on the Use of Genetic Algorithm. <i>Wireless Personal Communications</i> , 2015 , 83, 2279-2287	1.9	6
35	Prediction of temperature distribution in human BEL exposed to 900 MHz mobile phone radiation using ANFIS. <i>Applied Soft Computing Journal</i> , 2015 , 37, 1029-1036	7.5	5
34	Computing resonant frequency of C-shaped compact microstrip antennas by using ANFIS. <i>International Journal of Electronics</i> , 2015 , 102, 407-417	1.2	11
33	Artificial bee colony optimization for modelling of indoor PLC channels: A case study from Turkey. <i>Electric Power Systems Research</i> , 2015 , 127, 73-79	3.5	15
32	BER analysis of cooperative DS-CDMA systems over Weibull/Rayleigh fading channels 2015 ,		1
31	Dual-Hop N-Relay Assisted Transmission for IDMA Systems over Weibull Fading Channels. <i>Elektronika Ir Elektrotehnika</i> , 2015 , 21,	1.7	3
30	Performance of LDPC coded image transmission over realistic PLC channels for smart grid applications. <i>International Journal of Electrical Power and Energy Systems</i> , 2014 , 62, 549-555	5.1	5
29	Highly reliable LDPC coded data transfer in home networks by using Canete PLC channel model. <i>International Journal of Electrical Power and Energy Systems</i> , 2014 , 62, 912-918	5.1	7
28	A Closed-Form MGF Expression of Instantaneous SNR for Weibull Fading Channels. <i>Wireless Personal Communications</i> , 2014 , 77, 1605-1613	1.9	8
27	Analysis of the Use of Different Decoding Schemes in LDPC Coded OFDM Systems over Indoor PLC Channels. <i>Elektronika Ir Elektrotehnika</i> , 2014 , 20,	1.7	6
26	Highly Accurate Analytic Approximation to the Gaussian Q-function Based on the Use of Nonlinear Least Squares Optimization Algorithm. <i>Journal of Optimization Theory and Applications</i> , 2013 , 159, 183-191	1.6	2
25	SER Performance of Amplify-and-Forward Cooperative Diversity Over Asymmetric Fading Channels. <i>Wireless Personal Communications</i> , 2013 , 73, 1117-1127	1.9	6
24	Outage Probability Analysis of Dual-Hop Decode-and-Forward Relaying Over Mixed Rayleigh and Generalized Gamma Fading Channels. <i>Wireless Personal Communications</i> , 2013 , 71, 947-954	1.9	18
23	Approximate expression of bit error rate in uplink MC-CDMA systems with equal gain combining. <i>Journal of Communications and Networks</i> , 2013 , 15, 25-30	4.1	6
22	Multiuser communications for broadband indoor power line channels using IDMA technology 2013 ,		3
21	High-order exponential approximations for the Gaussian Q-function obtained by genetic algorithm. <i>International Journal of Electronics</i> , 2013 , 100, 553-562	1.2	3
20	LDPC coded OFDM systems over broadband indoor power line channels: A performance analysis 2013 ,		3

19	Improvement of BER performance in MIMO-CDMA systems by using initial phase optimized gold codes. <i>Journal of Electrical Engineering</i> , 2013 , 64, 38-43	0.6	1
18	An Application of Artificial Neural Network to Compute the Resonant Frequency of E-Shape Compact Microstrip Antennas. <i>Journal of Electrical Engineering</i> , 2013 , 64, 317-322	0.6	13
17	The BER performance of IDMA systems with Weibull and mixed interleaver 2012 ,		1
16	Measurement and analysis of electromagnetic pollution generated by GSM-900 mobile phone networks in Erciyes University, Turkey. <i>Electromagnetic Biology and Medicine</i> , 2012 , 31, 404-15	2.2	13
15	Optimum antenna configuration in MIMO systems: a differential evolution based approach. <i>Wireless Communications and Mobile Computing</i> , 2012 , 12, 473-480	1.9	3
14	Modelling and analysis of a power line communication system with QPSK modem for renewable smart grids. <i>International Journal of Electrical Power and Energy Systems</i> , 2012 , 34, 19-28	5.1	62
13	A new approach to random interleavers for traditional IDMA systems 2012 ,		3
12	Further performance analysis of the generalized MC DS-SS system in Nakagami-m fading channels. <i>Computers and Electrical Engineering</i> , 2009 , 35, 1-8	4.3	4
11	Differential evolution based prediction of rain attenuation over a LOS terrestrial link situated in the southern United Kingdom. <i>Radio Science</i> , 2007 , 42, n/a-n/a	1.4	4
10	A method for predicting rain attenuation in terrestrial point-to-point line of sight links at 97 GHz. <i>Annales Des Telecommunications/Annals of Telecommunications</i> , 2007 , 62, 1035-1044	2	3
9	Determination of Optimum Antenna Number Ratio Based on Differential Evolution for MIMO Systems under Low SNR Conditions. <i>Wireless Personal Communications</i> , 2007 , 43, 1667-1673	1.9	5
8	An improved formula obtained by simulated annealing for the computation of maximum SINR for DS-SS receiver with exponentially weighted despreading function. <i>European Transactions on Telecommunications</i> , 2006 , 17, 143-150		1
7	Detection of optimal spreading codes for DS-SS wireless systems with despreading sequences weighted by adjustable chip waveforms. <i>Journal of the Franklin Institute</i> , 2005 , 342, 69-84	4	3
6	A neuro-fuzzy computing technique for modeling laser-diode nonlinearity in a radio-over-fibre link. <i>International Journal of RF and Microwave Computer-Aided Engineering</i> , 2005 , 15, 329-335	1.5	5
5	Bit Error Rate Calculation for DS-SS Systems with WDS in the Presence of Rayleigh Fading and Power-Control Error. <i>Lecture Notes in Computer Science</i> , 2005 , 776-786	0.9	
4	Computation of the tuning values of exponential chip weighting waveforms for DS-SS communications over AWGN channels. <i>IET Communications</i> , 2004 , 151, 132		2
3	Application of multilayer perceptron networks to laser diode nonlinearity determination for radio-over-fibre mobile communications. <i>Microwave and Optical Technology Letters</i> , 2004 , 42, 425-427	1.2	10
2	A simple method for calculating the sinr in DS-SS systems with despreading sequences weighted by stepping chip waveforms. <i>Canadian Journal of Electrical and Computer Engineering</i> , 2003 , 28, 163-167	1.4	1

- 1 A simple and useful approach for the determination process of the weighted despreading sequences in a DS-CDMA system. *European Transactions on Telecommunications*, **2003**, 14, 361-366