

Jane Fisher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4206070/publications.pdf>

Version: 2024-02-01

23
papers

454
citations

840585

11
h-index

752573

20
g-index

27
all docs

27
docs citations

27
times ranked

685
citing authors

#	ARTICLE	IF	CITATIONS
1	The Dynamics of Circulating Heparin-Binding Protein: Implications for Its Use as a Biomarker. <i>Journal of Innate Immunity</i> , 2022, 14, 447-460.	1.8	5
2	Proteome Profiling of Recombinant DNase Therapy in Reducing NETs and Aiding Recovery in COVID-19 Patients. <i>Molecular and Cellular Proteomics</i> , 2021, 20, 100113.	2.5	51
3	Heparin binding protein in severe COVID-19—A prospective observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0249570.	1.1	12
4	Evaluation of the Forsvall biopsy needle in an <i>ex vivo</i> model of transrectal prostate biopsy—a novel needle design with the objective to reduce the risk of post-biopsy infection. <i>Scandinavian Journal of Urology</i> , 2021, 55, 227-234.	0.6	2
5	Prostate biopsy quality and patient experience with the novel Forsvall biopsy needle—a randomized controlled non-inferiority trial. <i>Scandinavian Journal of Urology</i> , 2021, 55, 235-241.	0.6	3
6	DNase Treatment Prevents Cerebrospinal Fluid Block in Early Experimental Pneumococcal Meningitis. <i>Annals of Neurology</i> , 2021, 90, 653-669.	2.8	11
7	The Dynamics of Heparin-Binding Protein in Cardiothoracic Surgery—A Pilot Study. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 2640-2650.	0.6	5
8	Impact of cardiopulmonary bypass and surgical complexity on plasma soluble urokinase-type plasminogen activator receptor levels after cardiac surgery. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021, , 1-7.	0.6	0
9	Non-corticosteroid adjuvant therapies for acute bacterial meningitis. <i>The Cochrane Library</i> , 2021, 2021, CD013437.	1.5	2
10	Using chemiluminescence imaging of cells (CLIC) for relative protein quantification. <i>Scientific Reports</i> , 2020, 10, 18280.	1.6	5
11	A functional observational battery for evaluation of neurological outcomes in a rat model of acute bacterial meningitis. <i>Intensive Care Medicine Experimental</i> , 2020, 8, 40.	0.9	3
12	Elevated plasma glypicans are associated with organ failure in patients with infection. <i>Intensive Care Medicine Experimental</i> , 2019, 7, 2.	0.9	16
13	Albumin infusion rate and plasma volume expansion: a randomized clinical trial in postoperative patients after major surgery. <i>Critical Care</i> , 2019, 23, 191.	2.5	26
14	Neutrophil extracellular traps in the central nervous system hinder bacterial clearance during pneumococcal meningitis. <i>Nature Communications</i> , 2019, 10, 1667.	5.8	77
15	The authors reply. <i>Critical Care Medicine</i> , 2019, 47, e378-e379.	0.4	0
16	Is Heparin-Binding Protein Inhibition a Mechanism of Albumin™s Efficacy in Human Septic Shock?. <i>Critical Care Medicine</i> , 2018, 46, e364-e374.	0.4	14
17	Heparin-Binding Protein (HBP). <i>Shock</i> , 2017, 48, 313-320.	1.0	43
18	Heparin-binding protein (HBP) improves prediction of sepsis-related acute kidney injury. <i>Annals of Intensive Care</i> , 2017, 7, 105.	2.2	34

#	ARTICLE	IF	CITATIONS
19	Elevated Plasma Angiotensin-2 Levels Are Associated With Fluid Overload, Organ Dysfunction, and Mortality in Human Septic Shock. <i>Critical Care Medicine</i> , 2016, 44, 2018-2027.	0.4	52
20	Heparin-binding protein is important for vascular leak in sepsis. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 33.	0.9	64
21	Short-Term Organ Dysfunction Is Associated With Long-Term (10-Yr) Mortality of Septic Shock. <i>Critical Care Medicine</i> , 2016, 44, e728-e736.	0.4	23
22	Plasma Glypican-4 Levels Are Associated with Disease Severity in ED Patients With Severe Sepsis and Septic Shock. <i>Open Forum Infectious Diseases</i> , 2015, 2, .	0.4	3
23	Non-corticosteroid adjuvant therapies for acute bacterial meningitis. <i>The Cochrane Library</i> , 0, , .	1.5	0