

Hironori Nakano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4207207/publications.pdf>

Version: 2024-02-01

35
papers

376
citations

949033

11
h-index

939365

18
g-index

40
all docs

40
docs citations

40
times ranked

339
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Lifestyle Habits and the Prevalence of Abdominal Obesity After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2022, 32, 496-501.	1.1	4
2	The Association between Parenting Confidence and Later Child Mental Health in the Area Affected by the Fukushima Nuclear Disaster: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 476.	1.2	0
3	Lifestyle Factors Associated with Undernutrition in Older People after the Great East Japan Earthquake: A Prospective Study in the Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3399.	1.2	1
4	Development of an Application for Sustainable Support of Returning Residents Displaced by the Fukushima Nuclear Accident. <i>Studies in Health Technology and Informatics</i> , 2022, , .	0.2	0
5	Dietary pattern changes in Fukushima residents after the Great East Japan Earthquake: the Fukushima Health Management Survey 2011â€“2013. <i>Public Health Nutrition</i> , 2021, 24, 2195-2204.	1.1	6
6	Socioeconomic status, damage-related conditions, and PTSD following the Fukushima-daiichi nuclear power plant accident: The Fukushima Health Management Survey. <i>Fukushima Journal of Medical Sciences</i> , 2021, 67, 71-82.	0.1	4
7	Dietary Patterns and Progression of Impaired Kidney Function in Japanese Adults: A Longitudinal Analysis for the Fukushima Health Management Survey, 2011â€“2015. <i>Nutrients</i> , 2021, 13, 168.	1.7	7
8	Factors Hindering Social Participation among Older Residents from Evacuation Zones after the Nuclear Power Plant Accident in Fukushima: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4426.	1.2	3
9	Relationship between physical activity/exercise habits and the frequency of new onset of lifestyle-related diseases after the Great East Japan Earthquake among residents in Fukushima: the Fukushima Health Management Survey. <i>Journal of Radiation Research</i> , 2021, 62, i129-i139.	0.8	5
10	Needs Survey for Health Support Application Development Project for Residents Returning from Evacuation After the Fukushima Nuclear Accident. <i>Studies in Health Technology and Informatics</i> , 2021, 281, 1091-1092.	0.2	0
11	Synergistic Effect of History of Cardiovascular Disease and Mental Distress on Post-Traumatic Stress Disorder after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10283.	1.2	0
12	Association between post-traumatic stress disorder symptoms and bone fractures after the Great East Japan Earthquake in older adults: a prospective cohort study from the Fukushima Health Management Survey. <i>BMC Geriatrics</i> , 2021, 21, 18.	1.1	7
13	User-Guided Design of a Digital Tool for Health Promotion and Radiation Protection: Results from an Internet Needs Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12007.	1.2	0
14	Tailoring Digital Tools to Address the Radiation and Health Information Needs of Returnees after a Nuclear Accident. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12704.	1.2	1
15	Association between Laughter and Lifestyle Diseases after the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12699.	1.2	1
16	Changes in the mental health status of adolescents following the Fukushima Daiichi nuclear accident and related factors: Fukushima Health Management Survey. <i>Journal of Affective Disorders</i> , 2020, 260, 432-439.	2.0	12
17	The association between self-reported sleep dissatisfaction after the Great East Japan Earthquake, and a deteriorated socioeconomic status in the evacuation area: the Fukushima Health Management Survey. <i>Sleep Medicine</i> , 2020, 68, 63-70.	0.8	11
18	Associations between Dietary Patterns and Cardiometabolic Risks in Japan: A Cross-Sectional Study from the Fukushima Health Management Survey, 2011â€“2015. <i>Nutrients</i> , 2020, 12, 129.	1.7	13

#	ARTICLE	IF	CITATIONS
19	Relationship between the prevalence of polycythemia and factors observed in the mental health and lifestyle survey after the Great East Japan Earthquake. <i>Medicine (United States)</i> , 2020, 99, e18486.	0.4	6
20	Influence of post-disaster evacuation on childhood obesity and hyperlipidemia. <i>Pediatrics International</i> , 2020, 62, 669-676.	0.2	12
21	Effects of Psychological and Lifestyle Factors on Metabolic Syndrome Following the Fukushima Daiichi Nuclear Power Plant Accident: The Fukushima Health Management Survey. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1010-1018.	0.9	11
22	Changes in drinking behavior among evacuees after the Fukushima Daiichi Nuclear Power Plant accident: the Fukushima Health Management Survey. <i>Fukushima Journal of Medical Sciences</i> , 2020, 66, 133-142.	0.1	4
23	Development and Implementation of an Internet Survey to Assess Community Health in the Face of a Health Crisis: Data from the Pregnancy and Birth Survey of the Fukushima Health Management Survey, 2016. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1946.	1.2	2
24	Trends in the Incidence of Sudden Deaths and Heart Diseases in Fukushima After the Great East Japan Earthquake. <i>International Heart Journal</i> , 2019, 60, 1253-1258.	0.5	7
25	Impact of evacuation on trends in the prevalence, treatment, and control of hypertension before and after a disaster. <i>Journal of Hypertension</i> , 2018, 36, 924-932.	0.3	15
26	Lifestyle factors and social ties associated with the frequency of laughter after the Great East Japan Earthquake: Fukushima Health Management Survey. <i>Quality of Life Research</i> , 2018, 27, 639-650.	1.5	18
27	Associations of disaster-related and psychosocial factors with changes in smoking status after a disaster: a cross-sectional survey after the Great East Japan Earthquake. <i>BMJ Open</i> , 2018, 8, e018943.	0.8	14
28	Effects of lifestyle on hepatobiliary enzyme abnormalities following the Fukushima Daiichi nuclear power plant accident. <i>Medicine (United States)</i> , 2018, 97, e12890.	0.4	7
29	Persistent prevalence of polycythemia among evacuees 4 years after the Great East Japan Earthquake: A follow-up study. <i>Preventive Medicine Reports</i> , 2017, 5, 251-256.	0.8	8
30	Changes in Cardiovascular Risk Factors After the Great East Japan Earthquake. <i>Asia-Pacific Journal of Public Health</i> , 2017, 29, 47S-55S.	0.4	64
31	Effects of socioeconomic factors on cardiovascular-related symptoms among residents in Fukushima after the Great East Japan Earthquake: a cross-sectional study using data from the Fukushima Health Management Survey. <i>BMJ Open</i> , 2017, 7, e014077.	0.8	13
32	Changes in Hepatobiliary Enzyme Abnormality After the Great East Japan Earthquake: The Fukushima Health Management Survey. <i>Scientific Reports</i> , 2017, 7, 710.	1.6	8
33	Lifestyle-related factors that explain disaster-induced changes in socioeconomic status and poor subjective health: a cross-sectional study from the Fukushima health management survey. <i>BMC Public Health</i> , 2017, 17, 340.	1.2	19
34	Evacuation after the Great East Japan Earthquake was associated with poor dietary intake: The Fukushima Health Management Survey. <i>Journal of Epidemiology</i> , 2017, 27, 14-23.	1.1	47
35	Association between psychological distress and dietary intake among evacuees after the Great East Japan Earthquake in a cross-sectional study: the Fukushima Health Management Survey. <i>BMJ Open</i> , 2016, 6, e011534.	0.8	37