Hans Thulesius

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4208268/publications.pdf

Version: 2024-02-01

80 papers

1,481 citations

³⁶¹²⁹⁶
20
h-index

33 g-index

86 all docs 86 docs citations

86 times ranked 1887 citing authors

#	Article	IF	CITATIONS
1	Explaining variation in cancer survival between 11 jurisdictions in the International Cancer Benchmarking Partnership: a primary care vignette survey. BMJ Open, 2015, 5, e007212-e007212.	0.8	93
2	Screening for posttraumatic stress disorder symptoms among Bosnian refugees. Journal of Traumatic Stress, 1999, 12, 167-174.	1.0	79
3	Using theatre in education in a traditional lecture oriented medical curriculum. BMC Medical Education, 2009, 9, 73.	1.0	79
4	The 2015 National Cancer Program in Sweden: Introducing standardized care pathways in a decentralized system. Health Policy, 2016, 120, 1378-1382.	1.4	65
5	Driving to Learn in a Powered Wheelchair: The Process of Learning Joystick Use in People With Profound Cognitive Disabilities. American Journal of Occupational Therapy, 2011, 65, 652-660.	0.1	61
6	Striving for Emotional Survival in Palliative Cancer Nursing. Qualitative Health Research, 2006, 16, 79-96.	1.0	57
7	Depression, obesity, and smoking were independently associated with inadequate glycemic control in patients with type 1 diabetes. European Journal of Endocrinology, 2013, 168, 861-869.	1.9	53
8	Diagnostic Delay in Pediatric Malignancies - A Population-based Study. Acta Oncológica, 2000, 39, 873-876.	0.8	49
9	Balancing: A Basic Process in End-of-Life Cancer Care. Qualitative Health Research, 2003, 13, 1353-1377.	1.0	44
10	Utilization of digital primary care in Sweden: Descriptive analysis of claims data on demographics, socioeconomics, and diagnoses. International Journal of Medical Informatics, 2019, 127, 134-140.	1.6	42
11	The European General Practice Research Network Presents the Translations of Its Comprehensive Definition of Multimorbidity in Family Medicine in Ten European Languages. PLoS ONE, 2015, 10, e0115796.	1.1	41
12	Affect School for chronic benign pain patients showed improved alexithymia assessments with TAS-20. BioPsychoSocial Medicine, 2010, 4, 5.	0.9	36
13	Reorganisation of GP surgeries during the COVID-19 outbreak: analysis of guidelines from 15 countries. BMC Family Practice, 2021, 22, 96.	2.9	35
14	Brief Cognitive Tests Used in Primary Care Cannot Accurately Differentiate Mild Cognitive Impairment from Subjective Cognitive Decline. Journal of Alzheimer's Disease, 2020, 75, 1191-1201.	1.2	31
15	Exploring dementia management attitudes in primary care: a key informant survey to primary care physicians in 25 European countries. International Psychogeriatrics, 2017, 29, 1413-1423.	0.6	30
16	Depression, smoking, physical inactivity and season independently associated with midnight salivary cortisol in type 1 diabetes. BMC Endocrine Disorders, 2014, 14, 75.	0.9	29
17	Waiting management at the emergency department – a grounded theory study. BMC Health Services Research, 2013, 13, 95.	0.9	27
18	Management of patients with sore throats in relation to guidelines: An interview study in Sweden. Scandinavian Journal of Primary Health Care, 2014, 32, 193-199.	0.6	26

#	Article	IF	CITATIONS
19	Variation in GP decisions on antihypertensive treatment in oldest-old and frail individuals across 29 countries. BMC Geriatrics, 2017, 17, 93.	1.1	25
20	Learner-centred education in end-of-life care improved well being in home care staff: a prospective controlled study. Palliative Medicine, 2002, 16, 347-354.	1.3	22
21	Teaching medical ethics: what is the impact of role models? Some experiences from Swedish medical schools. Journal of Medical Ethics, 2008, 34, 315-316.	1.0	20
22	General practitioners' deprescribing decisions in older adults with polypharmacy: a case vignette study in 31 countries. BMC Geriatrics, 2021, 21, 19.	1.1	20
23	Increased importance of digital medicine and eHealth during the Covid-19 pandemic. Scandinavian Journal of Primary Health Care, 2020, 38, 105-106.	0.6	19
24	Post-traumatic stress associated with low self-rated well-being in primary care attenders. Nordic Journal of Psychiatry, 2004, 58, 261-266.	0.7	18
25	Psychometric evaluation of the Swedish language Personâ€centred Climate Questionnaire – family version. Scandinavian Journal of Caring Sciences, 2015, 29, 859-864.	1.0	18
26	Symptoms, care needs and diagnosis in palliative cancer patients in acute care hospitals: A 5-year follow-up survey. Acta Oncol \tilde{A}^3 gica, 2010, 49, 460-466.	0.8	17
27	Identifying important health system factors that influence primary care practitioners' referrals for cancer suspicion: a European cross-sectional survey. BMJ Open, 2018, 8, e022904.	0.8	17
28	Depression differed by midnight cortisol secretion, alexithymia and anxiety between diabetes types: a cross sectional comparison. BMC Psychiatry, 2017, 17, 335.	1.1	16
29	Psychoeducation against depression, anxiety, alexithymia and fibromyalgia: a pilot study in primary care for patients on sick leave. Scandinavian Journal of Primary Health Care, 2018, 36, 123-133.	0.6	16
30	Diagnosis and prognosis of breast and ovarian cancer A population-based study of 234 women. Acta Oncol \tilde{A}^3 gica, 2004, 43, 175-181.	0.8	15
31	Responsibility for follow-up during the diagnostic process in primary care: a secondary analysis of International Cancer Benchmarking Partnership data. British Journal of General Practice, 2018, 68, e323-e332.	0.7	15
32	Cancer, a relational disease. International Journal of Qualitative Studies on Health and Well-being, 2019, 14, 1622354.	0.6	15
33	How European primary care practitioners think the timeliness of cancer diagnosis can be improved: a thematic analysis. BMJ Open, 2019, 9, e030169.	0.8	15
34	Primary care physicians' knowledge, attitudes and concerns about bariatric surgery and the association with referral patterns: a Swedish survey study. BMC Endocrine Disorders, 2021, 21, 62.	0.9	15
35	Pharyngometric correlations with obstructive sleep apnea syndrome. Acta Oto-Laryngologica, 2004, 124, 1182-1186.	0.3	14
36	Reincentivizing – a new theory of work and work absence. BMC Health Services Research, 2007, 7, 100.	0.9	14

#	Article	IF	CITATIONS
37	De-tabooing dying control - a grounded theory study. BMC Palliative Care, 2013, 12, 13.	0.8	14
38	Development of a survey instrument to investigate the primary care factors related to differences in cancer diagnosis between international jurisdictions. BMC Family Practice, 2014, 15, 122.	2.9	14
39	Erroneous computer-based interpretations of atrial fibrillation and atrial flutter in a Swedish primary health care setting. Scandinavian Journal of Primary Health Care, 2019, 37, 426-433.	0.6	14
40	Swedish Primary Care Physicians' Intentions to Use Telemedicine: A Survey Using a New Questionnaire – Physician Attitudes and Intentions to Use Telemedicine (PAIT). International Journal of General Medicine, 2021, Volume 14, 3445-3455.	0.8	14
41	Burden of cardiovascular disease across 29 countries and GPs' decision to treat hypertension in oldest-old. Scandinavian Journal of Primary Health Care, 2018, 36, 89-98.	0.6	13
42	Prediction of Postoperative Delirium After Cardiac Surgery with A Quick Test of Cognitive Speed, Mini-Mental State Examination and Hospital Anxiety and Depression Scale. Clinical Interventions in Aging, 2022, Volume 17, 359-368.	1.3	13
43	Hip and fragility fracture prediction by 4-item clinical risk score and mobile heel BMD: a women cohort study. BMC Musculoskeletal Disorders, 2010, 11, 55.	0.8	12
44	Affect school and script analysis versus basic body awareness therapy in the treatment of psychological symptoms in patients with diabetes and high HbA1c concentrations: two study protocols for two randomized controlled trials. Trials, 2016, 17, 221.	0.7	12
45	Patient Characteristics and General Practitioners' Advice to Stop Statins in Oldest-Old Patients: a Survey Study Across 30 Countries. Journal of General Internal Medicine, 2019, 34, 1751-1757.	1.3	12
46	Diagnosing colorectal cancer in primary care: cohort study in Sweden of qualitative faecal immunochemical tests, haemoglobin levels, and platelet counts. British Journal of General Practice, 2020, 70, e843-e851.	0.7	12
47	Impact of the Covid-19 pandemic on primary care utilization: evidence from Sweden using national register data. BMC Research Notes, 2021, 14, 424.	0.6	12
48	Encouraging primary care research: evaluation of a one-year, doctoral clinical epidemiology research course. Scandinavian Journal of Primary Health Care, 2016, 34, 89-96.	0.6	10
49	"Doing Good Careâ€ê€"a study of palliative home nursing care. International Journal of Qualitative Studies on Health and Well-being, 2007, 2, 227-235.	0.6	9
50	Unburdening dementia – a basic social process grounded theory based on a primary care physician survey from 25 countries. Scandinavian Journal of Primary Health Care, 2020, 38, 253-264.	0.6	9
51	Qualitative faecal immunochemical tests (FITs) for diagnosing colorectal cancer in patients with histories of rectal bleeding in primary care: a cohort study. International Journal of Colorectal Disease, 2020, 35, 2035-2040.	1.0	9
52	Primary care practitioners' diagnostic action when the patient may have cancer: an exploratory vignette study in 20 European countries. BMJ Open, 2020, 10, e035678.	0.8	9
53	Reasoning about physician-assisted suicide: analysis of comments by physicians and the Swedish general public. Clinical Ethics, 2009, 4, 19-25.	0.5	8
54	A Quick Test of Cognitive Speed: norm-referenced criteria for 121 Italian adults aged 45 to 90 years. International Psychogeriatrics, 2014, 26, 1493-1500.	0.6	8

#	Article	IF	Citations
55	Influences of rurality on action to diagnose cancer by primary care practitioners – Results from a Europe-wide survey in 20 countries. Cancer Epidemiology, 2020, 65, 101698.	0.8	8
56	Assessing research impact with Google Scholar: The most cited articles in the journal 2008–2010. Scandinavian Journal of Primary Health Care, 2011, 29, 193-195.	0.6	6
57	Seniors' self-preservation by maintaining established self and defying deterioration – A grounded theory. International Journal of Qualitative Studies on Health and Well-being, 2016, 11, 30265.	0.6	6
58	How the probability of presentation to a primary care clinician correlates with cancer survival rates: a European survey using vignettes. Scandinavian Journal of Primary Health Care, 2017, 35, 27-34.	0.6	6
59	Assessing the Supportiveness of Healthcare Environments' Light and Color: Development and Validation of the Light and Color Questionnaire (LCQ). Herd, 2021, 14, 130-144.	0.9	6
60	40 years of biannual family medicine research meetings – The European General Practice Research Network (EGPRN). Scandinavian Journal of Primary Health Care, 2013, 31, 185-187.	0.6	5
61	Gender differences in self-care for common colds by primary care patients: a European multicenter survey on the prevalence and patterns of practices (the COCO study). Journal of Gender Studies, 2021, 30, 756-771.	1.3	5
62	Postherpetic neuralgia, diabetic neuropathy, and trigeminal neuralgia – Chronic peripheral neuropathic pain in 58,480 rural Italian primary care patients. Journal of Family Medicine and Primary Care, 2017, 6, 110.	0.3	5
63	Risk stratification in heart failure decompensation in the community: HEFESTOS score. ESC Heart Failure, 2021, 9, 606.	1.4	5
64	High LDL cholesterol and statin use were independently associated with lower eight-year mortality in a cohort free from terminal illness, cardiovascular disease, and diabetes at baseline. Scandinavian Journal of Primary Health Care, 2014, 32, 1-2.	0.6	4
65	Exploring health navigating design: momentary contentment in a cancer context. International Journal of Qualitative Studies on Health and Well-being, 2017, 12, 1374809.	0.6	4
66	Pluralistic task shifting for a more timely cancer diagnosis. A grounded theory study from a primary care perspective. Scandinavian Journal of Primary Health Care, 2021, 39, 486-497.	0.6	4
67	Low Prevalence of Mild Alpha-1-Antitrypsin Deficiency in Hospitalized COVID-19-Patients. International Journal of General Medicine, 0, Volume 15, 5843-5848.	0.8	4
68	Integrating care for neurodevelopmental disorders by unpacking control: A grounded theory study. International Journal of Qualitative Studies on Health and Well-being, 2016, 11, 31987.	0.6	3
69	Nuets förnöjsamhet. Sociologisk Forskning, 2015, 52, 235-256.	0.1	3
70	Shifting migrant health care away from an agenda of conflicts and problems toward solutions. Scandinavian Journal of Primary Health Care, 2016, 34, 213-214.	0.6	2
71	Qualitative research thrives in primary care with the support of research training and mentoring. Scandinavian Journal of Primary Health Care, 2017, 35, 307-308.	0.6	2
72	Study protocol: effects, costs and distributional impact of digital primary care for infectious diseases—an observational, registry-based study in Sweden. BMJ Open, 2020, 10, e038618.	0.8	2

#	Article	IF	CITATIONS
73	Breaking the patientification process - through co-creation of care, using old arctic survival knowledge. International Journal of Qualitative Studies on Health and Well-being, 2021, 16, 1926052.	0.6	2
74	Cerebrovascular Reserve Capacity as a Predictor of Postoperative Delirium: A Pilot Study. Frontiers in Surgery, 2021, 8, 658849.	0.6	2
75	International collaboration in primary care: A win–win situation. Scandinavian Journal of Primary Health Care, 2012, 30, 129-130.	0.6	1
76	Why are standardized lifestyle interventions for the metabolic syndrome not successful? Experiences from two RCTs and one mixed-methods study. Scandinavian Journal of Primary Health Care, 2015, 33, 55-56.	0.6	1
77	Work incentives, chronic illnesses and how sickness certificates are written affect sickness absence. Scandinavian Journal of Primary Health Care, 2019, 37, 1-2.	0.6	1
78	More women than men achieve PhDs in Swedish family medicine but scientific impact was not gender skewed - a secular trend analysis 1980–2020 Scandinavian Journal of Primary Health Care, 2021, 39, 265-267.	0.6	1
79	8084 ORAL Doing good care – a study of palliative home nursing care. European Journal of Cancer, Supplement, 2007, 5, 434.	2.2	0
80	EGPRN: EUROPEAN GENERAL PRACTICE RESEARCH NETWORK. European Journal of General Practice, 2012, 18, 68-69.	0.9	0