

Qi Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4208667/qi-lin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

227
papers

4,939
citations

37
h-index

56
g-index

236
ext. papers

5,698
ext. citations

4.3
avg, IF

5.99
L-index

#	Paper	IF	Citations
227	Regulation of conjugate rigid plane structures for achieving transformation of fluorescence recognition properties. <i>New Journal of Chemistry</i> , 2022 , 46, 2858-2862	3.6	1
226	Controllable self-assemblies of 2,2'-bibenzimidazole derivative: Detection and adsorption of heavy metal ion. <i>Dyes and Pigments</i> , 2022 , 198, 110021	4.6	1
225	A novel fluorescent chemosensor based on naphthofuran functionalized naphthalimide for highly selective and sensitive detecting Hg ²⁺ and CN ⁻ . <i>Journal of Luminescence</i> , 2022 , 244, 118722	3.8	3
224	A selective and stable vapochromic system constructed by pillar[5]arene-based host-guest interactions. <i>Dyes and Pigments</i> , 2022 , 197, 109885	4.6	2
223	Selective fluorescent detection toluene in water by a novel and simple tetra-hydrazone-biphenol-based chemosensor. <i>Dyes and Pigments</i> , 2022 , 203, 110342	4.6	
222	Tri-pillar[5]arene-Based Multifunctional Stimuli-Responsive Supramolecular Polymer Network with Conductivity, Aggregation-Induced Emission, Thermochromism, Fluorescence Sensing, and Separation Properties. <i>Macromolecules</i> , 2021 , 54, 373-383	5.5	14
221	Investigation of the assembly mechanism of N1, N4-di (pyridin-4-yl) terephthalamide with pillar[5]arene: Experiment and quantum chemical study. <i>Chemical Physics Letters</i> , 2021 , 772, 138533	2.5	1
220	Tripodal aroyl hydrazone based AIE fluorescent sensor for relay detection Hg ²⁺ and Br ⁻ in living cells. <i>Dyes and Pigments</i> , 2021 , 191, 109389	4.6	2
219	A novel bis-acylhydrazone supramolecular gel and its application in ultrasensitive detection of CN ⁻ . <i>Dyes and Pigments</i> , 2021 , 186, 108949	4.6	6
218	Linear tri-pillar[5]arene-based acceptor for efficiently separate paraquat from water through collaboration effect. <i>Materials Science and Engineering C</i> , 2021 , 118, 111358	8.3	7
217	Stimuli-responsive supramolecular hydrogel with white AIE effect for ultrasensitive detection of Fe ³⁺ and as rewritable fluorescent materials. <i>Dyes and Pigments</i> , 2021 , 184, 108875	4.6	6
216	Novel tripodal-pillar[5]arene-based chemical sensor for efficient detection and removal paraquat by synergistic effect. <i>Sensors and Actuators B: Chemical</i> , 2021 , 327, 128885	8.5	12
215	Pillararene-based AIEgens: research progress and appealing applications. <i>Chemical Communications</i> , 2021 , 57, 284-301	5.8	29
214	A signal amplification strategy for ultrasensitive detecting H ₂ PO ₄ ⁻ using metal coordinated supramolecular gel. <i>Journal of Molecular Liquids</i> , 2021 , 321, 114500	6	4
213	Fabrication of a luminescence-silent oxidation platform based on phenazine derivatives for monitoring and imaging ascorbic acid in living cells and real sample. <i>Sensors and Actuators B: Chemical</i> , 2021 , 329, 129170	8.5	3
212	Formation of a lead chalcogenide quantum dot-based supramolecular polymer network via pillar[5]arene-based host-guest complexation. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5833-5840	7.8	1
211	A mechanically self-locked gemini-[1]rotaxane-assembled microsphere and its properties on L-Arg controlled reversible morphology and fluorescence changes. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 10347-10353	7.1	0

210	Theoretical and Experimental Insights into the Self-Assembly and Ion Response Mechanisms of Tripodal Quinolinamido-Based Supramolecular Organogels. <i>ChemPlusChem</i> , 2021 , 86, 146-154	2.8	1
209	A novel photochemical sensor based on quinoline-functionalized phenazine derivatives for multiple substrate detection. <i>New Journal of Chemistry</i> , 2021 , 45, 5040-5048	3.6	0
208	Synthesis, crystal structure of a novel metal-organic framework and its catalyzing properties on the selective oxidation of cyclohexene to cyclohexenone. <i>Inorganica Chimica Acta</i> , 2021 , 525, 120494	2.7	3
207	Acid-base regulation the reversible transformation of novel phenazine derivatives and serving as biomarker for tracing acidity change in living cell and mice. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130287	8.5	1
206	Novel tetra-arm chemosensor supply collaboration effect for highly sensitive fluorescent and colorimetric sensing of L-Arg. <i>Dyes and Pigments</i> , 2021 , 194, 109658	4.6	1
205	Novel tri-[2]rotaxane-based stimuli-responsive fluorescent nanoparticles and their guest controlled reversible morphological transformation properties. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 3863-3870	7.1	1
204	formation of Hg-coordinated fluorescent nanoparticles through a supramolecular polymer network used for efficient Hg sensing and separation. <i>Nanoscale</i> , 2021 , 13, 9172-9176	7.7	4
203	A simple pillar[5]arene assembled multi-functional material with ultrasensitive sensing, self-healing, conductivity and host-guest stimuli-responsive properties. <i>Soft Matter</i> , 2021 , 17, 8308-8313	3.6	0
202	Fabrication of a solid sensor based on a phenazine derivative film for enhancing the sensing properties of biogenic amine and applying for monitoring shrimp freshness. <i>New Journal of Chemistry</i> , 2021 , 45, 11234-11244	3.6	2
201	Supramolecular AIE polymer-based rare earth metallogels for the selective detection and high efficiency removal of cyanide and perchlorate. <i>Polymer Chemistry</i> , 2021 , 12, 2001-2008	4.9	4
200	Metal-Free White Light-Emitting Fluorescent Material Based on Simple Pillar[5]arene-tripodal Amide System and Theoretical Insights on Its Assembly and Fluorescent Properties. <i>Langmuir</i> , 2020 , 36, 13469-13476	4	6
199	A pillar[5]arene-based supramolecular polymer network gel and its application in adsorption and removal of organic dye in water. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 97, 137-145	1.7	3
198	A pillar[5]arene-based fluorescent sensor for sensitive detection of L-Met through a dual-site collaborative mechanism. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 240, 118569	4.4	8
197	A novel AIE chemosensor based on a coumarin functionalized pillar[5]arene for multi-analyte detection and application in logic gates. <i>New Journal of Chemistry</i> , 2020 , 44, 10885-10891	3.6	3
196	Tripodal naphthalimide assembled novel AIE supramolecular fluorescent sensor for rapid and selective detection of picric acid. <i>Dyes and Pigments</i> , 2020 , 181, 108563	4.6	16
195	Novel metallogel-based micro-acanthosphere material constructed from two tripodal gelators for efficient separation of organic dyes. <i>Materials Letters</i> , 2020 , 274, 128015	3.3	1
194	Stimuli-responsive supramolecular polymer network based on bi-pillar[5]arene for efficient adsorption of multiple organic dye contaminants. <i>New Journal of Chemistry</i> , 2020 , 44, 12531-12537	3.6	3
193	A novel pillar[5]arene-based emission enhanced supramolecular sensor for dual-channel selective detection and separation of Hg ²⁺ . <i>New Journal of Chemistry</i> , 2020 , 44, 13157-13162	3.6	8

192	Competition of Exo-wall and Lone Pair Interactions: A Viable Approach to Achieve Ultrasensitive Detection and Effective Removal of AsO ₂ in Water. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 5831-5836	8.3	15
191	Novel fluorescent supramolecular polymer metallogel based on Al ³⁺ coordinated cross-linking of quinoline functionalized-pillar[5]arene act as multi-stimuli-responsive materials. <i>Applied Organometallic Chemistry</i> , 2020 , 34, e5519	3.1	2
190	Transparency and AIE tunable supramolecular polymer hydrogel acts as TEA-HCl vapor controlled smart optical material. <i>Soft Matter</i> , 2020 , 16, 5734-5739	3.6	14
189	Functional supramolecular gels based on pillar[n]arene macrocycles. <i>Nanoscale</i> , 2020 , 12, 2180-2200	7.7	56
188	Th tuned aggregation-induced emission: A novel strategy for sequential ultrasensitive detection and separation of Th and Hg. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 229, 117926	4.4	6
187	A pillar[5]arene-based and OH ⁻ dependent dual-channel supramolecular chemosensor for recyclable CO ₂ gas detection: High sensitive and selective off-on-off response. <i>Dyes and Pigments</i> , 2020 , 174, 108073	4.6	8
186	A self-assembled supramolecular gel constructed by phenazine derivative and its application in ultrasensitive detection of cyanide. <i>Dyes and Pigments</i> , 2020 , 174, 108066	4.6	14
185	A fluorescent supramolecular gel and its application in the ultrasensitive detection of CN ⁻ by anion-Interactions. <i>Soft Matter</i> , 2020 , 16, 9876-9881	3.6	7
184	Pillar[5]arene-based supramolecular AIE hydrogel with white light emission for ultrasensitive detection and effective separation of multianalytes. <i>Polymer Chemistry</i> , 2020 , 11, 5455-5462	4.9	10
183	A rhodamine-based dual chemosensor for the naked-eye detection of Hg and enhancement of the fluorescence emission for Fe. <i>Photochemical and Photobiological Sciences</i> , 2020 , 19, 1690-1696	4.2	9
182	Research progress of redox-responsive supramolecular gel. <i>Supramolecular Chemistry</i> , 2020 , 32, 578-596	1.8	5
181	-(2-Aminoethyl)-2-(hexylthio) Acetamide-Functionalized Pillar[5]arene for the Selective Detection of l-Trp through Guest-Adaptive Multisupramolecular Interactions. <i>Journal of Physical Chemistry A</i> , 2020 , 124, 9811-9817	2.8	11
180	A novel nitrogen mustard functionalized tripodal AIE compound act as prodrug for fluorescent imaging and anticancer. <i>Journal of Luminescence</i> , 2020 , 227, 117546	3.8	3
179	Tailoring an HSO ⁻ anion hybrid receptor based on a phenazine derivative. <i>Photochemical and Photobiological Sciences</i> , 2020 , 19, 1373-1381	4.2	2
178	Phenazine derivatives for optical sensing: a review. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 11308-11339	7.1	20
177	Highly sensitive detection of mercury(II) and silver(I) ions in aqueous solution via a chromene-functionalized imidazophenazine derivative. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 402, 112814	4.7	6
176	Rationally Designed Synthesis of Metal-Organic Framework-Derived Cobalt Oxide with Abundant Surface Active Sites for Efficient Catalytic Oxidation Performance. <i>Crystal Growth and Design</i> , 2020 , 20, 5716-5727	3.5	3
175	1,8-Naphthalimide-based fluorescent chemosensors: recent advances and perspectives. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 13501-13529	7.1	51

174	Lanthanide-Mediated Cyclodextrin-Based Supramolecular Assembly-Induced Emission Xerogel Films: A Transparent Multicolor Photoluminescent Material. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 13048-13055	8.3	7
173	Supramolecular polymer materials based on pillar[5]arene: Ultrasensitive detection and efficient removal of cyanide. <i>Chinese Chemical Letters</i> , 2020 , 31, 1231-1234	8.1	16
172	Ratiometric fluorescent sensor based oxazolo-phenazine derivatives for detect hypochlorite via oxidation reaction and its application in environmental samples. <i>Dyes and Pigments</i> , 2020 , 172, 107765	4.6	13
171	A novel AIE chemosensor based on quinoline functionalized Pillar[5]arene for highly selective and sensitive sequential detection of toxic Hg ²⁺ and CN ⁻ . <i>Dyes and Pigments</i> , 2019 , 164, 279-286	4.6	47
170	A tripodal supramolecular sensor to successively detect picric acid and CN ⁻ through guest competitive controlled AIE. <i>New Journal of Chemistry</i> , 2019 , 43, 2030-2036	3.6	23
169	A novel supramolecular polymer gel based on bis-naphthalimide functionalized-pillar[5]arene for fluorescence detection and separation of aromatic acid isomers. <i>Polymer Chemistry</i> , 2019 , 10, 253-259	4.9	28
168	Super metal hydrogels constructed from a simple tripodal gelator and rare earth metal ions and its application in highly selective and ultrasensitive detection of histidine. <i>Soft Matter</i> , 2019 , 15, 999-1004	3.6	29
167	Aggregation-Induced Emission Supramolecular Organic Framework (AIE SOF) Gels Constructed from Supramolecular Polymer Networks Based on Tripodal Pillar[5]arene for Fluorescence Detection and Efficient Removal of Various Analytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14775-14784	8.3	15
166	Highly selective Fe and F/HPO sensor based on a water-soluble cationic pillar[5]arene with aggregation-induced emission characteristic. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 221, 117215	4.4	12
165	Novel cyanide supramolecular fluorescent chemosensor constructed from a quinoline hydrazone functionalized-pillar[5]arene. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 220, 117136	4.4	12
164	Pillar[5]arene-based spongy supramolecular polymer gel and its properties in multi-responsiveness, dye sorption, ultrasensitive detection and separation of Fe. <i>Soft Matter</i> , 2019 , 15, 3241-3247	3.6	18
163	Novel pillar[5]arene-based supramolecular organic framework gel for ultrasensitive response Fe and F in water. <i>Materials Science and Engineering C</i> , 2019 , 100, 62-69	8.3	29
162	A novel fluorescent sensor based on 4-(diethylamino)-2-(hydroxy)-phenyl imine functionalized naphthalimide for highly selective and sensitive detection of CN ⁻ and Fe ³⁺ . <i>Canadian Journal of Chemistry</i> , 2019 , 97, 597-602	0.9	3
161	Rationally introduce AIE into chemosensor: A novel and efficient way to achieving ultrasensitive multi-guest sensing. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 218, 263-270	4.4	5
160	Supramolecular hydrogel-based AIEgen: Construction and dual-channel recognition of negative charged dyes. <i>Dyes and Pigments</i> , 2019 , 167, 16-21	4.6	9
159	Spongy Materials Based on Supramolecular Polymer Networks for Detection and Separation of Broad-Spectrum Pollutants. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 14775-14784	8.3	44
158	Morphology-Controlled Synthesis of the Metal-Organic Framework-Derived Nanorod Interweaved Lamellose Structure Co ₃ O ₄ for Outstanding Catalytic Combustion Performance. <i>Crystal Growth and Design</i> , 2019 , 19, 4546-4556	3.5	4
157	A novel supramolecular AIE gel for fluorescence detection and separation of metal ions from aqueous solution. <i>Soft Matter</i> , 2019 , 15, 6530-6535	3.6	3

156	A novel pillar[5]arene-based chemosensor for dual-channel detecting L-Arg by multiple supramolecular interactions. <i>Dyes and Pigments</i> , 2019 , 171, 107706	4.6	19
155	A simple water-soluble phenazine dye for colorimetric/ fluorogenic dual-mode detection and removal of Cu ²⁺ in natural water and plant samples. <i>Dyes and Pigments</i> , 2019 , 171, 107707	4.6	22
154	A novel strong AIE bi-component hydrogel as a multi-functional supramolecular fluorescent material. <i>Dyes and Pigments</i> , 2019 , 171, 107745	4.6	12
153	An azine-containing bispillar[5]arene-based multi-stimuli responsive supramolecular pseudopolyrotaxane gel for effective adsorption of rhodamine B. <i>Soft Matter</i> , 2019 , 15, 6836-6841	3.6	10
152	A novel AIE-based supramolecular polymer gel serves as an ultrasensitive detection and efficient separation material for multiple heavy metal ions. <i>Soft Matter</i> , 2019 , 15, 6878-6884	3.6	14
151	Aggregation-induced emission supramolecular organic framework (AIE SOF) gels constructed from tri-pillar[5]arene-based foldamer for ultrasensitive detection and separation of multi-analytes. <i>Soft Matter</i> , 2019 , 15, 6753-6758	3.6	18
150	A novel bis-component AIE smart gel with high selectivity and sensitivity to detect CN ⁻ , Fe and HPO ₄ ²⁻ . <i>Soft Matter</i> , 2019 , 15, 6348-6352	3.6	18
149	In Situ Generation of AgI Quantum Dots by the Confinement of A Supramolecular Polymer Network: A Novel Approach for Ultrasensitive Response. <i>Chemistry - an Asian Journal</i> , 2019 , 14, 3274-3278	4.5	8
148	A Phenazine Hydrochloride for the Selective Detection and Removal of Mercury(II) Ions in Water. <i>ChemistrySelect</i> , 2019 , 4, 10060-10064	1.8	3
147	Research Progress of Cyanide Sensors in Different Medium. <i>Chinese Journal of Organic Chemistry</i> , 2019 , 39, 1226	3	5
146	Anion induced supramolecular polymerization: a novel approach for the ultrasensitive detection and separation of F ⁻ . <i>Chemical Communications</i> , 2019 , 55, 3247-3250	5.8	60
145	Forming a water-soluble supramolecular polymer and an AIEE hydrogel: two novel approaches for highly sensitive detection and efficient adsorption of aldehydes. <i>Polymer Chemistry</i> , 2019 , 10, 6489-6494	4.9	21
144	A bi-component supramolecular gel for selective fluorescence detection and removal of Hg in water. <i>Soft Matter</i> , 2019 , 15, 9547-9552	3.6	17
143	A simple chemosensor for ultrasensitive fluorescent "turn-on" detection of Fe ³⁺ and alternant detection of CN ⁻ . <i>Supramolecular Chemistry</i> , 2019 , 31, 745-755	1.8	2
142	A biacylhydrazone-based chemosensor for fluorescence "turn-on" detection of Al ³⁺ with high selectivity and sensitivity. <i>Supramolecular Chemistry</i> , 2019 , 31, 80-88	1.8	8
141	Rapid and Selective Detection of Cyanide Anion by Enhanced Fluorescent Emission and Colorimetric Color Changes at Micromole Levels in Aqueous Medium. <i>Journal of Heterocyclic Chemistry</i> , 2018 , 55, 879-887	1.9	4
140	A water-soluble fluorescent chemosensor based on Asp functionalized naphthalimide for successive detection Fe ³⁺ and H ₂ PO ₄ ⁻ . <i>Canadian Journal of Chemistry</i> , 2018 , 96, 363-370	0.9	5
139	Competition of cation-π and exo-wall π interactions: a novel approach to achieve ultrasensitive response. <i>Chemical Communications</i> , 2018 , 54, 4549-4552	5.8	70

138	A novel pillar[5]arene-based supramolecular organic framework gel to achieve an ultrasensitive response by introducing the competition of cation- π interactions. <i>Soft Matter</i> , 2018 , 14, 3624-3631	3.6	21
137	Frontispiece: Pillar[5]arene-Based Supramolecular Organic Framework with Multi-Guest Detection and Recyclable Separation Properties. <i>Chemistry - A European Journal</i> , 2018 , 24,	4.8	1
136	A novel water soluble pillar[5]arene and phenazine derivative self-assembled pseudorotaxane sensor for the selective detection of Hg ²⁺ and Ag ⁺ with high selectivity and sensitivity. <i>New Journal of Chemistry</i> , 2018 , 42, 10148-10152	3.6	9
135	Pillar[5]arene-based multifunctional supramolecular hydrogel: multistimuli responsiveness, self-healing, fluorescence sensing, and conductivity. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 999-1003	7.8	46
134	Highly selective and sensitive chemosensor based on 2,3-diaminophenazine hydrochloride for the detection of cyanide in pure water and its application in plant seed samples. <i>New Journal of Chemistry</i> , 2018 , 42, 14766-14771	3.6	13
133	Tri-pillar[5]arene-based multi-stimuli-responsive supramolecular polymers for fluorescence detection and separation of Hg ²⁺ . <i>Polymer Chemistry</i> , 2018 , 9, 4625-4630	4.9	44
132	A novel naphthalimide- γ -glutathione chemosensor for fluorescent detection of Fe ³⁺ and Hg ²⁺ in aqueous medium and its application. <i>Tetrahedron</i> , 2018 , 74, 4005-4012	2.4	12
131	Synthesis and Fe ³⁺ Sensing Properties of the Chemosensor Based on Functionalized Naphthalimide Schiff Base Derivative. <i>Chinese Journal of Organic Chemistry</i> , 2018 , 38, 1800	3	3
130	A cyanide-triggered hydrogen-bond-breaking deprotonation mechanism: fluorescent detection of cyanide using a thioacetohydrazone-functionalized bispillar[5]arene. <i>New Journal of Chemistry</i> , 2018 , 42, 1271-1275	3.6	15
129	Pillar[5]arene-Based Supramolecular Organic Framework with Multi-Guest Detection and Recyclable Separation Properties. <i>Chemistry - A European Journal</i> , 2018 , 24, 777-783	4.8	116
128	A multi-stimuli responsive metallosupramolecular polypseudorotaxane gel constructed by self-assembly of a pillar[5]arene-based pseudo[3]rotaxane via zinc ion coordination and its application for highly sensitive fluorescence recognition of metal ions. <i>Polymer Chemistry</i> , 2018 , 9, 5370-5376	4.9	22
127	An easy-to-make strong white AIE supramolecular polymer as a colour tunable photoluminescence material. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 13331-13335	7.1	31
126	A novel supramolecular AIE gel acts as a multi-analyte sensor array. <i>New Journal of Chemistry</i> , 2018 , 42, 18059-18065	3.6	28
125	Multi-stimuli-responsive supramolecular gel constructed by pillar[5]arene-based pseudorotaxanes for efficient detection and separation of multi-analytes in aqueous solution. <i>Soft Matter</i> , 2018 , 14, 8529-8536	3.6	18
124	Acylhydrazone functionalized benzimidazole-based metallogel for the efficient detection and separation of Cr. <i>Soft Matter</i> , 2018 , 14, 8390-8394	3.6	15
123	Supramolecular Aggregation-Induced Emission Gels Based on Pillar[5]arene for Ultrasensitive Detection and Separation of Multianalytes. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 16597-16606	8.3	37
122	A bis-naphthalimide functionalized pillar[5]arene-based supramolecular gel acts as a multi-stimuli-responsive material. <i>New Journal of Chemistry</i> , 2018 , 42, 16167-16173	3.6	15
121	Novel 2-(hydroxy)-naphthyl imino functionalized pillar[5]arene: a highly efficient supramolecular sensor for tandem fluorescence detection of Fe ³⁺ and F ⁻ and the facile separation of Fe ³⁺ . <i>New Journal of Chemistry</i> , 2018 , 42, 11548-11554	3.6	14

120	Novel chemosensor for ultrasensitive dual-channel detection of Cu ²⁺ and its application in IMPLICATION logic gate. <i>Journal of Luminescence</i> , 2018 , 202, 225-231	3.8	5
119	Novel bispillar[5]arene-based AIEgen and its application in mercury(II) detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 272, 139-145	8.5	54
118	Ultrasensitive Detection of Formaldehyde in Gas and Solutions by a Catalyst Preplaced Sensor Based on a Pillar[5]arene Derivative. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 8775-8781	8.3	41
117	A reversible colourimetric and selective fluorescent chemosensor for the cascade recognition of Cu ²⁺ and H ₂ PO ₄ ⁻ in aqueous solution. <i>Supramolecular Chemistry</i> , 2017 , 29, 153-159	1.8	6
116	A copillar[5]arene-based fluorescence "on-off-on" sensor is applied in sequential recognition of an iron cation and a fluoride anion. <i>New Journal of Chemistry</i> , 2017 , 41, 2148-2153	3.6	21
115	A novel water soluble chemosensor based on carboxyl functionalized NDI derivatives for selective detection and facile removal of mercury(II). <i>RSC Advances</i> , 2017 , 7, 11206-11210	3.7	14
114	A Turn-On Fluorescence Chemosensor for Cyanide in Aqueous Media Based on a Nucleophilic Addition Reaction. <i>Chinese Journal of Chemistry</i> , 2017 , 35, 1165-1169	4.9	5
113	A novel histidine-functionalized 1,8-naphthalimide-based fluorescent chemosensor for the selective and sensitive detection of Hg ²⁺ in water. <i>New Journal of Chemistry</i> , 2017 , 41, 3303-3307	3.6	17
112	Construction of stimuli-responsive supramolecular gel via bispillar[5]arene-based multiple interactions. <i>Polymer Chemistry</i> , 2017 , 8, 2005-2009	4.9	39
111	A novel imidazophenazine-based metallogel act as reversible H ₂ PO ₄ ⁻ sensor and rewritable fluorescent display material. <i>Sensors and Actuators B: Chemical</i> , 2017 , 251, 250-255	8.5	27
110	Sensitive and Selective Fluorescent and Colorimetric Sensor for Ag ⁺ Based on the Supramolecular Self-Assembly in Semi-Water. <i>Chinese Journal of Chemistry</i> , 2017 , 35, 1311-1316	4.9	5
109	A highly selective colorimetric and "Off-On" fluorescence sensor for CN ⁻ based on Zn(salphenazine) complex. <i>Science China Chemistry</i> , 2017 , 60, 754-760	7.9	10
108	Colorimetric and fluorescent chemosensor for highly selective and sensitive relay detection of Cu and HPO in aqueous media. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 182, 67-72	4.4	14
107	Phenazine-based colorimetric and fluorescent sensor for the selective detection of cyanides based on supramolecular self-assembly in aqueous solution. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2017 , 175, 117-124	4.4	16
106	A highly selective fluorescent chemosensor for successive detection of Fe ³⁺ and CN ⁻ in pure water. <i>Supramolecular Chemistry</i> , 2017 , 29, 489-496	1.8	15
105	Pillar[5]arene-based fluorescent polymer for selective detection and removal of mercury ions. <i>RSC Advances</i> , 2017 , 7, 47709-47714	3.7	15
104	Iodine Controlled Pillar[5]arene-Based Multiresponsive Supramolecular Polymer for Fluorescence Detection of Cyanide, Mercury, and Cysteine. <i>Macromolecules</i> , 2017 , 50, 7863-7871	5.5	176
103	Mercaptooxazolephenazine based blue fluorescent sensor for the ultra-sensitive detection of mercury(II) ions in aqueous solution. <i>RSC Advances</i> , 2017 , 7, 47547-47551	3.7	7

102	A novel supramolecular polymer gel based on naphthalimide functionalized-pillar[5]arene for the fluorescence detection of Hg and I and recyclable removal of Hg via cation-π interactions. <i>Soft Matter</i> , 2017 , 13, 7085-7089	3.6	73
101	A novel iodination-triggered competitive coordination mechanism: indirect detection of Hg ²⁺ and I ⁻ using a simple copillar[5]arene-based fluorometric sensor. <i>New Journal of Chemistry</i> , 2017 , 41, 12707-12712	3.6	6
100	Novel supramolecular sensors constructed from pillar[5]arene and a naphthalimide for efficient detection of Fe ³⁺ and F ⁻ in water. <i>New Journal of Chemistry</i> , 2017 , 41, 12172-12177	3.6	6
99	Novel multi-analyte responsive ionic supramolecular gels based on pyridinium functionalized-naphthalimide. <i>Soft Matter</i> , 2017 , 13, 7360-7364	3.6	24
98	A novel water soluble self-assembled supramolecular sensor based on pillar[5]arene for fluorescent detection of CN ⁻ in water. <i>Tetrahedron</i> , 2017 , 73, 5307-5310	2.4	16
97	An efficient iodide ion chemosensor and a rewritable dual-channel security display material based on an ion responsive supramolecular gel. <i>RSC Advances</i> , 2017 , 7, 38210-38215	3.7	7
96	A benzimidazole functionalized NDI derivative for recyclable fluorescent detection of cyanide in water. <i>RSC Advances</i> , 2017 , 7, 38458-38462	3.7	12
95	A novel self-assembled supramolecular sensor based on thiophene-functionalized imidazophenazine for dual-channel detection of Ag ⁺ in an aqueous solution. <i>RSC Advances</i> , 2017 , 7, 53439-53444	3.7	11
94	Pillararene-based fluorescent chemosensors: recent advances and perspectives. <i>Chemical Communications</i> , 2017 , 53, 13296-13311	5.8	126
93	A pillar[5]arene-based multiple-stimuli responsive metal-organic gel was constructed for facile removal of mercury ions. <i>Soft Matter</i> , 2017 , 13, 5214-5218	3.6	35
92	A water-soluble pillar[5]arene-based chemosensor for highly selective and sensitive fluorescence detection of L-methionine. <i>RSC Advances</i> , 2017 , 7, 34411-34414	3.7	14
91	Novel fluorescent cyanide-selective chemosensor based on a functionalised pillar[5]arene copper(II) complex. <i>Supramolecular Chemistry</i> , 2017 , 29, 411-416	1.8	10
90	A rational designed fluorescent and colorimetric dual-channel sensor for cyanide anion based on the PET effect in aqueous medium. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 430-437	8.5	39
89	A novel functionalized pillar[5]arene-based selective amino acid sensor for L-tryptophan. <i>Organic Chemistry Frontiers</i> , 2017 , 4, 210-213	5.2	52
88	A colorimetric and reversible fluorescent chemosensor for Ag ⁺ in aqueous solution and its application in IMPLICATION logic gate. <i>Sensors and Actuators B: Chemical</i> , 2017 , 239, 671-678	8.5	50
87	Cascade recognition of Cu ²⁺ and H ₂ PO ₄ ⁻ with high sensitivity and selectivity in aqueous media based on the effect of ES IPT. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 849-856	8.5	23
86	A novel supramolecular organogel based on acylhydrazone functionalized pillar[5]arene acts as an I responsive smart material. <i>Soft Matter</i> , 2017 , 13, 7222-7226	3.6	29
85	A highly sensitive colorimetric chemodosimeter for cyanide anion by Michael addition based on a coumarin derivative. <i>New Journal of Chemistry</i> , 2016 , 40, 8607-8613	3.6	21

84	A highly selective colorimetric chemosensor for detection of iodide ions in aqueous solution. <i>RSC Advances</i> , 2016 , 6, 86627-86631	3.7	22
83	A colorimetric and turn-on/fluorimetric chemosensor for the selective detection of cyanide and its application in food samples. <i>RSC Advances</i> , 2016 , 6, 100401-100406	3.7	48
82	Efficient sensing of fluoride ions in water using a novel water soluble self-assembled supramolecular sensor based on pillar[5]arene. <i>RSC Advances</i> , 2016 , 6, 111928-111933	3.7	15
81	A highly selective and sensitive dual-channel chemosensor for cyanide based on sulfahydrazone derivative. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2016 , 191, 1318-1323	1	3
80	An easy prepared dual-channel chemosensor for selective and instant detection of fluoride based on double Schiff-base. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016 , 167, 116-121	4.4	17
79	A pillar[5]arene-based cyanide sensor bearing on a novel cyanide-induced self-assemble mechanism. <i>Dyes and Pigments</i> , 2016 , 127, 59-66	4.6	35
78	A reversible fluorescent chemosensor for the rapid sensing of CN ⁻ in water: utilization of the intramolecular charge transfer blocking. <i>New Journal of Chemistry</i> , 2016 , 40, 2327-2332	3.6	7
77	A simple Schiff base as naked eye and fluorescent on/off sensor for detecting cyanide in mixed aqueous solution. <i>Supramolecular Chemistry</i> , 2016 , 28, 314-320	1.8	9
76	A novel pH sensor which could respond to multi-scale pH changes via different fluorescence emissions. <i>New Journal of Chemistry</i> , 2016 , 40, 4562-4565	3.6	18
75	Novel functionalized pillar[5]arene: synthesis, assembly and application in sequential fluorescent sensing for Fe ³⁺ and F ⁻ in aqueous media. <i>RSC Advances</i> , 2016 , 6, 20987-20993	3.7	30
74	A simple dual-channel sensor for detecting cyanide in water with high selectivity and sensitivity. <i>Supramolecular Chemistry</i> , 2016 , 28, 913-920	1.8	7
73	A carboxylic acid functionalized benzimidazole-based supramolecular gel with multi-stimuli responsive properties. <i>New Journal of Chemistry</i> , 2016 , 40, 4940-4944	3.6	18
72	A highly sensitive and selective turn-on/fluorescence sensor for rapid detection of cyanide ions in aqueous solution. <i>Supramolecular Chemistry</i> , 2016 , 28, 720-726	1.8	18
71	A novel functionalized pillar[5]arene for forming a fluorescent switch and a molecular keypad. <i>RSC Advances</i> , 2016 , 6, 65898-65901	3.7	20
70	Novel Fluorescent Chemosensor for Detection of F ⁻ Anions Based on a Single Functionalized Pillar[5]arene Iron(III) Complex. <i>Chinese Journal of Chemistry</i> , 2016 , 34, 1263-1267	4.9	11
69	A recyclable probe for highly selective and sensitive detection of cyanide anion in aqueous medium by fluorescent and colorimetric changes. <i>Sensors and Actuators B: Chemical</i> , 2016 , 232, 115-124	8.5	32
68	A turn-on fluorescent sensor for relay recognition of two ions: from a F ⁻ selective sensor to highly Zn ²⁺ -selective sensor by tuning electronic effects. <i>RSC Advances</i> , 2016 , 6, 35804-35808	3.7	21
67	A turn-on fluorescent chemosensor selectively detects cyanide in pure water and food sample. <i>Tetrahedron Letters</i> , 2016 , 57, 2767-2771	2	25

66	A simple chemosensor for the dual-channel detection of cyanide in water with high selectivity and sensitivity. <i>RSC Advances</i> , 2016 , 6, 27130-27135	3.7	27
65	Rationally introduce multi-competitive binding interactions in supramolecular gels: a simple and efficient approach to develop multi-analyte sensor array. <i>Chemical Science</i> , 2016 , 7, 5341-5346	9.4	255
64	A dual-channel chemosensor could successively detect CN ⁻ and HSO ₄ ⁻ in an aqueous solution and act as a keypad lock. <i>RSC Advances</i> , 2016 , 6, 43832-43837	3.7	23
63	Unidirectional threading of tadpole-looking guests into a symmetric pillar[5]arene through host-guest complexation. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2016 , 86, 173-181	1.7	2
62	A "keto-enol tautomerization"-based response mechanism: a novel approach to stimuli-responsive supramolecular gel. <i>Chemical Communications</i> , 2015 , 51, 12224-7	5.8	37
61	Copillar[5]arene-based supramolecular polymer gel: controlling stimuli-response properties through a novel strategy with surfactant. <i>RSC Advances</i> , 2015 , 5, 60273-60278	3.7	18
60	Colorimetric probes designed to provide high sensitivity and single selectivity for CN ⁻ in aqueous solution. <i>New Journal of Chemistry</i> , 2015 , 39, 7206-7210	3.6	19
59	Highly selective fluorescent chemosensor for Cu ²⁺ . <i>Chemical Research in Chinese Universities</i> , 2015 , 31, 347-351	2.2	4
58	A reversible fluorescent chemosensor for iron ions based on 1H-imidazo [4,5-b] phenazine derivative. <i>Sensors and Actuators B: Chemical</i> , 2015 , 213, 501-507	8.5	46
57	A simple pincer-type chemosensor for reversible fluorescence turn-on detection of zinc ion at physiological pH range. <i>New Journal of Chemistry</i> , 2015 , 39, 4162-4167	3.6	11
56	A highly selective colorimetric and OFF-ON fluorescent chemosensor for fluoride ions and its application as a molecular-scale logic device. <i>New Journal of Chemistry</i> , 2015 , 39, 8797-8801	3.6	21
55	A cationic water-soluble pillar[5]arene: synthesis and host-guest complexation with long linear acids. <i>RSC Advances</i> , 2015 , 5, 4958-4963	3.7	21
54	A novel supramolecular metallo-gel-based high-resolution anion sensor array. <i>Chemical Communications</i> , 2015 , 51, 1635-8	5.8	179
53	Sensitive and selective chemosensor for instant detecting fluoride ion via different channels. <i>Supramolecular Chemistry</i> , 2015 , 27, 201-211	1.8	4
52	Rationally designed supramolecular organogel dual-channel sense F ⁻ under gel-gel states via ion-controlled AIE. <i>Dyes and Pigments</i> , 2015 , 113, 748-753	4.6	23
51	A colorimetric and fluorescent cyanide chemosensor based on dicyanovinyl derivatives: utilization of the mechanism of intramolecular charge transfer blocking. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015 , 136 Pt B, 1047-51	4.4	41
50	Synthesis of Copillar[5]arene by Co-oligomerization of Different Monomers and Its Application to Supramolecular Polymer Gel. <i>Chinese Journal of Chemistry</i> , 2015 , 33, 373-378	4.9	14
49	A simple Michael acceptor type quinoline derivative for highly selective sequential recognition of CN ⁻ and Cu ²⁺ in aqueous solution. <i>RSC Advances</i> , 2015 , 5, 49953-49957	3.7	27

- 48 A reversible dual-channel chemosensor for fluoride anion. *Supramolecular Chemistry*, **2015**, 27, 552-558 1.8 5
- 47 Nitrophenylfuran-benzimidazole-based reversible alkaline fluorescence switch accurately controlled by pH. *Sensors and Actuators B: Chemical*, **2015**, 219, 38-42 8.5 11
- 46 A rapid selective colorimetric and Off-Off fluorimetric sensor for detecting Cu^{2+} ions in aqueous media based on a simple bis-schiff-base derivative. *Supramolecular Chemistry*, **2015**, 27, 471-477 1.8 15
- 45 Fluorescent "turn-on" detecting CN^- by nucleophilic addition induced Schiff-base hydrolysis. *Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy*, **2015**, 141, 113-8 4.4 15
- 44 A highly selective and sensitive fluorescence Turn-on fluoride ion sensor. *RSC Advances*, **2015**, 5, 11786-11790 1.7 19
- 43 A highly selective and sensitive chemosensor for instant detection cyanide via different channels in aqueous solution. *Tetrahedron*, **2014**, 70, 1889-1894 2.4 52
- 42 Metal-Organic Gels Based on Carboxyl-Functionalized Benzimidazole and Their Stimuli Responsiveness. *Chinese Journal of Chemistry*, **2014**, 32, 607-612 4.9 8
- 41 A reversible fluorescent chemosensor for the rapid detection of mercury ions (II) in water with high sensitivity and selectivity. *RSC Advances*, **2014**, 4, 61320-61323 3.7 16
- 40 A highly selective dual-channel chemosensor for mercury ions: utilization of the mechanism of intramolecular charge transfer blocking. *New Journal of Chemistry*, **2014**, 38, 5075-5080 3.6 24
- 39 Rationally designed anion-responsive-organogels: sensing F^- via reversible color changes in gel-gel states with specific selectivity. *Soft Matter*, **2014**, 10, 5715-23 3.6 47
- 38 Double metal ions competitively control the guest-sensing process: a facile approach to stimuli-responsive supramolecular gels. *Chemistry - A European Journal*, **2014**, 20, 11457-62 4.8 79
- 37 A silver-induced metal-organic gel based on biscarboxyl-functionalised benzimidazole derivative: stimuli responsive and dye sorption. *Supramolecular Chemistry*, **2014**, 26, 39-47 1.8 17
- 36 A highly selective colorimetric chemosensor for detection of nickel ions in aqueous solution. *New Journal of Chemistry*, **2014**, 38, 1418-1423 3.6 69
- 35 A reversible fluorescent chemosensor for Fe^{3+} and H_2PO_4^- with On-off-on switching in aqueous media. *Science China Chemistry*, **2014**, 57, 1257-1263 7.9 19
- 34 A novel strategy for the design of smart supramolecular gels: controlling stimuli-response properties through competitive coordination of two different metal ions. *Chemical Communications*, **2014**, 50, 10669-71 5.8 56
- 33 Competitive coordination control of the AIE and micro states of supramolecular gel: an efficient approach for reversible dual-channel stimuli-response materials. *Soft Matter*, **2014**, 10, 8427-32 3.6 34
- 32 Copillar[5]arene-based supramolecular polymer gels. *Polymer Chemistry*, **2014**, 5, 4722 4.9 50
- 31 A highly selective PET-based chemosensor for instant detecting of Zn^{2+} . *RSC Advances*, **2014**, 4, 35797 3.7 23

30	Turn-on fluorescence sensing of cyanide ions in aqueous solution. <i>Chinese Chemical Letters</i> , 2014 , 25, 35-38	8.1	13
29	An easy prepared double naphthalene Schiff-base for highly selective sensing of cyanide via the dipolymer in aqueous solution. <i>Supramolecular Chemistry</i> , 2014 , 26, 403-408	1.8	12
28	A Novel Highly Selective "Turn-On" Fluorescence Sensor for Silver Ions Based on Schiff Base. <i>Chinese Journal of Chemistry</i> , 2014 , 32, 1255-1258	4.9	14
27	A Fluorescent Chemosensor for Dihydrogen Phosphate Ion Based on 2-[2-Hydroxy-4-(diethylamino) phenyl]-1H-imidazo[4,5-b]phenazine-Fe ³⁺ Ensemble. <i>Chinese Journal of Chemistry</i> , 2014 , 32, 1238-1244	4.9	19
26	A Rational Designed Dual-channel Chemosensor for Mercury Ions Based on Hydrolysis of Schiff Base. <i>Chinese Journal of Chemistry</i> , 2014 , 32, 637-644	4.9	8
25	A fluorescent and colorimetric chemosensor for dihydrogen phosphate ions based on 2-pyridine-1H-imidazo[4,5-b]phenazine-zinc ensemble. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 555-561	8.5	39
24	A highly selective fluorescent chemosensor for iron ion based on 1H-imidazo [4,5-b] phenazine derivative. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014 , 121, 514-9	4.4	38
23	Selective Chemosensor of Fe ³⁺ Based on Fluorescence Quenching by 2,2'-Bisbenzimidazole Derivative in Aqueous Media. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 515-519	4.9	21
22	A green synthesis of a simple chemosensor that could instantly detect cyanide with high selectivity in aqueous solution. <i>Chinese Chemical Letters</i> , 2013 , 24, 699-702	8.1	11
21	Highly selective fluorescent sensing for CN ⁻ in water: utilization of the supramolecular self-assembly. <i>Chemical Communications</i> , 2013 , 49, 7812-4	5.8	122
20	A highly selective dual-channel Hg ²⁺ chemosensor based on an easy to prepare double naphthalene Schiff base. <i>Science China Chemistry</i> , 2013 , 56, 612-618	7.9	34
19	Novel receptor for the rapid reaction and colorimetric detection of HSO ₃ ⁻ in aqueous solutions. <i>Chemical Research in Chinese Universities</i> , 2013 , 29, 236-238	2.2	3
18	A Highly Selective Colorimetric Sensor for Cu ²⁺ Based on Phenolic Group Biscarbonyl Hydrazone. <i>Chinese Journal of Chemistry</i> , 2013 , 31, 271-276	4.9	18
17	Recognition of dihydrogen phosphate ions using the cadmium complex of 2-pyridine-1H-imidazo[4,5-b]phenazine: utilization of the mechanism of twisted intramolecular charge transfer, long wavelength emission. <i>New Journal of Chemistry</i> , 2013 , 37, 3737	3.6	25
16	A highly selective colorimetric sensor for Hg ²⁺ based on a copper (II) complex of thiosemicarbazone in aqueous solutions. <i>Science China Chemistry</i> , 2013 , 56, 923-927	7.9	17
15	A reversible fluorescent chemosensor for mercury ions based on 1H-imidazo[4,5-b]phenazine derivatives. <i>Tetrahedron</i> , 2013 , 69, 7981-7987	2.4	40
14	Reaction-based ratiometric chemosensor for instant detection of cyanide in water with high selectivity and sensitivity. <i>Chemistry - an Asian Journal</i> , 2013 , 8, 3015-21	4.5	82
13	Novel smart supramolecular metallo-hydrogel that could selectively recognize and effectively remove Pb ²⁺ in aqueous solution. <i>Science China Chemistry</i> , 2012 , 55, 2554-2561	7.9	11

12	Novel and Efficient Cyclization Procedure for the Synthesis of 2,5-Disubstituted-1,3,4-thiadiazoles Without Using Any Ring-Closing Reagents. <i>Synthetic Communications</i> , 2012 , 42, 3251-3260	1.7	3
11	A Simple Colorimetric Sensor with High Selectivity for Mercury Cation in Aqueous Solution. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2011 , 186, 2286-2294	1	5
10	Novel Hydrazone-Based Tripodal Sensors: Single Selective Colorimetric Chemosensor for Acetate in Aqueous Solution. <i>Chinese Journal of Chemistry</i> , 2011 , 29, 1529-1534	4.9	11
9	A novel smart organogel which could allow a two channel anion response by proton controlled reversible sol-gel transition and color changes. <i>Chemical Communications</i> , 2009 , 6074-6	5.8	136
8	Synthesis and Anion Recognition Properties of Thiosemicarbazone Based Molecular Tweezers. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 183, 44-55	1	5
7	Weak Interaction and Supramolecular Structure of N -ethoxycarbonyl- N ?-arylthiourea. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 2007 , 182, 863-871	1	4
6	Synthesis and crystal structure of bis{(Echloro)-chloro-[N-benzoyl-N?-(2-hydroxyethyl)thiourea] mercury(II)}. <i>Journal of Coordination Chemistry</i> , 2005 , 58, 1675-1679	1.6	11
5	Preparation and Crystal Structure of a New Cu(II) Complex of the N-ethoxycarbonyl-O-ethyl-N?-(2,4,6-trichlorophenyl)-isourea. <i>Transition Metal Chemistry</i> , 2005 , 30, 944-947	2.7	6
4	Synthetic strategies of phenazine derivatives: A review. <i>Journal of Heterocyclic Chemistry</i> ,	1.9	2
3	A supramolecular polymer network constructed by pillar[5]arene-based host-guest interactions and its application in nitro explosive detection. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> ,1	1.7	1
2	A novel highly sensitive dual-channel chemical sensor for sequential recognition of Cu ²⁺ and CN ⁻ in aqueous media and its bioimaging applications in living cells. <i>New Journal of Chemistry</i> ,	3.6	1
1	Influence of monomers' structure on the assembly and material property of pillar[5]arene-based supramolecular polymer gels. <i>Chinese Journal of Chemistry</i> ,	4.9	1