

# Feng Pan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4209798/publications.pdf>

Version: 2024-02-01

396  
papers

15,476  
citations

15466

65  
h-index

25716

108  
g-index

402  
all docs

402  
docs citations

402  
times ranked

13298  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent progress in resistive random access memories: Materials, switching mechanisms, and performance. <i>Materials Science and Engineering Reports</i> , 2014, 83, 1-59.	14.8	1,160
2	Fully Room-Temperature-Fabricated Nonvolatile Resistive Memory for Ultrafast and High-Density Memory Application. <i>Nano Letters</i> , 2009, 9, 1636-1643.	4.5	805
3	Ferromagnetism and possible application in spintronics of transition-metal-doped ZnO films. <i>Materials Science and Engineering Reports</i> , 2008, 62, 1-35.	14.8	616
4	Recent progress in voltage control of magnetism: Materials, mechanisms, and performance. <i>Progress in Materials Science</i> , 2017, 87, 33-82.	16.0	357
5	Resistive Switching and Magnetic Modulation in Cobalt-Doped ZnO. <i>Advanced Materials</i> , 2012, 24, 3515-3520.	11.1	252
6	Antidamping-Torque-Induced Switching in Biaxial Antiferromagnetic Insulators. <i>Physical Review Letters</i> , 2018, 120, 207204.	2.9	246
7	Synaptic plasticity and learning behaviours mimicked through Ag interface movement in an Ag/conducting polymer/Ta memristive system. <i>Journal of Materials Chemistry C</i> , 2013, 1, 5292.	2.7	237
8	Giant magnetic moment in an anomalous ferromagnetic insulator: Co-doped ZnO. <i>Physical Review B</i> , 2006, 73, .	1.1	225
9	Nonvolatile resistive switching memories-characteristics, mechanisms and challenges. <i>Progress in Natural Science: Materials International</i> , 2010, 20, 1-15.	1.8	194
10	Dynamic Processes of Resistive Switching in Metallic Filament-Based Organic Memory Devices. <i>Journal of Physical Chemistry C</i> , 2012, 116, 17955-17959.	1.5	190
11	High-energy density nonaqueous all redox flow lithium battery enabled with a polymeric membrane. <i>Science Advances</i> , 2015, 1, e1500886.	4.7	186
12	Giant piezoelectric d33 coefficient in ferroelectric vanadium doped ZnO films. <i>Applied Physics Letters</i> , 2008, 92, .	1.5	168
13	Redox Species of Redox Flow Batteries: A Review. <i>Molecules</i> , 2015, 20, 20499-20517.	1.7	167
14	Room-Temperature Perpendicular Exchange Coupling and Tunneling Anisotropic Magnetoresistance in an Antiferromagnet-Based Tunnel Junction. <i>Physical Review Letters</i> , 2012, 109, 137201.	2.9	165
15	Photoluminescence and Raman scattering of Cu-doped ZnO films prepared by magnetron sputtering. <i>Applied Surface Science</i> , 2007, 253, 6905-6909.	3.1	160
16	Adaptive Crystallite Kinetics in Homogenous Bilayer Oxide Memristor for Emulating Diverse Synaptic Plasticity. <i>Advanced Functional Materials</i> , 2018, 28, 1706927.	7.8	140
17	Electric field control of the spin-orbit torque in an antiferromagnet. <i>Nature Materials</i> , 2019, 18, 931-935.	13.3	132
18	Bipolar resistive switching in Cu/AlN/Pt nonvolatile memory device. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	131

#	ARTICLE	IF	CITATIONS
19	Spin-orbit torques: Materials, mechanisms, performances, and potential applications. <i>Progress in Materials Science</i> , 2021, 118, 100761.	16.0	127
20	Correlation of oxygen vacancy variations to band gap changes in epitaxial ZnO thin films. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	125
21	Nonvolatile resistive switching in single crystalline ZnO nanowires. <i>Nanoscale</i> , 2011, 3, 1917.	2.8	120
22	Competition between Metallic and Vacancy Defect Conductive Filaments in a CH <sub>3</sub> NH <sub>3</sub> Pb <sub>3</sub> -Based Memory Device. <i>Journal of Physical Chemistry C</i> , 2018, 122, 6431-6436.	1.5	115
23	Observation of the antiferromagnetic spin Hall effect. <i>Nature Materials</i> , 2021, 20, 800-804.	13.3	113
24	Bipolar resistive switching with self-rectifying effects in Al/ZnO/Si structure. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	112
25	Luminescence and Raman scattering properties of Ag-doped ZnO films. <i>Journal Physics D: Applied Physics</i> , 2006, 39, 4992-4996.	1.3	106
26	Guiding the Growth of a Conductive Filament by Nanoindentation To Improve Resistive Switching. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 34064-34070.	4.0	106
27	Electrical Manipulation of Orbital Occupancy and Magnetic Anisotropy in Manganites. <i>Advanced Functional Materials</i> , 2015, 25, 864-870.	7.8	105
28	Oxygen migration induced resistive switching effect and its thermal stability in W/TaO <sub>x</sub> /Pt structure. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	103
29	Lateral 2D WSe <sub>2</sub> p-n Homojunction Formed by Efficient Charge Carrier Type Modulation for High-Performance Optoelectronics. <i>Advanced Materials</i> , 2020, 32, e1906499.	11.1	103
30	Resistance Switching Characteristics of Solid Electrolyte Chalcogenide Ag <sub>2</sub> Se Nanoparticles for Flexible Nonvolatile Memory Applications. <i>Advanced Materials</i> , 2012, 24, 3573-3576.	11.1	101
31	The influence of different doping elements on microstructure, piezoelectric coefficient and resistivity of sputtered ZnO film. <i>Applied Surface Science</i> , 2006, 253, 1639-1643.	3.1	100
32	A new type of glucose biosensor based on surface acoustic wave resonator using Mn-doped ZnO multilayer structure. <i>Biosensors and Bioelectronics</i> , 2013, 49, 512-518.	5.3	99
33	Resistive Switching Induced by Metallic Filaments Formation through Poly(3,4-ethylene-dioxythiophene):Poly(styrenesulfonate). <i>ACS Applied Materials &amp; Interfaces</i> , 2012, 4, 447-453.	4.0	98
34	Electrical Control of the Exchange Spring in Antiferromagnetic Metals. <i>Advanced Materials</i> , 2015, 27, 3196-3201.	11.1	98
35	Evaluating modulus and hardness enhancement in evaporated Cu/W multilayers. <i>Acta Materialia</i> , 2007, 55, 345-351.	3.8	97
36	Forming-free and self-rectifying resistive switching of the simple Pt/TaO <sub>x</sub> /n-Si structure for access device-free high-density memory application. <i>Nanoscale</i> , 2015, 7, 6031-6038.	2.8	97

#	ARTICLE	IF	CITATIONS
37	Enhanced electromechanical response of Fe-doped ZnO films by modulating the chemical state and ionic size of the Fe dopant. <i>Physical Review B</i> , 2010, 82, .	1.1	94
38	Formation process of conducting filament in planar organic resistive memory. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	89
39	Conductance quantization in a Ag filament-based polymer resistive memory. <i>Nanotechnology</i> , 2013, 24, 335201.	1.3	86
40	Influence of sputtering parameters on structures and residual stress of AlN films deposited by DC reactive magnetron sputtering at room temperature. <i>Journal of Crystal Growth</i> , 2013, 363, 80-85.	0.7	86
41	Cr-substitution-induced ferroelectric and improved piezoelectric properties of Zn <sub>1-x</sub> Cr <sub>x</sub> O films. <i>Journal of Applied Physics</i> , 2008, 103, .	1.1	85
42	Resistive switching and conductance quantization in Ag/SiO <sub>2</sub> /indium tin oxide resistive memories. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	85
43	Implementation of Complete Boolean Logic Functions in Single Complementary Resistive Switch. <i>Scientific Reports</i> , 2015, 5, 15467.	1.6	84
44	Resistive switching mechanisms relating to oxygen vacancies migration in both interfaces in Ti/HfO <sub>x</sub> /Pt memory devices. <i>Journal of Applied Physics</i> , 2013, 113, .	1.1	83
45	Magnetoresistance transformation observed in Fe/Mo multilayers prepared by electron beam evaporation. <i>Journal Physics D: Applied Physics</i> , 2004, 37, 1-4.	1.3	82
46	Redox Targeting of Anatase TiO <sub>2</sub> for Redox Flow Lithium-Ion Batteries. <i>Advanced Energy Materials</i> , 2014, 4, 1400567.	10.2	82
47	Spin-orbit torque in MgO/CoFeB/Ta/CoFeB/MgO symmetric structure with interlayer antiferromagnetic coupling. <i>Physical Review B</i> , 2017, 95, .	1.1	82
48	Magnetoelectric Coupling Induced by Interfacial Orbital Reconstruction. <i>Advanced Materials</i> , 2015, 27, 6651-6656.	11.1	81
49	Effect of sputtering oxygen partial pressures on structure and physical properties of high resistivity ZnO films. <i>Applied Surface Science</i> , 2004, 223, 318-329.	3.1	79
50	V <sup>5+</sup> ionic displacement induced ferroelectric behavior in V-doped ZnO films. <i>Applied Physics Letters</i> , 2007, 90, 242903.	1.5	79
51	Strain engineering induced interfacial self-assembly and intrinsic exchange bias in a manganite perovskite film. <i>Scientific Reports</i> , 2013, 3, 2542.	1.6	79
52	How to manipulate magnetic states of antiferromagnets. <i>Nanotechnology</i> , 2018, 29, 112001.	1.3	79
53	Deposition of high-quality zinc oxide thin films on diamond substrates for high-frequency surface acoustic wave filter applications. <i>Thin Solid Films</i> , 2005, 485, 257-261.	0.8	77
54	Switching mechanism transition induced by annealing treatment in nonvolatile Cu/ZnO/Cu/ZnO/Pt resistive memory: From carrier trapping/detrapping to electrochemical metallization. <i>Journal of Applied Physics</i> , 2009, 106, .	1.1	76

#	ARTICLE	IF	CITATIONS
55	Reversible Ferromagnetic Phase Transition in Electrode-Gated Manganites. <i>Advanced Functional Materials</i> , 2014, 24, 7233-7240.	7.8	76
56	Strong Orientation-Dependent Spin-Orbit Torque in Thin Films of the Antiferromagnet $\text{Mn}_2\text{Mn}$ . <i>Physical Review Applied</i> , 2018, 9, .	1.5	75
57	Bipolar resistance switching in high-performance Cu/ZnO:Mn/Pt nonvolatile memories: active region and influence of Joule heating. <i>New Journal of Physics</i> , 2010, 12, 023008.	1.2	74
58	Spin-orbit torque in a completely compensated synthetic antiferromagnet. <i>Physical Review B</i> , 2018, 97, .	1.1	73
59	Wideband and Low-Loss Surface Acoustic Wave Filter Based on $15^\circ$ YX-LiNbO <sub>3</sub> /SiO <sub>2</sub> /Si Structure. <i>IEEE Electron Device Letters</i> , 2021, 42, 438-441.	2.2	73
60	A class of liquid anode for rechargeable batteries with ultralong cycle life. <i>Nature Communications</i> , 2017, 8, 14629.	5.8	71
61	Migration of interfacial oxygen ions modulated resistive switching in oxide-based memory devices. <i>Journal of Applied Physics</i> , 2013, 114, 014502.	1.1	69
62	Improving Unipolar Resistive Switching Uniformity with Cone-Shaped Conducting Filaments and Its Logic-In-Memory Application. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 6453-6462.	4.0	68
63	Observation of Spin Splitting Torque in a Collinear Antiferromagnet $\text{RuO}_2$ . <i>Physical Review Letters</i> , 2022, 128, .	2.9	68
64	Local Fe structure and ferromagnetism in Fe-doped ZnO films. <i>Journal of Physics Condensed Matter</i> , 2006, 18, 7471-7479.	0.7	67
65	Evidence of structural defect enhanced room-temperature ferromagnetism in Co-doped ZnO. <i>Journal of Physics Condensed Matter</i> , 2007, 19, 176229.	0.7	67
66	High-Performance Surface Acoustic Wave Devices Using LiNbO <sub>3</sub> /SiO <sub>2</sub> /SiC Multilayered Substrates. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021, 69, 3693-3705.	2.9	67
67	Programmable complementary resistive switching behaviours of a plasma-oxidised titanium oxide nanolayer. <i>Nanoscale</i> , 2013, 5, 422-428.	2.8	66
68	Microstructure and nanoindentation hardness of Ti/TiN multilayered films. <i>Surface and Coatings Technology</i> , 2001, 137, 225-229.	2.2	64
69	Conductance quantization in oxygen-anion-migration-based resistive switching memory devices. <i>Applied Physics Letters</i> , 2013, 103, .	1.5	64
70	Antiferromagnet-controlled spin current transport in $\text{SrMnO}_3$ . <i>Physical Review B</i> , 2014, 90, .	1.1	64
71	Room temperature multiferroic behavior of Cr-doped ZnO films. <i>Journal of Applied Physics</i> , 2008, 104, 064102.	1.1	60
72	Current-induced magnetization switching in a CoTb amorphous single layer. <i>Physical Review B</i> , 2020, 101, .	1.1	59

#	ARTICLE	IF	CITATIONS
73	Microstructure and properties of Cu-doped ZnO films prepared by dc reactive magnetron sputtering. <i>Journal Physics D: Applied Physics</i> , 2005, 38, 4104-4108.	1.3	57
74	Effect of Electrode Materials on AlN-Based Bipolar and Complementary Resistive Switching. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 1793-1799.	4.0	56
75	Anomalous Hall Effect“Like Behavior with In“Plane Magnetic Field in Noncollinear Antiferromagnetic Mn <sub>3</sub> Sn Films. <i>Advanced Electronic Materials</i> , 2019, 5, 1800818.	2.6	56
76	Performance“Enhancing Selector via Symmetrical Multilayer Design. <i>Advanced Functional Materials</i> , 2019, 29, 1808376.	7.8	56
77	Influence of annealing on microstructure and magnetic properties of co-sputtered Co-doped ZnO thin films. <i>Journal Physics D: Applied Physics</i> , 2007, 40, 1608-1613.	1.3	55
78	The magnetic properties of Co-doped ZnO diluted magnetic insulator films prepared by direct current reactive magnetron co-sputtering. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 309, 25-30.	1.0	54
79	Nanoindentation and nanoscratch behaviors of Ag/Ni multilayers. <i>Applied Surface Science</i> , 2009, 255, 4558-4562.	3.1	54
80	Reproducible and controllable organic resistive memory based on Al/poly(3,4-ethylene-dioxythiophene):poly(styrenesulfonate)/Al structure. <i>Applied Physics Letters</i> , 2010, 97, 253301.	1.5	54
81	A Detailed Study of the Forming Stage of an Electrochemical Resistive Switching Memory by KMC Simulation. <i>IEEE Electron Device Letters</i> , 2011, 32, 949-951.	2.2	54
82	Learning processes modulated by the interface effects in a Ti/conducting polymer/Ti resistive switching cell. <i>RSC Advances</i> , 2014, 4, 14822.	1.7	53
83	Elastic modulus and hardness of Cu“Ta amorphous films. <i>Journal of Alloys and Compounds</i> , 2005, 389, 75-79.	2.8	52
84	Interfacial oxygen-octahedral-tilting-driven electrically tunable topological Hall effect in ultrathin SrRuO <sub>3</sub> films. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 404001.	1.3	51
85	Electric and Light Dual-Gate Tunable MoS <sub>2</sub> Memtransistor. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 43344-43350.	4.0	51
86	Intrinsic and extrinsic origins of room temperature ferromagnetism in Ni-doped ZnO films. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 035004.	1.3	50
87	Manipulation of Electric Field Effect by Orbital Switch. <i>Advanced Functional Materials</i> , 2016, 26, 753-759.	7.8	49
88	Tunneling anisotropic magnetoresistance driven by magnetic phase transition. <i>Nature Communications</i> , 2017, 8, 449.	5.8	49
89	The electrical, optical and magnetic properties of Si-doped ZnO films. <i>Applied Surface Science</i> , 2012, 258, 2177-2181.	3.1	47
90	Tuning the entanglement between orbital reconstruction and charge transfer at a film surface. <i>Scientific Reports</i> , 2014, 4, 4206.	1.6	47

#	ARTICLE	IF	CITATIONS
91	Tuning the switching behavior of binary oxide-based resistive memory devices by inserting an ultra-thin chemically active metal nanolayer: a case study on the Ta <sub>2</sub> O <sub>5</sub> /Ta system. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 12849-12856.	1.3	47
92	Designed Construction of a Graphene and Iron Oxide Freestanding Electrode with Enhanced Flexible Energy-Storage Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 6972-6981.	4.0	47
93	Reducing Dzyaloshinskii-Moriya interaction and field-free spin-orbit torque switching in synthetic antiferromagnets. <i>Nature Communications</i> , 2021, 12, 3113.	5.8	47
94	Microstructure and mechanical properties of nanoscale Cu/Ni multilayers. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010, 527, 1243-1248.	2.6	46
95	Electric Field Control of Phase Transition and Tunable Resistive Switching in SrFeO <sub>2.5</sub> . <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 6581-6588.	4.0	45
96	High-Frequency Surface Acoustic Wave Devices Based on ZnO/SiC Layered Structure. <i>IEEE Electron Device Letters</i> , 2019, 40, 103-106.	2.2	45
97	Spin-Dependent Charge Transport in 1D Chiral Hybrid Lead-Bromide Perovskite with High Stability. <i>Advanced Functional Materials</i> , 2021, 31, 2104605.	7.8	44
98	Local Co structure and ferromagnetism in ion-implanted Co-doped LiNbO <sub>3</sub> . <i>Physical Review B</i> , 2006, 73, .	1.1	43
99	Strain-induced ferromagnetism enhancement in Co:ZnO films. <i>Journal of Applied Physics</i> , 2008, 103, .	1.1	43
100	Filtering performance improvement in V-doped ZnO/diamond surface acoustic wave filters. <i>Applied Surface Science</i> , 2010, 256, 3081-3085.	3.1	43
101	Design of a Controllable Redox-Diffusive Threshold Switching Memristor. <i>Advanced Electronic Materials</i> , 2020, 6, 2000695.	2.6	43
102	Highly Efficient Spin-Filtering Transport in Chiral Hybrid Copper Halides. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 23578-23583.	7.2	43
103	Realization of Isolated and High-Density Skyrmions at Room Temperature in Uncompensated Synthetic Antiferromagnets. <i>Nano Letters</i> , 2020, 20, 3299-3305.	4.5	42
104	Multilevel resistance switching in Cu/TaOx/Pt structures induced by a coupled mechanism. <i>Journal of Applied Physics</i> , 2010, 107, 093701.	1.1	41
105	Enhancement of piezoelectric response of diluted Ta doped AlN. <i>Applied Surface Science</i> , 2013, 270, 225-230.	3.1	41
106	Role of Oxygen Ion Migration in the Electrical Control of Magnetism in Pt/Co/Ni/HfO <sub>2</sub> Films. <i>Journal of Physical Chemistry C</i> , 2016, 120, 1633-1639.	1.5	41
107	Enhancement of yield strength by chromium/nitrogen alloying in high-manganese cryogenic steel. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017, 698, 110-116.	2.6	41
108	Influence of Cr-doping on microstructure and piezoelectric response of AlN films. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 235406.	1.3	39

#	ARTICLE	IF	CITATIONS
109	Exchange bias in a single $\text{LaMnO}_3$ induced by vertical electronic phase separation. <i>Physical Review B</i> , 2014, 89, .		
110	Strong Electrical Manipulation of Spin-Orbit Torque in Ferromagnetic Heterostructures. <i>Advanced Electronic Materials</i> , 2016, 2, 1600219.	2.6	37
111	Quality-enhanced AlN epitaxial films grown on c-sapphire using ZnO buffer layer for SAW applications. <i>Applied Surface Science</i> , 2017, 402, 392-399.	3.1	37
112	Modulating metallic conductive filaments via bilayer oxides in resistive switching memory. <i>Applied Physics Letters</i> , 2019, 114, 193502.	1.5	37
113	Enhancement of electrical and ferromagnetic properties by additional Al doping in Co:ZnO thin films. <i>Journal of Physics Condensed Matter</i> , 2007, 19, 296208.	0.7	36
114	Microstructure and ultrahigh strength of nanoscale Cu/Nb multilayers. <i>Thin Solid Films</i> , 2011, 520, 818-823.	0.8	36
115	Cu-Embedded AlN-Based Nonpolar Nonvolatile Resistive Switching Memory. <i>IEEE Electron Device Letters</i> , 2012, 33, 1711-1713.	2.2	36
116	Perpendicular magnetic anisotropy in CoFeB/X (X=MgO, Ta, W, Ti, and Pt) multilayers. <i>Journal of Alloys and Compounds</i> , 2013, 559, 112-115.	2.8	36
117	From Fieldlike Torque to Antidamping Torque in Antiferromagnetic $\text{Mn}_2\text{Au}$ . <i>Physical Review Applied</i> , 2019, 11, .	1.5	36
118	Anti-Ferromagnet Controlled Tunneling Magnetoresistance. <i>Advanced Functional Materials</i> , 2014, 24, 6806-6810.	7.8	35
119	Electrical control of Co/Ni magnetism adjacent to gate oxides with low oxygen ion mobility. <i>Applied Physics Letters</i> , 2015, 107, .	1.5	35
120	Charge Transfer and Orbital Reconstruction in Strain-Engineered $(\text{La,Sr})\text{MnO}_3/\text{LaNiO}_3$ Heterostructures. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 17700-17706.	4.0	35
121	Cluster magnetic octupole induced out-of-plane spin polarization in antiperovskite antiferromagnet. <i>Nature Communications</i> , 2021, 12, 6524.	5.8	34
122	$\text{C}_5\text{Si}_2$ formed by direct high current Ti-ion implantation. <i>Applied Physics Letters</i> , 1993, 62, 2356-2358.	1.5	33
123	Fully epitaxial $(\text{Zn,Co})\text{O}/\text{ZnO}/(\text{Zn,Co})\text{O}$ junction and its tunnel magnetoresistance. <i>Applied Physics Letters</i> , 2007, 91, .	1.5	33
124	Substrate-dependent magnetization in Co-doped ZnO insulating films. <i>Physical Review B</i> , 2007, 76, .	1.1	32
125	Electric-Field Control of Oxygen Vacancies and Magnetic Phase Transition in a Cobaltite/Manganite Bilayer. <i>Physical Review Applied</i> , 2017, 8, .	1.5	32
126	Microstructure and photoluminescence study of vanadium-doped ZnO films. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 115109.	1.3	31



#	ARTICLE	IF	CITATIONS
127	Interplay between chemical state, electric properties, and ferromagnetism in Fe-doped ZnO films. <i>Journal of Applied Physics</i> , 2013, 113, .	1.1	31
128	Spintronic materials and devices based on antiferromagnetic metals. <i>Progress in Natural Science: Materials International</i> , 2017, 27, 208-216.	1.8	31
129	Synthesis of $\text{FeSi}_2$ phases by Fe ion implantation into Si using metal vapor vacuum arc ion source. <i>Journal of Applied Physics</i> , 1994, 75, 3847-3854.	1.1	30
130	Donor defects enhanced ferromagnetism in Co:ZnO films. <i>Thin Solid Films</i> , 2008, 516, 8757-8761.	0.8	30
131	Nanoindentation studies of Cu-W alloy films prepared by magnetron sputtering. <i>Journal of Alloys and Compounds</i> , 2008, 464, 544-549.	2.8	30
132	Resistive switching with self-rectifying behavior in Cu/SiO <sub>2</sub> /Si structure fabricated by plasma-oxidation. <i>Journal of Applied Physics</i> , 2013, 113, .	1.1	30
133	Realization of the Meminductor. <i>ACS Nano</i> , 2014, 8, 10043-10047.	7.3	30
134	Oxygen-Valve Formed in Cobaltite-Based Heterostructures by Ionic Liquid and Ferroelectric Dual-Gating. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 19584-19595.	4.0	30
135	Grain Size-Dependent Mechanical Properties of a High-Manganese Austenitic Steel. <i>Acta Metallurgica Sinica (English Letters)</i> , 2019, 32, 746-754.	1.5	30
136	Transition from diluted magnetic insulator to semiconductor in Co-doped ZnO transparent oxide. <i>Journal of Applied Physics</i> , 2007, 101, 103903.	1.1	29
137	Nanoindentation investigation of the mechanical behaviors of nanoscale Ag/Cu multilayers. <i>Journal of Materials Research</i> , 2007, 22, 3423-3431.	1.2	29
138	Investigation of the wear behaviors of Ag/Cu multilayers by nanoscratch. <i>Wear</i> , 2008, 265, 1808-1813.	1.5	29
139	Indentation creep behavior of nano-scale Ag/Co multilayers. <i>Scripta Materialia</i> , 2006, 55, 187-190.	2.6	28
140	Room temperature nanoindentation creep of nanoscale Ag/Fe multilayers. <i>Materials Letters</i> , 2010, 64, 53-56.	1.3	28
141	Giant piezoresponse and promising application of environmental friendly small-ion-doped ZnO. <i>Science China Technological Sciences</i> , 2012, 55, 421-436.	2.0	27
142	Electrochemical control of the phase transition of ultrathin FeRh films. <i>Applied Physics Letters</i> , 2016, 108, .	1.5	27
143	Evolution of microstructures and mechanical properties during solution treatment of a Ti-Mo-containing high-manganese cryogenic steel. <i>Materials Characterization</i> , 2018, 135, 287-294.	1.9	26
144	Investigation of nanoindentation on Co/Mo multilayers by the continuous stiffness measurement technique. <i>Surface and Coatings Technology</i> , 2005, 191, 127-133.	2.2	25

#	ARTICLE	IF	CITATIONS
145	Room temperature ferromagnetism and ferroelectricity in cobalt-doped LiNbO <sub>3</sub> film. Applied Physics Letters, 2008, 92, .	1.5	25
146	The role of rotatable anisotropy in the asymmetric magnetization reversal of exchange biased NiO/Ni bilayers. Journal of Applied Physics, 2009, 106, 013902.	1.1	25
147	Tuning of uniaxial magnetic anisotropy in amorphous CoFeB films. Journal of Physics Condensed Matter, 2013, 25, 106003.	0.7	25
148	Frequency-dependent learning achieved using semiconducting polymer/electrolyte composite cells. Nanoscale, 2015, 7, 16880-16889.	2.8	25
149	Influence of film composition on the transition temperature of FeRh films. Journal of Crystal Growth, 2016, 438, 19-24.	0.7	25
150	Orientation-dependent THz emission in non-collinear antiferromagnetic Mn <sub>3</sub> Sn and Mn <sub>3</sub> Sn-based heterostructures. Applied Physics Letters, 2019, 115, .	1.5	25
151	Phase-change nanoclusters embedded in a memristor for simulating synaptic learning. Nanoscale, 2019, 11, 5684-5692.	2.8	25
152	Magnetic properties of vapor-deposited iron-noble-metal multilayers. Physical Review B, 1993, 48, 10276-10283.	1.1	24
153	Interface-modification-enhanced tunnel electroresistance in multiferroic tunnel junctions. Journal of Applied Physics, 2014, 116, .	1.1	24
154	Enhancement of room temperature ferromagnetism in Cu-doped AlN thin film by defect engineering. Journal of Alloys and Compounds, 2014, 586, 469-474.	2.8	24
155	Unconventional resistive switching behavior in ferroelectric tunnel junctions. Physical Chemistry Chemical Physics, 2015, 17, 10146-10150.	1.3	24
156	Electrical control of magnetism in oxides. Chinese Physics B, 2016, 25, 067502.	0.7	24
157	Contributions of magnetic properties in epitaxial copper-doped ZnO. Physical Chemistry Chemical Physics, 2013, 15, 13153.	1.3	23
158	Evidence for asymmetric rotation of spins in antiferromagnetic exchange-spring. New Journal of Physics, 2014, 16, 123032.	1.2	23
159	Realisation of all 16 Boolean logic functions in a single magnetoresistance memory cell. Nanoscale, 2016, 8, 12819-12825.	2.8	23
160	Thermal stability of microstructure and mechanical properties of Ni/Ru multilayers. Surface and Coatings Technology, 2008, 202, 2040-2046.	2.2	22
161	Lateral transport properties of thermally excited magnons in yttrium iron garnet films. Applied Physics Letters, 2017, 110, .	1.5	22
162	Size-dependent anomalous Hall effect in noncollinear antiferromagnetic Mn <sub>3</sub> Sn films. Applied Physics Letters, 2020, 117, .	1.5	22

#	ARTICLE	IF	CITATIONS
163	Emerging opportunities for voltage-driven magneto-ionic control in ferroic heterostructures. APL Materials, 2021, 9, .	2.2	22
164	Observation of negative capacitance in antiferroelectric PbZrO <sub>3</sub> Films. Nature Communications, 2021, 12, 4215.	5.8	22
165	Over GHz bandwidth SAW filter based on 32° Y-X LN/SiO <sub>2</sub> /poly-Si/Si heterostructure with multilayer electrode modulation. Applied Physics Letters, 2022, 120, .	1.5	22
166	Grain boundary defects-mediated room temperature ferromagnetism in Co-doped ZnO film. Journal of Alloys and Compounds, 2009, 482, 224-228.	2.8	21
167	Modulating resistive switching by diluted additive of poly(vinylpyrrolidone) in poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate). Journal of Applied Physics, 2011, 110, .	1.1	21
168	Cost-effective and high frequency surface acoustic wave filters on ZnO:Fe/Si for low-loss and wideband application. Applied Physics Letters, 2012, 101, .	1.5	21
169	Interlayer magnetostatic coupling and linear magnetoresistance in [Pd/Co]/MgO/Co junction sensor. Applied Physics Letters, 2012, 101, 062404.	1.5	21
170	Frequency Selectivity in Pulse Responses of Pt/Poly(3-Hexylthiophene-2,5-Diyl)/Polyethylene Oxide + Li <sup>+</sup> /Pt Hetero-Junction. PLoS ONE, 2014, 9, e108316.	1.1	21
171	High-frequency V-doped ZnO/SiC surface acoustic wave devices with enhanced electromechanical coupling coefficient. Applied Physics Letters, 2019, 114, .	1.5	21
172	Size dependence of creep behavior in nanoscale Cu/Co multilayer thin films. Journal of Alloys and Compounds, 2010, 506, 434-440.	2.8	20
173	Room temperature anomalous Hall effect in antiferromagnetic Mn <sub>3</sub> SnN films. Applied Physics Letters, 2020, 117, .	1.5	20
174	Spontaneous vitrification in the Au-Ta system with a small size difference. Applied Physics Letters, 1995, 67, 780-782.	1.5	19
175	Polarization of Pd atoms in Ni/Pd magnetic multilayers. Journal of Physics Condensed Matter, 1995, 7, 1121-1128.	0.7	19
176	Tuning the training effect in exchange biased NiO-Ni bilayers. Applied Physics Letters, 2008, 92, 243113.	1.5	19
177	Unipolar resistive switching with forming-free and self-rectifying effects in Cu/HfO <sub>2</sub> /n-Si devices. AIP Advances, 2016, 6, .	0.6	19
178	Amorphous alloy film formed in an immiscible Cu-Ta system by ion beam assisted deposition. Materials Letters, 2002, 53, 40-43.	1.3	18
179	Nanoindentation study of amorphous-Co <sub>79</sub> Zr <sub>13</sub> Nb <sub>8</sub> /Cr multilayers. Surface and Coatings Technology, 2008, 202, 3239-3245.	2.2	18
180	Electronic structure and magnetism of Fe-doped LiNbO <sub>3</sub> . Materials Chemistry and Physics, 2012, 136, 783-788.	2.0	18

#	ARTICLE	IF	CITATIONS
181	Room temperature spontaneous exchange bias in (La,Sr)MnO <sub>3</sub> /PbZr <sub>0.8</sub> Ti <sub>0.2</sub> O <sub>3</sub> /(La,Sr)MnO <sub>3</sub> sandwich structure. Journal of Applied Physics, 2013, 114, .	1.1	18
182	Facile access to shape-controlled growth of WS <sub>2</sub> monolayer via environment-friendly method. 2D Materials, 2019, 6, 015007.	2.0	18
183	Functional antiferromagnets for potential applications on high-density storage and high frequency. Journal of Applied Physics, 2020, 128, .	1.1	18
184	Control of spin-orbit torques through magnetic symmetry in differently oriented noncollinear antiferromagnetic $\text{MnO}_3$ . Physical Review B, 2021, 104, .	1.1	18
185	Noble-Metal-Assisted Fast Interfacial Oxygen Migration with Topotactic Phase Transition in Perovskite Oxides. Advanced Functional Materials, 2021, 31, 2106765.	7.8	18
186	Metastable alloys synthesised by ion mixing and thermodynamic and kinetic modelling. Nuclear Instruments & Methods in Physics Research B, 1995, 106, 17-22.	0.6	17
187	XPS analysis of light elements (C, N) remaining in sol-gel derived TiO <sub>2</sub> films. Journal of Materials Science Letters, 2003, 22, 1255-1258.	0.5	17
188	Enhanced Performance of ZnO/SiO <sub>2</sub> /Al <sub>2</sub> O <sub>3</sub> Surface Acoustic Wave Devices with Embedded Electrodes. ACS Applied Materials & Interfaces, 2020, 12, 42378-42385.	4.0	17
189	Ion beam induced formation of metastable alloy phases in Cu-Mo system during ion beam assisted deposition. Applied Surface Science, 2003, 207, 334-340.	3.1	16
190	Room Temperature Ferromagnetism in Cobalt-Doped LiNbO <sub>3</sub> Single Crystalline Films. Crystal Growth and Design, 2009, 9, 1235-1239.	1.4	16
191	Resistive switching behaviour of a tantalum oxide nanolayer fabricated by plasma oxidation. Physica Status Solidi - Rapid Research Letters, 2013, 7, 282-284.	1.2	16
192	Tilt engineering of exchange coupling at G-type SrMnO <sub>3</sub> /(La,Sr)MnO <sub>3</sub> interfaces. Scientific Reports, 2015, 5, 16187.	1.6	16
193	Insight into the antiferromagnetic structure manipulated by electronic reconstruction. Physical Review B, 2016, 94, .	1.1	16
194	Manipulating the metal-to-insulator transition of NdNiO <sub>3</sub> films by orbital polarization. Physical Review B, 2016, 93, .	1.1	16
195	3D Layout of Interdigital Transducers for High Frequency Surface Acoustic Wave Devices. IEEE Access, 2020, 8, 123262-123271.	2.6	16
196	Interfacial Control of Ferromagnetism in Ultrathin SrRuO <sub>3</sub> Films Sandwiched between Ferroelectric BaTiO <sub>3</sub> Layers. ACS Applied Materials & Interfaces, 2020, 12, 6707-6715.	4.0	16
197	Controllable Generation of Antiferromagnetic Skyrmions in Synthetic Antiferromagnets with Thermal Effect. Advanced Functional Materials, 2022, 32, .	7.8	16
198	High Chern number quantum anomalous Hall effect tunable by stacking order in van der Waals topological insulators. Physical Review B, 2022, 105, .	1.1	16

#	ARTICLE	IF	CITATIONS
199	Amorphous films of the Fe-Zr alloy prepared by ion beam assisted deposition. Nuclear Instruments & Methods in Physics Research B, 2000, 170, 79-84.	0.6	15
200	Thickness-dependent magnetization reversal in CoZrNb amorphous films. Journal of Magnetism and Magnetic Materials, 2007, 315, 120-125.	1.0	15
201	Enhanced spin injection and voltage bias in (Zn,Co)O/MgO/(Zn,Co)O magnetic tunnel junctions. Applied Physics Letters, 2009, 95, .	1.5	15
202	Exchange bias and training effect in Ni/Ag-doped NiO bilayers. Journal of Magnetism and Magnetic Materials, 2010, 322, 542-547.	1.0	15
203	Synthesis of ZnFe <sub>2</sub> O <sub>4</sub> nanomagnets by Fe-ion implantation into ZnO and post-annealing. Chinese Physics B, 2011, 20, 127501.	0.7	15
204	Systematical Study of the Basic Properties of Surface Acoustic Wave Devices Based on ZnO and GaN Multilayers. Electronics (Switzerland), 2021, 10, 23.	1.8	15
205	An overview of SrRuO <sub>3</sub> -based heterostructures for spintronic and topological phenomena. Journal Physics D: Applied Physics, 2022, 55, 233001.	1.3	15
206	Size effect on glass-forming ability in the Au-Ta system upon ion mixing. Journal of Non-Crystalline Solids, 1996, 194, 305-311.	1.5	14
207	Microstructure and nanoindentation investigation of magnetron sputtering Ag/Co multilayers. Surface and Coatings Technology, 2006, 201, 1262-1266.	2.2	14
208	Enhanced SAW characteristics of a-plane AlN epitaxial films using ZnO buffer layer. Journal of Materials Science: Materials in Electronics, 2018, 29, 3912-3919.	1.1	14
209	Self-Modulating Interfacial Cation Migration Induced Threshold Switching in Bilayer Oxide Memristive Device. Journal of Physical Chemistry C, 2019, 123, 878-885.	1.5	14
210	Current-Induced In-Plane Magnetization Switching in a Biaxial Ferrimagnetic Insulator. Physical Review Applied, 2020, 13, .	1.5	14
211	Efficient orbital torque in polycrystalline ferromagnetic O <sub>3</sub> stacks: Theory and experiment. Physical Review B, 2022, 105, .	1.1	14
212	Title is missing!. Journal of Physics Condensed Matter, 1993, 5, L507-L514.	0.7	13
213	Magnetic property of the face center cubic iron with different lattice parameter in Fe/Pd multilayers. Physica B: Condensed Matter, 2001, 293, 237-243.	1.3	13
214	Metastable phases formation in Cu-Nb films by ion-beam-assisted deposition. Nuclear Instruments & Methods in Physics Research B, 2001, 183, 311-317.	0.6	13
215	The influence of grain morphology on indentation deformation characteristic of metallic nano-multilayers. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2009, 526, 166-170.	2.6	13
216	Manipulation of orbital occupancy by ferroelectric polarization in LaNiO <sub>3</sub> /BaTiO <sub>3</sub> heterostructures. Applied Physics Letters, 2015, 107, .	1.5	13

#	ARTICLE	IF	CITATIONS
217	Simulation of synaptic short-term plasticity using Ba(CF <sub>3</sub> SO <sub>3</sub> ) <sub>2</sub> -doped polyethylene oxide electrolyte film. Scientific Reports, 2016, 6, 18915.	1.6	13
218	Microstructure and interfacial strength of SiC fiber-reinforced Ti17 alloy composites with different consolidation temperatures. Rare Metals, 2018, 37, 759-768.	3.6	13
219	Controllable oxygen vacancies, orbital occupancy and magnetic ordering in SrCoO <sub>3-<math>\delta</math></sub> films. Journal of Magnetism and Magnetic Materials, 2018, 454, 228-236.	1.0	13
220	Orientation control of oxygen vacancy channels in brownmillerite $\text{SrFeO}_{2.5}\text{O}$ . Physical Review Materials, 2020, 4, .	0.9	13
221	Interface-Enhanced Ferromagnetism with Long-Distance Effect in van der Waals Semiconductor. Advanced Functional Materials, 2022, 32, 2108953.	7.8	13
222	Ion-mixing-induced amorphization in an immiscible Au - Mo system with a small size difference. Journal of Physics Condensed Matter, 1996, 8, 383-388.	0.7	12
223	Magnetic properties of fcc iron in Fe - Pt nano-scale multilayers. Journal of Physics Condensed Matter, 1997, 9, 7623-7630.	0.7	12
224	Magnetic properties of fcc iron in Fe/fcc metal multilayers. Thin Solid Films, 1998, 334, 196-200.	0.8	12
225	Strong d-d electron interaction inducing ferromagnetism in Mn-doped LiNbO <sub>3</sub> . Thin Solid Films, 2011, 520, 764-768.	0.8	12
226	Effects of Mn-doping on surface acoustic wave properties of ZnO films. Physica Status Solidi - Rapid Research Letters, 2012, 6, 436-438.	1.2	12
227	Giant coercivity in perpendicularly magnetized cobalt monolayer. Applied Physics Letters, 2012, 101, 112405.	1.5	12
228	Reply to "Comment on "Dynamic Processes of Resistive Switching in Metallic Filament-Based Organic Memory Devices". Journal of Physical Chemistry C, 2013, 117, 11881-11882.	1.5	12
229	Metal-insulator-metal transition in NdNiO <sub>3</sub> films capped by CoFe <sub>2</sub> O <sub>4</sub> . Applied Physics Letters, 2017, 110, .	1.5	12
230	Photon-Gated Spin Transistor. Advanced Materials, 2017, 29, 1604052.	11.1	12
231	Characteristics of one-port surface acoustic wave resonator fabricated on ZnO/6H-SiC layered structure. Journal Physics D: Applied Physics, 2018, 51, 145305.	1.3	12
232	Magnetic field direction dependent magnetization reversal in synthetic antiferromagnets. Applied Physics Letters, 2019, 115, .	1.5	12
233	High-frequency and high-temperature stable surface acoustic wave devices on ZnO/SiO <sub>2</sub> /SiC structure. Journal Physics D: Applied Physics, 2020, 53, 305102.	1.3	12
234	Interlayer magnetostatic coupling induced Co layer coercivity enhancement and exchange bias in [Pd/Co]/Cu/Co spin valves. Applied Physics Letters, 2009, 95, 172512.	1.5	11

#	ARTICLE	IF	CITATIONS
235	Microstructure and nanoindentation hardness of Ag/Fe multilayers. Transactions of Nonferrous Metals Society of China, 2010, 20, 110-114.	1.7	11
236	Improved resistive switching stability of Pt/ZnO/CoO x /ZnO/Pt structure for nonvolatile memory devices. Rare Metals, 2013, 32, 544-549.	3.6	11
237	Completely inverted hysteresis loops: Inhomogeneity effects or experimental artifacts. Journal of Applied Physics, 2013, 114, .	1.1	11
238	Exchange bias field induced symmetry-breaking of magnetization rotation in two-dimension. Applied Physics Letters, 2014, 105, 152402.	1.5	11
239	Restoring the magnetism of ultrathin $\text{LaMnO}_3$ films by surface symmetry engineering. Physical Review B, 2016, 94, .	1.1	11
240	Multi-mode resistive switching behaviors induced by modifying Ti interlayer thickness and operation scheme. Journal of Alloys and Compounds, 2016, 667, 219-224.	2.8	11
241	Texture-enhanced Al-Cu electrodes on ultrathin Ti buffer layers for high-power durable 2.6 GHz SAW filters. AIP Advances, 2018, 8, 045212.	0.6	11
242	Enhancement of magnetic moment of iron atoms in the Fe/Au nanomultilayers. Journal of Applied Physics, 1993, 74, 1929-1932.	1.1	10
243	Ion beam induced growth of amorphous alloy films in the Co-Nb system during ion beam assisted deposition. Journal of Alloys and Compounds, 2002, 335, 181-187.	2.8	10
244	Anomalous voltage dependence of tunnel magnetoresistance in (Zn, Co)O-based junction with double barrier. Applied Physics Letters, 2007, 91, 172109.	1.5	10
245	Substrate orientation-induced distinct ferromagnetic moment in Co:ZnO films. Applied Surface Science, 2008, 254, 3167-3174.	3.1	10
246	Influence of strain and grain boundary variations on magnetism of Cr-doped AlN films. Journal of Applied Physics, 2009, 106, 073907.	1.1	10
247	Hysteretic giant magnetoresistance curves induced by interlayer magnetostatic coupling in [Pd/Co]/Cu/Co/Cu/[Co/Pd] dual spin valves. Journal of Applied Physics, 2010, 107, 083902.	1.1	10
248	Optical control of magnetism in manganite films. Physical Review B, 2016, 93, .	1.1	10
249	Growth and Characterization of Polyimide-Supported AlN Films for Flexible Surface Acoustic Wave Devices. Journal of Electronic Materials, 2016, 45, 2702-2709.	1.0	10
250	Enhanced power durability of surface acoustic wave filter with Al/Ti/Cu/Ti electrodes. Journal of Alloys and Compounds, 2018, 740, 222-228.	2.8	10
251	Improved resistance to electromigration and acoustomigration of Al interdigital transducers by Ni underlayer. Rare Metals, 2018, 37, 823-830.	3.6	10
252	Tunable spin-orbit torque switching in antiferromagnetically coupled CoFeB/Ta/CoFeB. Applied Physics Letters, 2020, 117, 212403.	1.5	10

#	ARTICLE	IF	CITATIONS
253	A comparative study of spin Hall magnetoresistance in Fe <sub>2</sub> O <sub>3</sub> -based systems. Journal of Applied Physics, 2020, 127, .	1.1	10
254	Enhanced Coupling Coefficient in Dual-Mode ZnO/SiC Surface Acoustic Wave Devices with Partially Etched Piezoelectric Layer. Applied Sciences (Switzerland), 2021, 11, 6383.	1.3	10
255	Temperature-Dependent Terahertz Emission from Co/Mn 2 Au Spintronic Bilayers. Physica Status Solidi - Rapid Research Letters, 2021, 15, 2100290.	1.2	10
256	SAW Filters With Excellent Temperature Stability and High Power Handling Using LiTaO <sub>3</sub> /SiC Bonded Wafers. Journal of Microelectromechanical Systems, 2022, 31, 186-193.	1.7	10
257	Magnetic-moment enhancement and sharp positive magnetoresistance in Co <sup>*</sup> Ru multilayers. Physical Review B, 2005, 72, .	1.1	9
258	Microstructure and mechanical properties of polycrystalline-Ag/amorphous-CoZrNb multilayers. Surface and Coatings Technology, 2007, 201, 7932-7938.	2.2	9
259	Influence of plasticity mismatch and porosity on mechanical behavior of nanoscale Ag/W multilayers. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2007, 457, 38-43.	2.6	9
260	Influence of the Mn concentration on the electromechanical response <i>d</i> <sub>33</sub> of Mn-doped ZnO films. Physica Status Solidi - Rapid Research Letters, 2010, 4, 209-211.	1.2	9
261	Significant enhancement in electromigration resistance and texture of aluminum films using an ultrathin titanium underlayer. Acta Materialia, 2013, 61, 4619-4624.	3.8	9
262	Performance Improvement of Conductive Bridging Random Access Memory by Electrode Alloying. Journal of Physical Chemistry C, 2020, 124, 11438-11443.	1.5	9
263	Magnetic field direction dependence of topological Hall effect like features in synthetic ferromagnetic and antiferromagnetic multilayers. Applied Physics Letters, 2020, 116, 242403.	1.5	9
264	Near 30% fractional bandwidth surface acoustic wave filters with novel electrode configuration. Progress in Natural Science: Materials International, 2021, 31, 852-857.	1.8	9
265	Alloying in an Immiscible Cu-Nb System upon Solid-State Reaction. Materials Research Society Symposia Proceedings, 1995, 398, 337.	0.1	8
266	Transition of ferromagnetism to superparamagnetism in Fe/Tb multilayers. Journal of Applied Physics, 2002, 91, 3114-3119.	1.1	8
267	The Effects of Layer Thickness on the Microstructure and Magnetic Properties of Evaporated Co/Ag Films. Physica Status Solidi A, 2002, 194, 71-80.	1.7	8
268	Structural and magnetic properties of Co/Mo multilayers. Journal of Magnetism and Magnetic Materials, 2002, 250, 249-255.	1.0	8
269	A Kinetic Monte Carlo study on the dynamic switching properties of electrochemical metallization RRAMs during the SET process. , 2010, , .		8
270	Effect of carbon doping on microstructure, electronic and magnetic properties of Cr:AlN films. Journal of Alloys and Compounds, 2011, 509, 440-446.	2.8	8



#	ARTICLE	IF	CITATIONS
271	Structure and ferromagnetism in vanadium-doped LiNbO <sub>3</sub> . Journal of Applied Physics, 2012, 112, 033913.	1.1	8
272	Electrical control of antiferromagnetic metal up to 15 nm. Science China: Physics, Mechanics and Astronomy, 2016, 59, 1.	2.0	8
273	Role of an ultrathin platinum seed layer in antiferromagnet-based perpendicular exchange coupling and its electrical manipulation. Journal of Magnetism and Magnetic Materials, 2017, 428, 431-436.	1.0	8
274	Local Control of Exchange Bias by Resistive Switching. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800446.	1.2	8
275	Facilitating room-temperature oxygen ion migration via Co-O bond activation in cobaltite films. Nanoscale, 2021, 13, 18256-18266.	2.8	8
276	A Low-Loss Wideband SAW Filter With Low Drift Using Multilayered Structure. IEEE Electron Device Letters, 2022, 43, 1371-1374.	2.2	8
277	Magnetic properties of Fe/Ag nano-multilayers. Journal of Physics Condensed Matter, 1992, 4, L519-L524.	0.7	7
278	Microstructure and Magnetic Properties of the Fe/Cu Nano-Multilayers by Vapour Deposition. Physica Status Solidi A, 1993, 135, 573-580.	1.7	7
279	Microstructure and magnetic properties of Co/Pd multilayer films. Physica Status Solidi A, 1994, 142, 443-450.	1.7	7
280	Role of Interface in Ion Mixing or Thermal Annealing Induced Amorphization in Multilayers in Some Immiscible Systems. Materials Research Society Symposia Proceedings, 1995, 396, 71.	0.1	7
281	Magnetic properties and microstructure of Fe/Ti nano-scale multilayers. Journal of Magnetism and Magnetic Materials, 1998, 182, 89-95.	1.0	7
282	Microstructure and magnetic behaviors of Fe/Hf multilayers by vapor deposition. Journal of Magnetism and Magnetic Materials, 1999, 192, 53-60.	1.0	7
283	A new FCC metastable phase formed in Fe/Hf films upon annealing and its magnetic properties. Thin Solid Films, 2000, 375, 192-195.	0.8	7
284	Irradiation induced alloying and formation of amorphous films in Co-Mo system during ion beam assisted deposition. Acta Materialia, 2003, 51, 5093-5099.	3.8	7
285	Skew Ion-Bombardment-Induced Microstructure and Magnetic Anisotropy Evolutions in the Immiscible Co-Cu System during Deposition Process. Japanese Journal of Applied Physics, 2003, 42, 6869-6874.	0.8	7
286	fcc solid solution alloy films formed in immiscible Fe-Ag system and their mechanical behaviors. Applied Surface Science, 2007, 253, 2993-2998.	3.1	7
287	Simultaneous detection of the spin Hall magnetoresistance and Joule heating-induced spin Seebeck effect in Gd <sub>3</sub> Fe <sub>5</sub> O <sub>12</sub> /Pt bilayers. Journal of Applied Physics, 2019, 126, .	1.1	7
288	Nonvolatile Memory: Performance-Enhancing Selector via Symmetrical Multilayer Design (Adv. Funct.) Tj ETQq0 0,0 rgBT /Qverlock 10	7.8	7

#	ARTICLE	IF	CITATIONS
289	Simulation of temperature compensated waveguiding layer acoustic wave devices. Journal Physics D: Applied Physics, 2019, 52, 075105.	1.3	7
290	Exchange Bias in Antiferromagnetic $Mn_3Sn$ Monolayer Films. Physical Review Applied, 2020, 14, .	1.5	7
291	Evolution of domain structure in $Fe_3GeTe_2$ *. Chinese Physics B, 2021, 30, 027505.	0.7	7
292	Insight into interlayer magnetic coupling in $T$ -type transition metal dichalcogenides based on the stacking of nonmagnetic atoms. Physical Review B, 2021, 103, .	1.1	7
293	A Multilayered Structure for Packageless Acoustic- Wave Devices With Ultra-Small Sizes. Journal of Microelectromechanical Systems, 2021, 30, 589-596.	1.7	7
294	Terahertz pulse-induced Néel vector switching in $\hat{x}$ - $Fe_2O_3/Pt$ heterostructures. Applied Physics Letters, 2021, 119, 212401.	1.5	7
295	Orthogonal interlayer coupling in an all-antiferromagnetic junction. Nature Communications, 2022, 13, .	5.8	7
296	Formation of metastable alloy films in the Ni-Mo binary system by ion-beam-assisted deposition. Applied Physics A: Materials Science and Processing, 2003, 77, 523-528.	1.1	6
297	Improvement in Power Durability of Al Electrode Films Used in SAW Devices by Zr Additive and Ti Underlayer. Journal of Electronic Materials, 2008, 37, 180-184.	1.0	6
298	Bipolar Resistance Switching Characteristics in TiN/ZnO:Mn/Pt Junctions Developed for Nonvolatile Resistive Memory Application. Journal of Nanoscience and Nanotechnology, 2010, 10, 7370-7373.	0.9	6
299	Insensitivity of tunneling anisotropic magnetoresistance to non-magnetic electrodes. Applied Physics Letters, 2013, 103, 202403.	1.5	6
300	Vertical spin Hall magnetoresistance in $T_1aP_1t$	1.1	6
301	Strong magnetoresistance modulation by Ir insertion in a TaIr/CoFeB trilayer. Physical Review B, 2019, 100, .	1.1	6
302	The effect of modulated matrix microstructure on the deformation behavior in SiC /Ti17 composites. Materials Letters, 2019, 242, 123-126.	1.3	6
303	Behavior of Al/Cu/Ti electrodes in surface acoustic wave filter at high power. Current Applied Physics, 2019, 19, 363-369.	1.1	6
304	Structure with thin SiOx/SiNx bilayer and Al electrodes for high-frequency, large-coupling, and low-cost surface acoustic wave devices. Ultrasonics, 2021, 115, 106460.	2.1	6
305	Piezoelectric Strain-Controlled Magnon Spin Current Transport in an Antiferromagnet. Nano Letters, 2022, 22, 4646-4653.	4.5	6
306	Formation of a metastable cubic phase in an immiscible Fe-Ag system by ion mixing. Journal of Physics Condensed Matter, 1993, 5, L315-L318.	0.7	5

#	ARTICLE	IF	CITATIONS
307	Structural and Magnetic Characterization of Evaporated Fe/Zr Multilayers. Japanese Journal of Applied Physics, 1999, 38, 1383-1387.	0.8	5
308	Metastable rhombohedral Fe phase formed in Fe/Sb multilayers and its magnetic properties. Physical Review B, 1999, 59, 11458-11464.	1.1	5
309	Magnetic properties and microstructure of vapour-deposited Fe/Hf films upon thermal annealing. Journal Physics D: Applied Physics, 2000, 33, 185-194.	1.3	5
310	Amorphization in the Niâ€“Nb System upon Ion-Beam-Assisted Deposition. Japanese Journal of Applied Physics, 2001, 40, 5369-5372.	0.8	5
311	Influence of film structure on the perpendicular magnetic anisotropy in Fe/Tb multilayers. Physica B: Condensed Matter, 2002, 315, 227-233.	1.3	5
312	Microstructures of Nbâ€“Ti alloy films prepared by ion beam assisted deposition. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2003, 357, 365-368.	2.6	5
313	Hexagonal iron formation in Fe/Ru multilayers and its magnetic properties. Journal of Magnetism and Magnetic Materials, 2004, 284, 26-34.	1.0	5
314	Structural and magnetic investigation of metastable alloy phases in Biâ€“Co multilayers. Journal of Alloys and Compounds, 2004, 365, 43-48.	2.8	5
315	Formation of metastable phases and their effect on the magnetic properties of Co-Cu multilayers. Thin Solid Films, 2005, 484, 283-288.	0.8	5
316	Henkel analysis of Fe/Er multilayers prepared by electron-beam evaporation. Journal of Applied Physics, 2008, 104, .	1.1	5
317	Metastable structure and magnetism of Cr-doped AlN in AlN/TiN multilayers. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, 62-65.	0.6	5
318	Transition Metal-Doped Magnetic Oxides. Semiconductors and Semimetals, 2013, , 227-259.	0.4	5
319	Field-direction sensitive magnetization reversal in a perpendicularly exchange-coupled system. Journal Physics D: Applied Physics, 2013, 46, 445001.	1.3	5
320	[010] uniaxial-anisotropy induced asymmetry of magnetic reversal in (Ga,Mn)As. Journal of Applied Physics, 2013, 113, 043906.	1.1	5
321	Effect of heavy-ion on frequency selectivity of semiconducting polymer/electrolyte heterojunction. RSC Advances, 2015, 5, 98110-98117.	1.7	5
322	Spin-Hall-Effect-Assisted Electroresistance in Antiferromagnets via $10^5$ A/cm <sup>2</sup> dc Current. Scientific Reports, 2016, 6, 31966.	1.6	5
323	Diverse Synaptic Plasticity Induced by the Interplay of Ionic Polarization and Doping at Salt-Doped Electrolyte/Semiconducting Polymer Interface. ACS Omega, 2017, 2, 746-754.	1.6	5
324	Sputtering power dependence of structure and photoluminescence of ZnO on 6Hâ€“SiC. Journal of Materials Science: Materials in Electronics, 2017, 28, 17881-17888.	1.1	5

#	ARTICLE	IF	CITATIONS
325	Hall detection of anisotropic domain walls during magnetic phase transition. Journal Physics D: Applied Physics, 2017, 50, 505004.	1.3	5
326	Polarization Evolution in Nanometer-Thick PbZrO <sub>3</sub> Films: Implications for Energy Storage and Pyroelectric Sensors. ACS Applied Nano Materials, 2022, 5, 6083-6088.	2.4	5
327	The effect of Fe layer thickness on the magnetic moment in Fe/Cr multilayers prepared by vapor deposition. Physica Status Solidi A, 1996, 153, 481-485.	1.7	4
328	Evolution of structure and magnetic properties from ferromagnetism to superparamagnetism in Co/Mo multilayers. Thin Solid Films, 2004, 457, 354-358.	0.8	4
329	Ion bombardment-induced high orientation of Al/Ti films for surface acoustic wave device applications. Journal of Electronic Materials, 2005, 34, 1053-1058.	1.0	4
330	Magnetic Properties of Fe/Ho Multilayers Prepared by Electron-Beam Evaporation. Journal of the Physical Society of Japan, 2006, 75, 084701.	0.7	4
331	Effects of incidence angles on the microstructure of Co/Nb thin films prepared by ion beam assisted deposition. Surface and Coatings Technology, 2007, 201, 4832-4836.	2.2	4
332	Metastable phases in Co/Ag system formed by ion beam assisted deposition at the glancing ion incidence. Nuclear Instruments & Methods in Physics Research B, 2007, 260, 547-552.	0.6	4
333	Multiferroic and Piezoelectric Behavior of Transition-Metal Doped ZnO Films. Materials Science Forum, 2009, 620-622, 735-740.	0.3	4
334	Tensile properties of Cr inserted amorphous Co <sub>85</sub> Zr <sub>9</sub> Nb <sub>6</sub> films deposited on polymer substrate. Journal of Alloys and Compounds, 2009, 477, 239-242.	2.8	4
335	A Comprehensive Simulation Study on Metal Conducting Filament Formation in Resistive Switching Memories. , 2011, .		4
336	Magnetoresistive sensors with hybrid Co/insulator/ZnO:Co junctions. International Journal of Minerals, Metallurgy and Materials, 2013, 20, 160-165.	2.4	4
337	ROOM-TEMPERATURE ANTIFERROMAGNETIC TUNNELING ANISOTROPIC MAGNETORESISTANCE. Spin, 2013, 03, 1350005.	0.6	4
338	Magnetism modulation in Cu-doped AlN via coupling between AlN thin film and ferroelectric substrate. Journal of Alloys and Compounds, 2015, 618, 236-239.	2.8	4
339	Spin-orbit torque switching in MgO/CoFeB/Ta/CoFeB/MgO heterostructures with a critical current density of 10 <sup>5</sup> A/cm <sup>2</sup> . Japanese Journal of Applied Physics, 2017, 56, 100303.	0.8	4
340	Optimization of C/TiC duplex diffusion barrier coatings for SiC /Ti composites based on interfacial structure evolution exploration. Ceramics International, 2018, 44, 16528-16534.	2.3	4
341	Spin valve effect induced by spin-orbit torque switching. Applied Physics Letters, 2019, 114, .	1.5	4
342	Electrical Control of Anisotropic Ferromagnetic Domains During Antiferromagnetic-Ferromagnetic Phase Transition. Physical Review Applied, 2019, 11, .	1.5	4

#	ARTICLE	IF	CITATIONS
343	Ultrafast electron transport in metallic antiferromagnetic Mn <sub>2</sub> Au thin films probed by terahertz spectroscopy. <i>Physical Review B</i> , 2020, 102, .	1.1	4
344	Cluster-Type Filaments Induced by Doping in Low-Operation-Current Conductive Bridge Random Access Memory. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 29481-29486.	4.0	4
345	Metastable Phase Formation in the Fe <sub>1-x</sub> Cu System by Ion Irradiation and Solid State Interdiffusion. <i>Physica Status Solidi A</i> , 1993, 135, 199-206.	1.7	3
346	The Effect of the Constituent Metal Layer Thickness on the Microstructure and Magnetic Properties of Fe/Y Multilayers. <i>Physica Status Solidi A</i> , 2000, 179, 237-247.	1.7	3
347	Amorphization and phase evolution in Fe <sup>64</sup> Nb films prepared by ion beam assisted deposition. <i>Thin Solid Films</i> , 2002, 415, 88-93.	0.8	3
348	Growth of epitaxial c-plane ZnO film on a-plane sapphire by radio frequency reactive magnetron sputtering. <i>Physica Status Solidi - Rapid Research Letters</i> , 2013, 7, 587-589.	1.2	3
349	Spin Hall magnetoresistance in Nb <sub>3</sub> Fe <sub>5</sub> O <sub>12</sub> hybrids. <i>Physica Status Solidi - Rapid Research Letters</i> , 2015, 9, 371-374.	1.2	3
350	Oscillatory exchange bias effect in La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> /G-SrMnO <sub>3</sub> /La <sub>0.67</sub> Sr <sub>0.33</sub> MnO <sub>3</sub> sandwiches. <i>Journal Physics D: Applied Physics</i> , 2015, 48, 295003.	0.33	3
351	Sliding threshold of spike-rate dependent plasticity of a semiconducting polymer/electrolyte cell. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 2412-2417.	2.4	3
352	Designing room-temperature multiferroic materials in a single-phase solid-solution film. <i>Journal Physics D: Applied Physics</i> , 2016, 49, 365001.	1.3	3
353	Anomalous Hall effect in one monolayer cobalt with electrical manipulation. <i>Journal of Alloys and Compounds</i> , 2017, 696, 315-320.	2.8	3
354	Ultra-Wideband Surface Acoustic Wave Filters Based on the Cu/LiNbO <sub>3</sub> /SiO <sub>2</sub> /SiC Structure. , 2021, , .		3
355	Memristive Behaviors Dominated by Reversible Nucleation Dynamics of Phase-Change Nanoclusters. <i>Small</i> , 2022, , 2105070.	5.2	3
356	Tunable Spin Hall Magnetoresistance in All-Antiferromagnetic Heterostructures. <i>Chinese Physics Letters</i> , 2022, 39, 047502.	1.3	3
357	Solid-State Alloying in Binary Systems with a Positive Heat of Mixing. <i>Materials Research Society Symposia Proceedings</i> , 1995, 398, 221.	0.1	2
358	Linear relationship of the enhanced magnetization of Fe atoms versus the radius difference of the constituent metals in Fe/f.c.c. metal multilayers. <i>Physica Status Solidi A</i> , 1995, 149, 677-683.	1.7	2
359	Magnetic properties of Fe/Al multilayers with double-periodicity modulated structure. <i>Physica Status Solidi A</i> , 1995, 151, 407-413.	1.7	2
360	Fe-Tb alloy films prepared by ion beam-assisted deposition. <i>Journal of Physics Condensed Matter</i> , 2002, 14, 1775-1784.	0.7	2

#	ARTICLE	IF	CITATIONS
361	A study of the stress and resistivity of Al/Ti films deposited by an ion beam assisted process for surface acoustic wave devices applications. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2006, 418, 218-222.	2.6	2
362	Soft magnetic properties of amorphous-CoZr/ polycrystalline-M (M=Cu, Ag, Al, Cr) multilayers. <i>Applied Physics A: Materials Science and Processing</i> , 2007, 90, 305-310.	1.1	2
363	Amorphous-CuTa/amorphous-CoZrNb multilayers: Structure, mechanical properties and thermal stability. <i>Surface and Coatings Technology</i> , 2008, 202, 4242-4247.	2.2	2
364	Amorphous phase and anisotropy induced by glancing incident ion beams in Co/Nb films. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 2008, 266, 3545-3551.	0.6	2
365	Quantitative determination of [001] uniaxial anisotropy and the pinning energy in (Ga,Mn)As films. <i>Semiconductor Science and Technology</i> , 2014, 29, 035004.	1.0	2
366	Control of Secondary Phases by Solution Treatment in a N-Alloyed High-Mn Cryogenic Steel. <i>Acta Metallurgica Sinica (English Letters)</i> , 2018, 31, 1059-1072.	1.5	2
367	Light Tuning of the Resistance of NdNiO <sub>3</sub> Films With CoFe <sub>2</sub> O <sub>4</sub> Capping. <i>Physica Status Solidi - Rapid Research Letters</i> , 2018, 12, 1800186.	1.2	2
368	Tuning the magnetotransport behavior of topological insulator with a transition-metal oxide layer. <i>Journal of Physics Condensed Matter</i> , 2019, 31, 405001.	0.7	2
369	Charge-magnon conversion at the topological insulator/antiferromagnetic insulator interface. <i>Physical Review B</i> , 2020, 102, .	1.1	2
370	High-Performance Optoelectronics: Lateral 2D WSe <sub>2</sub> p-n Homojunction Formed by Efficient Charge-Carrier Type Modulation for High-Performance Optoelectronics ( <i>Adv. Mater.</i> 9/2020). <i>Advanced Materials</i> , 2020, 32, 2070067.	11.1	2
371	Implementing a Type of Synaptic Coupling between Excitatory and Inhibitory Cells by Using Pt/Poly(3,4-ethylenedioxythiophene):Polystyrenesulfonate/HfO <sub>2</sub> /Pt Memristive Structure. <i>Journal of Physical Chemistry C</i> , 2020, 124, 4843-4851.	1.5	2
372	Study of spin mixing conductance of single oriented Pt in Pt/Ni <sub>81</sub> Fe <sub>19</sub> heterostructure by spin pumping. <i>AIP Advances</i> , 2021, 11, 035211.	0.6	2
373	Designing All-Inorganic Eu <sup>3+</sup> Sensitized TiO <sub>2</sub> Solar Cell from 4d Composite Bandgap Structure. <i>Advanced Theory and Simulations</i> , 2021, 4, 2100235.	1.3	2
374	Antiferromagnetic Magnon Drag Effect and Giant On/Off Ratio in a Vertical Device. <i>Advanced Quantum Technologies</i> , 2022, 5, .	1.8	2
375	Investigation of Temperature-Dependent Magnetic Properties and Coefficient of Thermal Expansion in Invar Alloys. <i>Materials</i> , 2022, 15, 1504.	1.3	2
376	Bias-dependent tunneling anisotropic magnetoresistance in antiferromagnetic Pd-doped FeRh-based junctions. <i>Applied Physics Letters</i> , 2021, 119, .	1.5	2
377	Memristive structure of Nb/HfO <sub>2</sub> /Pd with controllable switching mechanisms to perform featured actions in neuromorphic networks. <i>Nano Research</i> , 0, , .	5.8	2
378	Irradiation induced texture of Ag and Fe grains in Ag/Fe multilayers. <i>Nuclear Instruments &amp; Methods in Physics Research B</i> , 1993, 82, 435-441.	0.6	1

#	ARTICLE	IF	CITATIONS
379	Nanoindentation study of Ni <sub>45</sub> Nb <sub>55</sub> amorphous films prepared by ion beam assisted deposition. Nuclear Instruments & Methods in Physics Research B, 2003, 211, 339-345.	0.6	1
380	Incident angle effects on microstructure and magnetic properties of Fe/Nb thin films using IBAD. Nuclear Instruments & Methods in Physics Research B, 2005, 227, 275-281.	0.6	1
381	Positive magnetoresistance of Co/Cu film prepared by ion beam assisted deposition. Applied Surface Science, 2005, 245, 39-44.	3.1	1
382	Influence of Implanted Aluminum Ions on the Oxidation Behavior of M5 Alloy at 500°C. Oxidation of Metals, 2006, 65, 377-390.	1.0	1
383	Batteries: Redox Targeting of Anatase TiO <sub>2</sub> for Redox Flow Lithium-Ion Batteries (Adv.) Tj ETQq1 1 0,784314 rgBT /Overl 10.2	10.2	1
384	Formation and annihilation of multi-antiskyrmion defects during skyrmion nucleation. Journal of Applied Physics, 2020, 128, .	1.1	1
385	Plasma Etching-Assisted Perpendicular Magnetic Anisotropy. Physica Status Solidi (A) Applications and Materials Science, 2021, 218, 2100368.	0.8	1
386	Highly Efficient Spin-Filtering Transport in Chiral Hybrid Copper Halides. Angewandte Chemie, 2021, 133, 23770.	1.6	1
387	Chemical modulation of electronic structure at the excited state. Physical Review B, 2017, 96, .	1.1	1
388	Basic Logic Operations Achieved in a Single 2D WSe <sub>2</sub> Transistor by Surface-Charge-Transfer Doping. ACS Applied Electronic Materials, 2021, 3, 5059-5065.	2.0	1
389	A Cubic Phase Formed in Immiscible Fe/Ag(Cu) System S by Ion Mixing. Materials Research Society Symposia Proceedings, 1993, 316, 289.	0.1	0
390	Transition of Tin Iodide Thin Films from Equilibrium to Non-Equilibrium Growth. Physica Status Solidi A, 2001, 188, 1013-1021.	1.7	0
391	The metastable Fe and Tb phases in Fe/Tb thin films and their magnetic properties. Journal of Magnetism and Magnetic Materials, 2002, 246, 22-29.	1.0	0
392	Magnetoresistance flipping of Fe/Ru multilayers prepared by electron-beam evaporation. Journal of Applied Physics, 2005, 98, 073706.	1.1	0
393	Structures and magnetic moments of Co/Ag alloy films prepared by ion beam assisted deposition at various ion incidence angles. Journal of Alloys and Compounds, 2008, 458, 5-10.	2.8	0
394	Response to "Comment on "Enhanced spin injection and voltage bias in (Zn,Co)O/MgO/(Zn,Co)O magnetic tunnel junctions" [Appl. Phys. Lett. 96, 116101 (2010)]. Applied Physics Letters, 2010, 96, 116102. <sup>5</sup>	1.5	0
395	Electrical control of antiferromagnetic metals. , 2016, , .		0
396	Magnetic properties of iron/noble-metal nano-multilayers. , 1994, , 71-74.		0