

Patrick D Mcgorry

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4210206/publications.pdf>

Version: 2024-02-01

956
papers

70,730
citations

466

130
h-index

1385

222
g-index

998
all docs

998
docs citations

998
times ranked

29359
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and Correlates of Tobacco Use in Young People Presenting to Australian Primary Mental Health Services. <i>Nicotine and Tobacco Research</i> , 2023, 25, 682-691.	2.6	1
2	High-risk sexual behaviours in young people experiencing a first episode of psychosis. <i>Microbial Biotechnology</i> , 2023, 17, 159-166.	1.7	7
3	The association between social deprivation and the rate of identification of individuals at Ultra-High Risk for psychosis and transition to psychosis. <i>International Journal of Social Psychiatry</i> , 2023, 69, 294-303.	3.1	0
4	Clinical high risk for psychosis in children and adolescents: A meta-analysis of transition prevalences. <i>Schizophrenia Research</i> , 2022, 243, 254-261.	2.0	30
5	Cannabidiol for at risk for psychosis youth: A randomized controlled trial. <i>Microbial Biotechnology</i> , 2022, 16, 419-432.	1.7	9
6	Online interventions for cannabis use among adolescents and young adults: Systematic review and meta-analysis. <i>Microbial Biotechnology</i> , 2022, 16, 821-844.	1.7	7
7	Impact of Comorbid Affective Disorders on Longitudinal Clinical Outcomes in Individuals at Ultra-high Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2022, 48, 100-110.	4.3	9
8	A protocol for the first episode psychosis outcome study (<scp>FEPOS</scp>): a 15-year follow-up after treatment at the <scp>Early Psychosis Prevention and Intervention Centre, Melbourne, Australia</scp>. <i>Microbial Biotechnology</i> , 2022, 16, 715-723.	1.7	3
9	Disruptions in white matter microstructure associated with impaired visual associative memory in schizophrenia-spectrum illness. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 971-983.	3.2	3
10	The incidence and admission rate for first-episode psychosis in young people before and during the COVID-19 pandemic in Melbourne, Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 811-817.	2.3	19
11	Verbal memory performance predicts remission and functional outcome in people at clinical high-risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 28, 100222.	1.3	10
12	The reality of mental health care for young people, and the urgent need for solutions. <i>Medical Journal of Australia</i> , 2022, 216, 78-79.	1.7	15
13	The association of plasma inflammatory markers with omega-3 fatty acids and their mediating role in psychotic symptoms and functioning: An analysis of the NEURAPRO clinical trial. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 147-156.	4.1	2
14	The clinical and functional outcomes of a large naturalistic cohort of young people accessing national early psychosis services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1265-1276.	2.3	6
15	Designing and scaling up integrated youth mental health care. <i>World Psychiatry</i> , 2022, 21, 61-76.	10.4	161
16	Letter to the Editor re: "Why Do Psychiatrists Doubt the Value of Early Intervention: The Power of Illusion". <i>Australasian Psychiatry</i> , 2022, 30, 138-139.	0.7	0
17	Baseline data of a sequential multiple assignment randomized trial (STEP study). <i>Microbial Biotechnology</i> , 2022, 16, 1130-1142.	1.7	0
18	Twelve-Month Cognitive Trajectories in Individuals at Ultra-High Risk for Psychosis: A Latent Class Analysis. <i>Schizophrenia Bulletin Open</i> , 2022, 3, .	1.7	2

#	ARTICLE	IF	CITATIONS
19	Outcomes for first-episode psychosis after entry via an at-risk mental state clinic compared to direct entry to a first episode of psychosis service: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2022, 240, 214-219.	2.0	4
20	Proportion and characteristics of young people in a first-episode psychosis clinic who first attended an at-risk mental state service or other specialist youth mental health service. <i>Schizophrenia Research</i> , 2022, 241, 94-101.	2.0	11
21	Pathways to care for first-generation migrants with first episode psychosis in northwestern metropolitan Melbourne. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, , 000486742210759.	2.3	3
22	Young migrants to Australia identified as being at ultra-high risk for psychosis: Pathways to care and clinical characteristics. <i>Schizophrenia Research</i> , 2022, 241, 156-160.	2.0	1
23	Machine learning based prediction and the influence of complement " Coagulation pathway proteins on clinical outcome: Results from the NEURAPRO trial. <i>Brain, Behavior, and Immunity</i> , 2022, 103, 50-60.	4.1	4
24	Time for united action on depression: a Lancet"World Psychiatric Association Commission. <i>Lancet, The</i> , 2022, 399, 957-1022.	13.7	292
25	Schizophrenia: Transcending old world shadows. <i>Schizophrenia Research</i> , 2022, 242, 84-86.	2.0	2
26	Early intervention service systems for youth mental health: integrating pluripotentiality, clinical staging, and transdiagnostic lessons from early psychosis. <i>Lancet Psychiatry,the</i> , 2022, 9, 413-422.	7.4	36
27	Pineal morphology of the clinical high-risk state for psychosis and different psychotic disorders. <i>Schizophrenia Research</i> , 2022, 244, 1-7.	2.0	1
28	Clinical, cognitive and neuroanatomical associations of serum NMDAR autoantibodies in people at clinical high risk for psychosis. <i>Molecular Psychiatry</i> , 2021, 26, 2590-2604.	7.9	16
29	Omega"3 fatty acids and neurocognitive ability in young people at ultra"high risk for psychosis. <i>Microbial Biotechnology</i> , 2021, 15, 874-881.	1.7	10
30	A Systematic Review and Synthesis of Trauma-Informed Care Within Outpatient and Counseling Health Settings for Young People. <i>Child Maltreatment</i> , 2021, 26, 313-324.	3.3	42
31	The role of key workers in improving physical health in first episode psychosis: A scoping review. <i>Microbial Biotechnology</i> , 2021, 15, 16-33.	1.7	3
32	Improving treatments for psychotic disorders: beyond cognitive behaviour therapy for psychosis. <i>Psychosis</i> , 2021, 13, 78-84.	0.8	14
33	Prediction of clinical outcomes beyond psychosis in the ultra"high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021, 15, 642-651.	1.7	11
34	Risk of psychotic disorders in migrants to Australia. <i>Psychological Medicine</i> , 2021, 51, 1192-1200.	4.5	21
35	Physical health trajectories of young people commenced on clozapine. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 49-55.	1.0	3
36	Dysregulated Lipid Metabolism Precedes Onset of Psychosis. <i>Biological Psychiatry</i> , 2021, 89, 288-297.	1.3	42

#	ARTICLE	IF	CITATIONS
37	A certificate in youth psychiatry: meeting the training needs of psychiatrists. <i>Australasian Psychiatry</i> , 2021, 29, 97-100.	0.7	5
38	Does guideline-concordant care predict naturalistic outcomes in youth with early stage bipolar I disorder?. <i>Journal of Affective Disorders</i> , 2021, 278, 23-32.	4.1	2
39	Suicide by young Australians, 2006â€“2015: a crossâ€“sectional analysis of national coronial data. <i>Medical Journal of Australia</i> , 2021, 214, 133-139.	1.7	28
40	Integrating clinical staging and phenomenological psychopathology to add depth, nuance, and utility to clinical phenotyping: a heuristic challenge. <i>Lancet Psychiatry</i> , 2021, 8, 162-168.	7.4	25
41	Development of Proteomic Prediction Models for Transition to Psychotic Disorder in the Clinical High-Risk State and Psychotic Experiences in Adolescence. <i>JAMA Psychiatry</i> , 2021, 78, 77.	11.0	57
42	The reality of at risk mental state services: a response to recent criticisms. <i>Psychological Medicine</i> , 2021, 51, 212-218.	4.5	26
43	Symptomatic, functional and service utilization outcomes of migrants with a first episode of psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1389-1397.	3.1	4
44	Clinical and functional characteristics of a subsample of young people presenting for primary mental healthcare at headspace services across Australia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1311-1323.	3.1	19
45	Distinguishing schizophrenia spectrum from non-spectrum disorders among young patients with first episode psychosis and at high clinical risk: The role of basic self-disturbance and neurocognition. <i>Schizophrenia Research</i> , 2021, 228, 19-28.	2.0	11
46	Intervention strategies for ultra-high risk for psychosis: Progress in delaying the onset and reducing the impact of first-episode psychosis. <i>Schizophrenia Research</i> , 2021, 228, 344-356.	2.0	19
47	A double-edged sword â€“ Metabolic complications of clozapine in a rural area. <i>Schizophrenia Research</i> , 2021, 228, 260-261.	2.0	0
48	The utility of a fidelity measure to monitor implementation of new early psychosis services across Australia. <i>Microbial Biotechnology</i> , 2021, 15, 1382-1388.	1.7	3
49	Should we be Royal?. <i>Australasian Psychiatry</i> , 2021, 29, 402-405.	0.7	3
50	Greater preference for eveningness is associated with negative symptoms in an <scp>ultraâ€“high</scp> risk for psychosis sample. <i>Microbial Biotechnology</i> , 2021, 15, 1793-1798.	1.7	4
51	The associations between migrant status and ethnicity and the identification of individuals at ultra-high risk for psychosis and transition to psychosis: a systematic review. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1923-1941.	3.1	8
52	Obsessive-Compulsive Symptoms and Other Symptoms of the At-risk Mental State for Psychosis: A Network Perspective. <i>Schizophrenia Bulletin</i> , 2021, 47, 1018-1028.	4.3	10
53	Differentiating the effect of antipsychotic medication and illness on brain volume reductions in first-episode psychosis: A Longitudinal, Randomised, Triple-blind, Placebo-controlled MRI Study. <i>Neuropsychopharmacology</i> , 2021, 46, 1494-1501.	5.4	44
54	Trajectories of change in depression symptoms and suicidal ideation over the course of evidence-based treatment for depression: Secondary analysis of a randomised controlled trial of cognitive behavioural therapy plus fluoxetine in young people. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 506-516.	2.3	3

#	ARTICLE	IF	CITATIONS
55	A Retrospective Evaluation of a Pilot Youth Community Assessment and Treatment Service. <i>Psychiatric Services</i> , 2021, 72, 415-420.	2.0	1
56	The Neuropsychological Symptoms Self-Report: psychometric properties in an adolescent and young adult mental health cohort. <i>Child and Adolescent Mental Health</i> , 2021, , .	3.5	1
57	Temporal variation in the incidence of treated psychotic disorders in young people. <i>Schizophrenia Research</i> , 2021, 231, 221-226.	2.0	4
58	Response to "Diagnostic uncertainty, antipsychotic dosing, and optimal psychosocial interventions: Unanswered questions in first-episode psychosis"™. <i>Schizophrenia Research</i> , 2021, 231, 1-2.	2.0	0
59	The Horyzons project: a randomized controlled trial of a novel online social therapy to maintain treatment effects from specialist first-episode psychosis services. <i>World Psychiatry</i> , 2021, 20, 233-243.	10.4	62
60	Toward a Paradigm for Youth Mental Health. <i>JAMA Psychiatry</i> , 2021, 78, 473.	11.0	14
61	Effective Connectivity of Fronto-Striato-Thalamic Circuitry Across the Psychosis Continuum. <i>Biological Psychiatry</i> , 2021, 89, S356.	1.3	2
62	Longitudinal Changes in Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First Episode Psychosis: A Randomized, Triple-Blind Placebo-Controlled fMRI Study. <i>Biological Psychiatry</i> , 2021, 89, S174.	1.3	0
63	Preventive interventions for individuals at ultra high risk for psychosis: An updated and extended meta-analysis. <i>Clinical Psychology Review</i> , 2021, 86, 102005.	11.4	52
64	Cognitive ability and metabolic physical health in first-episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 24, 100194.	1.3	5
65	Clinical Staging for Youth Mental Disorders: Progress in Reforming Diagnosis and Clinical Care. <i>Annual Review of Developmental Psychology</i> , 2021, 3, 15-39.	2.9	14
66	Brain morphology is differentially impacted by peripheral cytokines in schizophrenia-spectrum disorder. <i>Brain, Behavior, and Immunity</i> , 2021, 95, 299-309.	4.1	15
67	Sedentary behaviour in young people presenting with a first episode of psychosis before and during the covid-19 pandemic restrictions. <i>Schizophrenia Research</i> , 2021, 233, 31-33.	2.0	2
68	Association of Structural Magnetic Resonance Imaging Measures With Psychosis Onset in Individuals at Clinical High Risk for Developing Psychosis. <i>JAMA Psychiatry</i> , 2021, 78, 753.	11.0	74
69	Not in education, employment and training status in the early stages of bipolar I disorder with psychotic features. <i>Microbial Biotechnology</i> , 2021, , .	1.7	1
70	<i>Toxoplasma gondii</i> , Herpesviridae and long-term risk of transition to first-episode psychosis in an ultra high-risk sample. <i>Schizophrenia Research</i> , 2021, 233, 24-30.	2.0	1
71	Investigation of structural brain correlates of neurological soft signs in individuals at ultra-high risk for psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1475-1485.	3.2	0
72	My child's future mental health: Carer's engagement with risk identification in an intervention study for youth with at-risk mental states. <i>Microbial Biotechnology</i> , 2021, , .	1.7	1

#	ARTICLE	IF	CITATIONS
73	Characterization and prediction of clinical pathways of vulnerability to psychosis through graph signal processing. <i>ELife</i> , 2021, 10, .	6.0	7
74	Functional Connectivity in Antipsychotic-Treated and Antipsychotic-Naive Patients With First-Episode Psychosis and Low Risk of Self-harm or Aggression. <i>JAMA Psychiatry</i> , 2021, 78, 994.	11.0	40
75	Patientsâ€™™, carersâ€™™ and cliniciansâ€™™ attitudes towards alternative terms to describe the at-risk for psychosis state. <i>Schizophrenia Research</i> , 2021, 237, 69-75.	2.0	1
76	The psychometric characteristics of the Kessler Psychological Distress Scale (K6) in help-seeking youth: What do you miss when using it as an outcome measure?. <i>Psychiatry Research</i> , 2021, 305, 114182.	3.3	12
77	Validation of a brief tool to assess and monitor suicidal ideation: The Youth Suicide Ideation Screen (YSIS-3). <i>Journal of Affective Disorders</i> , 2021, 295, 235-242.	4.1	5
78	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 943-952.	3.1	5
79	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021, 20, 4-33.	10.4	153
80	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , 2021, 26, 4529-4543.	7.9	23
81	The need for early intervention for psychosis to persist throughout the COVID-19 pandemic and beyond. <i>Irish Journal of Psychological Medicine</i> , 2021, 38, 214-219.	1.0	14
82	Editorial Perspective: Rethinking child and adolescent mental health care after COVIDâ€™19. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2021, 62, 1067-1069.	5.2	13
83	Keyworker mediated enhancement of physical health in patients with first episode psychosis: A feasibility/acceptability study. <i>Microbial Biotechnology</i> , 2021, , .	1.7	2
84	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes. , 2021, , 929-939.		0
85	Suicide by young Australians, 2006â€™2015: a crossâ€™sectional analysis of national coronial data. <i>Medical Journal of Australia</i> , 2021, 216, 54.	1.7	0
86	Relationship between allostatic load and clinical outcomes in youth at ultra-high risk for psychosis in the NEURAPRO study. <i>Schizophrenia Research</i> , 2020, 226, 38-43.	2.0	13
87	Harmonised collection of data in youth mental health: Towards large datasets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 46-56.	2.3	8
88	Preliminary psychometric validation of a brief screening tool for athlete mental health among male elite athletes: the Athlete Psychological Strain Questionnaire. <i>International Journal of Sport and Exercise Psychology</i> , 2020, 18, 850-865.	2.1	50
89	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youths at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2020, 87, 243-252.	1.3	48
90	Sex differences in psychological distress, behavioural and emotional problems, and substance use in young people in outâ€™ofâ€™home care. <i>Child and Family Social Work</i> , 2020, 25, 325-336.	1.4	6

#	ARTICLE	IF	CITATIONS
91	Supplementation with the omega-3 long chain polyunsaturated fatty acids: Changes in the concentrations of omega-3 index, fatty acids and molecular phospholipids of people at ultra high risk of developing psychosis. <i>Schizophrenia Research</i> , 2020, 226, 52-60.	2.0	8
92	The prognostic significance of attenuated psychotic symptoms in help-seeking youth. <i>Schizophrenia Research</i> , 2020, 215, 277-283.	2.0	11
93	Towards Precision Medicine in Psychosis: Benefits and Challenges of Multimodal Multicenter Studies—PSYSCAN: Translating Neuroimaging Findings From Research into Clinical Practice. <i>Schizophrenia Bulletin</i> , 2020, 46, 432-441.	4.3	56
94	Awareness of headspace youth mental health service centres across Australian communities between 2008 and 2015. <i>Journal of Mental Health</i> , 2020, 29, 410-417.	1.9	6
95	Comparison of erythrocyte omega-3 index, fatty acids and molecular phospholipid species in people at ultra-high risk of developing psychosis and healthy people. <i>Schizophrenia Research</i> , 2020, 226, 44-51.	2.0	27
96	Prevalence of subthreshold positive symptoms in young people without psychotic disorders presenting to a youth mental health service. <i>Schizophrenia Research</i> , 2020, 215, 446-448.	2.0	3
97	The Prodrome of Psychotic Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2020, 29, 57-69.	1.9	9
98	The neurophenomenology of early psychosis: An integrative empirical study. <i>Consciousness and Cognition</i> , 2020, 77, 102845.	1.5	51
99	Association of Adverse Outcomes With Emotion Processing and Its Neural Substrate in Individuals at Clinical High Risk for Psychosis. <i>JAMA Psychiatry</i> , 2020, 77, 190.	11.0	23
100	Physical health assistance in early recovery of psychosis: Study protocol for a randomized controlled trial. <i>Microbial Biotechnology</i> , 2020, 14, 587-593.	1.7	6
101	Migrant status and identification as ultra-high risk for psychosis and transitioning to a psychotic disorder. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 52-59.	4.5	15
102	Evidence for preventive treatments in young patients at clinical high risk of psychosis: the need for context. <i>Lancet Psychiatry</i> , 2020, 7, 378-380.	7.4	9
103	Basic symptoms in young people at ultra-high risk of psychosis: Association with clinical characteristics and outcomes. <i>Schizophrenia Research</i> , 2020, 216, 255-261.	2.0	8
104	Reduction in the prescription of Olanzapine as a first-line treatment for first episode psychosis following the implementation of clinical practice guidelines. <i>Schizophrenia Research</i> , 2020, 215, 469-470.	2.0	4
105	Transdiagnostic early intervention, prevention, and prediction in psychiatry. , 2020, , 27-37.		3
106	Prevalence and outcomes of young people with concurrent autism spectrum disorder and first episode of psychosis. <i>Schizophrenia Research</i> , 2020, 216, 310-315.	2.0	14
107	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020, 124, 103527.	3.1	16
108	Pre-training inter-rater reliability of clinical instruments in an international psychosis research project. <i>Schizophrenia Research</i> , 2020, 230, 104-107.	2.0	6

#	ARTICLE	IF	CITATIONS
109	Duration of Untreated Psychosis: Getting Both the Timing and the Sample Right. <i>American Journal of Psychiatry</i> , 2020, 177, 1183-1183.	7.2	13
110	Transcending false dichotomies and diagnostic silos to reduce disease burden in mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1095-1103.	3.1	13
111	The associations among medical student debt, distress and resilience in the early years of medical school: an international cross-sectional study. <i>Australasian Psychiatry</i> , 2020, 28, 468-469.	0.7	2
112	Subjective cognitive functioning in relation to changes in levels of depression and anxiety in youth over 3 months of treatment. <i>BJPsych Open</i> , 2020, 6, e84.	0.7	10
113	From Speech Illusions to Onset of Psychotic Disorder: Applying Network Analysis to an Experimental Measure of Aberrant Experiences. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	3
114	Does cortical brain morphology act as a mediator between childhood trauma and transition to psychosis in young individuals at ultra-high risk?. <i>Schizophrenia Research</i> , 2020, 224, 116-125.	2.0	9
115	Mental health first aid: strengthening its impact for aid recipients. <i>Evidence-Based Mental Health</i> , 2020, 23, 133-134.	4.5	6
116	The potential impact of COVID-19 on psychosis: A rapid review of contemporary epidemic and pandemic research. <i>Schizophrenia Research</i> , 2020, 222, 79-87.	2.0	272
117	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. <i>World Psychiatry</i> , 2020, 19, 233-242.	10.4	153
118	The value of early intervention in creating the new mental health system: Response to Allison et al. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 667-669.	2.3	6
119	Do schizotypal or borderline personality disorders predict onset of psychotic disorder or persistent attenuated psychotic symptoms in patients at high clinical risk?. <i>Schizophrenia Research</i> , 2020, 220, 275-277.	2.0	3
120	Leveraging the social network for treatment of social anxiety: Pilot study of a youth-specific digital intervention with a focus on engagement of young men. <i>Internet Interventions</i> , 2020, 20, 100323.	2.7	41
121	Predicting individual improvement in schizophrenia symptom severity at 1-year follow-up: Comparison of connectomic, structural, and clinical predictors. <i>Human Brain Mapping</i> , 2020, 41, 3342-3357.	3.6	10
122	Response to Looi et al. "Tilting at windmills: A giant quest. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 670-672.	2.3	6
123	Psychosocial Intervention With or Without Antipsychotic Medication for First-Episode Psychosis: A Randomized Noninferiority Clinical Trial. <i>Schizophrenia Bulletin Open</i> , 2020, 1, .	1.7	45
124	Cognitive functioning in ultra-high risk for psychosis individuals with and without depression: Secondary analysis of findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2020, 218, 48-54.	2.0	8
125	Commentary: Preventive Treatments for Psychosis: Umbrella Review (Just the Evidence). <i>Frontiers in Psychiatry</i> , 2020, 11, 488.	2.6	3
126	Neuroharmony: A new tool for harmonizing volumetric MRI data from unseen scanners. <i>NeuroImage</i> , 2020, 220, 117127.	4.2	48

#	ARTICLE	IF	CITATIONS
127	Expanding the search for emerging mental ill health to safeguard student potential and vocational success in high school: A narrative review. <i>Microbial Biotechnology</i> , 2020, 14, 655-676.	1.7	12
128	Historical perspectives on psychosis risk. , 2020, , 1-10.		0
129	New paradigms to study psychosis risk. , 2020, , 399-416.		0
130	Youth Depression Alleviation with Anti-inflammatory Agents (YoDA-A): a randomised clinical trial of rosuvastatin and aspirin. <i>BMC Medicine</i> , 2020, 18, 16.	5.5	49
131	Global research priorities for youth mental health. <i>Microbial Biotechnology</i> , 2020, 14, 3-13.	1.7	60
132	Impaired olfactory ability associated with larger left hippocampus and rectus volumes at earliest stages of schizophrenia: A sign of neuroinflammation?. <i>Psychiatry Research</i> , 2020, 289, 112909.	3.3	6
133	Clinical High Risk for Psychosisâ€”Not Seeing the Trees for the Wood. <i>JAMA Psychiatry</i> , 2020, 77, 559.	11.0	11
134	Pluripotential Risk and Clinical Staging: Theoretical Considerations and Preliminary Data From a Transdiagnostic Risk Identification Approach. <i>Frontiers in Psychiatry</i> , 2020, 11, 553578.	2.6	30
135	Unmet Needs in Youth Mental Health: Transforming Models of Care to Improve Outcomes. , 2020, , 181-191.		9
136	Why do psychiatrists doubt the value of early intervention? The power of illusion. <i>Australasian Psychiatry</i> , 2020, 28, 331-334.	0.7	12
137	A Novel Multimodal Digital Service (Moderated Online Social Therapy+) for Help-Seeking Young People Experiencing Mental Ill-Health: Pilot Evaluation Within a National Youth E-Mental Health Service. <i>Journal of Medical Internet Research</i> , 2020, 22, e17155.	4.3	56
138	Mental health and <sc>COVID</sc> â€”19: are we really all in this together?. <i>Medical Journal of Australia</i> , 2020, 213, 454-455.	1.7	21
139	Early Intervention and Youth Mental Health: Synergistic Paradigms to Transform Mental Health Outcomes. , 2020, , 1-11.		0
140	Does reason for referral to an ultraâ€”high risk clinic predict transition to psychosis?. <i>Microbial Biotechnology</i> , 2019, 13, 318-321.	1.7	7
141	At-risk studies and clinical antecedents of psychosis, bipolar disorder and depression: a scoping review in the context of clinical staging. <i>Psychological Medicine</i> , 2019, 49, 177-189.	4.5	55
142	Is a higher dose of antipsychotic medication required to treat a relapse following discontinuation in first episode psychosis?. <i>Schizophrenia Research</i> , 2019, 204, 407-408.	2.0	4
143	Stability of retrospective selfâ€”reports of childhood trauma in firstâ€”episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 908-913.	1.7	24
144	Diagnosis without Borders. , 2019, , 1-11.		1

#	ARTICLE	IF	CITATIONS
145	Clinical Staging and Its Potential to Enhance Mental Health Care. , 2019, , 12-33.		5
146	Time for a Change. , 2019, , 34-66.		0
147	A Moving Target. , 2019, , 67-80.		0
148	The Utility of Clinical Staging in Youth Mental Health Settings. , 2019, , 81-102.		4
149	Neuroimaging and Staging. , 2019, , 103-139.		1
150	Staging of Cognition in Psychiatric Illness. , 2019, , 140-171.		3
151	Neuroinflammation and Staging. , 2019, , 172-190.		0
152	Bioactive and Inflammatory Markers in Emerging Psychotic Disorders. , 2019, , 191-203.		0
153	Electroencephalography and Staging. , 2019, , 204-220.		0
154	Novel Biological Treatment Strategies. , 2019, , 221-240.		0
155	Psychosocial Interventions for Youth Mental Health. , 2019, , 241-260.		3
156	Transforming Cultures to Enable Stage-Related Care of Mental Ill-Health. , 2019, , 261-277.		0
157	The Quest for Clinical Utility and Construct Validity in Psychiatric Diagnosis. , 2019, , 278-283.		0
158	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. Lancet Psychiatry,the, 2019, 6, 675-712.	7.4	815
159	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): a randomised, double-blind, placebo-controlled, multicentre clinical trial. Lancet Psychiatry,the, 2019, 6, 735-744.	7.4	63
160	Olfactory sulcus morphology in teenagers with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2019, 292, 1-4.	1.8	4
161	Early intervention for bipolar disorder “ Do current treatment guidelines provide recommendations for the early stages of the disorder?. Journal of Affective Disorders, 2019, 257, 669-677.	4.1	13
162	Early Intervention in Psychosis in Young People: A Population and Public Health Perspective. American Journal of Public Health, 2019, 109, S181-S184.	2.7	41

#	ARTICLE	IF	CITATIONS
163	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019, 10, 393.	2.6	22
164	The case for improved care and provision of treatment for people with first-episode mania. <i>Lancet Psychiatry</i> , 2019, 6, 869-876.	7.4	46
165	Residential social drift in the two years following a first episode of psychosis. <i>Schizophrenia Research</i> , 2019, 210, 323-325.	2.0	7
166	Transdiagnostic psychiatry: premature closure on a crucial pathway to clinical utility for psychiatric diagnosis. <i>World Psychiatry</i> , 2019, 18, 359-360.	10.4	10
167	Clinical Stage Transitions in Persons Aged 12 to 25 Years Presenting to Early Intervention Mental Health Services With Anxiety, Mood, and Psychotic Disorders. <i>JAMA Psychiatry</i> , 2019, 76, 1167.	11.0	105
168	First episode mania: we should have intervened earlier. <i>Lancet Psychiatry</i> , 2019, 6, 807-808.	7.4	0
169	Aripiprazole compared with placebo for auditory verbal hallucinations in youth with borderline personality disorder: Protocol for the VERBATIM randomized controlled trial. <i>Microbial Biotechnology</i> , 2019, 13, 1373-1381.	1.7	10
170	Staging model in psychiatry: Review of the evolution of electroencephalography abnormalities in major psychiatric disorders. <i>Microbial Biotechnology</i> , 2019, 13, 1319-1328.	1.7	22
171	Individualized Prediction of Transition to Psychosis in 1,676 Individuals at Clinical High Risk: Development and Validation of a Multivariable Prediction Model Based on Individual Patient Data Meta-Analysis. <i>Frontiers in Psychiatry</i> , 2019, 10, 345.	2.6	29
172	Creating headspace for integrated youth mental health care. <i>World Psychiatry</i> , 2019, 18, 140-141.	10.4	77
173	Incidence of treated first episode psychosis from an Australian early intervention service and its association with neighbourhood characteristics. <i>Schizophrenia Research</i> , 2019, 209, 206-211.	2.0	24
174	Evidence for Network-Based Cortical Thickness Reductions in Schizophrenia. <i>American Journal of Psychiatry</i> , 2019, 176, 552-563.	7.2	97
175	The association between community and service level factors and rates of disengagement in individuals with first episode psychosis. <i>Schizophrenia Research</i> , 2019, 210, 122-127.	2.0	8
176	Gender differences of patients at-risk for psychosis regarding symptomatology, drug use, comorbidity and functioning – Results from the EU-GEL study. <i>European Psychiatry</i> , 2019, 59, 52-59.	0.2	19
177	Building the momentum and blueprint for reform in youth mental health. <i>Lancet Psychiatry</i> , 2019, 6, 459-461.	7.4	16
178	Early intervention for depression in young people: a blind spot in mental health care – Authors' reply. <i>Lancet Psychiatry</i> , 2019, 6, 283-284.	7.4	4
179	The relationship between childhood trauma and clinical characteristics in ultra-high risk for psychosis youth. <i>Psychosis</i> , 2019, 11, 28-41.	0.8	6
180	HORYZONS trial: protocol for a randomised controlled trial of a moderated online social therapy to maintain treatment effects from first-episode psychosis services. <i>BMJ Open</i> , 2019, 9, e024104.	1.9	65

#	ARTICLE	IF	CITATIONS
181	Effectiveness of universal programmes for the prevention of suicidal ideation, behaviour and mental ill health in medical students: a systematic review and meta-analysis. <i>Evidence-Based Mental Health</i> , 2019, 22, 84-90.	4.5	26
182	The rates and determinants of disengagement and subsequent re-engagement in young people with first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2019, 54, 945-953.	3.1	22
183	Importance of Variable Selection in Multimodal Prediction Models in Patients at Clinical High Risk for Psychosis and Recent-Onset Depression. <i>JAMA Psychiatry</i> , 2019, 76, 339.	11.0	8
184	Interventions to reduce symptoms of common mental disorders and suicidal ideation in physicians: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2019, 6, 225-234.	7.4	101
185	Frontal slow wave resting EEG power is higher in individuals at Ultra High Risk for psychosis than in healthy controls but is not associated with negative symptoms or functioning. <i>Schizophrenia Research</i> , 2019, 208, 293-299.	2.0	6
186	Elevated ubiquitinated proteins in brain and blood of individuals with schizophrenia. <i>Scientific Reports</i> , 2019, 9, 2307.	3.3	31
187	Improving Mood with Physical ACTivity (IMPACT) trial: a cluster randomised controlled trial to determine the effectiveness of a brief physical activity behaviour change intervention on depressive symptoms in young people, compared with psychoeducation, in addition to routine clinical care within youth mental health services—a protocol study. <i>BMI Open</i> , 2019, 9, e034002.	1.9	3
188	Investigation of peripheral complement factors across stages of psychosis. <i>Schizophrenia Research</i> , 2019, 204, 30-37.	2.0	50
189	Testing a neurophenomenological model of basic self disturbance in early psychosis. <i>World Psychiatry</i> , 2019, 18, 104-105.	10.4	23
190	Neurocognition as a predictor of transition to psychotic disorder and functional outcomes in ultra-high risk participants: Findings from the NEURAPRO randomized clinical trial. <i>Schizophrenia Research</i> , 2019, 206, 67-74.	2.0	46
191	Early intervention for depression in young people: a blind spot in mental health care. <i>Lancet Psychiatry</i> , 2019, 6, 267-272.	7.4	72
192	Characteristics and outcomes of young people with substance induced psychotic disorder. <i>Schizophrenia Research</i> , 2019, 206, 257-262.	2.0	24
193	The Vitamins in Psychosis Study: A Randomized, Double-Blind, Placebo-Controlled Trial of the Effects of Vitamins B12, B6, and Folic Acid on Symptoms and Neurocognition in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2019, 86, 35-44.	1.3	23
194	Where next for youth mental health services in Ireland?. <i>Irish Journal of Psychological Medicine</i> , 2019, 36, 163-167.	1.0	8
195	Current versus recently resolved attenuated psychotic symptoms: Same level of risk for transition to psychosis?. <i>Schizophrenia Research</i> , 2019, 204, 450-451.	2.0	3
196	Reducing the global burden of depression: a Lancet World Psychiatric Association Commission. <i>Lancet</i> , 2019, 393, e42-e43.	13.7	186
197	Persistent negative symptoms in individuals at Ultra High Risk for psychosis. <i>Schizophrenia Research</i> , 2019, 206, 355-361.	2.0	39
198	Longitudinal Cognitive Performance in Individuals at Ultrahigh Risk for Psychosis: A 10-year Follow-up. <i>Schizophrenia Bulletin</i> , 2019, 45, 1101-1111.	4.3	27

#	ARTICLE	IF	CITATIONS
199	Australia's innovation in youth mental health care: The headspace centre model. <i>Microbial Biotechnology</i> , 2019, 13, 159-166.	1.7	133
200	Rates, determinants and outcomes associated with the use of community treatment orders in young people experiencing first episode psychosis. <i>International Journal of Law and Psychiatry</i> , 2019, 62, 85-89.	0.9	6
201	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled trial of antipsychotic dose reduction. The reduce trial: Study protocol. <i>Microbial Biotechnology</i> , 2019, 13, 1345-1356.	1.7	19
202	Hippocampal subfields and visuospatial associative memory across stages of schizophrenia-spectrum disorder. <i>Psychological Medicine</i> , 2019, 49, 2452-2462.	4.5	17
203	Can youth at high risk of illness progression be identified by measures of rumination and sleep-wake disturbance. <i>Microbial Biotechnology</i> , 2019, 13, 1214-1219.	1.7	7
204	Individual placement and support for vocational recovery in first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019, 214, 76-82.	2.8	65
205	Staged treatment and acceptability guidelines in early psychosis study (STAGES): A randomized placebo controlled trial of intensive psychosocial treatment plus or minus antipsychotic medication for first-episode psychosis with low risk of self-harm or aggression. Study protocol and baseline characteristics of participants. <i>Microbial Biotechnology</i> , 2019, 13, 953-960.	1.7	19
206	Broad clinical high-risk mental state (CHARMS): Methodology of a cohort study validating criteria for pluripotent risk. <i>Microbial Biotechnology</i> , 2019, 13, 379-386.	1.7	76
207	Introduction: Relevance of the Age of Onset of Mental Disorders to Research in Psychiatry and to the Organization of Services for People with Mental Illness. , 2019, , 1-13.		3
208	Key Worker-Mediated Enhancement of Physical Health in First Episode Psychosis: Protocol For a Feasibility Study in Primary Care. <i>JMIR Research Protocols</i> , 2019, 8, e13115.	1.0	5
209	Conclusions: From the Study of the Age of Onset to the Development of Age-Specific Interventions in Mental Health. , 2019, , 255-261.		1
210	Attenuated Psychosis Syndromes Among Australian Youth and Young Adults: Early Identification and Intervention. , 2019, , 67-84.		0
211	Differential effect of quetiapine and lithium on functional connectivity of the striatum in first episode mania. <i>Translational Psychiatry</i> , 2018, 8, 59.	4.8	59
212	Adolescent and Young Adult Male Mental Health: Transforming System Failures Into Proactive Models of Engagement. <i>Journal of Adolescent Health</i> , 2018, 62, S9-S17.	2.5	132
213	Depression and suicide among medical practitioners in Australia. <i>Internal Medicine Journal</i> , 2018, 48, 254-258.	0.8	44
214	Clozapine use in early psychosis. <i>Schizophrenia Research</i> , 2018, 199, 374-379.	2.0	23
215	T30. TIPPING POINTS – PREDICTING TRANSITIONS TO PSYCHOSIS IN AT-RISK YOUNG PEOPLE. <i>Schizophrenia Bulletin</i> , 2018, 44, S124-S125.	4.3	1
216	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018, 197, 550-556.	2.0	54

#	ARTICLE	IF	CITATIONS
217	Effects of Cannabis Use in Those at Ultra-High Risk for Psychosis. , 2018, , 167-181.		4
218	Early Interventionâ€”An Implementation Challenge for 21st Century Mental Health Care. JAMA Psychiatry, 2018, 75, 545.	11.0	71
219	Downregulation of plasma SELENBP1 protein in patients with recent-onset schizophrenia. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 85, 1-6.	4.8	11
220	Moderated online social therapy for depression relapse prevention in young people: pilot study of a â€œnext generationâ€™ online intervention. Microbial Biotechnology, 2018, 12, 613-625.	1.7	102
221	Role of the general practitioner in providing early intervention for youth mental health: a mixed methods investigation. Microbial Biotechnology, 2018, 12, 202-216.	1.7	19
222	Early intervention for incipient insanity: early notions from the 19 th century English literature. Microbial Biotechnology, 2018, 12, 708-714.	1.7	1
223	Youth mental health services in Italy: An achievable dream?. Microbial Biotechnology, 2018, 12, 433-443.	1.7	9
224	Youth Depression Alleviationâ€”Augmentation with an antiâ€”inflammatory agent (<sc>YoDAâ€”</sc>): protocol and rationale for a placeboâ€”controlled randomized trial of rosuvastatin and aspirin. Microbial Biotechnology, 2018, 12, 45-54.	1.7	15
225	Development of an implementation guide to facilitate the rollâ€”out of early intervention services for psychosis. Microbial Biotechnology, 2018, 12, 1100-1111.	1.7	10
226	Deterioration of visuospatial associative memory following a first psychotic episode: a long-term follow-up study. Psychological Medicine, 2018, 48, 132-141.	4.5	23
227	Reasons for referral and findings of clinical neuropsychological assessment in youth with mental illness: A clinical file audit. Applied Neuropsychology: Child, 2018, 7, 164-174.	1.4	8
228	Staged Treatment in Early Psychosis: A sequential multiple assignment randomised trial of interventions for ultra high risk of psychosis patients. Microbial Biotechnology, 2018, 12, 292-306.	1.7	52
229	The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. Schizophrenia Research, 2018, 195, 543-548.	2.0	28
230	Rates and predictors of relapse following discontinuation of antipsychotic medication after a first episode of psychosis. Schizophrenia Research, 2018, 195, 231-236.	2.0	49
231	Predictors of longer-term outcome in the Vienna omega-3 high-risk study. Schizophrenia Research, 2018, 193, 168-172.	2.0	6
232	Duration of untreated psychosis and neurocognitive functioning in first-episode psychosis: a systematic review and meta-analysis. Psychological Medicine, 2018, 48, 1592-1607.	4.5	27
233	Stress hormones and verbal memory in young people over the first 12 weeks of treatment for psychosis. Psychiatry Research, 2018, 260, 60-66.	3.3	10
234	Clinical and demographic predictors of continuing remission or relapse following discontinuation of antipsychotic medication after a first episode of psychosis. A systematic review. Schizophrenia Research, 2018, 197, 9-18.	2.0	51

#	ARTICLE	IF	CITATIONS
235	Impaired mismatch negativity to frequency deviants in individuals at ultra-high risk for psychosis, and preliminary evidence for further impairment with transition to psychosis. <i>Schizophrenia Research</i> , 2018, 191, 95-100.	2.0	31
236	Pre-onset risk characteristics for mania among young people at clinical high risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 345-350.	2.0	5
237	Ultra-high-risk paradigm: lessons learnt and new directions. <i>Evidence-Based Mental Health</i> , 2018, 21, 131-133.	4.5	36
238	Early intervention in youth mental health: progress and future directions. <i>Evidence-Based Mental Health</i> , 2018, 21, 182-184.	4.5	170
239	Recent Meta-Analyses in the Clinical High Risk for Psychosis Population: Clinical Interpretation of Findings and Suggestions for Future Research. <i>Frontiers in Psychiatry</i> , 2018, 9, 502.	2.6	22
240	Tackling the youth mental health crisis across adolescence and young adulthood. <i>BMJ: British Medical Journal</i> , 2018, 362, k3704.	2.3	5
241	Preventive strategies for mental health. <i>Lancet Psychiatry</i> , 2018, 5, 591-604.	7.4	390
242	Resting-state functional brain networks in first-episode psychosis: A 12-month follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 864-875.	2.3	18
243	Beyond the "at risk mental state" concept: transitioning to transdiagnostic psychiatry. <i>World Psychiatry</i> , 2018, 17, 133-142.	10.4	311
244	Screening for the ultra-high risk state in a youth mental health service. <i>Schizophrenia Research</i> , 2018, 202, 401-403.	2.0	4
245	Dynamic prediction of transition to psychosis using joint modelling. <i>Schizophrenia Research</i> , 2018, 202, 333-340.	2.0	18
246	Enhancing social functioning in young people at Ultra High Risk (UHR) for psychosis: A pilot study of a novel strengths and mindfulness-based online social therapy. <i>Schizophrenia Research</i> , 2018, 202, 369-377.	2.0	99
247	"Is 'early intervention' in bipolar disorder what it claims to be?" Malhi et al. <i>Bipolar Disorders</i> , 2018, 20, 181-183.	1.9	3
248	An fMRI study of theory of mind in individuals with first episode psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2018, 281, 1-11.	1.8	10
249	Web-Based Mindfulness Interventions for Mental Health Treatment: Systematic Review and Meta-Analysis. <i>JMIR Mental Health</i> , 2018, 5, e10278.	3.3	79
250	NEURAPRO study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017, 11, 418-428.	1.7	55
251	Convergence Science Arrives: How Does It Relate to Psychiatry?. <i>Academic Psychiatry</i> , 2017, 41, 91-99.	0.9	23
252	Ethical considerations in preventive interventions for bipolar disorder. <i>Microbial Biotechnology</i> , 2017, 11, 104-112.	1.7	12

#	ARTICLE	IF	CITATIONS
253	A systematic review and meta-analysis of prospective transition from major depression to bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 273-284.	4.5	90
254	Effects of omega-3 PUFA on immune markers in adolescent individuals at ultra-high risk for psychosis – Results of the randomized controlled Vienna omega-3 study. <i>Schizophrenia Research</i> , 2017, 188, 110-117.	2.0	23
255	Community Treatment Order: Identifying the need for more evidence based justification of its use in first episode psychosis patients. <i>Schizophrenia Research</i> , 2017, 185, 67-72.	2.0	8
256	Predictors of favourable outcome in young people with a first episode psychosis without antipsychotic medication. <i>Schizophrenia Research</i> , 2017, 185, 130-136.	2.0	19
257	Are current labeling terms suitable for people who are at risk of psychosis?. <i>Schizophrenia Research</i> , 2017, 188, 172-177.	2.0	17
258	Neuroprotection after a first episode of mania: a randomized controlled maintenance trial comparing the effects of lithium and quetiapine on grey and white matter volume. <i>Translational Psychiatry</i> , 2017, 7, e1011-e1011.	4.8	75
259	Quetiapine<i>v.</i>lithium in the maintenance phase following a first episode of mania: Randomised controlled trial. <i>British Journal of Psychiatry</i> , 2017, 210, 413-421.	2.8	53
260	Predictors of functional status at service entry and discharge among young people with first episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 575-585.	3.1	30
261	Negative Psychosis Prevention Trials – Reply. <i>JAMA Psychiatry</i> , 2017, 74, 652.	11.0	3
262	Back to the future: Schizophrenia in retrospect and prospect. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 431-433.	2.3	4
263	Erythrocyte glutathione levels as long-term predictor of transition to psychosis. <i>Translational Psychiatry</i> , 2017, 7, e1064-e1064.	4.8	28
264	Youth mental ill health and secondary school completion in Australia: time to act. <i>Microbial Biotechnology</i> , 2017, 11, 277-289.	1.7	33
265	Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 124-140.	2.3	81
266	Effect of ω-3 Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders. <i>JAMA Psychiatry</i> , 2017, 74, 19.	11.0	216
267	The RANZCP guidelines for Schizophrenia: Why is our practice so far short of our recommendations, and what can we do about it?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 670-674.	2.3	7
268	Rates and predictors of 18-months remission in an epidemiological cohort of 661 patients with first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017, 52, 1089-1099.	3.1	23
269	Social and academic premorbid adjustment domains predict different functional outcomes among youth with first episode mania. <i>Journal of Affective Disorders</i> , 2017, 219, 133-140.	4.1	9
270	White matter connectivity disruptions in early and chronic schizophrenia. <i>Psychological Medicine</i> , 2017, 47, 2797-2810.	4.5	49

#	ARTICLE	IF	CITATIONS
271	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 843-851.	4.3	55
272	Moving From Static to Dynamic Models of the Onset of Mental Disorder. <i>JAMA Psychiatry</i> , 2017, 74, 528.	11.0	218
273	Novel biotherapies are needed in youth mental health. <i>Australasian Psychiatry</i> , 2017, 25, 117-120.	0.7	13
274	Long-term employment among people at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 26-31.	2.0	28
275	Using clinical information to make individualized prognostic predictions in people at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2017, 184, 32-38.	2.0	58
276	Cannabis-induced attenuated psychotic symptoms: implications for prognosis in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2017, 47, 616-626.	4.5	41
277	Predictors of functional recovery in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Clinical Psychology Review</i> , 2017, 58, 59-75.	11.4	192
278	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017, 86, 292-299.	8.8	20
279	Omega-6 to omega-3 polyunsaturated fatty acid ratio and subsequent mood disorders in young people with at-risk mental states: a 7-year longitudinal study. <i>Translational Psychiatry</i> , 2017, 7, e1220-e1220.	4.8	78
280	Improving outcomes of first-episode psychosis: an overview. <i>World Psychiatry</i> , 2017, 16, 251-265.	10.4	363
281	Staging in bipolar disorder: from theoretical framework to clinical utility. <i>World Psychiatry</i> , 2017, 16, 236-244.	10.4	160
282	Architecture of change: rethinking child and adolescent mental health. <i>Lancet Psychiatry</i> , 2017, 4, 656-658.	7.4	43
283	PET imaging of putative microglial activation in individuals at ultra-high risk for psychosis, recently diagnosed and chronically ill with schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1225-e1225.	4.8	70
284	The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders – what’s next?. <i>Australasian Psychiatry</i> , 2017, 25, 600-602.	0.7	6
285	A next-generation social media-based relapse prevention intervention for youth depression: Qualitative data on user experience outcomes for social networking, safety, and clinical benefit. <i>Internet Interventions</i> , 2017, 9, 65-73.	2.7	34
286	Youth mental health and mental wealth: reaping the rewards. <i>Australasian Psychiatry</i> , 2017, 25, 101-103.	0.7	8
287	Ventricular volumes across stages of schizophrenia and other psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 1041-1051.	2.3	17
288	Structural neuroimaging across early-stage psychosis: Aberrations in neurobiological trajectories and implications for the staging model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 455-476.	2.3	52

#	ARTICLE	IF	CITATIONS
289	Substance use in youth at risk for psychosis. <i>Schizophrenia Research</i> , 2017, 181, 23-29.	2.0	41
290	Multi-center MRI prediction models: Predicting sex and illness course in first episode psychosis patients. <i>NeuroImage</i> , 2017, 145, 246-253.	4.2	43
291	Lithium suppression of tau induces brain iron accumulation and neurodegeneration. <i>Molecular Psychiatry</i> , 2017, 22, 396-406.	7.9	66
292	Broken promises and missing steps in mental health reform. <i>Medical Journal of Australia</i> , 2017, 206, 487-489.	1.7	10
293	The Positive and Negative Experiences of Caregiving for Siblings of Young People with First Episode Psychosis. <i>Frontiers in Psychology</i> , 2017, 8, 730.	2.1	14
294	SU125. Momentum: A Novel Online Social Media, Mindfulness, and Strengths-Based Intervention to Promote Functional Recovery in Ultra High Risk (UHR) Patients. <i>Schizophrenia Bulletin</i> , 2017, 43, S206-S207.	4.3	5
295	The 2016 Royal Australian and New Zealand College of Psychiatrists guidelines for the management of schizophrenia and related disorders. <i>Medical Journal of Australia</i> , 2017, 206, 501-505.	1.7	22
296	Integrated (one-stop shop) youth health care: best available evidence and future directions. <i>Medical Journal of Australia</i> , 2017, 207, S5-S18.	1.7	173
297	Targeting mental health care attributes by diagnosis and clinical stage: the views of youth mental health clinicians. <i>Medical Journal of Australia</i> , 2017, 207, S19-S26.	1.7	5
298	Identifying attributes of care that may improve cost-effectiveness in the youth mental health service system. <i>Medical Journal of Australia</i> , 2017, 207, S27-S37.	1.7	22
299	Youth mental health: building beyond the brand. <i>Medical Journal of Australia</i> , 2017, 207, 428-429.	1.7	5
300	SA58. The First-Episode Psychosis Outcome Study: Preliminary Data on the Long-Term Follow-Up of First-Episode Psychosis Patients Who Were Treated at the Early Psychosis Prevention and Intervention Centre Between 1998 and 2000. <i>Schizophrenia Bulletin</i> , 2017, 43, S134-S134.	4.3	0
301	Placement Instability Among Young People Removed from Their Original Family and the Likely Mental Health Implications. <i>Shanghai Archives of Psychiatry</i> , 2017, 29, 85-94.	0.7	5
302	Youth depression alleviation: the Fish Oil Youth Depression Study (YoDA): A randomized, double-blind, placebo-controlled treatment trial. <i>Microbial Biotechnology</i> , 2016, 10, 290-299.	1.7	16
303	Relationship between Erythrocyte Fatty Acid Composition and Psychopathology in the Vienna Omega-3 Study. <i>PLoS ONE</i> , 2016, 11, e0151417.	2.5	22
304	Stepwise expansion of evidence-based care is needed for mental health reform. <i>Medical Journal of Australia</i> , 2016, 204, 351-353.	1.7	9
305	NHMRC funding of mental health research. <i>Medical Journal of Australia</i> , 2016, 205, 350-351.	1.7	15
306	The student safety net: a new angle for early intervention. <i>Microbial Biotechnology</i> , 2016, 10, 279-281.	1.7	0

#	ARTICLE	IF	CITATIONS
307	Distress in relation to attenuated psychotic symptoms in the ultra-high risk population is not associated with increased risk of psychotic disorder. <i>Microbial Biotechnology</i> , 2016, 10, 258-262.	1.7	18
308	Neuroanatomical Predictors of Functional Outcome in Individuals at Ultra-High Risk for Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 43, sbw086.	4.3	21
309	White matter integrity in individuals at ultra-high risk for psychosis: a systematic review and discussion of the role of polyunsaturated fatty acids. <i>BMC Psychiatry</i> , 2016, 16, 287.	2.6	38
310	Differential expression of the inflammation marker IL12p40 in the at-risk mental state for psychosis: a predictor of transition to psychotic disorder?. <i>BMC Psychiatry</i> , 2016, 16, 326.	2.6	34
311	Response to Jorm: Headspace – A national and international innovation with lessons for redesign of mental health care in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 9-10.	2.3	9
312	A review of vulnerability and risks for schizophrenia: Beyond the two hit hypothesis. <i>Neuroscience and Biobehavioral Reviews</i> , 2016, 65, 185-194.	6.1	256
313	Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for the management of schizophrenia and related disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 410-472.	2.3	571
314	Beyond Clinical Remission in First Episode Psychosis: Thoughts on Antipsychotic Maintenance vs. Guided Discontinuation in the Functional Recovery Era. <i>CNS Drugs</i> , 2016, 30, 357-368.	5.9	67
315	Further examination of the reducing transition rate in ultra high risk for psychosis samples: The possible role of earlier intervention. <i>Schizophrenia Research</i> , 2016, 174, 43-49.	2.0	47
316	Prediction of transition from ultra-high risk to first-episode psychosis using a probabilistic model combining history, clinical assessment and fatty-acid biomarkers. <i>Translational Psychiatry</i> , 2016, 6, e897-e897.	4.8	51
317	A prospective cohort study of depression course, functional disability, and NEET status in help-seeking young adults. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1395-1404.	3.1	29
318	Early intervention: Mission creep versus mission creep?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 1033-1035.	2.3	4
319	A controlled trial of implementing a complex mental health intervention for carers of vulnerable young people living in out-of-home care: the ripple project. <i>BMC Psychiatry</i> , 2016, 16, 436.	2.6	12
320	Response to Allison et al., –The National Mental Health Commission Report: Evidence based or ideologically driven?™. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 11-12.	2.3	2
321	The achievable dream of a humane psychiatry: A tribute to John S. Strauss. <i>American Journal of Psychiatric Rehabilitation</i> , 2016, 19, 12-16.	0.7	0
322	Early psychosis research at Orygen, The National Centre of Excellence in Youth Mental Health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1-13.	3.1	31
323	A single-blind, randomised controlled trial on the effects of lithium and quetiapine monotherapy on the trajectory of cognitive functioning in first episode mania: A 12-month follow-up study. <i>European Psychiatry</i> , 2016, 31, 20-28.	0.2	25
324	Why We Need a Transdiagnostic Staging Approach to Emerging Psychopathology, Early Diagnosis, and Treatment. <i>JAMA Psychiatry</i> , 2016, 73, 191.	11.0	144

#	ARTICLE	IF	CITATIONS
325	The Mental Health of Elite Athletes: A Narrative Systematic Review. <i>Sports Medicine</i> , 2016, 46, 1333-1353.	6.5	592
326	The effectiveness of simple psychological and physical activity interventions for high prevalence mental health problems in young people: A factorial randomised controlled trial. <i>Journal of Affective Disorders</i> , 2016, 196, 200-209.	4.1	54
327	Baseline grey matter volume of non-transitioned "ultra high risk" for psychosis individuals with and without attenuated psychotic symptoms at long-term follow-up. <i>Schizophrenia Research</i> , 2016, 173, 152-158.	2.0	42
328	Declining transition rates to psychotic disorder in "ultra-high risk" clients: Investigation of a dilution effect. <i>Schizophrenia Research</i> , 2016, 170, 130-136.	2.0	87
329	Early Detection and Intervention in Psychosis. <i>Key Issues in Mental Health</i> , 2016, , 179-189.	0.6	4
330	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. <i>Psychiatry Research</i> , 2016, 236, 182-185.	3.3	20
331	Altering the course of schizophrenia: progress and perspectives. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 485-515.	46.4	410
332	Heterogeneity of Psychosis Risk Within Individuals at Clinical High Risk. <i>JAMA Psychiatry</i> , 2016, 73, 113.	11.0	354
333	From early intervention in psychosis to youth mental health reform: a review of the evolution and transformation of mental health services for young people. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 319-326.	3.1	139
334	Niacin Skin Sensitivity Is Increased in Adolescents at Ultra-High Risk for Psychosis. <i>PLoS ONE</i> , 2016, 11, e0148429.	2.5	28
335	Adjunctive Taurine in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2016, 77, e1610-e1617.	2.2	37
336	Childhood maltreatment and transition to psychotic disorder independently predict long-term functioning in young people at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2015, 45, 3453-3465.	4.5	51
337	In memory of Prof. Angelo Cocchi (1939-2015). <i>Microbial Biotechnology</i> , 2015, 9, 343-344.	1.7	0
338	Conventional and alternative preventive treatments in the first stages of schizophrenia. <i>European Journal of Psychiatry</i> , 2015, 29, 135-143.	1.3	1
339	Using accountability for mental health to drive reform. <i>Medical Journal of Australia</i> , 2015, 203, 328-330.	1.7	17
340	The services provided to young people through the headspace centres across Australia. <i>Medical Journal of Australia</i> , 2015, 202, 533-536.	1.7	70
341	Changes in psychological distress and psychosocial functioning in young people visiting headspace centres for mental health problems. <i>Medical Journal of Australia</i> , 2015, 202, 537-542.	1.7	104
342	Australian Early Psychosis Research Network: national collaboration, international competitive advantage. <i>Medical Journal of Australia</i> , 2015, 202, 170-171.	1.7	4

#	ARTICLE	IF	CITATIONS
343	Let children cry. Medical Journal of Australia, 2015, 202, 418-418.	1.7	0
344	Therapy Contamination as a Measure of Therapist Treatment Adherence in a Trial of Cognitive Behaviour Therapy versus Befriending for Psychosis. Behavioural and Cognitive Psychotherapy, 2015, 43, 314-327.	1.2	9
345	Sources of clinical distress in young people at ultra high risk of psychosis. Schizophrenia Research, 2015, 165, 15-21.	2.0	50
346	Neighbourhood characteristics and the rate of identification of young people at ultra-high risk for psychosis. Schizophrenia Research, 2015, 169, 214-216.	2.0	14
347	Intensive case management for high-risk patients with first-episode psychosis: service model and outcomes. Lancet Psychiatry, 2015, 2, 29-37.	7.4	28
348	The relationship between stress, HPA axis functioning and brain structure in first episode psychosis over the first 12 weeks of treatment. Psychiatry Research - Neuroimaging, 2015, 231, 111-119.	1.8	9
349	Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. Microbial Biotechnology, 2015, 9, 487-497.	1.7	55
350	Social environmental risk factors for transition to psychosis in an Ultra-High Risk population. Schizophrenia Research, 2015, 161, 150-155.	2.0	23
351	Prospective progression from high-prevalence disorders to bipolar disorder: Exploring characteristics of pre-illness stages. Journal of Affective Disorders, 2015, 183, 45-48.	4.1	33
352	Divergent effects of first-generation and second-generation antipsychotics on cortical thickness in first-episode psychosis. Psychological Medicine, 2015, 45, 515-527.	4.5	53
353	Associations of obsessive-compulsive symptoms with clinical and neurocognitive features in schizophrenia according to stage of illness. Psychiatry Research, 2015, 226, 368-375.	3.3	16
354	The impact of neuropsychological functioning and coping style on perceived stress in individuals with first-episode psychosis and healthy controls. Psychiatry Research, 2015, 226, 128-135.	3.3	24
355	Arguments for transformational reform of mental health care for young people. Irish Journal of Psychological Medicine, 2015, 32, 9-11.	1.0	8
356	Early Intervention in Psychosis. Journal of Nervous and Mental Disease, 2015, 203, 310-318.	1.0	220
357	Discrete Alterations of Brain Network Structural Covariance in Individuals at Ultra-High Risk for Psychosis. Biological Psychiatry, 2015, 77, 989-996.	1.3	46
358	Instruments that prospectively predict bipolar disorder – A systematic review. Journal of Affective Disorders, 2015, 179, 65-73.	4.1	14
359	A Qualitative Study of the Prodrome to First-Episode Major Depressive Disorder in Adolescents. Psychopathology, 2015, 48, 153-161.	1.5	6
360	Perceptions of clinicians treating young people with first-episode psychosis for post-traumatic stress disorder. Microbial Biotechnology, 2015, 9, 12-20.	1.7	41

#	ARTICLE	IF	CITATIONS
361	Transitions Study of predictors of illness progression in young people with mental ill health: study methodology. <i>Microbial Biotechnology</i> , 2015, 9, 38-47.	1.7	32
362	Declining transition rates to psychosis: the contribution of potential changes in referral pathways to an ultra-high risk service. <i>Microbial Biotechnology</i> , 2015, 9, 200-206.	1.7	63
363	Longer-term outcome in the prevention of psychotic disorders by the Vienna omega-3 study. <i>Nature Communications</i> , 2015, 6, 7934.	12.8	152
364	Cognitive intervention in early psychosis "preserving abilities versus remediating deficits. <i>Current Opinion in Behavioral Sciences</i> , 2015, 4, 63-72.	3.9	35
365	Preventing mental illness: closing the evidence-practice gap through workforce and services planning. <i>BMC Health Services Research</i> , 2015, 15, 283.	2.2	24
366	Predictors of treatment response in young people at ultra-high risk for psychosis who received long-chain omega-3 fatty acids. <i>Translational Psychiatry</i> , 2015, 5, e495-e495.	4.8	48
367	Detection and treatment of at-risk mental state for developing a first psychosis: making up the balance. <i>Lancet Psychiatry</i> , 2015, 2, 825-834.	7.4	42
368	Effects of omega-3 PUFA on the vitamin E and glutathione antioxidant defense system in individuals at ultra-high risk of psychosis. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2015, 101, 15-21.	2.2	28
369	Associations of hippocampal metabolism and regional brain grey matter in neuroleptic-naïve ultra-high-risk subjects and first-episode schizophrenia. <i>European Neuropsychopharmacology</i> , 2015, 25, 1661-1668.	0.7	22
370	Olanzapine or chlorpromazine plus lithium in first episode psychotic mania: An 8-week randomised controlled trial. <i>European Psychiatry</i> , 2015, 30, 975-982.	0.2	24
371	Online social media: New data, new horizons in psychosis treatment. <i>Schizophrenia Research</i> , 2015, 166, 345-346.	2.0	10
372	History of offending behavior in first episode psychosis patients: A marker of specific clinical needs and a call for early detection strategies among young offenders. <i>Schizophrenia Research</i> , 2015, 161, 163-168.	2.0	23
373	Outcomes of Nontransitioned Cases in a Sample at Ultra-High Risk for Psychosis. <i>American Journal of Psychiatry</i> , 2015, 172, 249-258.	7.2	235
374	The Impact of First-Episode Psychosis on the Sibling Relationship. <i>Psychiatry (New York)</i> , 2015, 78, 141-55.	0.7	8
375	Social Functioning Trajectories of Young First-Episode Psychosis Patients with and without Cannabis Misuse: A 30-Month Follow-Up Study. <i>PLoS ONE</i> , 2015, 10, e0122404.	2.5	20
376	Getting mental health reform back on track: a leadership challenge for the new Australian Government. <i>Medical Journal of Australia</i> , 2014, 200, 445-448.	1.7	17
377	headspace "Australia's innovation in youth mental health: who are the clients and why are they presenting?. <i>Medical Journal of Australia</i> , 2014, 200, 108-111.	1.7	177
378	Selective Attention to Threat is Specific to Delusions in First-Episode Psychosis. <i>Journal of Experimental Psychopathology</i> , 2014, 5, 191-199.	0.8	3

#	ARTICLE	IF	CITATIONS
379	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	4.3	229
380	Lessons learned from the psychosis high-risk state: towards a general staging model of prodromal intervention. <i>Psychological Medicine</i> , 2014, 44, 17-24.	4.5	174
381	Omega-3 fatty acid supplementation changes intracellular phospholipase A2 activity and membrane fatty acid profiles in individuals at ultra-high risk for psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 317-324.	7.9	58
382	Clinical staging: a necessary step in the development of improved animal models of mood disturbance?. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 491-495.	2.1	1
383	Safety and Privacy Outcomes From a Moderated Online Social Therapy for Young People With First-Episode Psychosis. <i>Psychiatric Services</i> , 2014, 65, 546-550.	2.0	51
384	Constructing a grounded theory of young people's recovery of musical identity in mental illness. <i>Arts in Psychotherapy</i> , 2014, 41, 594-603.	1.2	24
385	Cultures for mental health care of young people: an Australian blueprint for reform. <i>Lancet Psychiatry</i> , 2014, 1, 559-568.	7.4	156
386	The addition of fluoxetine to cognitive behavioural therapy for youth depression (YoDA-C): study protocol for a randomised control trial. <i>Trials</i> , 2014, 15, 425.	1.6	11
387	Early intervention, youth mental health: the value of translational research for reform and investment in mental health. <i>Australasian Psychiatry</i> , 2014, 22, 225-227.	0.7	9
388	At the heart of an early psychosis centre: the core components of the 2014 Early Psychosis Prevention and Intervention Centre model for Australian communities. <i>Australasian Psychiatry</i> , 2014, 22, 228-234.	0.7	46
389	Structural Brain Development and Depression Onset During Adolescence: A Prospective Longitudinal Study. <i>American Journal of Psychiatry</i> , 2014, 171, 564-571.	7.2	184
390	Reduced parahippocampal cortical thickness in subjects at ultra-high risk for psychosis. <i>Psychological Medicine</i> , 2014, 44, 489-498.	4.5	43
391	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. <i>Psychological Medicine</i> , 2014, 44, 2163-2176.	4.5	155
392	A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. <i>BMJ Open</i> , 2014, 4, e006378.	1.9	67
393	A Clinical Staging Model for Early Intervention Youth Mental Health Services. <i>Psychiatric Services</i> , 2014, 65, 939-943.	2.0	80
394	Vascular Endothelial Growth Factor and Brain-Derived Neurotrophic Factor in Quetiapine Treated First-Episode Psychosis. <i>Schizophrenia Research and Treatment</i> , 2014, 2014, 1-10.	1.5	23
395	Beyond Psychosis Risk: Early Clinical Phenotypes in Mental Disorder and the Subthreshold Pathway to Safe, Timely and Effective Care. <i>Psychopathology</i> , 2014, 47, 285-286.	1.5	14
396	Predictors of substance use reduction in an epidemiological first-episode psychosis cohort. <i>Microbial Biotechnology</i> , 2014, 8, 358-365.	1.7	6

#	ARTICLE	IF	CITATIONS
397	Online, social media and mobile technologies for psychosis treatment: A systematic review on novel user-led interventions. <i>Schizophrenia Research</i> , 2014, 156, 96-106.	2.0	311
398	Altered depth of the olfactory sulcus in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2014, 153, 18-24.	2.0	24
399	Forgotten family members: the importance of siblings in early psychosis. <i>Microbial Biotechnology</i> , 2014, 8, 269-275.	1.7	45
400	The impact of first episode psychosis on sibling quality of life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1071-1081.	3.1	22
401	Emotion recognition as a predictor of transition to a psychotic disorder in ultra-high risk participants. <i>Schizophrenia Research</i> , 2014, 153, 25-31.	2.0	51
402	Public health significance of bipolar disorder: implications for early intervention and prevention. <i>Bipolar Disorders</i> , 2014, 16, 548-556.	1.9	64
403	Biomarkers and clinical staging in psychiatry. <i>World Psychiatry</i> , 2014, 13, 211-223.	10.4	243
404	The predictive validity of bipolar at-risk (prodromal) criteria in help-seeking adolescents and young adults: a prospective study. <i>Bipolar Disorders</i> , 2014, 16, 493-504.	1.9	103
405	Relationship between membrane fatty acids and cognitive symptoms and information processing in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 158, 39-44.	2.0	22
406	Long-term follow-up of all-cause and unnatural death in young people with first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 159, 70-75.	2.0	18
407	Sexual Trauma Increases the Risk of Developing Psychosis in an Ultra High-Risk "Prodromal" Population. <i>Schizophrenia Bulletin</i> , 2014, 40, 697-706.	4.3	108
408	Delayed sleep onset in depressed young people. <i>BMC Psychiatry</i> , 2014, 14, 33.	2.6	51
409	Poster #T191 SOURCES OF CLINICAL DISTRESS IN YOUNG PEOPLE AT ULTRA HIGH RISK OF PSYCHOSIS. <i>Schizophrenia Research</i> , 2014, 153, S356-S357.	2.0	2
410	Sulcogyral pattern and sulcal count of the orbitofrontal cortex in individuals at ultra high risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 93-99.	2.0	40
411	Response to the letters of Dr Amos and Dr Preti and colleagues. <i>Schizophrenia Research</i> , 2014, 153, 237-239.	2.0	0
412	Polyunsaturated fatty acids in emerging psychosis: a safer alternative?. <i>Microbial Biotechnology</i> , 2014, 8, 199-208.	1.7	28
413	Cognitive deficits in youth with familial and clinical high risk to psychosis: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 1-15.	4.5	235
414	The impact of insight in a first-episode mania with psychosis population on outcome at 18 months. <i>Journal of Affective Disorders</i> , 2014, 167, 74-79.	4.1	6

#	ARTICLE	IF	CITATIONS
415	Online and Social Networking Interventions for the Treatment of Depression in Young People: A Systematic Review. <i>Journal of Medical Internet Research</i> , 2014, 16, e206.	4.3	154
416	headspace –Australia's innovation in youth mental health: who are the clients and why are they presenting?. <i>Medical Journal of Australia</i> , 2014, 200, 454-454.	1.7	4
417	Getting mental health reform back on track: a leadership challenge for the new Australian Government. <i>Medical Journal of Australia</i> , 2014, 201, 323-323.	1.7	2
418	Applying clinical staging to young people who present for mental health care. <i>Microbial Biotechnology</i> , 2013, 7, 31-43.	1.7	173
419	Relationship between vocational status and perceived stress and daily hassles in first-episode psychosis: an exploratory study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1045-1052.	3.1	10
420	Gender differences in first episode psychotic mania. <i>BMC Psychiatry</i> , 2013, 13, 82.	2.6	19
421	Clinical classification in mental health at the cross-roads: which direction next?. <i>BMC Medicine</i> , 2013, 11, 125.	5.5	68
422	Preventing a first episode of psychosis: Meta-analysis of randomized controlled prevention trials of 12month and longer-term follow-ups. <i>Schizophrenia Research</i> , 2013, 149, 56-62.	2.0	333
423	Neurocognitive functioning in the prodrome of mania –an exploratory study. <i>Journal of Affective Disorders</i> , 2013, 147, 441-445.	4.1	41
424	Sulcogyral patterns and morphological abnormalities of the orbitofrontal cortex in psychosis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 168-177.	4.8	39
425	Community Rehabilitation and Psychosocial Interventions for Psychotic Disorders in Youth. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2013, 22, 745-758.	1.9	10
426	Early Clinical Phenotypes, Clinical Staging, and Strategic Biomarker Research: Building Blocks for Personalized Psychiatry. <i>Biological Psychiatry</i> , 2013, 74, 394-395.	1.3	65
427	Effect of omega-3 fatty acids for indicated prevention of young patients at risk for psychosis: When do they begin to be effective?. <i>Schizophrenia Research</i> , 2013, 148, 163-167.	2.0	31
428	On the HORYZON: Moderated online social therapy for long-term recovery in first episode psychosis. <i>Schizophrenia Research</i> , 2013, 143, 143-149.	2.0	206
429	Redeeming diagnosis in psychiatry: timing versus specificity. <i>Lancet, The</i> , 2013, 381, 343-345.	13.7	177
430	Childhood trauma and psychosis: new perspectives on aetiology and treatment. <i>Microbial Biotechnology</i> , 2013, 7, 1-4.	1.7	34
431	The Psychosis High-Risk State. <i>JAMA Psychiatry</i> , 2013, 70, 107.	11.0	1,222
432	Negative psychotic symptoms and impaired role functioning predict transition outcomes in the at-risk mental state: a latent class cluster analysis study. <i>Psychological Medicine</i> , 2013, 43, 2311-2325.	4.5	95

#	ARTICLE	IF	CITATIONS
433	Negative Symptoms and Executive Function in Schizophrenia: Does Their Relationship Change with Illness Duration?. <i>Psychopathology</i> , 2013, 46, 241-248.	1.5	26
434	Long-Chain Omega-3 Fatty Acids and Psychotic Disorders. , 2013, , 149-178.		0
435	Differences between first episode schizophrenia and schizoaffective disorder. <i>Schizophrenia Research</i> , 2013, 147, 169-174.	2.0	18
436	Treated incidence and baseline characteristics of substance induced psychosis in a Norwegian catchment area. <i>BMC Psychiatry</i> , 2013, 13, 319.	2.6	28
437	Designing youth mental health services for the 21st century: examples from Australia, Ireland and the UK. <i>British Journal of Psychiatry</i> , 2013, 202, s30-s35.	2.8	387
438	Long-term Follow-up of a Group at Ultra High Risk (â€œProdromalâ€) for Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 793.	11.0	373
439	Prevention, innovation and implementation science in mental health: the next wave of reform. <i>British Journal of Psychiatry</i> , 2013, 202, s3-s4.	2.8	47
440	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients: Outcome at 30-Month Follow-Up. <i>Schizophrenia Bulletin</i> , 2013, 39, 436-448.	4.3	52
441	Testing a Model of the Relationship Between Childhood Sexual Abuse and Psychosis in a First-Episode Psychosis Group. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 941-947.	1.0	45
442	Antipsychotic Medication During the Critical Period Following Remission From First-Episode Psychosis. <i>JAMA Psychiatry</i> , 2013, 70, 898.	11.0	59
443	Enhanced cortisol suppression following administration of low-dose dexamethasone in first-episode psychosis patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 363-370.	2.3	33
444	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245.	2.8	204
445	Beyond DSM: Early stages of disorder pose predictable and modifiable risk for persistent disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 880-881.	2.3	5
446	A randomized controlled trial of vocational intervention for young people with firstâ€episode psychosis: method. <i>Microbial Biotechnology</i> , 2013, 7, 329-337.	1.7	44
447	Towards a new paradigm of care: the International Declaration on Youth Mental Health. <i>Microbial Biotechnology</i> , 2013, 7, 103-108.	1.7	48
448	The next stage for diagnosis: validity through utility. <i>World Psychiatry</i> , 2013, 12, 213-215.	10.4	48
449	Unhealthy scepticism: Time for a fair go for best available evidence. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 602-604.	2.3	4
450	Effects of NRG1 and DAOA genetic variation on transition to psychosis in individuals at ultra-high risk for psychosis. <i>Translational Psychiatry</i> , 2013, 3, e251-e251.	4.8	31

#	ARTICLE	IF	CITATIONS
451	Clinical Neuropsychology Within Adolescent and Young-Adult Psychiatry: Conceptualizing Theory and Practice. <i>Applied Neuropsychology: Child</i> , 2013, 2, 47-63.	1.4	49
452	Early Clinical Phenotypes and Risk for Serious Mental Disorders in Young People: Need for Care Precedes Traditional Diagnoses in Mood and Psychotic Disorders. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 19-21.	1.9	35
453	Omega-3 Fatty Acid Supplementation in Adolescents with Borderline Personality Disorder and Ultra-High Risk Criteria for Psychosis: A Post Hoc Subgroup Analysis of a Double-blind, Randomized Controlled Trial. <i>Canadian Journal of Psychiatry</i> , 2013, 58, 402-408.	1.9	55
454	Parental mental illness is a family matter. <i>Medical Journal of Australia</i> , 2013, 199, S5.	1.7	2
455	Clinical staging for mental disorders: a new development in diagnostic practice in mental health. <i>Medical Journal of Australia</i> , 2013, 198, 461-462.	1.7	47
456	Specialist community teams backed by years of quality research. <i>The Psychiatrist</i> , 2013, 37, 38-38.	0.3	14
457	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 349-356.	2.2	128
458	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2013, , 19-30.		0
459	Prepsychotic States and Prodromal Symptoms. , 2013, , 1-8.		0
460	Dr McGorry and Colleagues Reply. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 1123.	2.2	1
461	Review: more research needed on early intervention for psychosis. <i>Evidence-Based Mental Health</i> , 2012, 15, 23-23.	4.5	2
462	Providing care to young people with emerging risk of psychosis: balancing potential risks and benefits. <i>Clinical Practice (London, England)</i> , 2012, 9, 669-682.	0.1	3
463	The costs of early intervention in psychosis: Restoring the balance. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 808-811.	2.3	17
464	Policy and service development implications of the second Australian National Survey of High Impact Psychosis (SHIP). <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 708-718.	2.3	16
465	Volumetric Abnormalities Predating the Onset of Schizophrenia and Affective Psychoses: An MRI Study in Subjects at Ultrahigh Risk of Psychosis. <i>Schizophrenia Bulletin</i> , 2012, 38, 1083-1091.	4.3	88
466	Polyunsaturated Fatty Acids in Emerging Psychosis. <i>Current Pharmaceutical Design</i> , 2012, 18, 576-591.	1.9	16
467	Neuroprotective Effects of Low-dose Lithium in Individuals at Ultra-high Risk for Psychosis. A Longitudinal MRI/MRS Study. <i>Current Pharmaceutical Design</i> , 2012, 18, 570-575.	1.9	54
468	Age of onset of mental disorders and use of mental health services: needs, opportunities and obstacles. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 47-57.	3.9	361

#	ARTICLE	IF	CITATIONS
469	Palliative models of care for later stages of mental disorder: maximizing recovery, maintaining hope, and building morale. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 92-99.	2.3	50
470	Commentary on "Palliative models of care for later stages of mental disorder: Maximising recovery, maintaining hope and building morale". <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 276-278.	2.3	5
471	"Earning and learning" in those with psychotic disorders: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 774-785.	2.3	102
472	At Issue: Cochrane, Early Intervention, and Mental Health Reform: Analysis, Paralysis, or Evidence-Informed Progress?. <i>Schizophrenia Bulletin</i> , 2012, 38, 221-224.	4.3	20
473	Childhood trauma increases the risk of post-traumatic stress disorder in response to first-episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 35-39.	2.3	55
474	Road to full recovery: longitudinal relationship between symptomatic remission and psychosocial recovery in first-episode psychosis over 7.5 years. <i>Psychological Medicine</i> , 2012, 42, 595-606.	4.5	169
475	Truth and reality in early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 313-316.	2.3	28
476	Rationale and First Results of Developing At-Risk (Prodromal) Criteria for Bipolar Disorder. <i>Current Pharmaceutical Design</i> , 2012, 18, 358-375.	1.9	70
477	Pre-emptive psychiatric treatments: pipe dream or a realistic outcome of clinical staging models?. <i>Neuropsychiatry</i> , 2012, 2, 263-266.	0.4	15
478	Decreased nervonic acid levels in erythrocyte membranes predict psychosis in help-seeking ultra-high-risk individuals. <i>Molecular Psychiatry</i> , 2012, 17, 1150-1152.	7.9	107
479	The Impact of Cannabis Use on Cognitive Functioning in Patients With Schizophrenia: A Meta-analysis of Existing Findings and New Data in a First-Episode Sample. <i>Schizophrenia Bulletin</i> , 2012, 38, 316-330.	4.3	219
480	Prevalence and impact of cannabis use disorders in adolescents with early onset first episode psychosis. <i>European Psychiatry</i> , 2012, 27, 463-469.	0.2	66
481	Phenylthiocarbamide (PTC) perception in ultra-high risk for psychosis participants who develop schizophrenia: Testing the evidence for an endophenotypic marker. <i>Psychiatry Research</i> , 2012, 199, 8-11.	3.3	8
482	Internet-Based Interventions for Psychosis. <i>Psychiatric Clinics of North America</i> , 2012, 35, 735-747.	1.3	61
483	Whither the Attenuated Psychosis Syndrome?. <i>Schizophrenia Bulletin</i> , 2012, 38, 1130-1134.	4.3	85
484	People living with psychotic illness in 2010: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 735-752.	2.3	405
485	Emotion Recognition in Individuals at Clinical High-Risk for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2012, 38, 1030-1039.	4.3	149
486	Early intervention in the Asian Century. <i>Asian Journal of Psychiatry</i> , 2012, 5, 106-107.	2.0	1

#	ARTICLE	IF	CITATIONS
487	Depressive symptoms in first episode schizophrenia spectrum disorder. Schizophrenia Research, 2012, 134, 20-26.	2.0	71
488	Structural abnormalities in the cuneus associated with Herpes Simplex Virus (type 1) infection in people at ultra high risk of developing psychosis. Schizophrenia Research, 2012, 135, 175-180.	2.0	22
489	Frontal delta power associated with negative symptoms in ultra-high risk individuals who transitioned to psychosis. Schizophrenia Research, 2012, 138, 206-211.	2.0	26
490	Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. Schizophrenia Research, 2012, 139, 116-128.	2.0	384
491	Differentiating schizoaffective and bipolar I disorder in first-episode psychotic mania. Schizophrenia Research, 2012, 140, 31-36.	2.0	14
492	Predictors of vocational recovery among young people with first-episode psychosis: Findings from a randomized controlled trial.. Psychiatric Rehabilitation Journal, 2012, 35, 421-427.	1.1	38
493	Update on Omega-3 Polyunsaturated Fatty Acids in Early-Stage Psychotic Disorders. Neuropsychopharmacology, 2012, 37, 309-310.	5.4	40
494	Embracing patient choice. British Journal of Psychiatry, 2012, 201, 493-494.	2.8	1
495	The Independent Hospital Pricing Authority and mental health services: it is not a case of 'one size fits all'. Medical Journal of Australia, 2012, 196, 675-677.	1.7	6
496	Can receipt of a regular postcard reduce suicide-related behaviour in young help seekers? A randomized controlled trial. Microbial Biotechnology, 2012, 6, 145-152.	1.7	47
497	Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18-month pilot study. Microbial Biotechnology, 2012, 6, 380-388.	1.7	34
498	Early Intervention in Psychiatry: The Next Developmental Stage. Microbial Biotechnology, 2012, 6, 1-2.	1.7	7
499	Facial and vocal affect perception in people at ultra-high risk of psychosis, first-episode schizophrenia and healthy controls. Microbial Biotechnology, 2012, 6, 450-454.	1.7	57
500	Amygdala and insula volumes prior to illness onset in bipolar disorder: A magnetic resonance imaging study. Psychiatry Research - Neuroimaging, 2012, 201, 34-39.	1.8	46
501	Overview of Violence to Self and Others During the First Episode of Psychosis. Journal of Clinical Psychiatry, 2012, 73, e580-e587.	2.2	68
502	Staging in Neuropsychiatry: A Heuristic Model for Understanding, Prevention and Treatment. , 2012, , 19-30.		0
503	21st Century Mental Health Care: What It Looks Like and How to Achieve It. Australasian Psychiatry, 2011, 19, 5-11.	0.7	7
504	Evidencia de neuroimagen y de tratamiento respecto a los estadios clínicos en los trastornos psicóticos: del estado mental de riesgo a la esquizofrenia crónica. Psiquiatría Biológica, 2011, 18, 117-123.	0.1	0

#	ARTICLE	IF	CITATIONS
505	Neuroimaging and Treatment Evidence for Clinical Staging in Psychotic Disorders: From the At-Risk Mental State to Chronic Schizophrenia. <i>Biological Psychiatry</i> , 2011, 70, 619-625.	1.3	94
506	Prediction of a single psychotic episode: A 7.5-year, prospective study in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 125, 236-246.	2.0	65
507	Cannabis use disorder and age at onset of psychosis " A study in first-episode patients. <i>Schizophrenia Research</i> , 2011, 129, 52-56.	2.0	46
508	Outcome in early-onset schizophrenia revisited: Findings from the Early Psychosis Prevention and Intervention Centre long-term follow-up study. <i>Schizophrenia Research</i> , 2011, 131, 112-119.	2.0	124
509	Patient predictors of symptom and functional outcome following cognitive behaviour therapy or befriending in first-episode psychosis. <i>Schizophrenia Research</i> , 2011, 132, 125-130.	2.0	36
510	Funding for mental health research: the gap remains. <i>Medical Journal of Australia</i> , 2011, 195, 681-684.	1.7	40
511	Age of onset and timing of treatment for mental and substance use disorders: implications for preventive intervention strategies and models of care. <i>Current Opinion in Psychiatry</i> , 2011, 24, 301-306.	6.3	345
512	Does stage of illness impact treatment response in bipolar disorder? Empirical treatment data and their implication for the staging model and early intervention. <i>Bipolar Disorders</i> , 2011, 13, 87-98.	1.9	155
513	Referrers' Perceived Utility and Outcomes of Clinical Neuropsychological Assessment in an Adolescent and Young Adult Public Mental Health Service. <i>Australian Psychologist</i> , 2011, 46, 15-24.	1.6	24
514	The mental health of young people: a new frontier in the health and social policy of the 21st century. <i>Microbial Biotechnology</i> , 2011, 5, 1-3.	1.7	2
515	Early Intervention in Psychiatry: the critical period. <i>Microbial Biotechnology</i> , 2011, 5, 1-2.	1.7	3
516	Psychological needs of adolescents in the early phase of bipolar disorder: implications for early intervention. <i>Microbial Biotechnology</i> , 2011, 5, 100-107.	1.7	34
517	Group programmes in early intervention services. <i>Microbial Biotechnology</i> , 2011, 5, 259-266.	1.7	21
518	The Singapore flagship programme in translational and clinical research in psychosis. <i>Microbial Biotechnology</i> , 2011, 5, 290-300.	1.7	8
519	Cortisol and dehydroepiandrosterone-sulphate levels correlate with symptom severity in first-episode psychosis. <i>Journal of Psychiatric Research</i> , 2011, 45, 249-255.	3.1	59
520	The effectiveness of simple psychological and exercise interventions for high prevalence mental health problems in young people: a factorial randomised controlled trial. <i>Trials</i> , 2011, 12, 76.	1.6	17
521	Pathways underlying neuroprogression in bipolar disorder: Focus on inflammation, oxidative stress and neurotrophic factors. <i>Neuroscience and Biobehavioral Reviews</i> , 2011, 35, 804-817.	6.1	1,007
522	Commentary on "Should the diagnostic boundaries of schizophrenia be expanded?". <i>Cognitive Neuropsychiatry</i> , 2011, 16, 107-112.	1.3	0

#	ARTICLE	IF	CITATIONS
523	Neuroanatomical Abnormalities That Predate the Onset of Psychosis. <i>Archives of General Psychiatry</i> , 2011, 68, 489.	12.3	227
524	Transition to Adulthood: The Critical Period for Pre-emptive, Disease-modifying Care for Schizophrenia and Related Disorders. <i>Schizophrenia Bulletin</i> , 2011, 37, 524-530.	4.3	90
525	Relational Memory in First Episode Psychosis: Implications for Progressive Hippocampal Dysfunction After Illness Onset. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 206-213.	2.3	17
526	Very Low-Dose Risperidone in First-Episode Psychosis: A Safe and Effective Way to Initiate Treatment. <i>Schizophrenia Research and Treatment</i> , 2011, 2011, 1-10.	1.5	15
527	Pre-Emptive Intervention in Psychosis: Agnostic Rather than Diagnostic. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 515-519.	2.3	20
528	Preventing the Second Episode: A Systematic Review and Meta-analysis of Psychosocial and Pharmacological Trials in First-Episode psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 619-630.	4.3	196
529	Targeted Intervention to Improve Monitoring of Antipsychotic-Induced Weight Gain and Metabolic Disturbance in First Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011, 45, 740-748.	2.3	28
530	Letter to the Editor: The need for drug-naive research in first-episode psychosis: a response to Moncrieff & Leo (). <i>Psychological Medicine</i> , 2011, 41, 1117-1118.	4.5	1
531	Toward a Twenty-First Century Approach to Youth Mental Health Care. <i>International Journal of Mental Health</i> , 2011, 40, 72-87.	1.3	28
532	Phospholipase A ₂ activity in first episode schizophrenia: Associations with symptom severity and outcome at week 12. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 598-607.	2.6	24
533	"Attenuated psychotic symptoms syndrome" as a risk syndrome of psychosis, diagnosis in DSM-V: The debate. <i>Indian Journal of Psychiatry</i> , 2011, 53, 57.	0.7	23
534	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2011, 37, 651-651.	4.3	1
535	Does Screening High School Students for Psychological Distress, Deliberate Self-Harm, or Suicidal Ideation Cause Distress – And Is It Acceptable?. <i>Crisis</i> , 2011, 32, 254-263.	1.2	45
536	Randomized Controlled Trial of Interventions for Young People at Ultra High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2011, 72, 430-440.	2.2	128
537	Is this normal? Assessing mental health in young people. <i>Australian Family Physician</i> , 2011, 40, 94-7.	0.5	17
538	Prevalence, Predictors, and Consequences of Long-Term Refusal of Antipsychotic Treatment in First-Episode Psychosis. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 565-572.	1.4	63
539	Superior temporal gyrus volume in antipsychotic-naive people at risk of psychosis. <i>British Journal of Psychiatry</i> , 2010, 196, 206-211.	2.8	56
540	Clinical Staging: A Heuristic and Practical Strategy for New Research and Better Health and Social Outcomes for Psychotic and Related Mood Disorders. <i>Canadian Journal of Psychiatry</i> , 2010, 55, 486-497.	1.9	204

#	ARTICLE	IF	CITATIONS
541	Depression Education and Identification in Schools: An Australian-based Study. <i>School Mental Health</i> , 2010, 2, 13-22.	2.1	21
542	Investigating the effectiveness, safety and tolerability of quetiapine in the treatment of anorexia nervosa in young people: A pilot study. <i>Journal of Psychiatric Research</i> , 2010, 44, 1027-1034.	3.1	50
543	Superior temporal gyrus volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 73-76.	1.8	13
544	Neuroprotective effects of ethyl-eicosapentaenoic acid in first episode psychosis: A longitudinal T2 relaxometry pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 180-182.	1.8	28
545	Caudate nucleus volume in individuals at ultra-high risk of psychosis: A cross-sectional magnetic resonance imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 182, 223-230.	1.8	41
546	Corpus callosum morphology and relationship to orbitofrontal and lateral ventricular volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 30-37.	1.8	12
547	Characterisation of the prodrome to a first episode of psychotic mania: Results of a retrospective study. <i>Journal of Affective Disorders</i> , 2010, 124, 341-345.	4.1	66
548	Pre-morbid and outcome correlates of first episode mania with psychosis: Is a distinction between schizoaffective and bipolar I disorder valid in the early phase of psychotic disorders?. <i>Journal of Affective Disorders</i> , 2010, 126, 88-95.	4.1	24
549	A preliminary evaluation of the validity of at-risk criteria for bipolar disorders in help-seeking adolescents and young adults. <i>Journal of Affective Disorders</i> , 2010, 127, 316-320.	4.1	104
550	Experience of trauma and conversion to psychosis in an ultra-high risk (prodromal) group. <i>Acta Psychiatrica Scandinavica</i> , 2010, 121, 377-384.	4.5	154
551	Evidence, early intervention and the tipping point. <i>Microbial Biotechnology</i> , 2010, 4, 1-3.	1.7	11
552	Pretreatment and outcome correlates of past sexual and physical trauma in 118 bipolar I disorder patients with a first episode of psychotic mania. <i>Bipolar Disorders</i> , 2010, 12, 244-252.	1.9	79
553	Guidelines for youth depression: time to incorporate new perspectives. <i>Medical Journal of Australia</i> , 2010, 193, 133-134.	1.7	8
554	Guidelines for youth depression: time to incorporate new perspectives. <i>Medical Journal of Australia</i> , 2010, 193, 557-558.	1.7	3
555	Guidelines for youth depression: time to incorporate new perspectives. <i>Medical Journal of Australia</i> , 2010, 193, 557-558.	1.7	5
556	Promoting Physical Health In Youth Mental Health Services: Ensuring Routine Monitoring of Weight and Metabolic Indices in a First Episode Psychosis Clinic. <i>Australasian Psychiatry</i> , 2010, 18, 451-455.	0.7	32
557	Long-Chain ω -3 Fatty Acids for Indicated Prevention of Psychotic Disorders. <i>Archives of General Psychiatry</i> , 2010, 67, 146.	12.3	800
558	Early intervention in psychosis: keeping faith with evidence-based health care. <i>Psychological Medicine</i> , 2010, 40, 399-404.	4.5	74

#	ARTICLE	IF	CITATIONS
559	Differential predictors of critical comments and emotional over-involvement in first-episode psychosis. <i>Psychological Medicine</i> , 2010, 40, 63-72.	4.5	54
560	Pretreatment and Outcome Correlates of Sexual and Physical Trauma in an Epidemiological Cohort of First-Episode Psychosis Patients. <i>Schizophrenia Bulletin</i> , 2010, 36, 1105-1114.	4.3	110
561	Evidence and implications for early intervention in bipolar disorder. <i>Journal of Mental Health</i> , 2010, 19, 113-126.	1.9	110
562	The effect of atypical antipsychotics on pituitary gland volume in patients with first-episode psychosis: A longitudinal MRI study. <i>Schizophrenia Research</i> , 2010, 116, 49-54.	2.0	29
563	Suicide attempt in first-episode psychosis: A 7.4year follow-up study. <i>Schizophrenia Research</i> , 2010, 116, 1-8.	2.0	91
564	Rate and predictors of service disengagement in an epidemiological first-episode psychosis cohort. <i>Schizophrenia Research</i> , 2010, 118, 256-263.	2.0	107
565	Who needs antipsychotic medication in the earliest stages of psychosis? A reconsideration of benefits, risks, neurobiology and ethics in the era of early intervention. <i>Schizophrenia Research</i> , 2010, 119, 1-10.	2.0	97
566	PRE-TREATMENT, BASELINE AND TREATMENT CORRELATES OF OUTCOME IN AN EPIDEMIOLOGICAL COHORT OF FIRST EPISODE PSYCHOSIS PATIENTS. <i>Schizophrenia Research</i> , 2010, 117, 282-283.	2.0	0
567	Risk syndromes, clinical staging and DSM V: New diagnostic infrastructure for early intervention in psychiatry. <i>Schizophrenia Research</i> , 2010, 120, 49-53.	2.0	97
568	Quality of life in patients who have remitted from their first episode of psychosis. <i>Schizophrenia Research</i> , 2010, 121, 259-265.	2.0	55
569	Hippocampal pathology in individuals at ultra-high risk for psychosis: A multi-modal magnetic resonance study. <i>NeuroImage</i> , 2010, 52, 62-68.	4.2	111
570	The Impact of Smoking on Clinical Outcomes After First Episode Psychosis: Longer-Term Outcome Findings From the EPPIC 800 Follow-Up Study. <i>Journal of Dual Diagnosis</i> , 2010, 6, 212-234.	1.2	9
571	Psychotic symptoms with sexual content in the "ultra high risk" for psychosis population: Frequency and association with sexual trauma. <i>Psychiatry Research</i> , 2010, 177, 84-91.	3.3	57
572	Sudden death among young people with first-episode psychosis: An 8-10year follow-up study. <i>Psychiatry Research</i> , 2010, 177, 305-308.	3.3	16
573	DSM-5 and the "Psychosis Risk Syndrome"™: The need for a broader perspective. <i>Psychosis</i> , 2010, 2, 93-96.	0.8	17
574	Family Outcomes From a Randomized Control Trial of Relapse Prevention Therapy in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 475-483.	2.2	61
575	The EPPIC Follow-Up Study of First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 716-728.	2.2	169
576	The Impact of Early Intervention in Schizophrenia. , 2010, , 299-316.		2

#	ARTICLE	IF	CITATIONS
577	The staging model in schizophrenia, and its clinical implications. <i>Psychiatria Danubina</i> , 2010, 22, 211-20.	0.4	37
578	From neuroprogression to neuroprotection: implications for clinical care. <i>Medical Journal of Australia</i> , 2010, 193, S36-40.	1.7	68
579	Brain changes during the onset of schizophrenia: implications for neurodevelopmental theories. <i>Medical Journal of Australia</i> , 2009, 190, S10-3.	1.7	23
580	Successful implementation of cardiometabolic monitoring of patients treated with antipsychotics. <i>Medical Journal of Australia</i> , 2009, 191, 516-518.	1.7	5
581	A clinical trials agenda for testing interventions in earlier stages of psychotic disorders. <i>Medical Journal of Australia</i> , 2009, 190, S33-6.	1.7	16
582	Neurobiological endophenotypes of psychosis and schizophrenia. , 2009, , 61-80.		7
583	Initial assessment and initial pharmacological treatment in the acute phase. , 2009, , 177-200.		1
584	Relapse prevention in early psychosis. , 2009, , 349-364.		1
585	Emotional and personality dysfunctions in early psychosis. , 2009, , 283-302.		3
586	Enhancing work functioning in early psychosis. , 2009, , 331-348.		1
587	Treatment resistance in first-episode psychosis. , 2009, , 365-382.		0
588	Using research and evaluation to inform the development of early-psychosis service models. , 2009, , 385-404.		1
589	Characterising novel pathways to schizophrenia. <i>Medical Journal of Australia</i> , 2009, 190, S5-6.	1.7	3
590	Duration of untreated psychosis. , 2009, , 125-146.		3
591	Progressive Gray Matter Reduction of the Superior Temporal Gyrus During Transition to Psychosis. <i>Archives of General Psychiatry</i> , 2009, 66, 366.	12.3	303
592	Anterior cingulate cortex abnormalities associated with a first psychotic episode in bipolar disorder. <i>British Journal of Psychiatry</i> , 2009, 194, 426-433.	2.8	59
593	Is Early Intervention in Psychosis Cost-Effective Over the Long Term?. <i>Schizophrenia Bulletin</i> , 2009, 35, 909-918.	4.3	183
594	Early Intervention for Adolescents with Borderline Personality Disorder: Quasi-Experimental Comparison with Treatment as Usual. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 397-408.	2.3	103

#	ARTICLE	IF	CITATIONS
595	Randomized Controlled Trial of Interventions for Young People at Ultra-High Risk of Psychosis: Study Design and Baseline Characteristics. Australian and New Zealand Journal of Psychiatry, 2009, 43, 818-829.	2.3	74
596	Medial temporal lobe glutathione concentration in first episode psychosis: A 1H-MRS investigation. Neurobiology of Disease, 2009, 33, 354-357.	4.4	107
597	Corpus callosum size and shape in first-episode affective and schizophrenia-spectrum psychosis. Psychiatry Research - Neuroimaging, 2009, 173, 77-82.	1.8	53
598	Anterior cingulate volume in adolescents with first-presentation borderline personality disorder. Psychiatry Research - Neuroimaging, 2009, 172, 155-160.	1.8	80
599	A disturbed sense of self in the psychosis prodrome: Linking phenomenology and neurobiology. Neuroscience and Biobehavioral Reviews, 2009, 33, 807-817.	6.1	129
600	Study protocol: the development of a randomised controlled trial testing a postcard intervention designed to reduce suicide risk among young help-seekers. BMC Psychiatry, 2009, 9, 59.	2.6	12
601	Brain surface contraction mapped in first-episode schizophrenia: a longitudinal magnetic resonance imaging study. Molecular Psychiatry, 2009, 14, 976-986.	7.9	117
602	Cost implications of specific and non-specific treatment for young persons at ultra high risk of developing a first episode of psychosis. Microbial Biotechnology, 2009, 3, 28-34.	1.7	34
603	Editorial. Microbial Biotechnology, 2009, 3, 1-2.	1.7	0
604	Does disturbance of self underlie social cognition deficits in schizophrenia and other psychotic disorders?. Microbial Biotechnology, 2009, 3, 83-93.	1.7	47
605	Youth mental health reform and early intervention: encouraging early signs. Microbial Biotechnology, 2009, 3, 161-162.	1.7	22
606	Diagnostic specificity of the insular cortex abnormalities in first-episode psychotic disorders. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 651-657.	4.8	34
607	Midline brain structures in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 842-846.	4.8	24
608	Insular cortex volume and impulsivity in teenagers with first-presentation borderline personality disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1395-1400.	4.8	27
609	The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. Addictive Behaviors, 2009, 34, 821-825.	3.0	59
610	Progressive brain structural changes mapped as psychosis develops in "at risk" individuals. Schizophrenia Research, 2009, 108, 85-92.	2.0	273
611	Follow-up MRI study of the insular cortex in first-episode psychosis and chronic schizophrenia. Schizophrenia Research, 2009, 108, 49-56.	2.0	89
612	Insular cortex gray matter changes in individuals at ultra-high-risk of developing psychosis. Schizophrenia Research, 2009, 111, 94-102.	2.0	156

#	ARTICLE	IF	CITATIONS
613	Attentional set-shifting ability in first-episode and established schizophrenia: Relationship to working memory. <i>Schizophrenia Research</i> , 2009, 112, 104-113.	2.0	64
614	Pituitary volume and early treatment response in drug-naïve first-episode psychosis patients. <i>Schizophrenia Research</i> , 2009, 113, 65-71.	2.0	32
615	An MRI study of the superior temporal subregions in first-episode patients with various psychotic disorders. <i>Schizophrenia Research</i> , 2009, 113, 158-166.	2.0	29
616	Gender differences in premorbid, entry, treatment, and outcome characteristics in a treated epidemiological sample of 661 patients with first episode psychosis. <i>Schizophrenia Research</i> , 2009, 114, 17-24.	2.0	167
617	Grey and white matter abnormalities are associated with impaired spatial working memory ability in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2009, 115, 163-172.	2.0	27
618	Prevalence and Predictors of Suicide Attempt in an Incidence Cohort of 661 Young People with First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009, 43, 149-157.	2.3	74
619	The HYPE Clinic: An Early Intervention Service for Borderline Personality Disorder. <i>Journal of Psychiatric Practice</i> , 2009, 15, 163-172.	0.7	94
620	Suicide prevention in first-episode psychosis. , 2009, , 257-282.		2
621	Predictors of Adherence to Cognitive-Behavioural Therapy in First-Episode Psychosis. <i>Canadian Journal of Psychiatry</i> , 2009, 54, 710-718.	1.9	42
622	Should youth mental health become a specialty in its own right? Yes. <i>BMJ: British Medical Journal</i> , 2009, 339, b3373-b3373.	2.3	18
623	A Randomized Controlled Trial of Relapse Prevention Therapy for First-Episode Psychosis Patients. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 477-486.	2.2	80
624	Intervention in Individuals at Ultra-High Risk for Psychosis. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1206-1212.	2.2	258
625	Clinical characteristics of first-episode schizophrenia. <i>Medical Psychiatry</i> , 2009, , 39-51.	0.2	0
626	Managing deliberate self-harm in young people: An evaluation of a training program developed for school welfare staff using a longitudinal research design. <i>BMC Psychiatry</i> , 2008, 8, 75.	2.6	27
627	Surface-based morphometry of the anterior cingulate cortex in first episode schizophrenia. <i>Human Brain Mapping</i> , 2008, 29, 478-489.	3.6	107
628	Impact of a specialized early psychosis treatment programme on suicide. Retrospective cohort study. <i>Microbial Biotechnology</i> , 2008, 2, 11-21.	1.7	46
629	Duration of untreated negative symptoms and duration of active negative symptoms: proof of concepts. <i>Microbial Biotechnology</i> , 2008, 2, 27-33.	1.7	9
630	The proximal prodrome to first episode mania – a new target for early intervention. <i>Bipolar Disorders</i> , 2008, 10, 555-565.	1.9	90

#	ARTICLE	IF	CITATIONS
631	Impact of duration of untreated psychosis on pre-treatment, baseline, and outcome characteristics in an epidemiological first-episode psychosis cohort. <i>Journal of Psychiatric Research</i> , 2008, 42, 982-990.	3.1	140
632	Orbitofrontal, amygdala and hippocampal volumes in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 163, 116-125.	1.8	128
633	An MRI study of pituitary volume and parasuicidal behavior in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2008, 162, 273-277.	1.8	54
634	Corpus callosum shape alterations in individuals prior to the onset of psychosis. <i>Schizophrenia Research</i> , 2008, 103, 1-10.	2.0	75
635	Prevalence of large cavum septi pellucidi in ultra high-risk individuals and patients with psychotic disorders. <i>Schizophrenia Research</i> , 2008, 105, 236-244.	2.0	46
636	Validation of "prodromal" criteria to detect individuals at ultra high risk of psychosis: 2-year follow-up. <i>Schizophrenia Research</i> , 2008, 105, 10-17.	2.0	325
637	Early Identification and Intervention in Depressive Disorders: Towards a Clinical Staging Model. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 263-270.	8.8	145
638	TRAUMA IN THE ULTRA HIGH RISK ("PRODROMAL") POPULATION. <i>Schizophrenia Research</i> , 2008, 102, 156.	2.0	2
639	Anatomic Abnormalities of the Anterior Cingulate Cortex Before Psychosis Onset: An MRI Study of Ultra-High-Risk Individuals. <i>Biological Psychiatry</i> , 2008, 64, 758-765.	1.3	169
640	Early intervention in psychosis: concepts, evidence and future directions. <i>World Psychiatry</i> , 2008, 7, 148-156.	10.4	402
641	The topical niacin sensitivity test: An inter- and intra-rater reliability study in healthy controls. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2008, 79, 15-19.	2.2	2
642	Adhesio interthalamica in individuals at high-risk for developing psychosis and patients with psychotic disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1708-1714.	4.8	32
643	A 1H-MRS investigation of the medial temporal lobe in antipsychotic-naïve and early-treated first episode psychosis. <i>Schizophrenia Research</i> , 2008, 102, 163-170.	2.0	52
644	What is the Scientific Evidence for the Use of Antipsychotic Medication in Anorexia Nervosa?. <i>Eating Disorders</i> , 2008, 16, 217-223.	3.0	14
645	Non-pharmacological management of antipsychotic-induced weight gain: Systematic review and meta-analysis of randomised controlled trials. <i>British Journal of Psychiatry</i> , 2008, 193, 101-107.	2.8	272
646	Identifying the Ultra-High Risk (Prodromal) Population: Evaluation of Training Workshops with Mental Health Services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 236-243.	2.3	13
647	Back to the Future. <i>Archives of General Psychiatry</i> , 2008, 65, 25.	12.3	80
648	The "Youth Model"™ in Mental Health Services. <i>Australasian Psychiatry</i> , 2008, 16, 136-137.	0.7	8

#	ARTICLE	IF	CITATIONS
649	Borderline Personality Disorder in Young People and the Prospects for Prevention and Early Intervention. <i>Current Psychiatry Reviews</i> , 2008, 4, 48-57.	0.9	119
650	Pattern of Lifetime Axis I Morbidity among a Treated Sample of First-Episode Psychosis Patients. <i>Psychopathology</i> , 2008, 41, 90-95.	1.5	2
651	White matter volume changes in people who develop psychosis. <i>British Journal of Psychiatry</i> , 2008, 193, 210-215.	2.8	103
652	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. A 1H-MRS Study. <i>Neuropsychopharmacology</i> , 2008, 33, 2467-2473.	5.4	107
653	Vocational intervention in first-episode psychosis: Individual placement and support <i>v.</i> treatment as usual. <i>British Journal of Psychiatry</i> , 2008, 193, 114-120.	2.8	264
654	Familial Psychopathology in the First Episode Psychosis Outcome Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 617-626.	2.3	6
655	Enhancing Treatment Fidelity in Psychotherapy Research: Novel Approach to Measure the Components of Cognitive Behavioural Therapy for Relapse Prevention in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 1013-1020.	2.3	14
656	Pilot Study Evaluating the Effect of Massage Therapy on Stress, Anxiety and Aggression in a Young Adult Psychiatric Inpatient Unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 414-422.	2.3	29
657	Acute-phase and 1-year follow-up results of a randomized controlled trial of CBT <i>versus</i> Befriending for first-episode psychosis: the ACE project. <i>Psychological Medicine</i> , 2008, 38, 725-735.	4.5	120
658	The EPISODE II trial of cognitive and family therapy for relapse prevention in early psychosis: Rationale and sample characteristics. <i>Journal of Mental Health</i> , 2008, 17, 19-32.	1.9	21
659	Early intervention for adolescents with borderline personality disorder using cognitive analytic therapy: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008, 193, 477-484.	2.8	307
660	The Early Psychosis Intervention Programme in Singapore: A balanced scorecard approach to quality care. <i>Journal of Mental Health</i> , 2008, 17, 79-91.	1.9	11
661	Met and unmet need in youth mental health. <i>Journal of Mental Health</i> , 2008, 17, 618-628.	1.9	29
662	Morphology of the corpus callosum at different stages of schizophrenia: Cross-sectional study in first-episode and chronic illness. <i>British Journal of Psychiatry</i> , 2008, 192, 429-434.	2.8	77
663	Early intervention in youth mental health. <i>Medical Journal of Australia</i> , 2008, 188, 492-493.	1.7	0
664	MJA policy on sponsored supplements. <i>Medical Journal of Australia</i> , 2008, 188, 260-261.	1.7	0
665	Is early intervention in the major psychiatric disorders justified? Yes. <i>BMJ: British Medical Journal</i> , 2008, 337, a695-a695.	2.3	31
666	Interventions in the Early Stages of Psychosis. <i>Psychiatric Annals</i> , 2008, 38, .	0.1	5

#	ARTICLE	IF	CITATIONS
667	Dosing Quetiapine in Drug-Naive First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1702-1714.	2.2	22
668	Dosing quetiapine in drug-naive first-episode psychosis: a controlled, double-blind, randomized, single-center study investigating efficacy, tolerability, and safety of 200 mg/day vs. 400 mg/day of quetiapine fumarate in 141 patients aged 15 to 25 years. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 1702-14.	2.2	11
669	The Phenomenological Critique and Self-disturbance: Implications for Ultra-High Risk ("Prodrome") Research. <i>Schizophrenia Bulletin</i> , 2007, 34, 381-392.	4.3	121
670	Declining Transition Rate in Ultra High Risk (Prodromal) Services: Dilution or Reduction of Risk?. <i>Schizophrenia Bulletin</i> , 2007, 33, 673-681.	4.3	376
671	Editor's Introduction: The Empirical Status of the Ultra High-Risk (Prodromal) Research Paradigm. <i>Schizophrenia Bulletin</i> , 2007, 33, 661-664.	4.3	93
672	Progressive Changes in the Development Toward Schizophrenia: Studies in Subjects at Increased Symptomatic Risk. <i>Schizophrenia Bulletin</i> , 2007, 34, 322-329.	4.3	169
673	Recruitment and Treatment Practices for Help-Seeking "Prodromal" Patients. <i>Schizophrenia Bulletin</i> , 2007, 33, 715-726.	4.3	105
674	Cognitive decline following psychosis onset. <i>British Journal of Psychiatry</i> , 2007, 191, s52-s57.	2.8	59
675	Childhood Trauma and Psychotic Disorders: a Systematic, Critical Review of the Evidence. <i>Schizophrenia Bulletin</i> , 2007, 34, 568-579.	4.3	295
676	The prevention of schizophrenia. <i>International Review of Psychiatry</i> , 2007, 19, 633-646.	2.8	74
677	Early Psychosis: Where we've been, where we still have to go. <i>Epidemiologia E Psichiatria Sociale</i> , 2007, 16, 102-108.	0.9	19
678	Increased Prefrontal Cerebral Blood flow in First-Episode Schizophrenia Following Treatment: Longitudinal Positron Emission Tomography Study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 129-135.	2.3	21
679	Prediction of psychosis: setting the stage. <i>British Journal of Psychiatry</i> , 2007, 191, s1-s8.	2.8	82
680	Fractionation of Verbal Memory Impairment in Schizophrenia and Schizophreniform Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2007, 41, 732-739.	2.3	13
681	Amygdala Volume Status Might Reflect Dominant Mode of Emotional Information Processing—Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 252.	12.3	3
682	Service responses for youth onset mental disorders. <i>Current Opinion in Psychiatry</i> , 2007, 20, 319-324.	6.3	28
683	Issues for DSM-V: Clinical Staging: A Heuristic Pathway to Valid Nosology and Safer, More Effective Treatment in Psychiatry. <i>American Journal of Psychiatry</i> , 2007, 164, 859-860.	7.2	160
684	Olfactory sensitivity through the course of psychosis: Relationships to olfactory identification, symptomatology and the schizophrenia odour. <i>Psychiatry Research</i> , 2007, 149, 97-104.	3.3	19

#	ARTICLE	IF	CITATIONS
685	Mental health of young people: a global public-health challenge. <i>Lancet, The</i> , 2007, 369, 1302-1313.	13.7	2,241
686	Teen depression. <i>Lancet, The</i> , 2007, 370, 820.	13.7	0
687	Neuroimaging and emerging psychotic disorders: The Melbourne ultra-high risk studies. <i>International Review of Psychiatry</i> , 2007, 19, 371-379.	2.8	119
688	Monitoring the Safe Use of Clozapine. <i>CNS Drugs</i> , 2007, 21, 117-127.	5.9	50
689	Association between psychotic experiences and depression in a clinical sample over 6 months. <i>Schizophrenia Research</i> , 2007, 91, 246-253.	2.0	122
690	Medium term follow-up of a randomized controlled trial of interventions for young people at ultra high risk of psychosis. <i>Schizophrenia Research</i> , 2007, 96, 25-33.	2.0	128
691	Pre-treatment, baseline, and outcome differences between early-onset and adult-onset psychosis in an epidemiological cohort of 636 first-episode patients. <i>Schizophrenia Research</i> , 2007, 95, 1-8.	2.0	174
692	Antibodies to Infectious Agents in Individuals at Ultra-High Risk for Psychosis. <i>Biological Psychiatry</i> , 2007, 61, 1215-1217.	1.3	66
693	PACE: a specialised service for young people at risk of psychotic disorders. <i>Medical Journal of Australia</i> , 2007, 187, S43-6.	1.7	78
694	Early intervention in bipolar disorders: opportunities and pitfalls. <i>Medical Journal of Australia</i> , 2007, 187, S11-4.	1.7	68
695	Early intervention in psychotic disorders: detection and treatment of the first episode and the critical early stages. <i>Medical Journal of Australia</i> , 2007, 187, S8-10.	1.7	124
696	Increased access to evidence-based primary mental health care: will the implementation match the rhetoric?. <i>Medical Journal of Australia</i> , 2007, 187, 100-103.	1.7	51
697	Clinical staging: a heuristic model for psychiatry and youth mental health. <i>Medical Journal of Australia</i> , 2007, 187, S40-2.	1.7	174
698	Investing in youth mental health is a best buy. <i>Medical Journal of Australia</i> , 2007, 187, S5.	1.7	199
699	The specialist youth mental health model: strengthening the weakest link in the public mental health system. <i>Medical Journal of Australia</i> , 2007, 187, S53-6.	1.7	142
700	headspace: Australia's National Youth Mental Health Foundation "where young minds come first." <i>Medical Journal of Australia</i> , 2007, 187, S68-70.	1.7	200
701	Prevention and early intervention for borderline personality disorder. <i>Medical Journal of Australia</i> , 2007, 187, S18-21.	1.7	44
702	Early Psychosis Prevention and Intervention Centre long-term follow-up study of first-episode psychosis: methodology and baseline characteristics. <i>Microbial Biotechnology</i> , 2007, 1, 49-60.	1.7	42

#	ARTICLE	IF	CITATIONS
703	Neuroprotection in emerging psychotic disorders. <i>Microbial Biotechnology</i> , 2007, 1, 114-127.	1.7	45
704	The First-episode Psychosis Outcome Study: premorbid and baseline characteristics of an epidemiological cohort of 661 first-episode psychosis patients. <i>Microbial Biotechnology</i> , 2007, 1, 191-200.	1.7	100
705	Welcome to Early Intervention in Psychiatry. <i>Microbial Biotechnology</i> , 2007, 1, 1-2.	1.7	13
706	Reductions in cannabis and other illicit substance use between treatment entry and early recovery in patients with first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 259-266.	1.7	22
707	Defining, operationalizing and measuring the duration of untreated psychosis: advances, limitations and future directions. <i>Microbial Biotechnology</i> , 2007, 1, 236-250.	1.7	66
708	headspace: National Youth Mental Health Foundation: Making headway with rural young people and their mental health. <i>Australian Journal of Rural Health</i> , 2007, 15, 77-80.	1.5	38
709	Setting the stage: from prodrome to treatment resistance in bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 671-678.	1.9	204
710	Anterior cingulate activation in antipsychotic-naïve first-episode schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2007, 115, 155-158.	4.5	28
711	Prevalence and correlates of comorbidity 8 years after a first psychotic episode. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 62-70.	4.5	24
712	In vivo evidence for early neurodevelopmental anomaly of the anterior cingulate cortex in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 467-472.	4.5	47
713	The potential utility of a staging model as a course specifier: A bipolar disorder perspective. <i>Journal of Affective Disorders</i> , 2007, 100, 279-281.	4.1	140
714	Pituitary volume in teenagers with first-presentation borderline personality disorder. <i>Psychiatry Research - Neuroimaging</i> , 2007, 156, 257-261.	1.8	25
715	HPA axis functioning associated with transition to psychosis: Combined DEX/CRH test. <i>Journal of Psychiatric Research</i> , 2007, 41, 446-450.	3.1	47
716	Stress and HPA-axis functioning in young people at ultra high risk for psychosis. <i>Journal of Psychiatric Research</i> , 2007, 41, 561-569.	3.1	132
717	What's in a name? Is accurate recognition and labelling of mental disorders by young people associated with better help-seeking and treatment preferences?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007, 42, 244-250.	3.1	167
718	Impact of Severity of Substance Use Disorder on Symptomatic and Functional Outcome in Young Individuals With First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 767-774.	2.2	54
719	Ethyl-Eicosapentaenoic Acid in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2007, 68, 1867-1875.	2.2	139
720	Predictors of Service Disengagement in First-Admitted Adolescents With Psychosis. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006, 45, 990-999.	0.5	95

#	ARTICLE	IF	CITATIONS
721	Course of substance misuse and daily tobacco use in first-episode psychosis. <i>Schizophrenia Research</i> , 2006, 81, 145-150.	2.0	74
722	Early-onset of symptoms predicts conversion to non-affective psychosis in ultra-high risk individuals. <i>Schizophrenia Research</i> , 2006, 84, 67-76.	2.0	77
723	Testing the Ultra High Risk (prodromal) criteria for the prediction of psychosis in a clinical sample of young people. <i>Schizophrenia Research</i> , 2006, 84, 57-66.	2.0	242
724	Morphology of the paracingulate sulcus and executive cognition in schizophrenia. <i>Schizophrenia Research</i> , 2006, 88, 192-197.	2.0	64
725	Pharmacological treatment of primary negative symptoms in schizophrenia: A systematic review. <i>Schizophrenia Research</i> , 2006, 88, 5-25.	2.0	180
726	Physical comorbidity, insight, quality of life and global functioning in first episode schizophrenia: A 24-month, longitudinal outcome study. <i>Schizophrenia Research</i> , 2006, 88, 82-89.	2.0	32
727	Clinical Staging of Psychiatric Disorders: A Heuristic Framework for Choosing Earlier, Safer and more Effective Interventions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 616-622.	2.3	680
728	Australia's National Suicide Prevention Strategy: the next chapter. <i>Australian Health Review</i> , 2006, 30, 271.	1.1	12
729	Treatment for the initial acute phase of first-episode psychosis in a real-world setting. <i>Psychiatric Bulletin</i> , 2006, 30, 127-131.	0.3	3
730	Substance misuse in first-episode psychosis: 15-month prospective follow-up study. <i>British Journal of Psychiatry</i> , 2006, 189, 229-234.	2.8	132
731	Prediction of Functional Outcome 18 Months After a First Psychotic Episode. <i>Archives of General Psychiatry</i> , 2006, 63, 969.	12.3	56
732	Depressed mood as a risk factor for unprotected sex in young people. <i>Australasian Psychiatry</i> , 2006, 14, 310-312.	0.7	34
733	Symptomatic and functional outcome 12 months after a first episode of psychotic mania: barriers to recovery in a catchment area sample. <i>Bipolar Disorders</i> , 2006, 8, 221-231.	1.9	110
734	Randomized controlled trial of a cannabis-focused intervention for young people with first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 109-117.	4.5	136
735	Treated incidence of first-episode psychosis in the catchment area of EPPIC between 1997 and 2000. <i>Acta Psychiatrica Scandinavica</i> , 2006, 114, 337-345.	4.5	88
736	Seasonal influences on first-episode admission in affective and non-affective psychosis. <i>Acta Neuropsychiatrica</i> , 2006, 18, 154-161.	2.1	11
737	Recent approaches to psychological interventions for people at risk of psychosis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2006, 256, 159-173.	3.2	48
738	Belief in dealing with depression alone: Results from community surveys of adolescents and adults. <i>Journal of Affective Disorders</i> , 2006, 96, 59-65.	4.1	77

#	ARTICLE	IF	CITATIONS
739	Dysfunction of dorsolateral prefrontal cortex in antipsychotic-naïve schizophreniform psychosis. <i>Psychiatry Research - Neuroimaging</i> , 2006, 148, 23-31.	1.8	29
740	Development and evaluation of a youth mental health community awareness campaign – The Compass Strategy. <i>BMC Public Health</i> , 2006, 6, 215.	2.9	143
741	Efficacy of amisulpride in treating primary negative symptoms in first-episode psychosis: a pilot study. <i>Human Psychopharmacology</i> , 2006, 21, 511-517.	1.5	4
742	Psychotic-Like Experiences in Nonpsychotic Help-Seekers: Associations With Distress, Depression, and Disability. <i>Schizophrenia Bulletin</i> , 2006, 32, 352-359.	4.3	220
743	Pharmacological Treatment in the Early Phase of Bipolar Disorders: What Stage are we at?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 199-207.	2.3	37
744	Influence of Gender on Mental Health Literacy in Young Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 790-796.	2.3	217
745	Hippocampal and Amygdala Volumes According to Psychosis Stage and Diagnosis. <i>Archives of General Psychiatry</i> , 2006, 63, 139.	12.3	559
746	Stress, the Hippocampus and the Hypothalamic-Pituitary-Adrenal Axis: Implications for the Development of Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 725-741.	2.3	186
747	Exciting Career Opportunity Beckons! Early Intervention and Vocational Rehabilitation in First-Episode Psychosis: Employing Cautious Optimism. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 951-962.	2.3	123
748	Pattern and Correlates of Inpatient Admission During the Initial Acute Phase of First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	2.3	38
749	The Credibility and Acceptability of Befriending as a Control Therapy in a Randomized Controlled Trial of Cognitive Behaviour Therapy for Acute First Episode Psychosis. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 277-291.	1.2	37
750	Depressed mood as a risk factor for unprotected sex in young people. <i>Australasian Psychiatry</i> , 2006, 14, 310-312.	0.7	28
751	Pharmacological treatment in the early phase of bipolar disorders: what stage are we at?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 199-207.	2.3	5
752	Pattern and correlates of inpatient admission during the initial acute phase of first-episode psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 429-436.	2.3	11
753	Clinical staging of psychiatric disorders: a heuristic framework for choosing earlier, safer and more effective interventions. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 616-622.	2.3	95
754	Stress, the hippocampus and the hypothalamic-pituitary-adrenal axis: implications for the development of psychotic disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 725-741.	2.3	12
755	Influence of gender on mental health literacy in young Australians. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 790-796.	2.3	20
756	Exciting career opportunity beckons! Early intervention and vocational rehabilitation in first-episode psychosis: employing cautious optimism. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 951-962.	2.3	39

#	ARTICLE	IF	CITATIONS
757	Reforming youth mental health. Australian Family Physician, 2006, 35, 314.	0.5	6
758	Emerging psychosis in young people - Part 3 - key issues for prolonged recovery. Australian Family Physician, 2006, 35, 329-33.	0.5	13
759	Introduction to "Early psychosis: abridge to the future"™. British Journal of Psychiatry, 2005, 187, s1-s3.	2.8	23
760	Agreeableness and Neuroticism as Predictors of Relapse After First-Episode Psychosis. Journal of Nervous and Mental Disease, 2005, 193, 160-169.	1.0	47
761	A controlled trial of cognitively oriented psychotherapy for early psychosis (COPE) with four-year follow-up readmission data. Psychological Medicine, 2005, 35, 1295-1306.	4.5	50
762	Early processing deficits in object working memory in first-episode schizophreniform psychosis and established schizophrenia. Psychological Medicine, 2005, 35, 1053-1062.	4.5	56
763	Obstetric complications and transition to psychosis in an 'ultra' high risk sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	2.3	3
764	Patterns and predictors of substance use disorders and daily tobacco use in first-episode psychosis*. Australian and New Zealand Journal of Psychiatry, 2005, 39, 892-898.	2.3	6
765	'Every me and every you': responding to the hidden challenge of mental illness in Australia. Australasian Psychiatry, 2005, 13, 3-15.	0.7	17
766	The impact of substance use disorders on clinical outcome in 643 patients with first-episode psychosis. Acta Psychiatrica Scandinavica, 2005, 112, 141-148.	4.5	293
767	The Management of Early Psychosis. , 2005, , 51-109.		0
768	Recognition of depression and psychosis by young Australians and their beliefs about treatment. Medical Journal of Australia, 2005, 183, 18-23.	1.7	138
769	Australian mental health reform: time for real outcomes. Medical Journal of Australia, 2005, 182, 401-406.	1.7	89
770	Obstetric Complications and Transition to Psychosis in an "Ultra"™ High Risk Sample. Australian and New Zealand Journal of Psychiatry, 2005, 39, 460-466.	2.3	14
771	Olanzapine in subjects with a first-episode psychosis non-responsive, intolerant or non-compliant to a first-line trial of risperidone. International Journal of Psychiatry in Clinical Practice, 2005, 9, 244-250.	2.4	8
772	Mapping the Onset of Psychosis: The Comprehensive Assessment of At-Risk Mental States. Australian and New Zealand Journal of Psychiatry, 2005, 39, 964-971.	2.3	1,677
773	Risperidone and Haloperidol in First-Episode Psychosis: A Long-Term Randomized Trial. American Journal of Psychiatry, 2005, 162, 947-953.	7.2	331
774	Memory Impairments Identified in People at Ultra-High Risk for Psychosis Who Later Develop First-Episode Psychosis. American Journal of Psychiatry, 2005, 162, 71-78.	7.2	342

#	ARTICLE	IF	CITATIONS
775	Early intervention in psychotic disorders: beyond debate to solving problems. <i>British Journal of Psychiatry</i> , 2005, 187, s108-s110.	2.8	51
776	Comparison of Olanzapine and Risperidone in 367 First-Episode Patients with Non-Affective or Affective Psychosis: Results of an Open Retrospective Medical Record Study. <i>Pharmacopsychiatry</i> , 2005, 38, 206-213.	3.3	35
777	Determinants of Duration of Untreated Psychosis and the Pathway to Care in Singapore. <i>International Journal of Social Psychiatry</i> , 2005, 51, 55-62.	3.1	66
778	â€œEvery Me and Every Youâ€™: Responding to the Hidden Challenge of Mental Illness in Australia. <i>Australasian Psychiatry</i> , 2005, 13, 3-15.	0.7	45
779	Patterns and Predictors of Substance use Disorders and Daily Tobacco use in First-Episode Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 892-898.	2.3	46
780	Patterns of Current Comorbidity in Young Help-Seekers: Implications for Service Planning and Delivery. <i>Australasian Psychiatry</i> , 2005, 13, 379-383.	0.7	16
781	Evidence based reform of mental health care. <i>BMJ: British Medical Journal</i> , 2005, 331, 586-587.	2.3	14
782	Generalized and Specific Cognitive Performance in Clinical High-Risk Cohorts: A Review Highlighting Potential Vulnerability Markers for Psychosis. <i>Schizophrenia Bulletin</i> , 2005, 32, 538-555.	4.3	218
783	Prepsychotic phase of schizophrenia and related disorders: recent progress and future opportunities. <i>British Journal of Psychiatry</i> , 2005, 187, s33-s44.	2.8	74
784	Structural Brain Imaging Evidence for Multiple Pathological Processes at Different Stages of Brain Development in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2005, 31, 672-696.	4.3	479
785	Pituitary Volume Predicts Future Transition to Psychosis in Individuals at Ultra-High Risk of Developing Psychosis. <i>Biological Psychiatry</i> , 2005, 58, 417-423.	1.3	202
786	Hippocampal and anterior cingulate morphology in subjects at ultra-high-risk for psychosis: the role of family history of psychotic illness. <i>Schizophrenia Research</i> , 2005, 75, 295-301.	2.0	74
787	The relationship between duration of untreated psychosis and outcome: An eight-year prospective study. <i>Schizophrenia Research</i> , 2005, 79, 85-93.	2.0	173
788	Sustained attention in young people at high risk of psychosis does not predict transition to psychosis. <i>Schizophrenia Research</i> , 2005, 79, 127-136.	2.0	73
789	Early warning signs of relapse following a first episode of psychosis. <i>Schizophrenia Research</i> , 2005, 80, 107-111.	2.0	32
790	Mapping the onset of psychosis: the Comprehensive Assessment of At-Risk Mental States. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 964-971.	2.3	198
791	Diagnostic Stability 18 Months After Treatment Initiation for First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2005, 66, 1239-1246.	2.2	130
792	Monitoring and Care of Young People at Incipient Risk of Psychosis. <i>Focus (American Psychiatric)</i> Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 6	0.8	3

#	ARTICLE	IF	CITATIONS
793	Australia Needs a Mental Health Commission. <i>Australasian Psychiatry</i> , 2004, 12, 213-219.	0.7	21
794	Psychiatric comorbidity in first episode psychosis: the Early Psychosis Intervention Program (EPIP) experience. <i>Acta Psychiatrica Scandinavica</i> , 2004, 109, 23-29.	4.5	45
795	Schneiderian first rank symptoms predict poor outcome within first episode manic psychosis. <i>Journal of Affective Disorders</i> , 2004, 81, 259-268.	4.1	39
796	Early intervention in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004, 39, 711-719.	3.1	60
797	Precursors of schizophrenia. <i>Current Psychosis & Therapeutics Reports</i> , 2004, 2, 67-72.	0.1	2
798	Two-Year Stability of Personality Disorder in Older Adolescent Outpatients. <i>Journal of Personality Disorders</i> , 2004, 18, 526-541.	1.4	232
799	Risk factors for psychosis in an ultra high-risk group: psychopathology and clinical features. <i>Schizophrenia Research</i> , 2004, 67, 131-142.	2.0	673
800	Pituitary volume in psychosis. <i>British Journal of Psychiatry</i> , 2004, 185, 5-10.	2.8	168
801	The initial prodrome to bipolar affective disorder: prospective case studies. <i>Journal of Affective Disorders</i> , 2003, 77, 79-85.	4.1	68
802	Potential use of the topical niacin skin test in early psychosis—a combined approach using optical reflection spectroscopy and a descriptive rating scale. <i>Journal of Psychiatric Research</i> , 2003, 37, 237-247.	3.1	49
803	Early Intervention in Psychosis: An Overdue Reform. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 393-398.	2.3	104
804	Early and Late Neurodevelopmental Disturbances in Schizophrenia and Their Functional Consequences. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 399-406.	2.3	161
805	Suicide Prevention in First Episode Psychosis: The Development of a Randomised Controlled Trial of Cognitive Therapy for Acutely Suicidal Patients With Early Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003, 37, 414-420.	2.3	133
806	Summary Australian and New Zealand Clinical Practice Guideline for the Treatment of Schizophrenia 2003. <i>Australasian Psychiatry</i> , 2003, 11, 136-147.	0.7	54
807	Psychosis prediction: 12-month follow up of a high-risk (‘‘prodromal’’) group. <i>Schizophrenia Research</i> , 2003, 60, 21-32.	2.0	981
808	Recovery style and outcome in first-episode psychosis. <i>Schizophrenia Research</i> , 2003, 62, 31-36.	2.0	67
809	Neuroanatomical abnormalities before and after onset of psychosis: a cross-sectional and longitudinal MRI comparison. <i>Lancet, The</i> , 2003, 361, 281-288.	13.7	1,211
810	Keeping an open mind: Investigating options for treatment of the pre-psychotic phase. <i>Journal of Mental Health</i> , 2003, 12, 341-343.	1.9	6

#	ARTICLE	IF	CITATIONS
811	Pharmacotherapy of first-episode psychosis. <i>Expert Opinion on Pharmacotherapy</i> , 2003, 4, 717-750.	1.8	43
812	The "Close-in" or Ultra High-Risk Model: A Safe and Effective Strategy for Research and Clinical Intervention in Prepsychotic Mental Disorder. <i>Schizophrenia Bulletin</i> , 2003, 29, 771-790.	4.3	246
813	Proton Magnetic Resonance Spectroscopy in First Episode Psychosis and Ultra High-Risk Individuals. <i>Schizophrenia Bulletin</i> , 2003, 29, 831-843.	4.3	113
814	Impairment of Olfactory Identification Ability in Individuals at Ultra-High Risk for Psychosis Who Later Develop Schizophrenia. <i>American Journal of Psychiatry</i> , 2003, 160, 1790-1794.	7.2	179
815	Does treatment delay in first-episode psychosis really matter?. <i>Psychological Medicine</i> , 2003, 33, 97-110.	4.5	246
816	Spatial working memory ability is a marker of risk-for-psychosis. <i>Psychological Medicine</i> , 2003, 33, 1239-1247.	4.5	205
817	Seasonality of symptom onset in first-episode schizophrenia. <i>Psychological Medicine</i> , 2003, 33, 163-167.	4.5	27
818	Psychological Treatment in Pre- and Early Psychosis. <i>Journal of the American Academy of Psychoanalysis and Dynamic Psychiatry</i> , 2003, 31, 229-245.	0.3	23
819	Translating advances in schizophrenia treatment: a glass ceiling. <i>Medical Journal of Australia</i> , 2003, 178, 425-426.	1.7	4
820	Morphology of the anterior cingulate cortex in young men at ultra-high risk of developing a psychotic illness. <i>British Journal of Psychiatry</i> , 2003, 182, 518-524.	2.8	128
821	Incipient neurovulnerability and neuroprotection in early psychosis. <i>Psychopharmacology Bulletin</i> , 2003, 37, 79-101.	0.0	63
822	Response to "The Prevention of Schizophrenia: What Interventions Are Safe and Effective?". <i>Schizophrenia Bulletin</i> , 2002, 28, 177-180.	4.3	9
823	Consensus on Early Intervention in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2002, 28, 543-544.	4.3	16
824	Review: depot antipsychotics are effective and safe for schizophrenia or schizophrenia like illnesses. <i>Evidence-Based Mental Health</i> , 2002, 5, 42-42.	4.5	0
825	Early intervention in schizophrenia: points of agreement. <i>Epidemiology and Psychiatric Sciences</i> , 2002, 11, 256-257.	3.9	6
826	Early intervention in psychosis: a new evidence based paradigm. <i>Epidemiology and Psychiatric Sciences</i> , 2002, 11, 237-247.	3.9	59
827	The PACE Clinic: Identification and Management of Young People at "Ultra"-High Risk of Psychosis. <i>Journal of Psychiatric Practice</i> , 2002, 8, 255-269.	0.7	66
828	Norman & Malla (2001) reviewed the literature on duration of untreated psychosis (DUP) and outcome in schizophrenia.. <i>Psychological Medicine</i> , 2002, 32, 563-564.	4.5	9

#	ARTICLE	IF	CITATIONS
829	Visuospatial memory and learning in first-episode schizophreniform psychosis and established schizophrenia: a functional correlate of hippocampal pathology?. <i>Psychological Medicine</i> , 2002, 32, 429-438.	4.5	90
830	Rehab Rounds: A Service Response to Prolonged Recovery in Early Psychosis. <i>Psychiatric Services</i> , 2002, 53, 1067-1069.	2.0	41
831	Duration of untreated psychosis and cognitive deterioration in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2002, 54, 223-230.	2.0	137
832	Non-reduction in hippocampal volume is associated with higher risk of psychosis. <i>Schizophrenia Research</i> , 2002, 58, 145-158.	2.0	153
833	The impact of torture on post-traumatic stress symptoms in war-affected Tamil refugees and immigrants. <i>Comprehensive Psychiatry</i> , 2002, 43, 49-55.	3.1	95
834	Randomized Controlled Trial of Interventions Designed to Reduce the Risk of Progression to First-Episode Psychosis in a Clinical Sample With Subthreshold Symptoms. <i>Archives of General Psychiatry</i> , 2002, 59, 921.	12.3	922
835	Treatment of Adolescents and Young Adults Experiencing Attenuated Psychotic Symptoms. <i>Child and Adolescent Psychopharmacology News</i> , 2002, 7, 1-4.	0.1	0
836	Prediction and prevention of transition to psychosis in young people at incipient risk for schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 929-937.	2.4	47
837	Incidental radiological findings on brain magnetic resonance imaging in first-episode psychosis and chronic schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 331-336.	4.5	64
838	Early psychosis reform: too fast or too slow?. <i>Acta Psychiatrica Scandinavica</i> , 2002, 106, 249-251.	4.5	15
839	Implications of lipid biology for the pathogenesis of schizophrenia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 355-366.	2.3	61
840	First-Episode Mania: A Neglected Priority for Early Intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 158-172.	2.3	86
841	Cannabis Use is Not Associated With the Development of Psychosis in an "Ultra" High-Risk Group. <i>Australian and New Zealand Journal of Psychiatry</i> , 2002, 36, 800-806.	2.3	112
842	The recognition and optimal management of early psychosis: an evidence-based reform. <i>World Psychiatry</i> , 2002, 1, 76-83.	10.4	34
843	Asylum seeking and mandatory detention. The psychological consequences. <i>Australian Family Physician</i> , 2002, 31, 275-8.	0.5	5
844	A longitudinal study of hippocampal volume in first episode psychosis and chronic schizophrenia. <i>Schizophrenia Research</i> , 2001, 52, 37-46.	2.0	135
845	Preventing severe mental illnesses " new prospects and ethical challenges. <i>Schizophrenia Research</i> , 2001, 51, 3-15.	2.0	73
846	Ethics and early intervention in psychosis: keeping up the pace and staying in step. <i>Schizophrenia Research</i> , 2001, 51, 17-29.	2.0	158

#	ARTICLE	IF	CITATIONS
847	Reduced awareness of illness in first-episode psychosis. <i>Comprehensive Psychiatry</i> , 2001, 42, 498-503.	3.1	54
848	Response to "Better Mental Health Services for Young People: Responsibility, Partnerships and Projects". <i>Australian and New Zealand Journal of Psychiatry</i> , 2001, 35, 392-394.	2.3	0
849	Cognitively oriented psychotherapy for early psychosis (COPE): A 1-year follow-up. <i>British Journal of Clinical Psychology</i> , 2001, 40, 57-70.	3.5	61
850	Stability of Olfactory Identification Deficits in Neuroleptic-Naive Patients With First-Episode Psychosis. <i>American Journal of Psychiatry</i> , 2001, 158, 107-115.	7.2	137
851	Recognition and Treatment of the Pre-psychotic Phase of Psychotic Disorders. , 2001, , 101-122.		10
852	Untreated Initial Psychosis. <i>American Journal of Psychiatry</i> , 2001, 158, 1161-a-1162.	7.2	13
853	Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A164-A169.	2.3	67
854	Early detection and treatment delay: implications for outcome in early psychosis. <i>Current Opinion in Psychiatry</i> , 2000, 13, 37-43.	6.3	38
855	The Procedural Validity of Retrospective Case Note Diagnosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 154-159.	2.3	11
856	The nature of schizophrenia: signposts to prevention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S14-S21.	2.3	10
857	Evaluating the importance of reducing the duration of untreated psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S145-S149.	2.3	19
858	Evidence for progression of brain structural abnormalities in schizophrenia: beyond the neurodevelopmental model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	2.3	31
859	Identification of young people at risk of psychosis: validation of Personal Assessment and Crisis Evaluation Clinic intake criteria. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S164-S169.	2.3	78
860	Evaluating the Importance of Reducing the Duration of Untreated Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A145-A149.	2.3	17
861	The Nature of Schizophrenia: Signposts to Prevention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A14-A21.	2.3	13
862	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, A113-A126.	2.3	20
863	Identification of Young People at Risk of Psychosis: Validation of Personal Assessment and Crisis Evaluation Clinic Intake Criteria. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S164-S169.	2.3	103
864	Evidence for Progression of Brain Structural Abnormalities in Schizophrenia: Beyond the Neurodevelopmental Model. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, S113-S126.	2.3	32

#	ARTICLE	IF	CITATIONS
865	Evaluating the Importance of Reducing the Duration of Untreated Psychosis. Australian and New Zealand Journal of Psychiatry, 2000, 34, S145-S149.	2.3	22
866	The Nature of Schizophrenia: Signposts to Prevention. Australian and New Zealand Journal of Psychiatry, 2000, 34, S14-S21.	2.3	14
867	Neurobiological findings in early phase schizophrenia. Brain Research Reviews, 2000, 31, 157-165.	9.0	52
868	Can we improve the diagnostic efficiency and predictive power of prodromal symptoms for schizophrenia?. Schizophrenia Research, 2000, 42, 91-100.	2.0	64
869	Preventative Mental Health Care: Accessing the Target Population. Australian and New Zealand Journal of Psychiatry, 1999, 33, 912-917.	2.3	69
870	Pathways from war trauma to posttraumatic stress symptoms among Tamil asylum seekers, refugees, and immigrants. Journal of Traumatic Stress, 1999, 12, 421-435.	1.8	283
871	Duration of untreated psychosis and 12-month outcome in first-episode psychosis: the impact of treatment approach. Acta Psychiatrica Scandinavica, 1999, 100, 96-104.	4.5	123
872	Is phase-specific, community-oriented treatment of early psychosis an economically viable method of improving outcome?. Acta Psychiatrica Scandinavica, 1999, 100, 47-55.	4.5	114
873	Insight in psychosis: An elusive target. Comprehensive Psychiatry, 1999, 40, 131-142.	3.1	91
874	Enduring negative symptoms in first-episode psychosis: comparison of six methods using follow-up data. Schizophrenia Research, 1999, 40, 147-158.	2.0	94
875	Hippocampal Volume in First-Episode Psychoses and Chronic Schizophrenia. Archives of General Psychiatry, 1999, 56, 133.	12.3	333
876	People at risk of schizophrenia and other psychoses: comments on the Edinburgh High-Risk Study. British Journal of Psychiatry, 1999, 175, 586-587.	2.8	4
877	Recommended Haloperidol and Risperidone Doses in First-Episode Psychosis. Journal of Clinical Psychiatry, 1999, 60, 794.	2.2	12
878	Cognitive Psychotherapy of Psychotic and Personality Disorders: Handbook of Theory and Practice. Journal of Psychiatric and Mental Health Nursing, 1999, 6, 411-412.	2.1	11
879	Trauma exposure, postmigration stressors, and symptoms of anxiety, depression and post-traumatic stress in Tamil asylum-seekers: comparison with refugees and immigrants. Acta Psychiatrica Scandinavica, 1998, 97, 175-181.	4.5	265
880	The dimensionality of schizophrenia concepts in first-episode psychosis. Acta Psychiatrica Scandinavica, 1998, 97, 334-342.	4.5	23
881	"A stitch in time" - the scope for preventive strategies in early psychosis. European Archives of Psychiatry and Clinical Neuroscience, 1998, 248, 22-31.	3.2	65
882	Conditions Necessary for Best Practice in Interdisciplinary Teamwork. Australasian Psychiatry, 1998, 6, 257-259.	0.7	12

#	ARTICLE	IF	CITATIONS
883	Neuroleptic Management of Schizophrenia: A Survey and Commentary on Australian Psychiatric Practice. Australian and New Zealand Journal of Psychiatry, 1998, 32, 50-58.	2.3	16
884	Commentary on Munczek's "Short-Term Treatment of a Central American Torture Survivor". Psychiatry (New York), 1998, 61, 330-334.	0.7	0
885	The feasibility and effectiveness of early intervention in psychotic disorders. International Clinical Psychopharmacology, 1998, 13, S47-S52.	1.7	33
886	Can we predict the onset of first-episode psychosis in a high-risk group?. International Clinical Psychopharmacology, 1998, 13, S23-S30.	1.7	82
887	The dimensional structure of first episode psychosis: an exploratory factor analysis. Psychological Medicine, 1998, 28, 935-947.	4.5	149
888	The Second National Mental Health Plan: an opportunity to take stock and move forward. Medical Journal of Australia, 1998, 169, 435-437.	1.7	10
889	Prediction of psychosis. British Journal of Psychiatry, 1998, 172, 14-20.	2.8	637
890	Prolonged recovery in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 107-116.	2.8	108
891	Analysis of the initial treatment phase in first-episode psychosis. British Journal of Psychiatry, 1998, 172, 71-76.	2.8	76
892	Neuroleptic management of schizophrenia: a survey and commentary on Australian psychiatric practice. Australian and New Zealand Journal of Psychiatry, 1998, 32, 50-58.	2.3	1
893	Is Pre-Psychotic Intervention Realistic in Schizophrenia and Related Disorders?. Australian and New Zealand Journal of Psychiatry, 1997, 31, 799-805.	2.3	57
894	Themhs Debate: Who Should be Treated? Burden vs Health Gain. Australasian Psychiatry, 1997, 5, 275-276.	0.7	3
895	Early intervention in schizophrenia. British Journal of Psychiatry, 1997, 170, 2-5.	2.8	164
896	Psychosocial interventions in mental health disorders. Current Opinion in Psychiatry, 1997, 10, 173-177.	6.3	4
897	EPPIC: An Evolving System of Early Detection and Optimal Management. Schizophrenia Bulletin, 1996, 22, 305-326.	4.3	828
898	The Initial Prodrome in Psychosis: Descriptive and Qualitative Aspects. Australian and New Zealand Journal of Psychiatry, 1996, 30, 587-599.	2.3	420
899	Relationship between personality and course and outcome in early psychosis: A review of the literature. Clinical Psychology Review, 1996, 16, 707-727.	11.4	23
900	Comparing correlated kappas by resampling: Is one level of agreement significantly different from another?. Journal of Psychiatric Research, 1996, 30, 483-492.	3.1	83

#	ARTICLE	IF	CITATIONS
901	The Inter-Rater and Test-Retest Reliabilities of Prodromal Symptoms in First-Episode Psychosis. Australian and New Zealand Journal of Psychiatry, 1996, 30, 498-504.	2.3	15
902	The Prodromal Phase of First-episode Psychosis: Past and Current Conceptualizations. Schizophrenia Bulletin, 1996, 22, 353-370.	4.3	983
903	The Centre for Young People's Mental Health: Blending Epidemiology and Developmental Psychiatry. Australasian Psychiatry, 1996, 4, 243-247.	0.7	21
904	Monitoring and Care of Young People at Incipient Risk of Psychosis. Schizophrenia Bulletin, 1996, 22, 283-303.	4.3	664
905	Psychoeducation in First-Episode Psychosis: A Therapeutic Process. Psychiatry (New York), 1995, 58, 313-328.	0.7	84
906	The prevalence of prodromal features of schizophrenia in adolescence: a preliminary survey. Acta Psychiatrica Scandinavica, 1995, 92, 241-249.	4.5	192
907	Children of parents with psychotic disorders. Medical Journal of Australia, 1995, 163, 119-120.	1.7	22
908	Working with Survivors of Torture and Trauma: The Victorian Foundation for Survivors of Torture in Perspective. Australian and New Zealand Journal of Psychiatry, 1995, 29, 463-472.	2.3	22
909	The Clinical Boundaries of Posttraumatic Stress Disorder. Australian and New Zealand Journal of Psychiatry, 1995, 29, 385-393.	2.3	13
910	Spurious precision: procedural validity of diagnostic assessment in psychotic disorders. American Journal of Psychiatry, 1995, 152, 220-223.	7.2	62
911	Psychological Sequelae of Torture and Trauma in Chilean and Salvadorean Migrants: A Pilot Study. Australian and New Zealand Journal of Psychiatry, 1995, 29, 84-95.	2.3	33
912	The Pace Clinic: Development of a Clinical Service for Young People at High Risk of Psychosis. Australasian Psychiatry, 1995, 3, 345-349.	0.7	52
913	A Treatment-Relevant Classification of Psychotic Disorders. Australian and New Zealand Journal of Psychiatry, 1995, 29, 555-558.	2.3	29
914	Prodromal symptoms of schizophrenia in first-episode psychosis: Prevalence and specificity. Comprehensive Psychiatry, 1995, 36, 241-250.	3.1	88
915	The Influence of Illness Duration on Syndrome Clarity and Stability in Functional Psychosis: Does the Diagnosis Emerge and Stabilise with Time?. Australian and New Zealand Journal of Psychiatry, 1994, 28, 607-619.	2.3	49
916	The reliability of DSM-III prodromal symptoms in first-episode psychotic patients. Acta Psychiatrica Scandinavica, 1994, 90, 375-378.	4.5	47
917	Early Psychosis Prevention and Intervention: Evolution of a Comprehensive Community-Based Specialised Service. Behaviour Change, 1994, 11, 223-233.	1.3	40
918	Early Psychosis Prevention and Intervention Centre. Australasian Psychiatry, 1993, 1, 32-34.	0.7	36

#	ARTICLE	IF	CITATIONS
919	Posttraumatic Stress Disorder Postpsychosis. <i>Journal of Nervous and Mental Disease</i> , 1993, 181, 766.	1.0	7
920	The Concept of Recovery and Secondary Prevention in Psychotic Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 1992, 26, 3-17.	2.3	128
921	Diagnostic concordance in functional psychosis revisited: a study of inter-relationships between alternative concepts of psychotic disorder. <i>Psychological Medicine</i> , 1992, 22, 367-378.	4.5	21
922	Multidiagnostic evaluation of prolactin response to haloperidol challenge in schizophrenia: Maximal blunting in Kraepelinian patients. <i>Biological Psychiatry</i> , 1992, 32, 426-437.	1.3	66
923	Diagnostic and symptomatological assessment. , 1992, , 163-181.		0
924	Posttraumatic Stress Disorder Following Recent-Onset Psychosis An Unrecognized Postpsychotic Syndrome. <i>Journal of Nervous and Mental Disease</i> , 1991, 179, 253-258.	1.0	214
925	Comparison of participants and nonparticipants in a neuroendocrine investigation of psychosis. <i>Acta Psychiatrica Scandinavica</i> , 1991, 83, 373-376.	4.5	7
926	The influence of gender on the classification of psychotic disorders – a multidiagnostic approach. <i>Acta Psychiatrica Scandinavica</i> , 1990, 82, 8-12.	4.5	30
927	Relationship between expressed emotion and family burden in psychotic disorders: an exploratory study. <i>Acta Psychiatrica Scandinavica</i> , 1990, 82, 243-249.	4.5	46
928	Foreign medical graduates. <i>Medical Journal of Australia</i> , 1990, 153, 629-630.	1.7	0
929	Royal Park Multidiagnostic Instrument for Psychosis: Part II. Development, Reliability, and Validity. <i>Schizophrenia Bulletin</i> , 1990, 16, 517-536.	4.3	133
930	Royal Park Multidiagnostic Instrument for Psychosis: Part I. Rationale and Review. <i>Schizophrenia Bulletin</i> , 1990, 16, 501-515.	4.3	115
931	Current concepts in functional psychosis. <i>Schizophrenia Research</i> , 1990, 3, 221-234.	2.0	35
932	Basal and haloperidol-stimulated prolactin in neuroleptic-free men with schizophrenia defined by 11 diagnostic systems. <i>Biological Psychiatry</i> , 1990, 27, 1203-1215.	1.3	23
933	Prolactin response to low-dose haloperidol challenge in schizophrenic, non-schizophrenic psychotic, and control subjects. <i>Psychoneuroendocrinology</i> , 1990, 15, 225-231.	2.7	9
934	The nosology and prognosis of puerperal psychosis: A review. <i>Comprehensive Psychiatry</i> , 1990, 31, 519-534.	3.1	27
935	Age and severe mental disorders in homeless and disaffiliated people in inner Melbourne. <i>Medical Journal of Australia</i> , 1990, 153, 197-205.	1.7	19
936	The Validity of the Assessment of Psychopathology in the Psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 1989, 23, 469-482.	2.3	28

#	ARTICLE	IF	CITATIONS
937	The development, use, and reliability of the Brief Psychiatric Rating Scale (Nursing Modification)â€”An assessment procedure for the nursing team in clinical and research settings. <i>Comprehensive Psychiatry</i> , 1988, 29, 575-587.	3.1	64
938	The Ranzcp Vivas: A Suitable Case for Examination. <i>Australian and New Zealand Journal of Psychiatry</i> , 1988, 22, 432-435.	2.3	7
939	The Zelig Phenomenon: A Specific form of Identity Disturbance. <i>Australian and New Zealand Journal of Psychiatry</i> , 1987, 21, 532-538.	2.3	1
940	Schizophrenia: An Overview. <i>Behaviour Change</i> , 1985, 2, 80-93.	1.3	2
941	Genetic vulnerability. , 0, , 31-46.		0
942	At-risk mental state: management. , 0, , 107-122.		0
943	Improving the community's mental health literacy as a means of facilitating early intervention. , 0, , 147-160.		1
944	Preventive strategies in bipolar disorders: identifying targets for early intervention. , 0, , 223-240.		1
945	Substance misuse in first-episode psychosis. , 0, , 243-256.		1
946	Rationale for and overview of the second edition of <i><i>The Recognition and Management of Early Psychosis</i</i>. , 0, , 3-16.		0
947	Pathways to care and reducing treatment delay in early psychosis. , 0, , 161-174.		6
948	Complete and incomplete recovery from first-episode psychosis. , 0, , 201-222.		3
949	Family intervention in early psychosis. , 0, , 305-330.		11
950	Diagnosis and the staging model of psychosis. , 0, , 17-28.		5
951	At-risk mental state and prediction. , 0, , 83-106.		1
952	Innovations in the design of mental health services for young people: an Australian perspective. <i>Innovation and Entrepreneurship in Health</i> , 0, , 107.	2.0	6
953	Early Intervention in Emerging Psychosis: State of the Art and Future Perspectives. <i>Key Issues in Mental Health</i> , 0, , 15-28.	0.6	1
954	The NEURAPRO Biomarker Analysis: Long-Chain Omega-3 Fatty Acids Improve 6-Month and 12-Month Outcomes in Youth at Ultra-High Risk for Psychosis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0

#	ARTICLE	IF	CITATIONS
955	Perceptions of rural high school teachers on the frontline of youth suicide. Australian Journal of Rural Health, 0, , .	1.5	1
956	Social and occupational outcomes for young people who attend early intervention mental health services: a longitudinal study. Medical Journal of Australia, 0, , .	1.7	0