

Paul M Yen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4210768/paul-m-yen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

7,086
citations

40
h-index

82
g-index

146
ext. papers

8,154
ext. citations

6.8
avg, IF

6.31
L-index

#	Paper	IF	Citations
138	Caffeine prevents restenosis and inhibits vascular smooth muscle cell proliferation through the induction of autophagy.. <i>Autophagy</i> , 2022 , 1-11	10.2	1
137	The roles of autophagy and thyroid hormone in the pathogenesis and treatment of NAFLD. <i>Hepatoma Research</i> , 2021 , 7, 72	4.3	3
136	mediator subunit is a key regulator of hepatic autophagy and lipid metabolism. <i>Autophagy</i> , 2021 , 1-19	10.2	4
135	Chronic cold exposure induces autophagy to promote fatty acid oxidation, mitochondrial turnover, and thermogenesis in brown adipose tissue. <i>IScience</i> , 2021 , 24, 102434	6.1	2
134	Thyroid Hormone Receptor β Regulates Autophagy, Mitochondrial Biogenesis, and Fatty Acid Use in Skeletal Muscle. <i>Endocrinology</i> , 2021 , 162,	4.8	7
133	MTORC1 inhibition drives crinophagic degradation of glucagon. <i>Molecular Metabolism</i> , 2021 , 53, 1012868.8		2
132	Increased Hepatic Fat Content in Patients with Resistance to Thyroid Hormone Beta. <i>Thyroid</i> , 2021 , 31, 1127-1134	6.2	2
131	Hippo pathway effectors YAP and TAZ and their association with skeletal muscle ageing. <i>Journal of Physiology and Biochemistry</i> , 2021 , 77, 63-73	5	4
130	Gut microbiota and their metabolites in the progression of non-alcoholic fatty liver disease. <i>Hepatoma Research</i> , 2021 , 7, 11	4.3	7
129	CD10 marks non-canonical PPAR δ -independent adipocyte maturation and browning potential of adipose-derived stem cells. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 109	8.3	1
128	MTORC1-dependent crinophagy regulates glucagon content in pancreatic β cells. <i>Autophagy</i> , 2021 , 17, 3269-3270	10.2	
127	Early induction of hepatic deiodinase type 1 inhibits hepatosteatosis during NAFLD progression. <i>Molecular Metabolism</i> , 2021 , 53, 101266	8.8	5
126	Estrogen-Related Receptor Alpha: An Under-Appreciated Potential Target for the Treatment of Metabolic Diseases. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	16
125	Protocol to Generate Senescent Cells from the Mouse Hepatic Cell Line AML12 to Study Hepatic Aging. <i>STAR Protocols</i> , 2020 , 1, 100064	1.4	0
124	Thyroid Hormones and Thyromimetics: A New Approach to Nonalcoholic Steatohepatitis?. <i>Hepatology</i> , 2020 , 72, 770-771	11.2	6
123	Thermogenesis in Adipose Tissue Activated by Thyroid Hormone. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	18
122	Hepatic Lipid Catabolism via PPAR γ -Lysosomal Crosstalk. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13

121	Decreased autophagy and fuel switching occur in a senescent hepatic cell model system. <i>Aging</i> , 2020 , 12, 13958-13978	5.6	4
120	OR01-06 Resistance to Thyroid Hormone Beta Is Associated with an Increase in Hepatic Fat Measured by Transient Elastography (Fibroscan [®]) with Controlled Attenuation Parameter (CAP). <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
119	Fenofibrate rapidly decreases hepatic lipid and glycogen storage in neonatal mice with glycogen storage disease type Ia. <i>Human Molecular Genetics</i> , 2020 , 29, 286-294	5.6	6
118	Links between autophagy and disorders of glycogen metabolism - Perspectives on pathogenesis and possible treatments. <i>Molecular Genetics and Metabolism</i> , 2020 , 129, 3-12	3.7	5
117	Loss of ULK1 Attenuates Cholesterogenic Gene Expression in Mammalian Hepatic Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 523550	5.7	3
116	Autophagic protein ULK1 regulates FOXM1 signalling in human hepatoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 532, 570-575	3.4	1
115	Diagnosis and treatment of hypothyroidism in the elderly. <i>Endocrine</i> , 2019 , 66, 63-69	4	12
114	Lysosomal inhibition attenuates peroxisomal gene transcription via suppression of PPARA and PPARGC1A levels. <i>Autophagy</i> , 2019 , 15, 1455-1459	10.2	19
113	Titin truncations lead to impaired cardiomyocyte autophagy and mitochondrial function in vivo. <i>Human Molecular Genetics</i> , 2019 , 28, 1971-1981	5.6	13
112	Nonalcoholic Fatty Liver Disease and Hypercholesterolemia: Roles of Thyroid Hormones, Metabolites, and Agonists. <i>Thyroid</i> , 2019 , 29, 1173-1191	6.2	71
111	Inhibiting Interleukin 11 Signaling Reduces Hepatocyte Death and Liver Fibrosis, Inflammation, and Steatosis in Mouse Models of Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2019 , 157, 777-792.e14	13.3	92
110	A Liver-Specific Thyromimetic, VK2809, Decreases Hepatosteatorosis in Glycogen Storage Disease Type Ia. <i>Thyroid</i> , 2019 , 29, 1158-1167	6.2	16
109	Hyperthyroidism in the personalized medicine era: the rise of mathematical optimization. <i>Journal of the Royal Society Interface</i> , 2019 , 16, 20190083	4.1	2
108	Thyroid Hormone Status Regulates Skeletal Muscle Response to Chronic Motor Nerve Stimulation. <i>Frontiers in Physiology</i> , 2019 , 10, 1363	4.6	3
107	Thyroid hormone (T) stimulates brown adipose tissue activation via mitochondrial biogenesis and MTOR-mediated mitophagy. <i>Autophagy</i> , 2019 , 15, 131-150	10.2	77
106	PD-linked CHCHD2 mutations impair CHCHD10 and MICOS complex leading to mitochondria dysfunction. <i>Human Molecular Genetics</i> , 2019 , 28, 1100-1116	5.6	29
105	Bezafibrate induces autophagy and improves hepatic lipid metabolism in glycogen storage disease type Ia. <i>Human Molecular Genetics</i> , 2019 , 28, 143-154	5.6	21
104	Direct effects of thyroid hormones on hepatic lipid metabolism. <i>Nature Reviews Endocrinology</i> , 2018 , 14, 259-269	15.2	177

103	A fluorescent methylation-switchable probe for highly sensitive analysis of FTO -methyladenosine demethylase activity in cells. <i>Chemical Science</i> , 2018 , 9, 7174-7185	9.4	11
102	Low-Dose Levothyroxine Reduces Intrahepatic Lipid Content in Patients With Type 2 Diabetes Mellitus and NAFLD. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2698-2706	5.6	37
101	Pharmacological Inhibition of Lysosomal Activity as a Method For Monitoring Thyroid Hormone-induced Autophagic Flux in Mammalian Cells In Vitro. <i>Methods in Molecular Biology</i> , 2018 , 1801, 111-122	1.4	2
100	Novel Transcriptional Mechanisms for Regulating Metabolism by Thyroid Hormone. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	22
99	Thyroid hormone receptor and ERR α coordinately regulate mitochondrial fission, mitophagy, biogenesis, and function. <i>Science Signaling</i> , 2018 , 11,	8.8	50
98	Role of thyroid hormone in hepatic gene regulation, chromatin remodeling, and autophagy. <i>Molecular and Cellular Endocrinology</i> , 2017 , 458, 160-168	4.4	19
97	Thyroid Hormone Signaling Pathways: Time for a More Precise Nomenclature. <i>Endocrinology</i> , 2017 , 158, 2052-2057	4.8	88
96	Changes in Hepatic TR β Protein Expression, Lipogenic Gene Expression, and Long-Chain Acylcarnitine Levels During Chronic Hyperthyroidism and Triiodothyronine Withdrawal in a Mouse Model. <i>Thyroid</i> , 2017 , 27, 852-860	6.2	5
95	Reciprocal Crosstalk Between Autophagic and Endocrine Signaling in Metabolic Homeostasis. <i>Endocrine Reviews</i> , 2017 , 38, 69-102	27.2	30
94	Hepatic mitochondrial dysfunction is a feature of Glycogen Storage Disease Type Ia (GSDIa). <i>Scientific Reports</i> , 2017 , 7, 44408	4.9	25
93	Increasing Dietary Medium-Chain Fatty Acid Ratio Mitigates High-fat Diet-Induced Non-Alcoholic Steatohepatitis by Regulating Autophagy. <i>Scientific Reports</i> , 2017 , 7, 13999	4.9	20
92	A clinician's guide to understanding resistance to thyroid hormone due to receptor mutations in the TR α and TR β isoforms. <i>Clinical Diabetes and Endocrinology</i> , 2017 , 3, 8	4.7	20
91	Renal endoplasmic reticulum stress is coupled to impaired autophagy in a mouse model of GSD Ia. <i>Molecular Genetics and Metabolism</i> , 2017 , 122, 95-98	3.7	6
90	Metabolomic analysis shows differential hepatic effects of T and T in rats after short-term feeding with high fat diet. <i>Scientific Reports</i> , 2017 , 7, 2023	4.9	31
89	Loss of ULK1 increases RPS6KB1-NCOR1 repression of NR1H/LXR-mediated Scd1 transcription and augments lipotoxicity in hepatic cells. <i>Autophagy</i> , 2017 , 13, 169-186	10.2	25
88	Changes in macroautophagy, chaperone-mediated autophagy, and mitochondrial metabolism in murine skeletal and cardiac muscle during aging. <i>Aging</i> , 2017 , 9, 583-599	5.6	79
87	Hepatic FOXO1 Target Genes Are Co-regulated by Thyroid Hormone via RICTOR Protein Deacetylation and MTORC2-AKT Protein Inhibition. <i>Journal of Biological Chemistry</i> , 2016 , 291, 198-214	5.4	31
86	Thyroid Hormone Stimulation of Autophagy Is Essential for Mitochondrial Biogenesis and Activity in Skeletal Muscle. <i>Endocrinology</i> , 2016 , 157, 23-38	4.8	53

85	Hepatic FTO expression is increased in NASH and its silencing attenuates palmitic acid-induced lipotoxicity. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 479, 476-481	3.4	25
84	Short chain fatty acids induce UCP2-mediated autophagy in hepatic cells. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 480, 461-467	3.4	23
83	Induction of autophagy improves hepatic lipid metabolism in glucose-6-phosphatase deficiency. <i>Journal of Hepatology</i> , 2016 , 64, 370-379	13.4	61
82	Mechanisms for Thyroid Hormone Action in the CNS. <i>Contemporary Clinical Neuroscience</i> , 2016 , 3-21	0.1	
81	Thyroid hormone-mediated autophagy and mitochondrial turnover in NAFLD. <i>Cell and Bioscience</i> , 2016 , 6, 46	9.8	31
80	Hyperhomocysteinemia causes ER stress and impaired autophagy that is reversed by Vitamin B supplementation. <i>Cell Death and Disease</i> , 2016 , 7, e2513	9.8	32
79	Desensitization and Incomplete Recovery of Hepatic Target Genes After Chronic Thyroid Hormone Treatment and Withdrawal in Male Adult Mice. <i>Endocrinology</i> , 2016 , 157, 1660-72	4.8	23
78	TSH β -A New Bone to Pick. <i>Endocrinology</i> , 2016 , 157, 3402-4	4.8	
77	Physiological and Metabolic Changes During the Transition from Hyperthyroidism to Euthyroidism in Graves Disease. <i>Thyroid</i> , 2016 , 26, 1422-1430	6.2	31
76	Thyroid hormone induction of mitochondrial activity is coupled to mitophagy via ROS-AMPK-ULK1 signaling. <i>Autophagy</i> , 2015 , 11, 1341-57	10.2	107
75	Classical nuclear hormone receptor activity as a mediator of complex biological responses: a look at health and disease. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2015 , 29, 517-28	6.5	18
74	Unliganded TRs regulate growth and developmental timing during early embryogenesis: evidence for a dual function mechanism of TR action. <i>Cell and Bioscience</i> , 2015 , 5, 8	9.8	26
73	An integrative approach identified genes associated with drug response in gastric cancer. <i>Carcinogenesis</i> , 2015 , 36, 441-51	4.6	11
72	Studies of molecular mechanisms associated with increased deiodinase 3 expression in a case of consumptive hypothyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3965-71	5.6	10
71	Differential AMPK phosphorylation by glucagon and metformin regulates insulin signaling in human hepatic cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 447, 569-73	3.4	27
70	Classification and proposed nomenclature for inherited defects of thyroid hormone action, cell transport, and metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 768-70	5.6	44
69	Classification and proposed nomenclature for inherited defects of thyroid hormone action, cell transport, and metabolism. <i>Thyroid</i> , 2014 , 24, 407-9	6.2	37
68	Thyroid hormone regulation of hepatic lipid and carbohydrate metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2014 , 25, 538-45	8.8	128

67	Classification and proposed nomenclature for inherited defects of thyroid hormone action, cell transport, and metabolism. <i>European Thyroid Journal</i> , 2014 , 3, 7-9	4.2	27
66	Epigallocatechin-3-gallate (EGCG), a green tea polyphenol, stimulates hepatic autophagy and lipid clearance. <i>PLoS ONE</i> , 2014 , 9, e87161	3.7	111
65	Adrenergic agonist and antagonist regulation of autophagy in HepG2 cells, primary mouse hepatocytes, and mouse liver. <i>PLoS ONE</i> , 2014 , 9, e98155	3.7	34
64	Adjunctive α -agonist treatment reduces glycogen independently of receptor-mediated acid glucosidase uptake in the limb muscles of mice with Pompe disease. <i>FASEB Journal</i> , 2014 , 28, 2272-80	0.9	13
63	Caffeine stimulates hepatic lipid metabolism by the autophagy-lysosomal pathway in mice. <i>Hepatology</i> , 2014 , 59, 1366-80	11.2	215
62	FoxO1 deacetylation regulates thyroid hormone-induced transcription of key hepatic gluconeogenic genes. <i>Journal of Biological Chemistry</i> , 2013 , 288, 30365-30372	5.4	38
61	Resveratrol induces insulin gene expression in mouse pancreatic β cells. <i>Cell and Bioscience</i> , 2013 , 3, 47	9.8	10
60	Thyroid hormone negatively regulates CDX2 and SOAT2 mRNA expression via induction of miRNA-181d in hepatic cells. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 440, 635-9	3.4	29
59	PI3K stimulates DNA synthesis and cell-cycle progression via its p55PIK regulatory subunit interaction with PCNA. <i>Molecular Cancer Therapeutics</i> , 2013 , 12, 2100-9	6.1	22
58	Genetic and bioinformatic analyses of the expression and function of PI3K regulatory subunit PIK3R3 in an Asian patient gastric cancer library. <i>BMC Medical Genomics</i> , 2012 , 5, 34	3.7	25
57	Thyroid hormone stimulates hepatic lipid catabolism via activation of autophagy. <i>Journal of Clinical Investigation</i> , 2012 , 122, 2428-38	15.9	160
56	Dynamic exchange at regulatory elements during chromatin remodeling underlies assisted loading mechanism. <i>Cell</i> , 2011 , 146, 544-54	56.2	246
55	Comparative analysis of small molecules and histone substrate analogues as LSD1 lysine demethylase inhibitors. <i>Journal of the American Chemical Society</i> , 2010 , 132, 3164-76	16.4	131
54	Distinct and histone-specific modifications mediate positive versus negative transcriptional regulation of TSHalpha promoter. <i>PLoS ONE</i> , 2010 , 5, e9853	3.7	25
53	Thyroid Hormone Action 2009 , 43-56		3
52	Negative regulation of TSHalpha target gene by thyroid hormone involves histone acetylation and corepressor complex dissociation. <i>Molecular Endocrinology</i> , 2009 , 23, 600-9		31
51	Waterboarding is not torture: a physician's response. <i>Lancet, The</i> , 2008 , 371, 1838	4.0	0
50	A peptide inhibitor derived from p55PIK phosphatidylinositol 3-kinase regulatory subunit: a novel cancer therapy. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 3719-28	6.1	34

49	New insights into thyroid hormone action. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2007 , 21, 193-208	6.5	175
48	The rat thyroid hormone receptor (TR) Deltabeta3 displays cell-, TR isoform-, and thyroid hormone response element-specific actions. <i>Endocrinology</i> , 2007 , 148, 1764-73	4.8	31
47	Thyroid hormones and 3,5-diiodothyropropionic acid: new keys for new locks. <i>Endocrinology</i> , 2006 , 147, 1598-601	4.8	5
46	Thyroid hormone-regulated target genes have distinct patterns of coactivator recruitment and histone acetylation. <i>Molecular Endocrinology</i> , 2006 , 20, 483-90		57
45	Thyroid hormone action at the cellular, genomic and target gene levels. <i>Molecular and Cellular Endocrinology</i> , 2006 , 246, 121-7	4.4	174
44	p62, A TFIID subunit, directly interacts with thyroid hormone receptor and enhances T3-mediated transcription. <i>Molecular Endocrinology</i> , 2005 , 19, 879-84		10
43	Protein synthesis inhibitors and the chemical chaperone TMAO reverse endoplasmic reticulum perturbation induced by overexpression of the iodide transporter pendrin. <i>Journal of Cell Science</i> , 2005 , 118, 1577-86	5.3	39
42	Cell cycle-dependent expression of thyroid hormone receptor-beta is a mechanism for variable hormone sensitivity. <i>Molecular Biology of the Cell</i> , 2004 , 15, 1895-903	3.5	23
41	Graves Disease after interleukin-2 therapy in a patient with human immunodeficiency virus infection. <i>Thyroid</i> , 2004 , 14, 1097-102	6.2	23
40	Molecular Basis of Thyroid Hormone Action. <i>Growth Hormone</i> , 2004 , 1-11		1
39	Effects of ligand and thyroid hormone receptor isoforms on hepatic gene expression profiles of thyroid hormone receptor knockout mice. <i>EMBO Reports</i> , 2003 , 4, 581-7	6.5	96
38	Microarray analysis of knockout mice identifies cyclin D2 as a possible mediator for the action of thyroid hormone during the postnatal development of the cerebellum. <i>Developmental Biology</i> , 2003 , 254, 188-99	3.1	54
37	Molecular basis of resistance to thyroid hormone. <i>Trends in Endocrinology and Metabolism</i> , 2003 , 14, 327-33		106
36	Dynamic shuttling and intranuclear mobility of nuclear hormone receptors. <i>Journal of Biological Chemistry</i> , 2003 , 278, 12425-32	5.4	140
35	Role of the asialoglycoprotein receptor in binding and entry of hepatitis C virus structural proteins in cultured human hepatocytes. <i>Journal of Virology</i> , 2003 , 77, 546-59	6.6	107
34	Thyroid Hormone Receptor Isoforms 2003 , 472-477		
33	Transgenic targeting of a dominant negative corepressor to liver and analyses by cDNA microarray. <i>Methods in Molecular Biology</i> , 2002 , 202, 31-54	1.4	3
32	Retention of pendrin in the endoplasmic reticulum is a major mechanism for Pendred syndrome. <i>Human Molecular Genetics</i> , 2002 , 11, 2625-33	5.6	74

31	Transgenic targeting of a dominant negative corepressor to liver blocks basal repression by thyroid hormone receptor and increases cell proliferation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 15066-72	5.4	39
30	The glucocorticoid receptor interacting protein 1 (GRIP1) localizes in discrete nuclear foci that associate with ND10 bodies and are enriched in components of the 26S proteasome. <i>Molecular Endocrinology</i> , 2001 , 15, 485-500		89
29	Somatic mutation of TRbeta can cause a defect in negative regulation of TSH in a TSH-secreting pituitary tumor. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 5572-6	5.6	78
28	Nuclear cytoplasmic shuttling by thyroid hormone receptors. multiple protein interactions are required for nuclear retention. <i>Journal of Biological Chemistry</i> , 2001 , 276, 11237-45	5.4	113
27	Aberrant alternative splicing of thyroid hormone receptor in a TSH-secreting pituitary tumor is a mechanism for hormone resistance. <i>Molecular Endocrinology</i> , 2001 , 15, 1529-38		83
26	Physiological and molecular basis of thyroid hormone action. <i>Physiological Reviews</i> , 2001 , 81, 1097-142	47.9	1430
25	Thyrotropin receptor mutations in thyroid diseases. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2000 , 1, 123-9	10.5	11
24	Thyroid hormone regulation of hepatic genes in vivo detected by complementary DNA microarray. <i>Molecular Endocrinology</i> , 2000 , 14, 947-55		269
23	Thyroid Hormone Receptors and Their Multiple Transcriptional Roles 2000 , 99-118		
22	ROR alpha augments thyroid hormone receptor-mediated transcriptional activation. <i>Endocrinology</i> , 1999 , 140, 1356-64	4.8	43
21	Recent advances in understanding thyroid hormone receptor coregulators. <i>Journal of Biomedical Science</i> , 1999 , 6, 71-8	13.3	14
20	Human trabecular meshwork cells as a thyroid hormone target tissue: presence of functional thyroid hormone receptors. <i>Graefes Archive for Clinical and Experimental Ophthalmology</i> , 1999 , 237, 2313-20	3.8	9
19	Intracellular proteolytic cleavage of 9-cis-retinoic acid receptor alpha by cathepsin L-type protease is a potential mechanism for modulating thyroid hormone action. <i>Journal of Biological Chemistry</i> , 1998 , 273, 33166-73	5.4	28
18	Expression and hormonal regulation of coactivator and corepressor genes. <i>Endocrinology</i> , 1998 , 139, 2493-500	4.8	190
17	An inhibitory region of the DNA-binding domain of thyroid hormone receptor blocks hormone-dependent transactivation. <i>Molecular Endocrinology</i> , 1998 , 12, 34-44		10
16	Lack of coactivator interaction can be a mechanism for dominant negative activity by mutant thyroid hormone receptors. <i>Endocrinology</i> , 1998 , 139, 4197-204	4.8	49
15	Thyroid hormone response elements differentially modulate the interactions of thyroid hormone receptors with two receptor binding domains in the steroid receptor coactivator-1. <i>Journal of Biological Chemistry</i> , 1998 , 273, 21554-62	5.4	55
14	Interactions of estrogen- and thyroid hormone receptors on a progesterone receptor estrogen response element (ERE) sequence: a comparison with the vitellogenin A2 consensus ERE. <i>Molecular Endocrinology</i> , 1997 , 11, 1581-92		41

13	Mutant and wild-type androgen receptors exhibit cross-talk on androgen-, glucocorticoid-, and progesterone-mediated transcription. <i>Molecular Endocrinology</i> , 1997 , 11, 162-71		36
12	Immunohistochemical expression of retinoid X receptor isoforms in human pituitaries and pituitary adenomas. <i>Neuroendocrinology</i> , 1997 , 65, 299-306	5.6	26
11	Species differences in cardiac thyroid hormone receptor isoforms protein abundance. <i>Biological and Pharmaceutical Bulletin</i> , 1997 , 20, 1123-6	2.3	9
10	Vitamin D receptors repress basal transcription and exert dominant negative activity on triiodothyronine-mediated transcriptional activity. <i>Journal of Biological Chemistry</i> , 1996 , 271, 10910-6	5.4	37
9	Factors that enhance Escherichia coli-expressed TR beta binding to T3 and DNA. <i>Thyroid</i> , 1995 , 5, 309-136.2		1
8	New advances in understanding the molecular mechanisms of thyroid hormone action. <i>Trends in Endocrinology and Metabolism</i> , 1994 , 5, 65-72	8.8	112
7	Glucocorticoid receptor binding to rat liver nuclei occurs without nuclear transport. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 1993 , 46, 309-20	5.1	6
6	Region-specific anti-thyroid hormone receptor (TR) antibodies detect changes in TR structure due to ligand-binding and dimerization. <i>Molecular and Cellular Endocrinology</i> , 1993 , 97, 93-9	4.4	11
5	Basal and thyroid hormone receptor auxiliary protein-enhanced binding of thyroid hormone receptor isoforms to native thyroid hormone response elements. <i>Endocrinology</i> , 1991 , 129, 3331-6	4.8	7
4	Region-specific antiglucocorticoid receptor antibodies selectively recognize the activated form of the ligand-occupied receptor and inhibit the binding of activated complexes to deoxyribonucleic acid. <i>Molecular Endocrinology</i> , 1989 , 3, 251-60		48
3	Short chain fatty acids increase prolactin and growth hormone production and alter cell morphology in the GH3 strain of rat pituitary cells. <i>Endocrinology</i> , 1981 , 109, 17-22	4.8	23
2	Anti-estrogenic compounds increase prolactin and growth hormone synthesis in clonal strains of rat pituitary cells. <i>Endocrinology</i> , 1977 , 101, 1151-6	4.8	31
1	Development of an in vitro senescent hepatic cell model for metabolic studies in aging		1