Patrycja Dolibog

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4210876/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	A Comparative Clinical Study on Five Types of Compression Therapy in Patients with Venous Leg Ulcers. International Journal of Medical Sciences, 2014, 11, 34-43.	2.5	57
2	Electromyographic characteristics of pelvic floor muscles in women with stress urinary incontinence following sEMG-assisted biofeedback training and Pilates exercises. PLoS ONE, 2019, 14, e0225647.	2.5	30
3	Early and long-term results of physical methods in the treatment of venous leg ulcers: randomized controlled trial. Phlebology, 2011, 26, 237-245.	1.2	23
4	Static postural stability in women with stress urinary incontinence: Effects of vision and bladder filling. Neurourology and Urodynamics, 2017, 36, 2019-2027.	1.5	16
5	The effects of treatment the avascular necrosis of the femoral head with extracorporeal focused shockwave therapy Ortopedia Traumatologia Rehabilitacja, 2012, 14, 10-10.	0.3	11
6	A randomized, controlled clinical pilot study comparing three types of compression therapy to treat venous leg ulcers in patients with superficial and/or segmental deep venous reflux . Ostomy - Wound Management, 2013, 59, 22-30.	0.8	11
7	Physical therapy in the treatment of venous leg ulcers: biophysical mechanisms. Wounds, 2012, 24, 138-45.	0.5	9
8	Shockwave therapy in selected soft tissue diseases: a literature review. Journal of Wound Care, 2018, 27, 573-583.	1.2	7
9	Randomized, controlled clinical pilot study of venous leg ulcers treated with using two types of shockwave therapy. International Journal of Medical Sciences, 2018, 15, 1275-1285.	2.5	6
10	Using Physical Modalities in the Treatment of Venous Leg Ulcers: A 14-year Comparative Clinical Study. Wounds, 2012, 24, 215-26.	0.5	6
11	Comparison of ultrasound therapy and radial shock wave therapy in the treatment of venous leg ulcers – clinical, pilot study. Postepy Dermatologii I Alergologii, 2018, 35, 453-461.	0.9	4
12	Comparative Analysis of Human Body Temperatures Measured with Noncontact and Contact Thermometers. Healthcare (Switzerland), 2022, 10, 331.	2.0	4
13	Reliability of pelvic floor muscle surface electromyography (sEMG) recordings during synchronous whole body vibration. PLoS ONE, 2021, 16, e0251265.	2.5	2
14	An attempt at using focused shockwave therapy to treat selected orthopedic diseases – a preliminary report. Fizjoterapia Polska, 2012, 12, 147-158.	0.0	2
15	Focused and radial shockwave therapies in the treatment of symptomatic calcaneal spur. Fizjoterapia Polska, 2012, 12, 341-354.	0.0	2
16	Radial shockwave and ultrasound in the treatment of lateral epicondylitis – a preliminary report. Rehabilitacja Medyczna, 2018, 22, 15-21.	0.1	1
17	Analysis of predicted full recovery time for venous leg ulcers treated with intermittent pneumatic compression. Postepy Dermatologii I Alergologii, 2022, 39, 52-58.	0.9	1
18	The current state of knowledge about focused and radial shockwave in orthopedics and physiotherapy. Part 1. Fizjoterapia Polska, 2012, 12, 83-100.	0.0	0

#	Article	IF	CITATIONS
19	The current state of knowledge about focused and radial shockwave in orthopedics and physiotherapy: the new applications. Part 2. Fizjoterapia Polska, 2012, 12, 191-200.	0.0	Ο
20	The Determination of Normative Values for the Median Nerve Using Classic Electrodiagnostic Methods. Rehabilitacja Medyczna, 2022, 25, .	0.1	0
21	An attempt at objective and subjective evaluation of the therapeutic efficacy of focused and radial shockwave applied to symptomatic heel spur. Acta of Bioengineering and Biomechanics, 2016, 18, 143-148.	0.4	Ο
22	Analgesic and Functional Efficiency of High-Voltage Electrical Stimulation in Patients with Lateral Epicondylitis—A Report with a 180-Day Follow-Up. Journal of Clinical Medicine, 2022, 11, 2571.	2.4	0