

Nicolas Narboux-NÃame

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4211222/publications.pdf>

Version: 2024-02-01

26
papers

1,507
citations

471371

17
h-index

552653

26
g-index

33
all docs

33
docs citations

33
times ranked

2323
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Dlx5/6 Expression Levels in Mouse GABAergic Neurons Regulate Adult Parvalbumin Neuronal Density and Anxiety/Compulsive Behaviours. <i>Cells</i> , 2022, 11, 1739. | 1.8 | 0 |
| 2 | <i>DLX5/6</i> GABAergic Expression Affects Social Vocalization: Implications for Human Evolution. <i>Molecular Biology and Evolution</i> , 2021, 38, 4748-4764. | 3.5 | 8 |
| 3 | Dlx5 and Dlx6 expression in GABAergic neurons controls behavior, metabolism, healthy aging and lifespan. <i>Aging</i> , 2019, 11, 6638-6656. | 1.4 | 25 |
| 4 | Posterior axis formation requires Dlx5/Dlx6 expression at the neural plate border. <i>PLoS ONE</i> , 2019, 14, e0214063. | 1.1 | 5 |
| 5 | Probing the origin of matching functional jaws: roles of Dlx5/6 in cranial neural crest cells. <i>Scientific Reports</i> , 2018, 8, 14975. | 1.6 | 17 |
| 6 | Comparative analysis of molecular signatures suggests the use of gabapentin for the management of endometriosis-associated pain. <i>Journal of Pain Research</i> , 2018, Volume 11, 715-725. | 0.8 | 18 |
| 7 | Mice lacking the serotonin 5-HT 2B receptor as an animal model of resistance to selective serotonin reuptake inhibitors antidepressants. <i>European Neuropsychopharmacology</i> , 2016, 26, 265-279. | 0.3 | 37 |
| 8 | <i>Dlx5</i> and <i>Dlx6</i> control uterine adenogenesis during post-natal maturation: possible consequences for endometriosis. <i>Human Molecular Genetics</i> , 2016, 25, 97-108. | 1.4 | 29 |
| 9 | Etiology of craniofacial malformations in mouse models of blepharophimosis, ptosis and epicanthus inversus syndrome. <i>Human Molecular Genetics</i> , 2015, 24, 1670-1681. | 1.4 | 25 |
| 10 | Developmental genetic bases behind the independent origin of the tympanic membrane in mammals and diapsids. <i>Nature Communications</i> , 2015, 6, 6853. | 5.8 | 64 |
| 11 | Distinct effects of <i>Hoxa2</i> overexpression in cranial neural crest populations reveal that the mammalian hyomandibular-ceratohyal boundary maps within the styloid process. <i>Developmental Biology</i> , 2015, 402, 162-174. | 0.9 | 35 |
| 12 | Postnatal Growth Defects in Mice with Constitutive Depletion of Central Serotonin. <i>ACS Chemical Neuroscience</i> , 2013, 4, 171-181. | 1.7 | 71 |
| 13 | Sensory Map Transfer to the Neocortex Relies on Pretarget Ordering of Thalamic Axons. <i>Current Biology</i> , 2013, 23, 810-816. | 1.8 | 41 |
| 14 | Paradoxical increase in survival of newborn neurons in the dentate gyrus of mice with constitutive depletion of serotonin. <i>European Journal of Neuroscience</i> , 2013, 38, 2650-2658. | 1.2 | 38 |
| 15 | Transitory expression of Dlx5 and Dlx6 in maxillary arch precursors is essential for upper jaw morphogenesis. <i>F1000Research</i> , 2013, 2, 261. | 0.8 | 3 |
| 16 | Transitory expression of Dlx5 and Dlx6 in maxillary arch epithelial precursors is essential for upper jaw morphogenesis. <i>F1000Research</i> , 2013, 2, 261. | 0.8 | 3 |
| 17 | Integration of H-2Z1, a Somatosensory Cortex-Expressed Transgene, Interferes with the Expression of the <i>Satb1</i> and <i>Tbc1d5</i> Flanking Genes and Affects the Differentiation of a Subset of Cortical Interneurons. <i>Journal of Neuroscience</i> , 2012, 32, 7287-7300. | 1.7 | 12 |
| 18 | VeZatin Is Essential for Dendritic Spine Morphogenesis and Functional Synaptic Maturation. <i>Journal of Neuroscience</i> , 2012, 32, 9007-9022. | 1.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Neurotransmitter Release at the Thalamocortical Synapse Instructs Barrel Formation But Not Axon Patterning in the Somatosensory Cortex. <i>Journal of Neuroscience</i> , 2012, 32, 6183-6196. | 1.7 | 79 |
| 20 | 5-HT _{2B} receptors are required for serotonin-selective antidepressant actions. <i>Molecular Psychiatry</i> , 2012, 17, 154-163. | 4.1 | 165 |
| 21 | Genetic Models of Serotonin (5-HT) Depletion: What do They Tell Us About the Developmental Role of 5-HT? <i>Anatomical Record</i> , 2011, 294, 1615-1623. | 0.8 | 39 |
| 22 | Severe Serotonin Depletion after Conditional Deletion of the Vesicular Monoamine Transporter 2 Gene in Serotonin Neurons: Neural and Behavioral Consequences. <i>Neuropsychopharmacology</i> , 2011, 36, 2538-2550. | 2.8 | 71 |
| 23 | Serotonin transporter transgenic (SERT ^{Cre}) mouse line reveals developmental targets of serotonin specific reuptake inhibitors (SSRIs). <i>Neuropharmacology</i> , 2008, 55, 994-1005. | 2.0 | 126 |
| 24 | cAMP oscillations and retinal activity are permissive for ephrin signaling during the establishment of the retinotopic map. <i>Nature Neuroscience</i> , 2007, 10, 340-347. | 7.1 | 151 |
| 25 | Regionalization of the isthmic and cerebellar primordia. <i>Progress in Brain Research</i> , 2005, 148, 29-36. | 0.9 | 2 |
| 26 | Multiple origins of Cajal-Retzius cells at the borders of the developing pallium. <i>Nature Neuroscience</i> , 2005, 8, 1002-1012. | 7.1 | 422 |